



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 06:45 PM UTC

PDB ID : 7ZBO / pdb_00007zbo
Title : Amine Dehydrogenase MATOUAmDH2 in complex with NADP+
Authors : Bennett, M.; Ducrot, L.; Vergne-Vaxelaire, C.; Grogan, G.
Deposited on : 2022-03-24
Resolution : 2.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7754 (2.34-2.30)
Clashscore	190562	8383 (2.34-2.30)
Ramachandran outliers	187476	8303 (2.34-2.30)
Sidechain outliers	187428	8303 (2.34-2.30)
RSRZ outliers	180081	7760 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	4% 79% 18% ..
1	B	351	24% 74% 20% ...
1	C	351	11% 77% 17% ..
1	D	351	20% 77% 18% ..

2 Entry composition ⓘ


There are 3 unique types of molecules in this entry. The entry contains 10633 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amine Dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	348	Total	C	N	O	S	0	0	0
			2623	1653	430	519	21			
1	B	343	Total	C	N	O	S	0	0	0
			2541	1602	413	505	21			
1	C	340	Total	C	N	O	S	0	0	0
			2553	1611	419	502	21			
1	D	340	Total	C	N	O	S	0	0	0
			2489	1562	413	494	20			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	74	Total	O	0	0
			74	74		
3	B	41	Total	O	0	0
			41	41		
3	C	71	Total	O	0	0
			71	71		
3	D	49	Total	O	0	0
			49	49		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Amine Dehydrogenase




• Molecule 1: Amine Dehydrogenase





• Molecule 1: Amine Dehydrogenase





● Molecule 1: Amine Dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.10Å 112.19Å 153.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	64.21 – 2.32 64.21 – 2.32	Depositor EDS
% Data completeness (in resolution range)	100.0 (64.21-2.32) 100.0 (64.21-2.32)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.32Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.237 , 0.288 0.241 , 0.289	Depositor DCC
R_{free} test set	3432 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	28.4	Xtriage
Anisotropy	0.819	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 24.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	10633	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.73 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0379e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.07	0/2676	1.42	5/3638 (0.1%)
1	B	1.10	0/2589	1.47	10/3520 (0.3%)
1	C	1.08	2/2601 (0.1%)	1.43	6/3530 (0.2%)
1	D	1.06	0/2533	1.45	6/3444 (0.2%)
All	All	1.08	2/10399 (0.0%)	1.44	27/14132 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	65	ALA	C-O	5.19	1.30	1.23
1	C	344	GLU	C-O	5.12	1.30	1.23

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	323	ARG	CG-CD-NE	7.53	128.57	112.00
1	B	50	PHE	N-CA-C	-7.32	99.44	110.28
1	B	191	GLU	CB-CG-CD	6.20	123.15	112.60
1	B	16	GLY	CA-C-O	-6.13	117.10	121.88
1	D	337	THR	CB-CA-C	6.00	122.62	110.38
1	B	177	GLY	CA-C-N	5.98	128.62	120.54
1	B	177	GLY	C-N-CA	5.98	128.62	120.54
1	D	16	GLY	CA-C-O	-5.90	117.28	121.88
1	A	64	THR	CA-CB-OG1	-5.83	100.85	109.60
1	D	269	GLU	CB-CA-C	5.65	121.69	110.17
1	B	337	THR	CB-CA-C	5.62	121.46	110.67
1	C	89	VAL	CA-C-N	5.40	126.09	119.99
1	C	89	VAL	C-N-CA	5.40	126.09	119.99
1	D	65	ALA	CA-C-N	5.38	126.07	119.99
1	D	65	ALA	C-N-CA	5.38	126.07	119.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	65	ALA	CA-C-N	5.38	126.07	119.99
1	A	65	ALA	C-N-CA	5.38	126.07	119.99
1	C	337	THR	CB-CA-C	5.36	121.31	110.38
1	C	232	GLU	CB-CG-CD	5.34	121.68	112.60
1	C	217	ASP	CA-CB-CG	5.24	117.84	112.60
1	B	64	THR	CA-CB-OG1	-5.24	101.75	109.60
1	A	16	GLY	CA-C-O	-5.14	117.77	122.24
1	D	199	PRO	CB-CA-C	5.09	118.06	111.64
1	B	65	ALA	CA-C-N	5.05	125.70	119.99
1	B	65	ALA	C-N-CA	5.05	125.70	119.99
1	B	141	GLY	N-CA-C	-5.04	101.24	113.18
1	A	202	THR	CA-CB-OG1	-5.03	102.06	109.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2623	0	2544	43	0
1	B	2541	0	2440	62	0
1	C	2553	0	2504	48	0
1	D	2489	0	2388	47	0
2	A	48	0	25	0	0
2	B	48	0	25	0	0
2	C	48	0	25	0	0
2	D	48	0	25	0	0
3	A	74	0	0	1	0
3	B	41	0	0	0	0
3	C	71	0	0	2	0
3	D	49	0	0	3	0
All	All	10633	0	9976	196	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (196) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:178:GLN:O	1:C:179:VAL:HG22	1.67	0.95
1:B:37:VAL:HG13	1:B:76:THR:HG23	1.48	0.93
1:B:168:GLY:HA3	1:B:292:PHE:CZ	2.04	0.93
1:B:145:ASP:OD1	1:B:337:THR:HG21	1.70	0.91
1:A:24:MET:CE	1:A:82:MET:HG3	2.03	0.89
1:A:307:MET:HE1	1:A:315:MET:HE1	1.53	0.89
1:C:145:ASP:OD1	1:C:337:THR:HG21	1.74	0.88
1:A:24:MET:HE1	1:A:82:MET:CG	2.05	0.87
1:D:145:ASP:OD1	1:D:337:THR:HG21	1.75	0.86
1:D:310:PRO:CB	1:D:315:MET:HE1	2.08	0.82
1:B:234:LYS:HB3	1:B:260:MET:HE2	1.60	0.82
1:D:311:PRO:CD	1:D:315:MET:HE2	2.09	0.81
1:D:11:ARG:NH1	1:D:37:VAL:HG21	1.94	0.81
1:B:37:VAL:HG13	1:B:76:THR:CG2	2.13	0.79
1:C:127:MET:HE2	1:C:127:MET:HA	1.62	0.79
1:A:24:MET:HE2	1:A:82:MET:HG3	1.64	0.78
1:B:38:ALA:HB2	1:B:76:THR:HG21	1.66	0.78
1:A:101:GLU:OE1	3:A:501:HOH:O	2.03	0.77
1:D:310:PRO:HB2	1:D:315:MET:HE1	1.66	0.76
1:D:127:MET:HA	1:D:127:MET:HE2	1.65	0.76
1:B:311:PRO:HD2	1:B:315:MET:HE2	1.68	0.75
1:A:80:ILE:HD13	1:A:82:MET:HE1	1.69	0.74
1:C:80:ILE:HD13	1:C:82:MET:HE1	1.70	0.73
1:B:311:PRO:HD2	1:B:315:MET:CE	2.18	0.73
1:D:46:VAL:O	1:D:63:VAL:O	2.06	0.73
1:A:127:MET:HA	1:A:127:MET:HE2	1.72	0.72
1:D:311:PRO:HD2	1:D:315:MET:HE2	1.72	0.71
1:B:193:PHE:CZ	1:B:260:MET:HE3	2.24	0.71
1:D:80:ILE:HD13	1:D:82:MET:HE1	1.72	0.70
1:D:218:TRP:HE1	1:D:337:THR:HG22	1.54	0.70
1:A:250:ARG:HH12	1:A:256:GLN:HE22	1.37	0.70
1:B:46:VAL:O	1:B:63:VAL:O	2.08	0.70
1:B:24:MET:HE1	1:B:82:MET:SD	2.32	0.70
1:A:24:MET:HE1	1:A:82:MET:SD	2.32	0.69
1:B:127:MET:HA	1:B:127:MET:HE2	1.73	0.69
1:C:186:VAL:HG21	1:C:248:ILE:HG21	1.74	0.69
1:B:80:ILE:HD13	1:B:82:MET:HE1	1.76	0.67
1:B:250:ARG:HH12	1:B:256:GLN:HE22	1.41	0.67
1:B:310:PRO:CB	1:B:315:MET:HE1	2.25	0.67
1:D:218:TRP:NE1	1:D:337:THR:HG22	2.11	0.66
1:C:168:GLY:HA3	1:C:292:PHE:CE1	2.31	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:37:VAL:CG1	1:B:76:THR:HG23	2.25	0.66
1:B:105:ASN:HD22	1:B:137:SER:H	1.43	0.66
1:B:311:PRO:CD	1:B:315:MET:HE2	2.26	0.66
1:A:105:ASN:HD22	1:A:137:SER:H	1.42	0.65
1:D:80:ILE:HG12	1:D:82:MET:HE2	1.79	0.65
1:D:105:ASN:HD22	1:D:137:SER:H	1.44	0.65
1:A:80:ILE:HG12	1:A:82:MET:HE2	1.78	0.65
1:A:88:THR:HG22	1:A:91:ASP:H	1.63	0.64
1:B:311:PRO:CD	1:B:315:MET:CE	2.75	0.64
1:A:24:MET:CE	1:A:82:MET:CG	2.68	0.64
1:B:88:THR:HG22	1:B:91:ASP:H	1.63	0.64
1:B:24:MET:HE2	1:B:28:LEU:HD11	1.79	0.64
1:B:218:TRP:HE1	1:B:337:THR:HG22	1.62	0.64
1:B:80:ILE:HG12	1:B:82:MET:HE2	1.80	0.64
1:C:89:VAL:HG23	1:C:112:GLU:OE1	1.99	0.63
1:C:80:ILE:HG12	1:C:82:MET:HE2	1.81	0.63
1:A:80:ILE:CD1	1:A:82:MET:HE1	2.28	0.63
1:C:169:LEU:HD22	1:C:171:TYR:HD1	1.64	0.62
1:B:193:PHE:HZ	1:B:260:MET:HE3	1.62	0.62
1:C:88:THR:HG22	1:C:91:ASP:H	1.65	0.62
1:C:262:VAL:HB	1:C:278:GLN:HG2	1.81	0.62
1:D:88:THR:HG22	1:D:91:ASP:H	1.64	0.61
1:C:218:TRP:HE1	1:C:337:THR:HG22	1.65	0.61
1:C:80:ILE:CD1	1:C:82:MET:HE1	2.30	0.61
1:D:80:ILE:CD1	1:D:82:MET:HE1	2.32	0.59
1:B:218:TRP:NE1	1:B:337:THR:HG22	2.17	0.58
1:C:181:ALA:HB1	1:C:186:VAL:HG11	1.84	0.58
1:B:24:MET:CE	1:B:82:MET:HG3	2.34	0.58
1:C:218:TRP:NE1	1:C:337:THR:HG22	2.18	0.57
1:D:168:GLY:HA3	1:D:292:PHE:CE2	2.38	0.57
1:A:168:GLY:HA3	1:A:292:PHE:CE2	2.39	0.57
1:B:168:GLY:HA3	1:B:292:PHE:CE2	2.37	0.57
1:A:199:PRO:O	1:A:260:MET:HE1	2.06	0.56
1:C:82:MET:HE3	1:C:324:MET:HE2	1.88	0.56
1:B:24:MET:HE1	1:B:82:MET:CG	2.37	0.55
1:B:310:PRO:CA	1:B:315:MET:HE1	2.37	0.55
1:C:254:VAL:O	3:C:501:HOH:O	2.18	0.54
1:B:80:ILE:CD1	1:B:82:MET:HE1	2.37	0.54
1:C:115:PHE:CD1	1:C:336:THR:HG21	2.43	0.54
1:D:247:ALA:HA	3:D:547:HOH:O	2.06	0.54
1:D:311:PRO:N	1:D:315:MET:HE2	2.22	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:310:PRO:HB2	1:D:315:MET:CE	2.35	0.53
1:C:178:GLN:O	1:C:179:VAL:CG2	2.48	0.53
1:D:145:ASP:OD2	1:D:323:ARG:HD2	2.09	0.53
1:A:181:ALA:O	1:A:186:VAL:HG13	2.09	0.52
1:A:307:MET:HE2	1:A:310:PRO:HB3	1.91	0.52
1:A:125:LYS:NZ	1:A:129:GLU:OE2	2.42	0.52
1:B:181:ALA:O	1:B:186:VAL:HG13	2.09	0.52
1:C:169:LEU:HD23	1:C:170:GLN:N	2.25	0.52
1:A:64:THR:HG21	1:A:72:THR:OG1	2.10	0.52
1:A:80:ILE:HG12	1:A:82:MET:CE	2.39	0.52
1:D:210:SER:HB3	1:D:262:VAL:HG11	1.92	0.51
1:B:298:ASN:HA	1:B:299:PRO:C	2.35	0.51
1:B:168:GLY:HA3	1:B:292:PHE:CE1	2.44	0.51
1:D:80:ILE:HG12	1:D:82:MET:CE	2.40	0.51
1:B:64:THR:HG21	1:B:72:THR:OG1	2.11	0.50
1:A:210:SER:HB3	1:A:262:VAL:HG11	1.93	0.50
1:B:24:MET:HE2	1:B:82:MET:HG3	1.93	0.50
1:D:115:PHE:CD1	1:D:336:THR:HG21	2.46	0.50
1:B:115:PHE:CD1	1:B:336:THR:HG21	2.46	0.50
1:A:268:THR:HG21	1:A:272:VAL:HB	1.94	0.50
1:C:80:ILE:HG12	1:C:82:MET:CE	2.41	0.50
1:D:207:TYR:CD1	1:D:208:PRO:HA	2.47	0.50
1:A:24:MET:HE1	1:A:82:MET:CB	2.41	0.49
1:C:348:HIS:ND1	3:C:503:HOH:O	2.34	0.49
1:D:207:TYR:CG	1:D:208:PRO:HA	2.46	0.49
1:A:91:ASP:OD2	1:B:196:GLU:OE2	2.30	0.49
1:C:207:TYR:CG	1:C:208:PRO:HA	2.48	0.49
1:D:298:ASN:HA	1:D:299:PRO:C	2.38	0.49
1:B:288:GLU:HB3	1:B:309:ASN:OD1	2.13	0.49
1:D:311:PRO:CG	1:D:315:MET:HE2	2.42	0.49
1:C:298:ASN:HA	1:C:299:PRO:C	2.38	0.49
1:A:298:ASN:HA	1:A:299:PRO:C	2.37	0.48
1:B:210:SER:HB3	1:B:262:VAL:HG11	1.95	0.48
1:B:207:TYR:CG	1:B:208:PRO:HA	2.48	0.48
1:B:185:GLY:HA2	1:B:188:LEU:HD22	1.95	0.48
1:A:196:GLU:OE2	1:B:91:ASP:OD2	2.32	0.47
1:A:252:ILE:HG23	1:A:256:GLN:HE21	1.79	0.47
1:C:207:TYR:CD1	1:C:208:PRO:HA	2.48	0.47
1:A:207:TYR:CG	1:A:208:PRO:HA	2.49	0.47
1:C:115:PHE:CD2	1:C:217:ASP:HB3	2.50	0.47
1:C:210:SER:HB3	1:C:262:VAL:HG11	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:186:VAL:HG21	1:C:248:ILE:CG2	2.45	0.47
1:B:80:ILE:HG12	1:B:82:MET:CE	2.44	0.47
1:B:115:PHE:CD2	1:B:217:ASP:HB3	2.49	0.47
1:A:268:THR:HG23	1:A:270:GLU:H	1.79	0.46
1:A:10:LEU:HD11	1:A:328:VAL:HG21	1.96	0.46
1:B:311:PRO:HG2	1:B:315:MET:HE2	1.98	0.46
1:B:268:THR:HG21	1:B:272:VAL:HB	1.97	0.46
1:B:252:ILE:HG23	1:B:256:GLN:HE21	1.80	0.46
1:B:268:THR:HG23	1:B:270:GLU:H	1.79	0.46
1:D:94:SER:HB2	3:D:545:HOH:O	2.15	0.46
1:B:86:LEU:HD13	1:B:91:ASP:HB3	1.97	0.46
1:B:145:ASP:OD2	1:B:323:ARG:HD3	2.15	0.46
1:C:165:LEU:HD23	1:C:165:LEU:C	2.41	0.46
1:C:268:THR:HG23	1:C:270:GLU:H	1.81	0.45
1:D:115:PHE:CD2	1:D:217:ASP:HB3	2.51	0.45
1:C:127:MET:HA	1:C:127:MET:CE	2.42	0.45
1:C:268:THR:HG21	1:C:272:VAL:HB	1.97	0.45
1:D:268:THR:HG23	1:D:270:GLU:H	1.79	0.45
1:D:86:LEU:HD13	1:D:91:ASP:HB3	1.99	0.45
1:D:309:ASN:N	1:D:310:PRO:CD	2.80	0.45
1:A:115:PHE:CD2	1:A:336:THR:HG21	2.52	0.44
1:B:165:LEU:C	1:B:165:LEU:HD23	2.42	0.44
1:D:311:PRO:N	1:D:315:MET:CE	2.80	0.44
1:A:164:LYS:HA	1:A:273:ILE:O	2.17	0.44
1:B:23:GLU:OE1	1:B:26:LYS:HD2	2.18	0.44
1:A:145:ASP:OD2	1:A:323:ARG:HD3	2.18	0.44
1:D:164:LYS:HA	1:D:273:ILE:O	2.17	0.44
1:A:24:MET:HE2	1:A:28:LEU:HD11	1.99	0.44
1:A:165:LEU:C	1:A:165:LEU:HD23	2.42	0.44
1:D:165:LEU:C	1:D:165:LEU:HD23	2.42	0.44
1:D:311:PRO:HD2	1:D:315:MET:CE	2.44	0.44
1:C:10:LEU:HD11	1:C:328:VAL:HG21	1.99	0.44
1:C:202:THR:CG2	1:C:234:LYS:HG3	2.48	0.44
1:A:86:LEU:HD13	1:A:91:ASP:HB3	2.00	0.43
1:C:179:VAL:HG23	1:C:180:LEU:N	2.33	0.43
1:A:346:TYR:CD2	1:D:162:ILE:HD12	2.53	0.43
1:C:164:LYS:HA	1:C:273:ILE:O	2.18	0.43
1:D:310:PRO:CA	1:D:315:MET:HE1	2.47	0.43
1:D:312:THR:N	1:D:313:PRO:CD	2.82	0.43
1:C:187:GLY:HA2	1:C:256:GLN:NE2	2.34	0.43
1:D:127:MET:HA	1:D:127:MET:CE	2.44	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:VAL:HG11	1:B:184:HIS:CG	2.54	0.43
1:D:123:LYS:CG	3:D:526:HOH:O	2.67	0.43
1:B:312:THR:N	1:B:313:PRO:CD	2.82	0.43
1:B:311:PRO:N	1:B:315:MET:CE	2.82	0.43
1:C:86:LEU:HD13	1:C:91:ASP:HB3	2.00	0.43
1:C:218:TRP:CZ2	1:C:337:THR:HG22	2.53	0.42
1:A:312:THR:N	1:A:313:PRO:CD	2.82	0.42
1:B:164:LYS:HA	1:B:273:ILE:O	2.18	0.42
1:B:309:ASN:N	1:B:310:PRO:CD	2.82	0.42
1:C:218:TRP:CE2	1:C:337:THR:HG22	2.54	0.42
1:D:71:GLU:OE2	1:D:74:ARG:NH2	2.39	0.42
1:B:311:PRO:CG	1:B:315:MET:HE2	2.49	0.42
1:A:24:MET:HE1	1:A:82:MET:HB3	2.00	0.42
1:B:107:TYR:CE2	1:B:320:ALA:HA	2.55	0.42
1:A:309:ASN:N	1:A:310:PRO:CD	2.83	0.42
1:C:169:LEU:HD22	1:C:171:TYR:CD1	2.50	0.42
1:D:218:TRP:CE2	1:D:337:THR:HG22	2.54	0.41
1:B:107:TYR:OH	1:B:141:GLY:O	2.23	0.41
1:C:176:TYR:HB3	1:C:180:LEU:HD23	2.02	0.41
1:C:312:THR:N	1:C:313:PRO:CD	2.82	0.41
1:C:181:ALA:O	1:C:186:VAL:HG13	2.20	0.41
1:A:250:ARG:HH21	1:B:178:GLN:NE2	2.17	0.41
1:C:25:ALA:O	1:C:29:VAL:HG23	2.20	0.41
1:D:180:LEU:HD13	1:D:180:LEU:HA	1.93	0.41
1:B:107:TYR:HA	1:B:139:ILE:O	2.21	0.41
1:C:309:ASN:N	1:C:310:PRO:CD	2.83	0.41
1:C:107:TYR:HA	1:C:139:ILE:O	2.21	0.40
1:D:311:PRO:HG2	1:D:315:MET:HE2	2.03	0.40
1:A:139:ILE:HD12	1:A:327:THR:HA	2.02	0.40
1:D:209:LYS:HG2	1:D:213:TYR:CD2	2.57	0.40
1:C:127:MET:HE2	1:C:127:MET:CA	2.44	0.40
1:D:107:TYR:HA	1:D:139:ILE:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	346/351 (99%)	330 (95%)	16 (5%)	0	100	100
1	B	341/351 (97%)	323 (95%)	17 (5%)	1 (0%)	36	45
1	C	336/351 (96%)	320 (95%)	14 (4%)	2 (1%)	21	25
1	D	336/351 (96%)	317 (94%)	17 (5%)	2 (1%)	21	25
All	All	1359/1404 (97%)	1290 (95%)	64 (5%)	5 (0%)	30	37

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	179	VAL
1	D	179	VAL
1	C	186	VAL
1	D	283	TYR
1	B	283	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/289 (97%)	259 (92%)	21 (8%)	12	16
1	B	264/289 (91%)	241 (91%)	23 (9%)	9	12
1	C	272/289 (94%)	255 (94%)	17 (6%)	16	22
1	D	256/289 (89%)	231 (90%)	25 (10%)	7	9
All	All	1072/1156 (93%)	986 (92%)	86 (8%)	11	14

All (86) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	37	VAL
1	A	39	VAL
1	A	61	ILE
1	A	64	THR
1	A	88	THR
1	A	95	GLN
1	A	113	LEU
1	A	132	LYS
1	A	180	LEU
1	A	186	VAL
1	A	202	THR
1	A	205	THR
1	A	206	SER
1	A	209	LYS
1	A	229	LYS
1	A	231	GLU
1	A	268	THR
1	A	323	ARG
1	A	329	ASP
1	A	347	VAL
1	B	22	LYS
1	B	23	GLU
1	B	34	VAL
1	B	37	VAL
1	B	39	VAL
1	B	50	PHE
1	B	64	THR
1	B	76	THR
1	B	88	THR
1	B	95	GLN
1	B	113	LEU
1	B	186	VAL
1	B	188	LEU
1	B	202	THR
1	B	206	SER
1	B	229	LYS
1	B	231	GLU
1	B	268	THR
1	B	308	LYS
1	B	323	ARG
1	B	337	THR
1	B	347	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	351	LEU
1	C	8	SER
1	C	34	VAL
1	C	59	GLN
1	C	88	THR
1	C	95	GLN
1	C	113	LEU
1	C	180	LEU
1	C	235	THR
1	C	238	LYS
1	C	256	GLN
1	C	268	THR
1	C	288	GLU
1	C	323	ARG
1	C	337	THR
1	C	340	LEU
1	C	347	VAL
1	C	350	ARG
1	D	8	SER
1	D	19	ASN
1	D	34	VAL
1	D	37	VAL
1	D	39	VAL
1	D	88	THR
1	D	94	SER
1	D	95	GLN
1	D	103	LYS
1	D	113	LEU
1	D	118	THR
1	D	180	LEU
1	D	205	THR
1	D	206	SER
1	D	231	GLU
1	D	256	GLN
1	D	268	THR
1	D	269	GLU
1	D	277	LYS
1	D	288	GLU
1	D	308	LYS
1	D	309	ASN
1	D	323	ARG
1	D	337	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	347	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	ASN
1	A	95	GLN
1	A	105	ASN
1	A	214	ASN
1	A	216	ASN
1	A	256	GLN
1	A	309	ASN
1	A	348	HIS
1	B	20	GLN
1	B	59	GLN
1	B	102	ASN
1	B	105	ASN
1	B	134	HIS
1	B	178	GLN
1	B	214	ASN
1	B	216	ASN
1	B	256	GLN
1	B	348	HIS
1	C	20	GLN
1	C	95	GLN
1	C	102	ASN
1	D	59	GLN
1	D	95	GLN
1	D	102	ASN
1	D	105	ASN
1	D	214	ASN
1	D	309	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAP	B	401	-	50,52,52	0.92	3 (6%)	71,80,80	0.91	3 (4%)
2	NAP	C	401	-	50,52,52	0.74	2 (4%)	71,80,80	1.06	6 (8%)
2	NAP	A	401	-	50,52,52	0.89	2 (4%)	71,80,80	0.93	5 (7%)
2	NAP	D	401	-	50,52,52	0.77	2 (4%)	71,80,80	0.99	4 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	B	401	-	-	7/35/67/67	0/5/5/5
2	NAP	C	401	-	-	9/35/67/67	0/5/5/5
2	NAP	A	401	-	-	6/35/67/67	0/5/5/5
2	NAP	D	401	-	-	5/35/67/67	0/5/5/5

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NAP	P2B-O2B	3.69	1.66	1.59
2	D	401	NAP	P2B-O2B	3.62	1.65	1.59
2	B	401	NAP	C2N-N1N	3.55	1.38	1.35
2	A	401	NAP	C2N-N1N	3.39	1.38	1.35
2	B	401	NAP	P2B-O2B	2.92	1.64	1.59
2	C	401	NAP	C2N-N1N	2.68	1.37	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	NAP	P2B-O2B	2.67	1.64	1.59
2	B	401	NAP	O4D-C1D	2.22	1.43	1.40
2	D	401	NAP	C2N-N1N	2.18	1.37	1.35

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	NAP	P2B-O2B-C2B	-4.25	112.08	123.43
2	D	401	NAP	P2B-O2B-C2B	-3.99	112.77	123.43
2	C	401	NAP	C6N-N1N-C2N	-3.47	118.92	121.88
2	B	401	NAP	C6N-N1N-C2N	-3.33	119.05	121.88
2	A	401	NAP	C6N-N1N-C2N	-3.18	119.17	121.88
2	D	401	NAP	C6N-N1N-C2N	-2.88	119.42	121.88
2	B	401	NAP	O2X-P2B-O2B	2.81	116.79	105.85
2	A	401	NAP	P2B-O2B-C2B	-2.67	116.30	123.43
2	D	401	NAP	C3B-C2B-C1B	-2.53	97.96	102.81
2	B	401	NAP	O2B-P2B-O1X	-2.30	101.15	109.33
2	C	401	NAP	O2B-C2B-C1B	2.26	118.00	110.05
2	C	401	NAP	C3B-C2B-C1B	-2.19	98.61	102.81
2	A	401	NAP	C3B-C2B-C1B	-2.19	98.62	102.81
2	D	401	NAP	O2A-PA-O1A	2.11	122.28	112.44
2	A	401	NAP	O3B-C3B-C2B	-2.11	105.29	111.19
2	C	401	NAP	C2B-C1B-N9A	2.10	117.20	113.75
2	C	401	NAP	O2A-PA-O1A	2.06	122.04	112.44
2	A	401	NAP	O2X-P2B-O2B	2.00	113.65	105.85

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	NAP	O4D-C1D-N1N-C2N
2	A	401	NAP	O4D-C1D-N1N-C6N
2	B	401	NAP	O4D-C1D-N1N-C2N
2	B	401	NAP	O4D-C1D-N1N-C6N
2	B	401	NAP	C2D-C1D-N1N-C2N
2	B	401	NAP	C2D-C1D-N1N-C6N
2	C	401	NAP	C5B-O5B-PA-O2A
2	C	401	NAP	C5B-O5B-PA-O3
2	C	401	NAP	O4D-C1D-N1N-C2N
2	C	401	NAP	O4D-C1D-N1N-C6N
2	C	401	NAP	C2D-C1D-N1N-C2N
2	C	401	NAP	C2D-C1D-N1N-C6N

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	401	NAP	O4D-C1D-N1N-C2N
2	D	401	NAP	O4D-C1D-N1N-C6N
2	D	401	NAP	C2D-C1D-N1N-C2N
2	B	401	NAP	C3B-C2B-O2B-P2B
2	C	401	NAP	C3B-C4B-C5B-O5B
2	C	401	NAP	O4B-C4B-C5B-O5B
2	B	401	NAP	C1B-C2B-O2B-P2B
2	A	401	NAP	C1B-C2B-O2B-P2B
2	C	401	NAP	C5B-O5B-PA-O1A
2	A	401	NAP	C2D-C1D-N1N-C2N
2	A	401	NAP	C2D-C1D-N1N-C6N
2	D	401	NAP	C2D-C1D-N1N-C6N
2	A	401	NAP	C3B-C2B-O2B-P2B
2	B	401	NAP	O4B-C4B-C5B-O5B
2	D	401	NAP	C2B-O2B-P2B-O2X


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/351 (99%)	0.36	14 (4%) 42 45	18, 29, 55, 82	0
1	B	343/351 (97%)	1.33	85 (24%) 2 2	20, 38, 86, 115	0
1	C	340/351 (96%)	0.64	38 (11%) 10 11	17, 31, 62, 81	0
1	D	340/351 (96%)	1.16	70 (20%) 2 3	17, 33, 115, 164	0
All	All	1371/1404 (97%)	0.87	207 (15%) 5 6	17, 32, 82, 164	0

All (207) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	39	VAL	7.9
1	D	189	SER	7.6
1	B	69	ALA	7.2
1	D	248	ILE	7.1
1	D	177	GLY	7.0
1	D	199	PRO	7.0
1	D	251	ALA	6.6
1	B	14	LEU	6.4
1	B	77	ASN	6.4
1	D	249	GLY	6.3
1	B	38	ALA	6.2
1	D	179	VAL	6.1
1	B	64	THR	6.1
1	D	173	VAL	5.9
1	D	186	VAL	5.8
1	D	176	TYR	5.7
1	D	257	CYS	5.7
1	D	254	VAL	5.6
1	B	65	ALA	5.6
1	D	198	GLY	5.6
1	D	280	GLY	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	171	TYR	5.5
1	B	63	VAL	5.4
1	B	78	PRO	5.4
1	D	182	ILE	5.4
1	D	244	TYR	5.2
1	D	250	ARG	5.2
1	D	174	ASP	5.2
1	D	178	GLN	5.1
1	D	201	TRP	5.1
1	B	61	ILE	5.1
1	D	239	ALA	5.1
1	B	47	GLY	5.1
1	D	187	GLY	5.1
1	D	255	GLY	5.1
1	B	68	ASP	5.0
1	C	193	PHE	4.9
1	D	240	PRO	4.9
1	B	37	VAL	4.9
1	C	176	TYR	4.9
1	B	17	PHE	4.8
1	B	48	LYS	4.8
1	B	104	VAL	4.8
1	B	36	ILE	4.7
1	D	183	ALA	4.7
1	D	252	ILE	4.7
1	B	50	PHE	4.7
1	B	67	LEU	4.7
1	A	4	HIS	4.7
1	D	241	ILE	4.6
1	B	62	LEU	4.6
1	B	9	PRO	4.6
1	B	75	THR	4.6
1	D	282	CYS	4.5
1	B	29	VAL	4.5
1	B	73	LEU	4.5
1	D	180	LEU	4.5
1	B	70	ALA	4.5
1	D	204	PRO	4.2
1	C	254	VAL	4.2
1	D	285	ASP	4.2
1	D	247	ALA	4.1
1	B	15	TYR	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	197	ASN	4.1
1	D	283	TYR	4.0
1	D	188	LEU	4.0
1	D	243	LEU	4.0
1	B	46	VAL	4.0
1	C	188	LEU	3.9
1	D	194	TYR	3.9
1	B	34	VAL	3.9
1	B	66	GLY	3.9
1	B	56	LEU	3.9
1	D	200	GLY	3.9
1	B	11	ARG	3.9
1	D	245	SER	3.9
1	D	246	GLU	3.9
1	D	242	GLU	3.8
1	B	130	LEU	3.8
1	A	197	ASN	3.8
1	D	202	THR	3.7
1	D	175	HIS	3.7
1	B	72	THR	3.7
1	D	253	PRO	3.7
1	B	10	LEU	3.6
1	C	186	VAL	3.6
1	D	195	ALA	3.6
1	D	237	THR	3.6
1	B	71	GLU	3.6
1	C	197	ASN	3.5
1	B	57	ALA	3.5
1	B	98	ALA	3.5
1	D	238	LYS	3.5
1	C	290	MET	3.5
1	C	201	TRP	3.5
1	D	286	GLY	3.5
1	B	76	THR	3.4
1	A	204	PRO	3.4
1	C	199	PRO	3.4
1	B	54	ILE	3.4
1	D	260	MET	3.4
1	D	181	ALA	3.4
1	B	332	ALA	3.3
1	C	246	GLU	3.3
1	B	12	VAL	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	333	GLY	3.2
1	B	40	ILE	3.2
1	B	92	ILE	3.2
1	B	96	LEU	3.2
1	D	236	PRO	3.2
1	C	178	GLN	3.2
1	B	136	VAL	3.2
1	B	94	SER	3.1
1	B	100	ALA	3.1
1	B	49	ASP	3.1
1	C	239	ALA	3.1
1	B	79	GLN	3.1
1	D	203	SER	3.1
1	B	28	LEU	3.1
1	B	44	SER	3.1
1	D	256	GLN	3.0
1	D	67	LEU	3.0
1	C	196	GLU	3.0
1	D	258	THR	3.0
1	C	187	GLY	3.0
1	C	351	LEU	3.0
1	C	198	GLY	3.0
1	A	205	THR	2.9
1	C	177	GLY	2.9
1	B	58	PRO	2.9
1	C	247	ALA	2.9
1	D	184	HIS	2.9
1	D	185	GLY	2.9
1	D	207	TYR	2.9
1	C	173	VAL	2.8
1	C	253	PRO	2.8
1	B	59	GLN	2.7
1	B	105	ASN	2.7
1	B	53	VAL	2.7
1	B	134	HIS	2.7
1	A	348	HIS	2.6
1	B	102	ASN	2.6
1	C	179	VAL	2.6
1	C	195	ALA	2.6
1	A	285	ASP	2.6
1	B	41	SER	2.6
1	B	19	ASN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	185	GLY	2.6
1	C	238	LYS	2.6
1	B	133	GLU	2.5
1	B	43	LYS	2.5
1	B	42	ASN	2.5
1	D	196	GLU	2.5
1	C	76	THR	2.5
1	B	45	ASN	2.5
1	B	25	ALA	2.5
1	C	286	GLY	2.5
1	C	255	GLY	2.4
1	A	54	ILE	2.4
1	B	80	ILE	2.4
1	B	106	VAL	2.4
1	B	22	LYS	2.4
1	B	32	LYS	2.4
1	A	8	SER	2.4
1	C	194	TYR	2.3
1	D	235	THR	2.3
1	B	35	GLU	2.3
1	B	329	ASP	2.3
1	D	172	ASN	2.3
1	C	182	ILE	2.3
1	B	51	GLY	2.3
1	B	103	LYS	2.3
1	C	248	ILE	2.3
1	A	67	LEU	2.2
1	C	236	PRO	2.2
1	D	259	GLY	2.2
1	A	57	ALA	2.2
1	D	205	THR	2.2
1	B	292	PHE	2.2
1	B	330	ALA	2.2
1	D	309	ASN	2.2
1	A	6	HIS	2.2
1	B	13	ALA	2.2
1	D	211	TYR	2.2
1	B	117	TRP	2.2
1	C	252	ILE	2.2
1	B	20	GLN	2.2
1	B	60	GLY	2.2
1	C	175	HIS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	180	LEU	2.1
1	D	220	ALA	2.1
1	B	113	LEU	2.1
1	A	49	ASP	2.1
1	D	329	ASP	2.1
1	B	282	CYS	2.1
1	C	282	CYS	2.1
1	B	125	LYS	2.1
1	D	284	GLU	2.1
1	A	7	HIS	2.1
1	A	56	LEU	2.1
1	B	204	PRO	2.1
1	B	74	ARG	2.1
1	C	183	ALA	2.0
1	C	56	LEU	2.0
1	B	228	ILE	2.0
1	C	261	ILE	2.0
1	D	261	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAP	B	401	48/48	0.89	0.11	33,46,59,72	0
2	NAP	A	401	48/48	0.92	0.09	22,28,40,44	0
2	NAP	D	401	48/48	0.92	0.10	28,43,61,64	0
2	NAP	C	401	48/48	0.94	0.08	20,28,34,37	2

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around NAP A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP D 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.