



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:43 AM UTC

PDB ID : 7ZD1 / pdb_00007zd1
Title : Crystal structure of Pseudomonas aeruginosa S-adenosyl-L-homocysteine hydrolase inhibited by Hg²⁺ ions
Authors : Malecki, P.H.; Gawel, M.; Brzezinski, K.
Deposited on : 2022-03-29
Resolution : 1.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2145 (1.56-1.56)
Clashscore	190562	2189 (1.56-1.56)
Ramachandran outliers	187476	2153 (1.56-1.56)
Sidechain outliers	187428	2150 (1.56-1.56)
RSRZ outliers	180081	2146 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	% 91% 6% ..
1	B	472	2% 89% 8% ..
1	C	472	% 90% 7% ..
1	D	472	2% 91% 6% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	HG	C	508	-	-	X	-
7	HG	C	509	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 16750 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Adenosylhomocysteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	461	Total	C	N	O	S	0	7	0
			3592	2269	619	681	23			
1	B	460	Total	C	N	O	S	0	4	0
			3573	2253	618	680	22			
1	C	461	Total	C	N	O	S	0	9	0
			3603	2275	620	685	23			
1	D	461	Total	C	N	O	S	0	10	0
			3624	2287	627	687	23			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q9I685
A	-1	ASN	-	expression tag	UNP Q9I685
A	0	ALA	-	expression tag	UNP Q9I685
B	-2	SER	-	expression tag	UNP Q9I685
B	-1	ASN	-	expression tag	UNP Q9I685
B	0	ALA	-	expression tag	UNP Q9I685
C	-2	SER	-	expression tag	UNP Q9I685
C	-1	ASN	-	expression tag	UNP Q9I685
C	0	ALA	-	expression tag	UNP Q9I685
D	-2	SER	-	expression tag	UNP Q9I685
D	-1	ASN	-	expression tag	UNP Q9I685
D	0	ALA	-	expression tag	UNP Q9I685

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	B	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	C	1	Total 44	C 21	N 7	O 14	P 2	0	0
2	D	1	Total 44	C 21	N 7	O 14	P 2	0	0

- Molecule 3 is ADENOSINE (CCD ID: ADN) (formula: $C_{10}H_{13}N_5O_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			19	10	5	4		
3	B	1	Total	C	N	O	0	0
			19	10	5	4		
3	C	1	Total	C	N	O	0	0
			19	10	5	4		
3	D	1	Total	C	N	O	0	0
			19	10	5	4		

- Molecule 4 is 1,4-BUTANEDIOL (CCD ID: BU1) (formula: $C_4H_{10}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	4	2		
4	D	1	Total	C	O	0	0
			6	4	2		

- Molecule 5 is 1,3-PROPANDIOL (CCD ID: PDO) (formula: $C_3H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			5	3	2		
5	A	1	Total	C	O	0	0
			5	3	2		
5	B	1	Total	C	O	0	0
			5	3	2		
5	B	1	Total	C	O	0	0
			5	3	2		
5	C	1	Total	C	O	0	0
			5	3	2		
5	C	1	Total	C	O	0	0
			5	3	2		
5	C	1	Total	C	O	0	0
			5	3	2		

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	K	0	0
			1	1		
6	B	1	Total	K	0	0
			1	1		
6	C	1	Total	K	0	0
			1	1		
6	D	1	Total	K	0	0
			1	1		

- Molecule 7 is MERCURY (II) ION (CCD ID: HG) (formula: Hg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	5	Total Hg 5 5	0	1
7	B	5	Total Hg 5 5	0	1
7	C	5	Total Hg 5 5	0	1
7	D	5	Total Hg 5 5	0	1

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	D	1	Total Cl 1 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	567	Total O 572 572	0	10
9	B	465	Total O 472 472	0	11
9	C	512	Total O 519 519	0	11
9	D	465	Total O 471 471	0	12


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.42Å 134.20Å 108.73Å 90.00° 105.95° 90.00°	Depositor
Resolution (Å)	105.47 – 1.56 105.47 – 1.56	Depositor EDS
% Data completeness (in resolution range)	99.5 (105.47-1.56) 99.5 (105.47-1.56)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.48 (at 1.56Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.123 , 0.179 0.123 , 0.180	Depositor DCC
R_{free} test set	1033 reflections (0.30%)	wwPDB-VP
Wilson B-factor (Å ²)	27.6	Xtriage
Anisotropy	0.196	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 64.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -1/2*h+1/2*k+1,1/2*h-1/2*k+1,1/2*h+1/2*k 0.000 for -1/2*h-1/2*k+1,-1/2*h-1/2*k-1,1/2*h-1/2*k	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	16750	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, K, HG, NAD, PDO, ADN, BU1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.16	6/3670 (0.2%)	1.24	4/4962 (0.1%)
1	B	1.20	8/3645 (0.2%)	1.32	8/4928 (0.2%)
1	C	1.18	8/3687 (0.2%)	1.32	14/4985 (0.3%)
1	D	1.16	3/3701 (0.1%)	1.32	8/5000 (0.2%)
All	All	1.18	25/14703 (0.2%)	1.30	34/19875 (0.2%)

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	360	HIS	ND1-CE1	10.85	1.43	1.32
1	C	360	HIS	CG-ND1	10.08	1.49	1.38
1	B	323	HIS	C-O	7.88	1.33	1.24
1	D	355	ASP	C-O	7.76	1.33	1.24
1	B	355	ASP	C-O	-7.37	1.13	1.24
1	B	174	ASP	CG-OD1	7.26	1.39	1.25
1	C	360	HIS	CE1-NE2	7.07	1.39	1.32
1	A	360	HIS	CE1-NE2	6.74	1.39	1.32
1	C	382	HIS	CE1-NE2	6.62	1.39	1.32
1	B	314	LYS	C-O	6.18	1.31	1.23
1	B	205	HIS	CE1-NE2	6.07	1.38	1.32
1	D	347	HIS	CE1-NE2	5.98	1.38	1.32
1	D	52	LYS	C-O	5.89	1.31	1.24
1	B	279	THR	CB-OG1	5.66	1.52	1.43
1	A	314	LYS	C-O	5.50	1.30	1.23
1	A	200	LYS	C-O	5.49	1.28	1.23
1	C	54	ALA	C-O	5.43	1.30	1.23
1	C	49	GLN	N-CA	5.40	1.50	1.46
1	A	434	GLU	CD-OE2	5.26	1.35	1.25
1	C	277	ASP	CG-OD1	5.26	1.35	1.25
1	B	132	ASP	C-O	5.26	1.30	1.23
1	B	283	ILE	C-O	5.23	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	399	ILE	C-O	5.20	1.30	1.24
1	A	323	HIS	C-O	5.15	1.30	1.24
1	A	301	VAL	C-O	5.11	1.29	1.24

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	360	HIS	ND1-CE1-NE2	-10.52	97.88	108.40
1	C	360	HIS	CE1-NE2-CD2	7.99	116.99	109.00
1	C	277	ASP	CB-CA-C	-6.72	98.20	110.63
1	B	276	ASN	O-C-N	6.55	130.78	122.93
1	C	198	ASP	CA-CB-CG	6.36	118.96	112.60
1	A	198	ASP	CA-CB-CG	6.26	118.86	112.60
1	D	356	GLY	CA-C-O	-6.22	116.42	121.77
1	C	440	GLY	CA-C-N	6.19	126.22	120.34
1	C	440	GLY	C-N-CA	6.19	126.22	120.34
1	B	428	ASP	CA-CB-CG	6.16	118.76	112.60
1	D	59	CYS	CB-CA-C	-6.10	102.43	111.70
1	D	428	ASP	CA-CB-CG	6.05	118.65	112.60
1	B	324	PHE	CA-C-O	-5.88	114.35	120.70
1	C	59	CYS	CB-CA-C	-5.79	103.83	111.82
1	D	277	ASP	CA-CB-CG	5.75	118.35	112.60
1	D	355	ASP	CB-CA-C	5.72	121.80	110.42
1	C	373	LEU	N-CA-CB	5.65	118.54	109.28
1	A	277	ASP	CA-CB-CG	5.59	118.19	112.60
1	D	198	ASP	CA-CB-CG	5.57	118.17	112.60
1	B	198	ASP	CA-CB-CG	5.52	118.12	112.60
1	A	230	GLY	CA-C-O	-5.43	115.99	121.64
1	C	220	SER	CA-C-O	-5.32	115.16	120.96
1	C	356	GLY	CA-C-O	-5.31	117.45	122.39
1	C	275	ILE	CA-C-N	-5.30	115.38	122.42
1	C	275	ILE	C-N-CA	-5.30	115.38	122.42
1	B	266	GLU	CB-CA-C	5.29	118.46	109.84
1	B	59	CYS	CB-CA-C	-5.23	104.60	111.82
1	D	382	HIS	CA-CB-CG	5.18	118.98	113.80
1	C	360	HIS	CA-CB-CG	-5.18	108.62	113.80
1	D	138	ASP	CA-CB-CG	5.13	117.73	112.60
1	C	428	ASP	CA-CB-CG	5.13	117.73	112.60
1	B	103	ILE	CA-C-O	5.11	122.86	119.38
1	A	428	ASP	CA-CB-CG	5.11	117.70	112.60
1	B	183	VAL	CB-CA-C	5.02	114.25	109.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3592	0	3613	21	0
1	B	3573	0	3582	20	0
1	C	3603	0	3623	23	0
1	D	3624	0	3632	34	0
2	A	44	0	26	1	0
2	B	44	0	26	1	0
2	C	44	0	26	1	0
2	D	44	0	26	1	0
3	A	19	0	13	2	0
3	B	19	0	13	2	0
3	C	19	0	13	2	0
3	D	19	0	13	3	0
4	A	6	0	10	1	0
4	D	6	0	10	2	0
5	A	10	0	16	0	0
5	B	10	0	16	0	0
5	C	15	0	24	1	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	A	5	0	0	1	0
7	B	5	0	0	2	0
7	C	5	0	0	4	0
7	D	5	0	0	1	0
8	D	1	0	0	0	0
9	A	572	0	0	6	0
9	B	472	0	0	4	0
9	C	519	0	0	1	0
9	D	471	0	0	11	0
All	All	16750	0	14682	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 3.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:85:CYS:HB3	7:C:508:HG:HG	0.94	1.11
1:A:119:CYS:SG	7:A:509:HG:HG	1.90	0.88
1:C:223[B]:GLN:HE22	1:C:290:LYS:HE3	1.38	0.85
1:C:119:CYS:SG	7:C:509:HG:HG	1.97	0.81
1:C:39[A]:MET:HA	1:C:39[A]:MET:HE2	1.63	0.80
1:D:323[A]:HIS:O	1:D:373:LEU:HD11	1.81	0.79
1:B:119:CYS:SG	7:B:508:HG:HG	2.06	0.74
2:C:501:NAD:C4N	3:C:502:ADN:H3'	2.18	0.74
1:A:39[A]:MET:HE2	1:A:39[A]:MET:HA	1.69	0.73
1:D:39[A]:MET:HA	1:D:39[A]:MET:HE2	1.70	0.73
1:B:287:LEU:HD12	9:B:840:HOH:O	1.89	0.73
1:D:373:LEU:CD1	9:D:626:HOH:O	2.37	0.71
2:B:501:NAD:C4N	3:B:502:ADN:H3'	2.22	0.70
1:C:85:CYS:CB	7:C:508:HG:HG	1.85	0.70
1:D:119:CYS:SG	7:D:507:HG:HG	2.09	0.70
1:D:373:LEU:HD12	9:D:626:HOH:O	1.94	0.68
1:D:287:LEU:HD12	9:D:873:HOH:O	1.94	0.67
1:A:39[A]:MET:HE2	1:A:39[A]:MET:CA	2.25	0.67
2:A:501:NAD:C4N	3:A:502:ADN:H3'	2.25	0.66
1:D:314[A]:LYS:NZ	9:D:601:HOH:O	2.29	0.65
1:C:360:HIS:CE1	1:D:29:ILE:HG12	2.31	0.65
1:D:323[A]:HIS:HD2	3:D:502:ADN:O5'	1.80	0.65
1:B:261:CYS:SG	7:B:509[A]:HG:HG	2.15	0.64
1:B:238:GLN:HG2	9:B:950:HOH:O	1.98	0.63
1:D:290:LYS:HD3	9:D:925:HOH:O	2.00	0.62
1:D:449:LYS:HE3	9:D:975:HOH:O	1.99	0.62
1:D:290:LYS:CD	9:D:925:HOH:O	2.46	0.62
1:D:39[A]:MET:HE2	1:D:39[A]:MET:CA	2.29	0.61
1:A:39[A]:MET:HA	1:A:39[A]:MET:CE	2.29	0.61
1:A:287:LEU:HD12	9:A:930:HOH:O	2.01	0.61
1:D:323[A]:HIS:C	1:D:373:LEU:HD11	2.27	0.60
1:A:238:GLN:HG2	9:A:1021:HOH:O	2.01	0.59
1:C:39[A]:MET:HE2	1:C:39[A]:MET:CA	2.30	0.59
1:C:287:LEU:HD12	9:C:907:HOH:O	2.02	0.58
1:D:14:LYS:HE3	4:D:503:BU1:H42	1.85	0.57
1:D:355:ASP:HB2	9:D:903:HOH:O	2.04	0.57
1:A:39[A]:MET:HE2	1:A:39[A]:MET:N	2.20	0.57
1:D:290:LYS:NZ	9:D:602:HOH:O	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14:LYS:HE2	5:C:503:PDO:H11	1.87	0.56
1:A:335:LYS:O	1:A:354:LYS:HD3	2.06	0.55
1:A:453:TYR:OH	1:D:323[B]:HIS:HE1	1.90	0.54
1:A:290:LYS:HE2	9:A:1037:HOH:O	2.09	0.53
1:A:315:ARG:NH1	1:A:362:ASP:HB2	2.23	0.53
1:B:373:LEU:HD12	9:B:663:HOH:O	2.07	0.53
1:C:277:ASP:HB2	1:C:279:THR:OG1	2.09	0.53
1:D:323[A]:HIS:O	1:D:373:LEU:CD1	2.55	0.53
1:C:39[A]:MET:HA	1:C:39[A]:MET:CE	2.31	0.53
1:B:323:HIS:HD2	3:B:502:ADN:O5'	1.93	0.52
1:A:453:TYR:OH	1:D:323[B]:HIS:CE1	2.62	0.52
1:C:315:ARG:NH1	1:C:362:ASP:HB2	2.24	0.51
2:D:501:NAD:C4N	3:D:502:ADN:H3'	2.40	0.51
1:B:277:ASP:OD1	1:B:282:SER:HB3	2.11	0.51
1:B:373:LEU:HD12	1:B:373:LEU:H	1.76	0.50
1:A:48:GLN:NE2	9:A:604:HOH:O	2.43	0.50
1:D:323[A]:HIS:CD2	3:D:502:ADN:O5'	2.64	0.50
1:B:277:ASP:CG	1:B:282:SER:HB3	2.38	0.49
1:D:373:LEU:HD12	1:D:373:LEU:H	1.77	0.49
1:C:223[B]:GLN:HE22	1:C:290:LYS:CE	2.20	0.48
1:D:39[A]:MET:HA	1:D:39[A]:MET:CE	2.37	0.48
1:A:14:LYS:HE2	4:A:503:BU1:C2	2.44	0.48
1:C:119:CYS:HG	7:C:509:HG:HG	1.53	0.47
1:B:151:TYR:N	1:B:152:PRO:CD	2.78	0.47
1:A:323:HIS:HD2	3:A:502:ADN:O5'	1.98	0.46
1:C:121[B]:GLU:OE1	1:C:151:TYR:OH	2.29	0.46
1:D:354:LYS:HA	1:D:354:LYS:HD2	1.64	0.46
1:C:283:ILE:HG13	1:C:307:ASN:HB3	1.99	0.45
1:A:290:LYS:HD2	9:A:926:HOH:O	2.16	0.45
1:D:39[A]:MET:HE2	1:D:39[A]:MET:N	2.32	0.44
1:D:323[A]:HIS:HA	1:D:373:LEU:HD11	1.98	0.44
1:A:249:VAL:O	1:A:267:VAL:HA	2.17	0.44
1:C:323:HIS:HD2	3:C:502:ADN:O5'	2.00	0.44
1:B:283:ILE:HG13	1:B:307:ASN:HB3	2.00	0.44
1:B:445:GLN:HG3	1:C:275:ILE:HD13	1.99	0.44
1:C:161:ILE:O	1:C:185:ALA:HA	2.19	0.43
1:A:232:VAL:HG12	1:A:297:THR:HB	2.01	0.43
1:A:355:ASP:OD1	1:A:355:ASP:N	2.50	0.42
1:B:360:HIS:HE1	9:B:967:HOH:O	2.03	0.42
1:D:373:LEU:CD1	1:D:373:LEU:H	2.33	0.42
1:D:290:LYS:HD2	9:D:925:HOH:O	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:108:TRP:CE2	4:D:503:BU1:H41	2.56	0.41
1:C:151:TYR:N	1:C:152:PRO:CD	2.83	0.41
1:D:194:LYS:HD3	1:D:194:LYS:C	2.45	0.41
1:B:161:ILE:O	1:B:185:ALA:HA	2.21	0.41
1:B:164:GLU:O	1:B:194:LYS:HE3	2.20	0.41
1:D:283:ILE:HG13	1:D:307:ASN:HB3	2.02	0.41
1:B:10:PHE:CD2	1:B:102:GLY:HA2	2.56	0.41
1:B:65:GLN:H	1:B:65:GLN:CD	2.29	0.41
1:B:468:ARG:HB2	1:C:196:LYS:HE3	2.03	0.41
1:D:324[B]:PHE:C	9:D:737:HOH:O	2.63	0.41
1:A:126:LYS:NZ	9:A:619:HOH:O	2.54	0.41
1:A:258[B]:MET:SD	1:A:258[B]:MET:C	3.04	0.41
1:B:196:LYS:HE3	1:C:468:ARG:HB2	2.03	0.41
1:C:249:VAL:O	1:C:267:VAL:HA	2.21	0.41
1:D:373:LEU:HD12	1:D:373:LEU:N	2.36	0.41
1:B:194:LYS:HD3	1:B:194:LYS:C	2.46	0.40
1:D:161:ILE:O	1:D:185:ALA:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	466/472 (99%)	457 (98%)	9 (2%)	0	100	100
1	B	462/472 (98%)	451 (98%)	10 (2%)	1 (0%)	43	24
1	C	468/472 (99%)	456 (97%)	12 (3%)	0	100	100
1	D	469/472 (99%)	453 (97%)	15 (3%)	1 (0%)	43	24
All	All	1865/1888 (99%)	1817 (97%)	46 (2%)	2 (0%)	48	26

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	61	HIS
1	B	61	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	384/385 (100%)	377 (98%)	7 (2%)	51	24
1	B	381/385 (99%)	377 (99%)	4 (1%)	68	47
1	C	386/385 (100%)	383 (99%)	3 (1%)	73	56
1	D	386/385 (100%)	379 (98%)	7 (2%)	51	24
All	All	1537/1540 (100%)	1516 (99%)	21 (1%)	61	33

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39[A]	MET
1	A	39[B]	MET
1	A	177	LYS
1	A	290	LYS
1	A	335	LYS
1	A	355	ASP
1	A	373	LEU
1	B	145	GLU
1	B	174	ASP
1	B	279	THR
1	B	290	LYS
1	C	174	ASP
1	C	355	ASP
1	C	373	LEU
1	D	39[A]	MET
1	D	39[B]	MET
1	D	174	ASP
1	D	177	LYS
1	D	198	ASP
1	D	354	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	413	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	178	ASN
1	B	178	ASN
1	B	273	ASN
1	B	445	GLN
1	C	360	HIS
1	C	400	HIS
1	D	345	GLN
1	D	360	HIS
1	D	404	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 42 ligands modelled in this entry, 25 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BU1	D	503	-	5,5,5	0.31	0	4,4,4	0.23	0
5	PDO	B	503	-	4,4,4	0.31	0	3,3,3	0.41	0
3	ADN	A	502	-	21,21,21	0.90	1 (4%)	31,31,31	1.12	4 (12%)
3	ADN	B	502	-	21,21,21	0.86	0	31,31,31	1.12	4 (12%)
5	PDO	A	504	-	4,4,4	0.53	0	3,3,3	0.51	0
3	ADN	D	502	7	21,21,21	0.47	0	31,31,31	0.69	0
3	ADN	C	502	7	21,21,21	0.85	0	31,31,31	1.04	2 (6%)
2	NAD	B	501	-	46,48,48	0.84	3 (6%)	64,73,73	0.92	5 (7%)
4	BU1	A	503	-	5,5,5	0.51	0	4,4,4	0.59	0
5	PDO	C	503	-	4,4,4	0.26	0	3,3,3	0.78	0
5	PDO	C	505	-	4,4,4	0.31	0	3,3,3	0.35	0
2	NAD	D	501	-	46,48,48	1.13	3 (6%)	64,73,73	0.82	3 (4%)
2	NAD	C	501	-	46,48,48	0.99	4 (8%)	64,73,73	0.99	3 (4%)
5	PDO	A	505	-	4,4,4	0.33	0	3,3,3	0.16	0
5	PDO	B	504	-	4,4,4	0.23	0	3,3,3	0.53	0
5	PDO	C	504	-	4,4,4	0.28	0	3,3,3	0.19	0
2	NAD	A	501	-	46,48,48	0.97	3 (6%)	64,73,73	0.80	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BU1	D	503	-	-	2/3/3/3	-
5	PDO	B	503	-	-	0/2/2/2	-
3	ADN	A	502	-	-	0/6/22/22	0/3/3/3
3	ADN	B	502	-	-	0/6/22/22	0/3/3/3
5	PDO	A	504	-	-	1/2/2/2	-
3	ADN	D	502	7	-	1/6/22/22	0/3/3/3
3	ADN	C	502	7	-	0/6/22/22	0/3/3/3
2	NAD	B	501	-	-	4/30/62/62	0/5/5/5
4	BU1	A	503	-	-	2/3/3/3	-
5	PDO	C	503	-	-	1/2/2/2	-
5	PDO	C	505	-	-	1/2/2/2	-
2	NAD	D	501	-	-	4/30/62/62	0/5/5/5
2	NAD	C	501	-	-	5/30/62/62	0/5/5/5
5	PDO	A	505	-	-	0/2/2/2	-
5	PDO	B	504	-	-	1/2/2/2	-
5	PDO	C	504	-	-	2/2/2/2	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	501	-	-	4/30/62/62	0/5/5/5

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	NAD	O7N-C7N	4.54	1.32	1.24
2	C	501	NAD	C7N-N7N	3.61	1.39	1.33
2	D	501	NAD	C7N-N7N	3.57	1.39	1.33
2	A	501	NAD	C3N-C7N	-3.23	1.45	1.50
2	C	501	NAD	C4N-C3N	2.78	1.43	1.39
2	C	501	NAD	O7N-C7N	2.58	1.28	1.24
2	D	501	NAD	PA-O3	2.43	1.62	1.59
2	A	501	NAD	PN-O3	2.31	1.62	1.59
2	B	501	NAD	C4N-C3N	2.30	1.42	1.39
2	A	501	NAD	C2A-N1A	2.27	1.38	1.33
2	B	501	NAD	C7N-N7N	2.26	1.37	1.33
2	C	501	NAD	PA-O3	2.16	1.61	1.59
3	A	502	ADN	C1'-N9	2.05	1.52	1.46
2	B	501	NAD	O7N-C7N	2.04	1.27	1.24

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	ADN	O2'-C2'-C1'	3.38	121.75	110.10
2	B	501	NAD	C2N-N1N-C1D	-2.98	112.55	119.13
3	C	502	ADN	C2'-C1'-N9	2.86	120.42	113.30
2	C	501	NAD	O3-PN-O1N	-2.81	102.26	110.70
2	C	501	NAD	C2N-N1N-C1D	-2.70	113.17	119.13
2	D	501	NAD	C2N-N1N-C1D	-2.69	113.20	119.13
3	A	502	ADN	C2'-C1'-N9	2.60	119.77	113.30
2	B	501	NAD	O2N-PN-O1N	2.47	123.95	112.44
3	A	502	ADN	O3'-C3'-C4'	-2.45	104.05	111.08
3	A	502	ADN	O2'-C2'-C1'	2.39	118.34	110.10
3	B	502	ADN	C5'-C4'-C3'	2.39	120.74	115.10
3	B	502	ADN	O3'-C3'-C4'	-2.30	104.47	111.08
2	D	501	NAD	C6N-N1N-C1D	2.28	124.20	119.73
3	C	502	ADN	O2'-C2'-C1'	2.27	117.93	110.10
2	C	501	NAD	C6N-N1N-C1D	2.23	124.11	119.73
2	B	501	NAD	C4B-O4B-C1B	-2.17	104.67	109.47
3	B	502	ADN	C2'-C1'-N9	2.16	118.68	113.30
2	B	501	NAD	O3-PN-O1N	-2.14	104.27	110.70
2	D	501	NAD	O2A-PA-O1A	2.14	122.38	112.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NAD	O2N-PN-O1N	2.09	122.17	112.44
2	B	501	NAD	C6N-N1N-C1D	2.09	123.82	119.73
3	A	502	ADN	O2'-C2'-C3'	-2.08	105.15	111.82
2	A	501	NAD	O3-PA-O1A	-2.03	104.58	110.70

There are no chirality outliers.

All (28) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	NAD	O4D-C1D-N1N-C2N
2	A	501	NAD	O4D-C1D-N1N-C6N
2	A	501	NAD	C2D-C1D-N1N-C2N
2	A	501	NAD	C2D-C1D-N1N-C6N
2	B	501	NAD	O4D-C1D-N1N-C2N
2	B	501	NAD	O4D-C1D-N1N-C6N
2	B	501	NAD	C2D-C1D-N1N-C2N
2	B	501	NAD	C2D-C1D-N1N-C6N
2	C	501	NAD	O4D-C1D-N1N-C2N
2	C	501	NAD	O4D-C1D-N1N-C6N
2	C	501	NAD	C2D-C1D-N1N-C2N
2	C	501	NAD	C2D-C1D-N1N-C6N
2	D	501	NAD	O4D-C1D-N1N-C2N
2	D	501	NAD	O4D-C1D-N1N-C6N
2	D	501	NAD	C2D-C1D-N1N-C2N
2	D	501	NAD	C2D-C1D-N1N-C6N
5	B	504	PDO	C1-C2-C3-O3
5	C	503	PDO	C1-C2-C3-O3
5	C	504	PDO	O1-C1-C2-C3
5	C	504	PDO	C1-C2-C3-O3
5	C	505	PDO	C1-C2-C3-O3
4	D	503	BU1	C2-C3-C4-O6
4	A	503	BU1	C2-C3-C4-O6
4	A	503	BU1	C1-C2-C3-C4
4	D	503	BU1	C1-C2-C3-C4
5	A	504	PDO	O1-C1-C2-C3
3	D	502	ADN	C3'-C4'-C5'-O5'
2	C	501	NAD	O4B-C4B-C5B-O5B



There are no ring outliers.



11 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	503	BU1	2	0
3	A	502	ADN	2	0
3	B	502	ADN	2	0
3	D	502	ADN	3	0
3	C	502	ADN	2	0
2	B	501	NAD	1	0
4	A	503	BU1	1	0
5	C	503	PDO	1	0
2	D	501	NAD	1	0
2	C	501	NAD	1	0
2	A	501	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	461/472 (97%)	-0.27	3 (0%) 84 89	11, 26, 42, 96	7 (1%)
1	B	460/472 (97%)	-0.01	9 (1%) 65 73	11, 31, 57, 83	4 (0%)
1	C	461/472 (97%)	-0.12	6 (1%) 75 82	12, 29, 48, 90	9 (1%)
1	D	461/472 (97%)	-0.02	8 (1%) 69 77	11, 29, 58, 87	10 (2%)
All	All	1843/1888 (97%)	-0.10	26 (1%) 73 80	11, 28, 55, 96	30 (1%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	9	GLY	4.8
1	C	355	ASP	3.9
1	D	355	ASP	3.3
1	C	9	GLY	3.2
1	C	360	HIS	3.1
1	C	277	ASP	3.1
1	B	10	PHE	3.1
1	B	411	ALA	3.1
1	D	409	LEU	3.0
1	D	407	ALA	2.9
1	B	410	PRO	2.8
1	B	412	ALA	2.7
1	B	125	LEU	2.5
1	C	357	PHE	2.5
1	D	9	GLY	2.4
1	D	47	GLY	2.4
1	D	125	LEU	2.3
1	D	281	ALA	2.3
1	A	43	ARG	2.3
1	B	128	GLY	2.3
1	B	279	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	323	HIS	2.2
1	C	18	ILE	2.1
1	B	129	GLN	2.0
1	D	18	ILE	2.0
1	A	177	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PDO	C	503	5/5	0.87	0.17	49,53,70,77	0
7	HG	D	509	1/1	0.90	0.18	72,72,72,72	1
5	PDO	B	504	5/5	0.91	0.15	52,55,70,79	0
4	BU1	D	503	6/6	0.91	0.17	62,70,80,83	0
5	PDO	A	505	5/5	0.91	0.13	55,57,66,81	0
5	PDO	B	503	5/5	0.92	0.12	52,56,66,67	0
5	PDO	C	505	5/5	0.92	0.14	55,68,72,79	0
5	PDO	A	504	5/5	0.92	0.13	47,59,68,69	0
5	PDO	C	504	5/5	0.93	0.13	62,64,77,78	0
7	HG	B	510	1/1	0.94	0.10	69,69,69,69	1
7	HG	C	511	1/1	0.94	0.12	65,65,65,65	1
7	HG	A	511[A]	1/1	0.94	0.21	69,69,69,69	1
4	BU1	A	503	6/6	0.95	0.12	50,56,58,64	0
3	ADN	B	502	19/19	0.97	0.07	22,24,52,52	0
3	ADN	C	502	19/19	0.97	0.07	20,22,52,53	0
7	HG	D	508[A]	1/1	0.97	0.12	67,67,67,67	1
3	ADN	A	502	19/19	0.97	0.07	19,21,48,49	0
7	HG	B	509[A]	1/1	0.98	0.05	39,39,39,39	1

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAD	B	501	44/44	0.98	0.04	19,23,26,28	0
7	HG	C	510[A]	1/1	0.98	0.08	65,65,65,65	1
3	ADN	D	502	19/19	0.98	0.05	21,25,35,35	0
2	NAD	C	501	44/44	0.98	0.05	22,24,26,28	0
7	HG	B	506	1/1	0.98	0.04	42,42,42,42	1
7	HG	A	509	1/1	0.99	0.15	51,51,51,51	1
7	HG	C	507	1/1	0.99	0.06	35,35,35,35	1
7	HG	C	508	1/1	0.99	0.04	40,40,40,40	1
7	HG	C	509	1/1	0.99	0.12	55,55,55,55	1
2	NAD	D	501	44/44	0.99	0.04	20,22,26,26	0
2	NAD	A	501	44/44	0.99	0.04	18,21,23,26	0
7	HG	D	505	1/1	0.99	0.11	43,43,43,43	1
7	HG	D	506	1/1	0.99	0.04	38,38,38,38	1
7	HG	B	508	1/1	0.99	0.08	53,53,53,53	1
7	HG	A	508	1/1	0.99	0.06	36,36,36,36	1
6	K	D	504	1/1	1.00	0.08	25,25,25,25	0
7	HG	B	507	1/1	1.00	0.09	42,42,42,42	1
7	HG	A	507	1/1	1.00	0.05	27,27,27,27	1
6	K	A	506	1/1	1.00	0.05	22,22,22,22	0
6	K	B	505	1/1	1.00	0.04	25,25,25,25	0
7	HG	D	507	1/1	1.00	0.06	50,50,50,50	1
7	HG	A	510	1/1	1.00	0.03	52,52,52,52	1
6	K	C	506	1/1	1.00	0.06	25,25,25,25	0
8	CL	D	510	1/1	1.00	0.03	28,28,28,28	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HG D 509:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG B 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG C 511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG A 511 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADN B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADN C 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG D 508 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADN A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG B 509 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD B 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG C 510 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADN D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG B 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG A 509:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG C 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG C 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG C 509:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG D 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG D 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG B 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG A 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K D 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HG B 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG A 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K A 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K B 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG D 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HG A 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around K C 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.