



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:03 PM UTC

PDB ID : 5ZE6 / pdb_00005ze6
Title : CRYSTAL STRUCTURE OF OCTAPRENYL PYROPHOSPHATE SYNTHASE FROM ESCHERICHIA COLI WITH BPH-981
Authors : Han, X.; Liu, W.D.; Zheng, Y.Y.; Ko, T.P.; Chen, C.C.; Guo, R.T.
Deposited on : 2018-02-26
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	323	
1	B	323	
1	C	323	
1	D	323	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9880 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Octaprenyl diphosphate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	315	Total	C	N	O	S	0	0	0
			2398	1498	415	470	15			
1	B	313	Total	C	N	O	S	0	0	0
			2393	1497	416	465	15			
1	C	297	Total	C	N	O	S	0	0	0
			2269	1424	390	441	14			
1	D	307	Total	C	N	O	S	0	0	0
			2351	1471	406	459	15			

- Molecule 2 is 2-hydroxy-6-(tetradecyloxy)benzoic acid (CCD ID: HJX) (formula: C₂₁H₃₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			25	21	4		
2	B	1	Total	C	O	0	0
			25	21	4		


- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total 2	Mg 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	103	Total 103	O 103	0	0
4	B	101	Total 101	O 101	0	0
4	C	92	Total 92	O 92	0	0
4	D	121	Total 121	O 121	0	0

● Molecule 1: Octaprenyl diphosphate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	94.03Å 112.00Å 133.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.50 25.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.6 (25.00-2.50) 99.8 (25.00-2.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.10 (at 2.50Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.185 , 0.264 0.190 , 0.262	Depositor DCC
R_{free} test set	2427 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	36.9	Xtriage
Anisotropy	0.083	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 30.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9880	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.33 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.8258e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HJX, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.78	0/2432	0.96	0/3298
1	B	0.84	1/2427 (0.0%)	1.04	6/3289 (0.2%)
1	C	0.94	1/2300 (0.0%)	1.03	4/3117 (0.1%)
1	D	0.88	0/2384	1.02	2/3232 (0.1%)
All	All	0.86	2/9543 (0.0%)	1.01	12/12936 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	208	GLN	C-O	-5.66	1.17	1.24
1	B	32	ILE	C-O	-5.44	1.17	1.24

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	11	ALA	N-CA-C	8.95	120.64	111.07
1	B	30	GLN	N-CA-C	6.62	120.45	112.38
1	C	123	MET	CB-CA-C	-5.80	101.54	110.81
1	C	155	ASP	CA-C-N	5.73	125.73	119.89
1	C	155	ASP	C-N-CA	5.73	125.73	119.89
1	B	269	GLU	CA-C-N	5.65	125.32	119.05
1	B	269	GLU	C-N-CA	5.65	125.32	119.05
1	B	34	GLN	CB-CA-C	-5.55	102.16	110.88
1	D	42	GLY	N-CA-C	-5.50	104.67	112.37
1	B	81	LEU	CB-CA-C	-5.43	102.59	110.96
1	B	42	GLY	N-CA-C	5.32	122.29	115.32
1	D	79	ALA	N-CA-C	5.17	116.92	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2398	0	2370	31	0
1	B	2393	0	2378	41	0
1	C	2269	0	2254	30	0
1	D	2351	0	2324	47	0
2	A	25	0	0	1	0
2	B	25	0	0	4	0
3	B	2	0	0	0	0
4	A	103	0	0	0	0
4	B	101	0	0	1	0
4	C	92	0	0	1	0
4	D	121	0	0	1	0
All	All	9880	0	9326	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:158:ILE:HG21	1:C:244:MET:HE1	1.44	1.00
1:C:158:ILE:CG2	1:C:244:MET:HE1	2.08	0.84
1:A:151:MET:HE2	1:C:31:LEU:HD22	1.63	0.79
1:B:151:MET:SD	1:D:31:LEU:HD22	2.26	0.76
1:D:23:GLU:HB2	4:D:494:HOH:O	1.90	0.70
1:C:253:GLN:O	1:C:257:THR:HG23	1.92	0.70
1:D:3:LEU:HD21	1:D:45:LYS:HE3	1.72	0.69
1:A:289:GLU:HG3	1:A:319:VAL:HG11	1.74	0.68
1:A:10:THR:HG21	1:A:50:MET:HE2	1.75	0.68
1:D:35:LEU:HD23	1:D:115:ILE:HD11	1.76	0.68
1:D:149:GLN:OE1	1:D:235:LYS:HE3	1.94	0.68
1:A:189:THR:HG22	1:A:192:GLU:H	1.58	0.67
1:B:151:MET:SD	1:D:31:LEU:CD2	2.82	0.67
1:D:257:THR:O	1:D:261:GLN:HB2	1.96	0.66
1:A:135:MET:HE1	1:A:174:LEU:CD1	2.26	0.65
1:C:76:ILE:O	1:C:80:THR:HG22	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:MET:HE1	1:A:174:LEU:HD12	1.79	0.64
1:B:10:THR:HG21	1:B:50:MET:HE2	1.80	0.64
1:D:80:THR:HG22	1:D:116:TYR:OH	1.98	0.63
1:C:51:ILE:HD11	1:C:203:LEU:CD2	2.29	0.62
1:C:88:ASP:N	1:C:88:ASP:OD1	2.33	0.61
1:A:289:GLU:CG	1:A:319:VAL:HG11	2.29	0.61
1:B:287:ARG:NH2	1:B:291:GLU:OE1	2.34	0.61
1:C:257:THR:O	1:C:261:GLN:HB2	2.01	0.61
1:D:69:ILE:HD11	1:D:185:LEU:HD22	1.82	0.60
1:D:154:ASN:HA	1:D:259:ILE:O	2.02	0.60
1:D:163:TYR:CE1	1:D:238:LEU:HB2	2.37	0.59
1:A:156:PRO:HB2	1:A:244:MET:HE1	1.85	0.59
1:B:80:THR:HG22	2:B:401:HJX:CAM	2.33	0.59
1:C:158:ILE:HG22	1:C:158:ILE:O	2.01	0.59
1:B:49:PRO:HG3	1:B:74:GLU:HB2	1.85	0.58
1:B:159:THR:HG22	1:B:162:ASN:H	1.68	0.58
1:D:35:LEU:HD23	1:D:115:ILE:CD1	2.33	0.58
1:B:92:MET:HE2	1:B:97:ALA:HA	1.85	0.57
1:B:214:LEU:HD12	1:B:281:LEU:HD13	1.86	0.57
1:B:244:MET:HE2	1:B:256:ARG:HA	1.86	0.57
1:C:189:THR:HG22	1:C:192:GLU:H	1.70	0.56
1:D:254:MET:HE1	1:D:270:PRO:C	2.30	0.56
1:D:76:ILE:O	1:D:80:THR:HG23	2.06	0.56
1:B:135:MET:HE1	1:B:174:LEU:HD12	1.87	0.56
1:D:30:GLN:O	1:D:34:GLN:HB2	2.05	0.56
1:C:120:PHE:O	1:C:124:THR:HG23	2.06	0.56
1:B:87:VAL:HG21	1:D:110:LEU:HD21	1.87	0.56
1:D:254:MET:HE1	1:D:270:PRO:O	2.06	0.55
1:B:156:PRO:CB	1:B:244:MET:HE1	2.35	0.55
1:A:126:LEU:HD13	1:A:185:LEU:HD21	1.89	0.55
1:B:76:ILE:O	1:B:80:THR:HG23	2.08	0.54
1:B:253:GLN:O	1:B:257:THR:HG23	2.07	0.54
1:D:10:THR:HG23	1:D:14:MET:HG2	1.89	0.54
1:A:319:VAL:O	1:A:319:VAL:HG12	2.06	0.54
1:A:199:TYR:CE2	1:A:311:LEU:HD22	2.44	0.53
1:D:1:MET:HG3	1:D:5:LYS:HE3	1.91	0.53
1:B:156:PRO:HB3	1:B:244:MET:HE1	1.90	0.52
1:A:226:ASN:N	1:A:226:ASN:HD22	2.08	0.52
1:D:131:VAL:O	1:D:135:MET:HB2	2.09	0.52
1:B:81:LEU:HD23	2:B:401:HJX:CAE	2.39	0.52
1:B:214:LEU:HD12	1:B:281:LEU:CD1	2.41	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:155:ASP:N	1:D:259:ILE:HD11	2.24	0.51
1:A:2:ASN:OD1	1:A:5:LYS:HB2	2.11	0.51
1:B:266:HIS:CD2	1:B:267:LEU:HD13	2.44	0.51
1:C:168:TYR:HA	1:C:172:ALA:HB3	1.91	0.51
1:D:292:ALA:O	1:D:296:ILE:HG23	2.10	0.51
1:D:35:LEU:CD2	1:D:115:ILE:CD1	2.89	0.51
1:B:135:MET:HE1	1:B:174:LEU:CD1	2.40	0.51
1:D:253:GLN:O	1:D:257:THR:HG23	2.11	0.51
1:D:35:LEU:CD2	1:D:115:ILE:HD13	2.41	0.51
1:A:289:GLU:HG3	1:A:319:VAL:CG1	2.41	0.50
1:C:120:PHE:O	1:C:124:THR:CG2	2.59	0.50
1:D:155:ASP:C	1:D:259:ILE:HD11	2.37	0.50
1:A:226:ASN:N	1:A:226:ASN:ND2	2.59	0.50
1:C:123:MET:HE2	1:C:135:MET:HG3	1.95	0.49
1:A:238:LEU:N	1:A:239:PRO:HD2	2.27	0.49
1:C:239:PRO:HB2	1:C:275:MET:HE2	1.94	0.49
1:D:256:ARG:O	1:D:260:GLU:HG3	2.13	0.49
1:B:29:VAL:HB	1:B:32:ILE:HD12	1.95	0.48
1:A:76:ILE:O	1:A:80:THR:HG23	2.14	0.48
1:D:244:MET:HB2	1:D:255:ILE:HG21	1.95	0.48
1:B:130:LYS:HD3	1:B:184:ILE:HD13	1.95	0.48
1:D:120:PHE:O	1:D:124:THR:HG23	2.14	0.48
1:B:254:MET:HE2	1:B:267:LEU:HG	1.95	0.47
1:B:254:MET:HE1	1:B:270:PRO:CB	2.44	0.47
1:C:269:GLU:HB2	1:C:270:PRO:CD	2.44	0.47
1:C:189:THR:HB	1:C:192:GLU:OE1	2.13	0.47
1:D:1:MET:HE3	1:D:309:GLU:HB3	1.96	0.47
1:D:103:PHE:CD1	1:D:103:PHE:C	2.92	0.47
1:C:269:GLU:HB2	1:C:270:PRO:HD3	1.96	0.47
1:A:80:THR:HG22	2:A:401:HJX:CAM	2.45	0.47
1:A:132:LEU:HD13	1:C:132:LEU:HD13	1.96	0.46
1:A:202:TYR:CE1	1:A:294:LYS:HE2	2.50	0.46
1:B:39:ILE:HG13	1:B:82:LEU:HD21	1.96	0.46
1:C:157:ASP:HB2	4:C:443:HOH:O	2.16	0.46
1:B:189:THR:HG22	1:B:191:GLU:N	2.31	0.46
1:A:51:ILE:HD11	1:A:203:LEU:CD2	2.45	0.46
1:A:244:MET:HE2	1:A:256:ARG:HA	1.98	0.46
1:D:189:THR:HG22	1:D:192:GLU:H	1.80	0.46
1:A:47:ILE:O	1:A:47:ILE:HG13	2.11	0.46
1:B:132:LEU:HD13	1:D:132:LEU:HD13	1.97	0.45
1:A:203:LEU:CD1	1:A:315:ALA:HA	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:ARG:HB3	1:A:49:PRO:HG2	1.98	0.45
1:B:244:MET:HE2	1:B:256:ARG:CA	2.45	0.45
1:A:191:GLU:HG2	1:A:301:VAL:HG11	1.99	0.45
1:C:248:THR:HB	1:C:249:PRO:CD	2.47	0.45
1:D:256:ARG:HH11	1:D:256:ARG:HG3	1.82	0.44
1:C:89:GLU:N	1:C:89:GLU:OE1	2.51	0.44
1:C:158:ILE:HG23	1:C:241:LEU:HD22	1.99	0.44
1:D:87:VAL:HG23	1:D:91:ASP:HB2	2.00	0.44
1:B:242:HIS:ND1	1:B:280:SER:OG	2.46	0.44
1:C:51:ILE:HD11	1:C:203:LEU:HD23	1.99	0.44
1:D:10:THR:HG23	1:D:14:MET:CG	2.47	0.43
1:D:6:ILE:O	1:D:10:THR:HB	2.18	0.43
1:A:156:PRO:CB	1:A:244:MET:HE1	2.48	0.43
1:B:48:ARG:HB2	1:B:49:PRO:HD3	2.00	0.43
1:C:13:ASP:O	1:C:17:VAL:HG23	2.19	0.43
1:C:158:ILE:HD12	1:C:158:ILE:N	2.33	0.43
1:C:51:ILE:CD1	1:C:203:LEU:HD23	2.49	0.43
1:B:164:MET:HG3	1:B:287:ARG:NH1	2.34	0.43
1:D:255:ILE:O	1:D:259:ILE:HG23	2.18	0.43
1:B:163:TYR:CD1	1:B:164:MET:HE2	2.54	0.42
1:B:254:MET:HE1	1:B:270:PRO:HB2	2.00	0.42
1:D:142:ILE:HD11	1:D:174:LEU:HB2	2.02	0.42
1:D:185:LEU:HA	1:D:185:LEU:HD12	1.74	0.42
1:D:13:ASP:OD1	1:D:57:ARG:NH2	2.49	0.42
1:C:68:THR:HB	1:C:126:LEU:HD21	2.01	0.42
1:B:81:LEU:CD2	2:B:401:HJX:CAF	2.98	0.42
1:B:51:ILE:HD11	1:B:203:LEU:HD23	2.02	0.41
1:B:117:THR:HG21	1:D:139:VAL:HG12	2.01	0.41
1:D:203:LEU:HD12	1:D:315:ALA:HB2	2.01	0.41
1:D:269:GLU:HB2	1:D:270:PRO:HD3	2.02	0.41
1:D:232:ASN:HB2	1:D:265:ARG:HB2	2.02	0.41
1:A:147:VAL:HG22	1:C:110:LEU:HB3	2.02	0.41
1:B:163:TYR:CD1	1:B:163:TYR:C	2.98	0.41
1:B:286:GLN:O	1:B:289:GLU:HB2	2.20	0.41
1:A:253:GLN:O	1:A:257:THR:HG23	2.21	0.41
1:A:218:ALA:HA	1:A:227:VAL:HG11	2.03	0.41
1:B:81:LEU:HD23	2:B:401:HJX:CAF	2.51	0.41
1:B:152:ASN:HB3	4:B:518:HOH:O	2.19	0.41
1:A:32:ILE:HG13	1:C:147:VAL:HG11	2.02	0.40
1:D:269:GLU:N	1:D:270:PRO:CD	2.84	0.40
1:D:79:ALA:HB2	1:D:115:ILE:HG22	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:209:LEU:HD22	1:B:238:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/323 (96%)	303 (97%)	8 (3%)	0	100	100
1	B	309/323 (96%)	307 (99%)	2 (1%)	0	100	100
1	C	289/323 (90%)	277 (96%)	12 (4%)	0	100	100
1	D	301/323 (93%)	291 (97%)	10 (3%)	0	100	100
All	All	1210/1292 (94%)	1178 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	249/256 (97%)	221 (89%)	28 (11%)	6	12
1	B	249/256 (97%)	214 (86%)	35 (14%)	3	7
1	C	238/256 (93%)	200 (84%)	38 (16%)	2	5
1	D	246/256 (96%)	207 (84%)	39 (16%)	2	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	982/1024 (96%)	842 (86%)	140 (14%)	3 6

All (140) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	GLU
1	A	10	THR
1	A	45	LYS
1	A	46	ARG
1	A	47	ILE
1	A	108	SER
1	A	130	LYS
1	A	148	LEU
1	A	150	LEU
1	A	151	MET
1	A	153	VAL
1	A	161	GLU
1	A	165	ARG
1	A	171	THR
1	A	189	THR
1	A	194	LYS
1	A	213	LEU
1	A	217	ASN
1	A	219	ASP
1	A	226	ASN
1	A	244	MET
1	A	254	MET
1	A	265	ARG
1	A	267	LEU
1	A	272	LEU
1	A	273	GLU
1	A	301	VAL
1	A	320	GLN
1	B	1	MET
1	B	3	LEU
1	B	4	GLU
1	B	5	LYS
1	B	8	GLU
1	B	10	THR
1	B	46	ARG
1	B	47	ILE
1	B	69	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	72	LEU
1	B	81	LEU
1	B	96	LYS
1	B	124	THR
1	B	148	LEU
1	B	149	GLN
1	B	153	VAL
1	B	154	ASN
1	B	159	THR
1	B	161	GLU
1	B	165	ARG
1	B	166	VAL
1	B	225	LYS
1	B	231	LEU
1	B	238	LEU
1	B	240	LEU
1	B	250	GLU
1	B	257	THR
1	B	267	LEU
1	B	272	LEU
1	B	286	GLN
1	B	287	ARG
1	B	294	LYS
1	B	301	VAL
1	B	317	ILE
1	B	320	GLN
1	C	3	LEU
1	C	4	GLU
1	C	5	LYS
1	C	8	GLU
1	C	10	THR
1	C	23	GLU
1	C	27	SER
1	C	29	VAL
1	C	40	VAL
1	C	45	LYS
1	C	46	ARG
1	C	47	ILE
1	C	53	VAL
1	C	67	VAL
1	C	69	ILE
1	C	73	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	80	THR
1	C	88	ASP
1	C	89	GLU
1	C	124	THR
1	C	130	LYS
1	C	151	MET
1	C	153	VAL
1	C	154	ASN
1	C	159	THR
1	C	182	SER
1	C	189	THR
1	C	213	LEU
1	C	227	VAL
1	C	253	GLN
1	C	257	THR
1	C	261	GLN
1	C	267	LEU
1	C	272	LEU
1	C	273	GLU
1	C	294	LYS
1	C	309	GLU
1	C	320	GLN
1	D	2	ASN
1	D	3	LEU
1	D	4	GLU
1	D	9	LEU
1	D	10	THR
1	D	23	GLU
1	D	27	SER
1	D	29	VAL
1	D	30	GLN
1	D	31	LEU
1	D	34	GLN
1	D	40	VAL
1	D	45	LYS
1	D	47	ILE
1	D	53	VAL
1	D	67	VAL
1	D	73	ILE
1	D	87	VAL
1	D	89	GLU
1	D	115	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	124	THR
1	D	130	LYS
1	D	135	MET
1	D	150	LEU
1	D	153	VAL
1	D	185	LEU
1	D	189	THR
1	D	213	LEU
1	D	226	ASN
1	D	235	LYS
1	D	256	ARG
1	D	257	THR
1	D	259	ILE
1	D	261	GLN
1	D	267	LEU
1	D	271	VAL
1	D	272	LEU
1	D	296	ILE
1	D	301	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN
1	A	154	ASN
1	A	246	HIS
1	A	276	ASN
1	A	300	GLN
1	A	316	HIS
1	B	232	ASN
1	B	246	HIS
1	B	320	GLN
1	C	7	ASN
1	D	77	HIS
1	D	276	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HJX	A	401	-	25,25,25	0.90	2 (8%)	29,29,29	1.20	3 (10%)
2	HJX	B	401	-	25,25,25	0.83	1 (4%)	29,29,29	0.87	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HJX	A	401	-	-	13/19/19/19	0/1/1/1
2	HJX	B	401	-	-	15/19/19/19	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	HJX	CAY-CAV	2.36	1.56	1.50
2	B	401	HJX	CAY-CAW	-2.27	1.37	1.41
2	A	401	HJX	OAU-CAX	2.03	1.41	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	HJX	OAB-CAV-OAC	-3.92	114.93	123.35
2	A	401	HJX	OAB-CAV-CAY	2.65	122.13	114.67
2	B	401	HJX	CAW-CAY-CAX	2.54	119.83	117.41
2	A	401	HJX	OAU-CAX-CAG	-2.51	118.47	123.95

There are no chirality outliers.

All (28) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	401	HJX	OAC-CAV-CAY-CAW
2	A	401	HJX	CAR-CAS-CAT-OAU
2	B	401	HJX	CAL-CAM-CAN-CAO
2	A	401	HJX	CAL-CAM-CAN-CAO
2	A	401	HJX	CAM-CAN-CAO-CAP
2	B	401	HJX	CAR-CAS-CAT-OAU
2	B	401	HJX	CAK-CAL-CAM-CAN
2	A	401	HJX	CAQ-CAR-CAS-CAT
2	B	401	HJX	OAB-CAV-CAY-CAX
2	B	401	HJX	CAQ-CAR-CAS-CAT
2	A	401	HJX	CAN-CAO-CAP-CAQ
2	B	401	HJX	CAM-CAN-CAO-CAP
2	A	401	HJX	CAK-CAL-CAM-CAN
2	B	401	HJX	OAC-CAV-CAY-CAX
2	B	401	HJX	OAB-CAV-CAY-CAW
2	B	401	HJX	CAN-CAO-CAP-CAQ
2	A	401	HJX	CAJ-CAK-CAL-CAM
2	A	401	HJX	OAC-CAV-CAY-CAX
2	A	401	HJX	OAB-CAV-CAY-CAW
2	A	401	HJX	OAB-CAV-CAY-CAX
2	B	401	HJX	CAO-CAP-CAQ-CAR
2	A	401	HJX	CAI-CAJ-CAK-CAL
2	A	401	HJX	OAC-CAV-CAY-CAW
2	B	401	HJX	CAS-CAT-OAU-CAX
2	B	401	HJX	CAP-CAQ-CAR-CAS
2	A	401	HJX	CAP-CAQ-CAR-CAS
2	B	401	HJX	CAJ-CAK-CAL-CAM
2	B	401	HJX	CAH-CAI-CAJ-CAK

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	HJX	1	0
2	B	401	HJX	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	315/323 (97%)	-0.25	1 (0%) 90 87	24, 41, 66, 117	0
1	B	313/323 (96%)	-0.33	1 (0%) 90 87	21, 38, 63, 84	0
1	C	297/323 (91%)	-0.20	3 (1%) 79 76	24, 38, 80, 102	0
1	D	307/323 (95%)	-0.31	0 100 100	21, 37, 68, 100	0
All	All	1232/1292 (95%)	-0.27	5 (0%) 88 86	21, 39, 70, 117	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	154	ASN	2.8
1	C	227	VAL	2.7
1	A	218	ALA	2.6
1	C	90	SER	2.2
1	C	104	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	HJX	A	401	25/25	0.82	0.19	36,80,127,128	0
3	MG	B	402	1/1	0.89	0.12	38,38,38,38	0
3	MG	B	403	1/1	0.90	0.14	35,35,35,35	0
2	HJX	B	401	25/25	0.91	0.11	33,39,50,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HJX A 401:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HJX B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.