



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 08:21 PM UTC

PDB ID : 4ZFJ / pdb_00004zfj
Title : Ergothioneine-biosynthetic Ntn hydrolase EgtC, apo form
Authors : Vit, A.; Seebeck, F.P.; Blankenfeldt, W.
Deposited on : 2015-04-21
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	235	% 91% 6% .
1	B	235	2% 91% 6% .
1	C	235	4% 91% 6% ..
1	D	235	% 91% 5% .
1	E	235	2% 91% 6% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	235	3% 91% 6%
1	G	235	3% 91% 6%
1	H	235	92%
1	I	235	% 93%
1	J	235	% 93%
1	K	235	3% 94%
1	L	235	% 91% 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 43942 atoms, of which 20573 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amidohydrolase EgtC.

Mol	Chain	Residues	Atoms								ZeroOcc	AltConf	Trace
1	A	229	Total	C	H	N	O	S	Se		0	4	0
			3399	1075	1683	312	325	2	2				
1	B	228	Total	C	H	N	O	S	Se		0	2	0
			3391	1071	1683	311	322	2	2				
1	C	229	Total	C	H	N	O	S	Se		0	14	0
			3438	1090	1696	316	332	2	2				
1	D	227	Total	C	H	N	O	S	Se		0	0	0
			3356	1063	1665	309	315	2	2				
1	E	228	Total	C	H	N	O	S	Se		0	4	0
			3379	1069	1671	311	324	2	2				
1	F	230	Total	C	H	N	O	S	Se		0	0	0
			3382	1074	1671	314	319	2	2				
1	G	227	Total	C	H	N	O	S	Se		0	10	0
			3442	1089	1703	320	326	2	2				
1	H	226	Total	C	H	N	O	S	Se		0	0	0
			3338	1058	1653	307	316	2	2				
1	I	228	Total	C	H	N	O	S	Se		0	2	0
			3373	1068	1672	309	320	2	2				
1	J	226	Total	C	H	N	O	S	Se		0	1	0
			3312	1054	1635	303	316	2	2				
1	K	227	Total	C	H	N	O	S	Se		0	1	0
			3358	1066	1663	309	316	2	2				
1	L	227	Total	C	H	N	O	S	Se		0	1	0
			3359	1065	1663	309	318	2	2				

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	53	ASP	GLU	engineered mutation	UNP A0R5M9
A	84	VAL	LEU	engineered mutation	UNP A0R5M9
A	95	SER	PRO	engineered mutation	UNP A0R5M9
A	118	ALA	ASP	engineered mutation	UNP A0R5M9
A	137	LEU	VAL	engineered mutation	UNP A0R5M9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	188	ARG	HIS	engineered mutation	UNP A0R5M9
A	228	SER	-	expression tag	UNP A0R5M9
A	229	SER	-	expression tag	UNP A0R5M9
A	230	HIS	-	expression tag	UNP A0R5M9
A	231	HIS	-	expression tag	UNP A0R5M9
A	232	HIS	-	expression tag	UNP A0R5M9
A	233	HIS	-	expression tag	UNP A0R5M9
A	234	HIS	-	expression tag	UNP A0R5M9
A	235	HIS	-	expression tag	UNP A0R5M9
B	53	ASP	GLU	engineered mutation	UNP A0R5M9
B	84	VAL	LEU	engineered mutation	UNP A0R5M9
B	95	SER	PRO	engineered mutation	UNP A0R5M9
B	118	ALA	ASP	engineered mutation	UNP A0R5M9
B	137	LEU	VAL	engineered mutation	UNP A0R5M9
B	188	ARG	HIS	engineered mutation	UNP A0R5M9
B	228	SER	-	expression tag	UNP A0R5M9
B	229	SER	-	expression tag	UNP A0R5M9
B	230	HIS	-	expression tag	UNP A0R5M9
B	231	HIS	-	expression tag	UNP A0R5M9
B	232	HIS	-	expression tag	UNP A0R5M9
B	233	HIS	-	expression tag	UNP A0R5M9
B	234	HIS	-	expression tag	UNP A0R5M9
B	235	HIS	-	expression tag	UNP A0R5M9
C	53	ASP	GLU	engineered mutation	UNP A0R5M9
C	84	VAL	LEU	engineered mutation	UNP A0R5M9
C	95	SER	PRO	engineered mutation	UNP A0R5M9
C	118	ALA	ASP	engineered mutation	UNP A0R5M9
C	137	LEU	VAL	engineered mutation	UNP A0R5M9
C	188	ARG	HIS	engineered mutation	UNP A0R5M9
C	228	SER	-	expression tag	UNP A0R5M9
C	229	SER	-	expression tag	UNP A0R5M9
C	230	HIS	-	expression tag	UNP A0R5M9
C	231	HIS	-	expression tag	UNP A0R5M9
C	232	HIS	-	expression tag	UNP A0R5M9
C	233	HIS	-	expression tag	UNP A0R5M9
C	234	HIS	-	expression tag	UNP A0R5M9
C	235	HIS	-	expression tag	UNP A0R5M9
D	53	ASP	GLU	engineered mutation	UNP A0R5M9
D	84	VAL	LEU	engineered mutation	UNP A0R5M9
D	95	SER	PRO	engineered mutation	UNP A0R5M9
D	118	ALA	ASP	engineered mutation	UNP A0R5M9
D	137	LEU	VAL	engineered mutation	UNP A0R5M9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	188	ARG	HIS	engineered mutation	UNP A0R5M9
D	228	SER	-	expression tag	UNP A0R5M9
D	229	SER	-	expression tag	UNP A0R5M9
D	230	HIS	-	expression tag	UNP A0R5M9
D	231	HIS	-	expression tag	UNP A0R5M9
D	232	HIS	-	expression tag	UNP A0R5M9
D	233	HIS	-	expression tag	UNP A0R5M9
D	234	HIS	-	expression tag	UNP A0R5M9
D	235	HIS	-	expression tag	UNP A0R5M9
E	53	ASP	GLU	engineered mutation	UNP A0R5M9
E	84	VAL	LEU	engineered mutation	UNP A0R5M9
E	95	SER	PRO	engineered mutation	UNP A0R5M9
E	118	ALA	ASP	engineered mutation	UNP A0R5M9
E	137	LEU	VAL	engineered mutation	UNP A0R5M9
E	188	ARG	HIS	engineered mutation	UNP A0R5M9
E	228	SER	-	expression tag	UNP A0R5M9
E	229	SER	-	expression tag	UNP A0R5M9
E	230	HIS	-	expression tag	UNP A0R5M9
E	231	HIS	-	expression tag	UNP A0R5M9
E	232	HIS	-	expression tag	UNP A0R5M9
E	233	HIS	-	expression tag	UNP A0R5M9
E	234	HIS	-	expression tag	UNP A0R5M9
E	235	HIS	-	expression tag	UNP A0R5M9
F	53	ASP	GLU	engineered mutation	UNP A0R5M9
F	84	VAL	LEU	engineered mutation	UNP A0R5M9
F	95	SER	PRO	engineered mutation	UNP A0R5M9
F	118	ALA	ASP	engineered mutation	UNP A0R5M9
F	137	LEU	VAL	engineered mutation	UNP A0R5M9
F	188	ARG	HIS	engineered mutation	UNP A0R5M9
F	228	SER	-	expression tag	UNP A0R5M9
F	229	SER	-	expression tag	UNP A0R5M9
F	230	HIS	-	expression tag	UNP A0R5M9
F	231	HIS	-	expression tag	UNP A0R5M9
F	232	HIS	-	expression tag	UNP A0R5M9
F	233	HIS	-	expression tag	UNP A0R5M9
F	234	HIS	-	expression tag	UNP A0R5M9
F	235	HIS	-	expression tag	UNP A0R5M9
G	53	ASP	GLU	engineered mutation	UNP A0R5M9
G	84	VAL	LEU	engineered mutation	UNP A0R5M9
G	95	SER	PRO	engineered mutation	UNP A0R5M9
G	118	ALA	ASP	engineered mutation	UNP A0R5M9
G	137	LEU	VAL	engineered mutation	UNP A0R5M9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	188	ARG	HIS	engineered mutation	UNP A0R5M9
G	228	SER	-	expression tag	UNP A0R5M9
G	229	SER	-	expression tag	UNP A0R5M9
G	230	HIS	-	expression tag	UNP A0R5M9
G	231	HIS	-	expression tag	UNP A0R5M9
G	232	HIS	-	expression tag	UNP A0R5M9
G	233	HIS	-	expression tag	UNP A0R5M9
G	234	HIS	-	expression tag	UNP A0R5M9
G	235	HIS	-	expression tag	UNP A0R5M9
H	53	ASP	GLU	engineered mutation	UNP A0R5M9
H	84	VAL	LEU	engineered mutation	UNP A0R5M9
H	95	SER	PRO	engineered mutation	UNP A0R5M9
H	118	ALA	ASP	engineered mutation	UNP A0R5M9
H	137	LEU	VAL	engineered mutation	UNP A0R5M9
H	188	ARG	HIS	engineered mutation	UNP A0R5M9
H	228	SER	-	expression tag	UNP A0R5M9
H	229	SER	-	expression tag	UNP A0R5M9
H	230	HIS	-	expression tag	UNP A0R5M9
H	231	HIS	-	expression tag	UNP A0R5M9
H	232	HIS	-	expression tag	UNP A0R5M9
H	233	HIS	-	expression tag	UNP A0R5M9
H	234	HIS	-	expression tag	UNP A0R5M9
H	235	HIS	-	expression tag	UNP A0R5M9
I	53	ASP	GLU	engineered mutation	UNP A0R5M9
I	84	VAL	LEU	engineered mutation	UNP A0R5M9
I	95	SER	PRO	engineered mutation	UNP A0R5M9
I	118	ALA	ASP	engineered mutation	UNP A0R5M9
I	137	LEU	VAL	engineered mutation	UNP A0R5M9
I	188	ARG	HIS	engineered mutation	UNP A0R5M9
I	228	SER	-	expression tag	UNP A0R5M9
I	229	SER	-	expression tag	UNP A0R5M9
I	230	HIS	-	expression tag	UNP A0R5M9
I	231	HIS	-	expression tag	UNP A0R5M9
I	232	HIS	-	expression tag	UNP A0R5M9
I	233	HIS	-	expression tag	UNP A0R5M9
I	234	HIS	-	expression tag	UNP A0R5M9
I	235	HIS	-	expression tag	UNP A0R5M9
J	53	ASP	GLU	engineered mutation	UNP A0R5M9
J	84	VAL	LEU	engineered mutation	UNP A0R5M9
J	95	SER	PRO	engineered mutation	UNP A0R5M9
J	118	ALA	ASP	engineered mutation	UNP A0R5M9
J	137	LEU	VAL	engineered mutation	UNP A0R5M9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
J	188	ARG	HIS	engineered mutation	UNP A0R5M9
J	228	SER	-	expression tag	UNP A0R5M9
J	229	SER	-	expression tag	UNP A0R5M9
J	230	HIS	-	expression tag	UNP A0R5M9
J	231	HIS	-	expression tag	UNP A0R5M9
J	232	HIS	-	expression tag	UNP A0R5M9
J	233	HIS	-	expression tag	UNP A0R5M9
J	234	HIS	-	expression tag	UNP A0R5M9
J	235	HIS	-	expression tag	UNP A0R5M9
K	53	ASP	GLU	engineered mutation	UNP A0R5M9
K	84	VAL	LEU	engineered mutation	UNP A0R5M9
K	95	SER	PRO	engineered mutation	UNP A0R5M9
K	118	ALA	ASP	engineered mutation	UNP A0R5M9
K	137	LEU	VAL	engineered mutation	UNP A0R5M9
K	188	ARG	HIS	engineered mutation	UNP A0R5M9
K	228	SER	-	expression tag	UNP A0R5M9
K	229	SER	-	expression tag	UNP A0R5M9
K	230	HIS	-	expression tag	UNP A0R5M9
K	231	HIS	-	expression tag	UNP A0R5M9
K	232	HIS	-	expression tag	UNP A0R5M9
K	233	HIS	-	expression tag	UNP A0R5M9
K	234	HIS	-	expression tag	UNP A0R5M9
K	235	HIS	-	expression tag	UNP A0R5M9
L	53	ASP	GLU	engineered mutation	UNP A0R5M9
L	84	VAL	LEU	engineered mutation	UNP A0R5M9
L	95	SER	PRO	engineered mutation	UNP A0R5M9
L	118	ALA	ASP	engineered mutation	UNP A0R5M9
L	137	LEU	VAL	engineered mutation	UNP A0R5M9
L	188	ARG	HIS	engineered mutation	UNP A0R5M9
L	228	SER	-	expression tag	UNP A0R5M9
L	229	SER	-	expression tag	UNP A0R5M9
L	230	HIS	-	expression tag	UNP A0R5M9
L	231	HIS	-	expression tag	UNP A0R5M9
L	232	HIS	-	expression tag	UNP A0R5M9
L	233	HIS	-	expression tag	UNP A0R5M9
L	234	HIS	-	expression tag	UNP A0R5M9
L	235	HIS	-	expression tag	UNP A0R5M9

- Molecule 2 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	A	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	B	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	D	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	E	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	F	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	G	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	H	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	I	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	J	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	K	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0
2	L	1	Total 25	C 6	H 13	N 1	O 4	S 1	0	0

- Molecule 3 is 3,6,9,12,15,18,21,24,27-NONAOXANONACOSANE-1,29-DIOL (CCD ID: XPE) (formula: C₂₀H₄₂O₁₁).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	H	O	0	0
			63	18	36	9		
3	C	1	Total	C	H	O	0	0
			55	16	31	8		
3	D	1	Total	C	H	O	0	0
			60	17	34	9		
3	D	1	Total	C	H	O	0	0
			55	16	31	8		
3	E	1	Total	C	H	O	0	0
			55	16	31	8		
3	G	1	Total	C	H	O	0	0
			63	18	36	9		
3	H	1	Total	C	H	O	0	0
			55	16	31	8		
3	I	1	Total	C	H	O	0	0
			63	18	36	9		
3	J	1	Total	C	H	O	0	0
			47	14	26	7		
3	K	1	Total	C	H	O	0	0
			55	16	31	8		
3	L	1	Total	C	H	O	0	0
			63	18	36	9		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	230	Total	O	0	0
			230	230		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	252	Total 252	O 252	0	0
4	C	199	Total 199	O 199	0	0
4	D	197	Total 197	O 197	0	0
4	E	189	Total 189	O 189	0	0
4	F	193	Total 193	O 193	0	0
4	G	208	Total 208	O 208	0	0
4	H	231	Total 231	O 231	0	0
4	I	211	Total 211	O 211	0	0
4	J	215	Total 215	O 215	0	0
4	K	181	Total 181	O 181	0	0
4	L	175	Total 175	O 175	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Amidohydrolase EgtC





- Molecule 1: Amidohydrolase EgtC




- Molecule 1: Amidohydrolase EgtC




- Molecule 1: Amidohydrolase EgtC




- Molecule 1: Amidohydrolase EgtC



- Molecule 1: Amidohydrolase EgtC




- Molecule 1: Amidohydrolase EgtC




- Molecule 1: Amidohydrolase EgtC




- Molecule 1: Amidohydrolase EgtC




- Molecule 1: Amidohydrolase EgtC



- Molecule 1: Amidohydrolase EgtC



- Molecule 1: Amidohydrolase EgtC



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	128.98Å 69.51Å 160.38Å 90.00° 94.84° 90.00°	Depositor
Resolution (Å)	47.64 – 1.75 47.64 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.4 (47.64-1.75) 99.4 (47.64-1.75)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 1.75Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.149 , 0.180 0.152 , 0.182	Depositor DCC
R_{free} test set	13873 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	18.6	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 45.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	43942	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.94 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4203e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: XPE, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/1776	0.70	2/2425 (0.1%)
1	B	0.46	0/1757	0.73	2/2399 (0.1%)
1	C	0.45	0/1819	0.71	0/2484
1	D	0.45	0/1729	0.69	0/2363
1	E	0.44	0/1762	0.70	0/2408
1	F	0.43	0/1750	0.70	2/2391 (0.1%)
1	G	0.42	0/1808	0.68	2/2466 (0.1%)
1	H	0.45	0/1723	0.69	2/2355 (0.1%)
1	I	0.47	0/1749	0.75	2/2389 (0.1%)
1	J	0.42	0/1718	0.69	0/2350
1	K	0.42	0/1737	0.69	0/2375
1	L	0.41	0/1737	0.70	0/2375
All	All	0.44	0/21065	0.70	12/28780 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	219	ASP	CA-C-N	7.05	134.38	121.70
1	B	219	ASP	C-N-CA	7.05	134.38	121.70
1	I	20	ASP	CA-C-N	-6.30	115.06	119.66
1	I	20	ASP	C-N-CA	-6.30	115.06	119.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	ASP	CA-C-N	-6.29	115.07	119.66
1	A	20	ASP	C-N-CA	-6.29	115.07	119.66
1	H	20	ASP	CA-C-N	-5.19	115.87	119.66
1	H	20	ASP	C-N-CA	-5.19	115.87	119.66
1	G	20	ASP	CA-C-N	-5.11	115.98	119.66
1	G	20	ASP	C-N-CA	-5.11	115.98	119.66
1	F	20	ASP	CA-C-N	-5.03	115.99	119.66
1	F	20	ASP	C-N-CA	-5.03	115.99	119.66

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	182	ASP	Peptide
1	C	183[B]	THR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1716	1683	1654	14	0
1	B	1708	1683	1669	16	0
1	C	1742	1696	1631	6	0
1	D	1691	1665	1665	10	0
1	E	1708	1671	1654	10	0
1	F	1711	1671	1669	11	0
1	G	1739	1703	1669	10	0
1	H	1685	1653	1651	5	0
1	I	1701	1672	1658	7	0
1	J	1677	1635	1637	5	0
1	K	1695	1663	1661	5	0
1	L	1696	1663	1664	11	0
2	A	24	26	25	0	0
2	B	12	13	13	0	0
2	D	12	13	13	0	0
2	E	12	13	13	0	0
2	F	12	13	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	G	12	13	13	0	0
2	H	12	13	13	0	0
2	I	12	13	13	0	0
2	J	12	13	12	0	0
2	K	12	13	13	0	0
2	L	12	13	13	0	0
3	B	27	36	32	5	0
3	C	24	31	28	4	0
3	D	50	65	60	11	0
3	E	24	31	28	4	0
3	G	27	36	32	3	0
3	H	24	31	28	1	0
3	I	27	36	32	2	0
3	J	21	26	24	0	0
3	K	24	31	28	0	0
3	L	27	36	32	3	0
4	A	230	0	0	1	1
4	B	252	0	0	0	2
4	C	199	0	0	0	0
4	D	197	0	0	0	1
4	E	189	0	0	2	0
4	F	193	0	0	3	0
4	G	208	0	0	0	0
4	H	231	0	0	2	1
4	I	211	0	0	1	1
4	J	215	0	0	0	0
4	K	181	0	0	1	0
4	L	175	0	0	0	0
All	All	23369	20573	20360	100	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:119:ARG:NH1	1:E:131:THR:O	2.04	0.91
1:F:40:MSE:HE1	1:L:40:MSE:SE	2.37	0.75
1:B:219:ASP:N	1:B:220:ALA:HB3	2.06	0.71
1:F:188:ARG:NH2	4:F:402:HOH:O	2.24	0.70
1:L:40:MSE:HE2	1:L:42:ALA:HB2	1.75	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:219:ASP:H	1:B:220:ALA:HB3	1.60	0.67
1:F:133:ASP:OD1	4:F:401:HOH:O	2.12	0.67
1:E:97:GLU:OE2	4:E:401:HOH:O	2.13	0.65
1:D:60:ARG:HE	3:D:303:XPE:H111	1.61	0.65
1:F:40:MSE:HE1	1:L:40:MSE:CE	2.30	0.61
1:A:60:ARG:HE	3:D:302:XPE:C20	2.15	0.60
1:B:58:ARG:HE	3:B:302:XPE:H242	1.67	0.59
1:D:94:MSE:HE1	1:D:119:ARG:NH1	2.17	0.58
1:B:60:ARG:HB2	3:B:302:XPE:H171	1.87	0.57
1:A:60:ARG:HE	3:D:302:XPE:H201	1.71	0.56
1:B:40:MSE:HE1	1:D:40:MSE:CE	2.37	0.55
1:B:94:MSE:HA	1:B:94:MSE:HE2	1.89	0.55
1:E:60:ARG:HB2	3:E:302:XPE:H121	1.88	0.55
1:B:40:MSE:HE1	1:D:40:MSE:SE	2.57	0.54
1:I:212:ARG:NH1	4:I:405:HOH:O	2.40	0.54
1:H:96:ILE:O	4:H:401:HOH:O	2.18	0.54
1:D:60:ARG:HE	3:D:303:XPE:C11	2.21	0.54
1:L:40:MSE:HE2	1:L:42:ALA:CB	2.37	0.54
1:A:58:ARG:HH21	3:D:302:XPE:H262	1.73	0.54
1:L:60:ARG:HH21	3:L:302:XPE:H182	1.74	0.52
1:F:228:SER:C	1:F:230:HIS:H	2.17	0.52
1:A:60:ARG:HB2	3:D:302:XPE:H201	1.91	0.52
1:B:60:ARG:HE	3:B:302:XPE:C17	2.24	0.51
1:F:95:SER:HA	3:G:302:XPE:H121	1.92	0.51
1:G:60:ARG:HE	3:G:302:XPE:H181	1.75	0.51
1:H:40:MSE:SE	1:J:40:MSE:HE1	2.61	0.49
1:B:58:ARG:HE	3:B:302:XPE:C24	2.25	0.49
1:B:60:ARG:HE	3:B:302:XPE:H171	1.76	0.49
1:D:40:MSE:CE	1:D:42:ALA:HB3	2.43	0.49
1:K:94:MSE:HA	1:K:94:MSE:HE2	1.95	0.49
1:D:40:MSE:CE	1:D:42:ALA:CB	2.91	0.48
1:G:35[A]:GLN:O	1:G:36[A]:LYS:CB	2.62	0.48
1:A:216:ASP:OD1	4:A:401:HOH:O	2.20	0.48
1:B:219:ASP:OD2	1:B:220:ALA:HB2	2.14	0.48
1:E:60:ARG:HE	3:E:302:XPE:H121	1.79	0.47
1:F:82:CYS:SG	1:F:170:ALA:HB1	2.54	0.47
1:I:82:CYS:SG	1:I:170:ALA:HB1	2.54	0.47
1:L:60:ARG:HB2	3:L:302:XPE:H181	1.97	0.47
1:B:96:ILE:C	1:B:97:GLU:HG3	2.40	0.46
1:G:40:MSE:SE	1:I:40:MSE:CE	3.13	0.46
1:F:230:HIS:O	1:F:231:HIS:CB	2.63	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:40:MSE:SE	1:J:40:MSE:CE	3.14	0.46
3:C:301:XPE:H172	1:D:95:SER:HA	1.97	0.46
1:A:58:ARG:HE	3:D:302:XPE:H262	1.81	0.45
1:H:188:ARG:NH2	1:H:220:ALA:O	2.48	0.45
1:D:212:ARG:HH11	1:D:212:ARG:HG3	1.81	0.45
1:A:69:ALA:CB	3:D:303:XPE:H121	2.45	0.45
1:I:58:ARG:HE	3:I:302:XPE:H272	1.82	0.45
1:D:82:CYS:SG	1:D:170:ALA:HB1	2.57	0.45
1:G:40:MSE:SE	1:I:40:MSE:HE3	2.67	0.45
1:F:227:LEU:HA	1:F:228:SER:HA	1.78	0.44
1:C:82:CYS:SG	1:C:170:ALA:HB1	2.58	0.44
1:A:58:ARG:HE	3:D:302:XPE:C26	2.31	0.43
1:A:60:ARG:HE	3:D:302:XPE:H202	1.82	0.43
1:G:210:PRO:HG2	1:G:213:HIS:CE1	2.53	0.43
1:B:219:ASP:H	1:B:221:HIS:N	2.17	0.43
1:I:98:PRO:HB2	3:I:302:XPE:H172	2.00	0.43
1:K:82:CYS:SG	1:K:170:ALA:HB1	2.59	0.43
1:B:69:ALA:HB2	3:C:301:XPE:H202	2.01	0.43
1:E:40:MSE:HE1	1:K:40:MSE:SE	2.69	0.43
1:G:60:ARG:HE	3:G:302:XPE:C18	2.32	0.42
1:L:20:ASP:N	1:L:21:PRO:CD	2.82	0.42
1:H:79:ARG:NE	4:H:403:HOH:O	2.34	0.42
1:E:40:MSE:CE	1:K:40:MSE:SE	3.18	0.42
1:B:94:MSE:HE1	1:B:119:ARG:NH2	2.34	0.42
1:K:79:ARG:NH2	4:K:409:HOH:O	2.52	0.42
1:B:219:ASP:H	1:B:220:ALA:CB	2.31	0.42
1:C:60:ARG:HE	3:C:301:XPE:H91	1.84	0.41
1:E:82:CYS:SG	1:E:170:ALA:HB1	2.60	0.41
1:A:94:MSE:HE2	1:A:94:MSE:HA	2.03	0.41
1:C:18:VAL:HG13	1:C:25:LEU:HB3	2.02	0.41
1:L:82:CYS:SG	1:L:170:ALA:HB1	2.61	0.41
1:A:69:ALA:HB3	3:D:303:XPE:H121	2.02	0.41
1:F:66:TRP:CH2	1:L:40:MSE:SE	3.23	0.41
1:G:166:ASN:ND2	1:G:182:ASP:HB2	2.35	0.41
1:J:82:CYS:SG	1:J:170:ALA:HB1	2.60	0.41
3:E:302:XPE:C15	3:E:302:XPE:H111	2.51	0.41
1:F:63:LYS:NZ	4:F:408:HOH:O	2.53	0.41
1:J:40:MSE:HE2	1:J:42:ALA:HB2	2.03	0.41
1:A:75:ALA:N	1:A:76:PRO:CD	2.84	0.41
1:C:60:ARG:HE	3:C:301:XPE:C9	2.34	0.41
1:L:60:ARG:HE	3:L:302:XPE:C18	2.34	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:20:ASP:N	1:E:21:PRO:CD	2.85	0.40
3:H:302:XPE:H232	3:H:302:XPE:O19	2.21	0.40
1:J:40:MSE:HE2	1:J:42:ALA:CB	2.52	0.40
1:L:94:MSE:HE1	1:L:119:ARG:NH2	2.36	0.40
1:G:40:MSE:SE	1:I:40:MSE:HE1	2.71	0.40
1:C:20:ASP:N	1:C:21:PRO:CD	2.84	0.40
1:E:2:CYS:N	4:E:415:HOH:O	2.54	0.40
1:E:60:ARG:HH21	3:E:302:XPE:H152	1.87	0.40
1:A:82:CYS:SG	1:A:170:ALA:HB1	2.62	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:633:HOH:O	4:D:592:HOH:O[1_565]	2.15	0.05
4:A:555:HOH:O	4:B:419:HOH:O[1_545]	2.18	0.02
4:H:584:HOH:O	4:I:570:HOH:O[1_445]	2.18	0.02

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/235 (98%)	223 (96%)	8 (4%)	0	100	100
1	B	228/235 (97%)	219 (96%)	8 (4%)	1 (0%)	30	15
1	C	240/235 (102%)	230 (96%)	8 (3%)	2 (1%)	16	5
1	D	225/235 (96%)	219 (97%)	6 (3%)	0	100	100
1	E	230/235 (98%)	220 (96%)	8 (4%)	2 (1%)	14	4
1	F	228/235 (97%)	221 (97%)	7 (3%)	0	100	100
1	G	235/235 (100%)	227 (97%)	8 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	224/235 (95%)	217 (97%)	7 (3%)	0	100	100
1	I	228/235 (97%)	222 (97%)	6 (3%)	0	100	100
1	J	225/235 (96%)	219 (97%)	6 (3%)	0	100	100
1	K	226/235 (96%)	220 (97%)	6 (3%)	0	100	100
1	L	226/235 (96%)	220 (97%)	6 (3%)	0	100	100
All	All	2746/2820 (97%)	2657 (97%)	84 (3%)	5 (0%)	48	27

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	37[A]	HIS
1	C	37[B]	HIS
1	E	92[A]	ILE
1	E	92[B]	ILE
1	B	219	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/181 (99%)	176 (98%)	4 (2%)	45	26
1	B	179/181 (99%)	175 (98%)	4 (2%)	45	26
1	C	181/181 (100%)	173 (96%)	8 (4%)	25	7
1	D	174/181 (96%)	170 (98%)	4 (2%)	44	24
1	E	178/181 (98%)	174 (98%)	4 (2%)	45	26
1	F	174/181 (96%)	169 (97%)	5 (3%)	37	17
1	G	182/181 (101%)	178 (98%)	4 (2%)	45	26
1	H	173/181 (96%)	170 (98%)	3 (2%)	53	36
1	I	176/181 (97%)	173 (98%)	3 (2%)	53	36
1	J	172/181 (95%)	169 (98%)	3 (2%)	53	36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	K	174/181 (96%)	172 (99%)	2 (1%)	65	52
1	L	175/181 (97%)	172 (98%)	3 (2%)	53	36
All	All	2118/2172 (98%)	2071 (98%)	47 (2%)	45	26

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	HIS
1	A	25	LEU
1	A	200	TYR
1	A	219	ASP
1	B	4	HIS
1	B	198	GLU
1	B	200	TYR
1	B	219	ASP
1	C	4	HIS
1	C	35[A]	GLN
1	C	35[B]	GLN
1	C	91[A]	THR
1	C	91[B]	THR
1	C	182	ASP
1	C	200	TYR
1	C	207	SER
1	D	4	HIS
1	D	94	MSE
1	D	97	GLU
1	D	200	TYR
1	E	4	HIS
1	E	119	ARG
1	E	198	GLU
1	E	200	TYR
1	F	4	HIS
1	F	40	MSE
1	F	63	LYS
1	F	174	ARG
1	F	200	TYR
1	G	4	HIS
1	G	124	LEU
1	G	182	ASP
1	G	200	TYR
1	H	4	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	108	GLN
1	H	200	TYR
1	I	4	HIS
1	I	40	MSE
1	I	200	TYR
1	J	4	HIS
1	J	39	LEU
1	J	200	TYR
1	K	4	HIS
1	K	200	TYR
1	L	4	HIS
1	L	200	TYR
1	L	207	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	23	GLN
1	B	28	GLN
1	B	37	HIS
1	D	28	GLN
1	E	37	HIS
1	E	114	ASN
1	G	28	GLN
1	H	37	HIS
1	J	28	GLN
1	K	28	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

23 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	XPE	K	302	-	23,23,30	0.66	0	22,22,29	0.25	0
2	MES	A	302	-	12,12,12	2.33	1 (8%)	15,16,16	1.43	2 (13%)
3	XPE	D	302	-	25,25,30	0.66	0	24,24,29	0.57	0
3	XPE	J	302	-	20,20,30	0.70	0	19,19,29	0.31	0
3	XPE	G	302	-	26,26,30	0.75	0	25,25,29	0.61	1 (4%)
2	MES	D	301	-	12,12,12	2.24	1 (8%)	15,16,16	1.32	2 (13%)
2	MES	I	301	-	12,12,12	2.23	1 (8%)	15,16,16	1.39	3 (20%)
2	MES	L	301	-	12,12,12	2.32	1 (8%)	15,16,16	1.30	2 (13%)
3	XPE	D	303	-	23,23,30	0.72	0	22,22,29	0.54	0
3	XPE	E	302	-	23,23,30	0.68	0	22,22,29	0.59	0
3	XPE	L	302	-	26,26,30	0.66	0	25,25,29	0.37	0
2	MES	J	301	-	12,12,12	2.14	1 (8%)	15,16,16	1.81	5 (33%)
2	MES	G	301	-	12,12,12	2.25	1 (8%)	15,16,16	1.30	1 (6%)
3	XPE	I	302	-	26,26,30	0.63	0	25,25,29	0.45	0
2	MES	A	301	-	12,12,12	2.21	1 (8%)	15,16,16	1.19	2 (13%)
2	MES	F	301	-	12,12,12	2.25	1 (8%)	15,16,16	1.56	3 (20%)
2	MES	H	301	-	12,12,12	2.21	1 (8%)	15,16,16	1.42	2 (13%)
2	MES	B	301	-	12,12,12	2.29	1 (8%)	15,16,16	1.42	3 (20%)
2	MES	E	301	-	12,12,12	2.17	1 (8%)	15,16,16	1.53	3 (20%)
3	XPE	B	302	-	26,26,30	0.70	0	25,25,29	0.63	0
2	MES	K	301	-	12,12,12	2.17	1 (8%)	15,16,16	1.51	3 (20%)
3	XPE	H	302	-	23,23,30	0.76	0	22,22,29	0.57	0
3	XPE	C	301	-	23,23,30	0.64	0	22,22,29	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	XPE	K	302	-	-	4/21/21/28	-
2	MES	A	302	-	-	5/6/14/14	0/1/1/1
3	XPE	D	302	-	-	8/23/23/28	-
3	XPE	J	302	-	-	9/18/18/28	-
3	XPE	G	302	-	-	14/24/24/28	-
2	MES	D	301	-	-	4/6/14/14	0/1/1/1
2	MES	I	301	-	-	3/6/14/14	0/1/1/1
2	MES	L	301	-	-	0/6/14/14	0/1/1/1
3	XPE	D	303	-	-	10/21/21/28	-
3	XPE	E	302	-	-	11/21/21/28	-
3	XPE	L	302	-	-	10/24/24/28	-
2	MES	J	301	-	-	3/6/14/14	0/1/1/1
2	MES	G	301	-	-	4/6/14/14	0/1/1/1
3	XPE	I	302	-	-	9/24/24/28	-
2	MES	A	301	-	-	0/6/14/14	0/1/1/1
2	MES	F	301	-	-	2/6/14/14	0/1/1/1
2	MES	H	301	-	-	4/6/14/14	0/1/1/1
2	MES	B	301	-	-	0/6/14/14	0/1/1/1
2	MES	E	301	-	-	5/6/14/14	0/1/1/1
3	XPE	B	302	-	-	8/24/24/28	-
2	MES	K	301	-	-	3/6/14/14	0/1/1/1
3	XPE	H	302	-	-	9/21/21/28	-
3	XPE	C	301	-	-	14/21/21/28	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	302	MES	C8-S	-7.81	1.66	1.77
2	L	301	MES	C8-S	-7.76	1.66	1.77
2	B	301	MES	C8-S	-7.62	1.66	1.77
2	G	301	MES	C8-S	-7.54	1.67	1.77
2	F	301	MES	C8-S	-7.50	1.67	1.77
2	D	301	MES	C8-S	-7.48	1.67	1.77
2	I	301	MES	C8-S	-7.42	1.67	1.77
2	A	301	MES	C8-S	-7.40	1.67	1.77
2	H	301	MES	C8-S	-7.39	1.67	1.77
2	K	301	MES	C8-S	-7.25	1.67	1.77
2	E	301	MES	C8-S	-7.25	1.67	1.77
2	J	301	MES	C8-S	-7.13	1.67	1.77

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	301	MES	C5-N4-C3	3.84	117.12	108.84
2	J	301	MES	C2-C3-N4	3.53	115.48	110.12
2	J	301	MES	C5-N4-C3	3.28	115.91	108.84
2	L	301	MES	C5-N4-C3	3.19	115.72	108.84
2	E	301	MES	O2S-S-C8	3.03	111.30	106.73
2	K	301	MES	O1S-S-C8	2.96	111.21	106.73
2	J	301	MES	O2S-S-C8	2.87	111.07	106.73
2	H	301	MES	C5-N4-C3	2.84	114.95	108.84
2	B	301	MES	O3S-S-C8	2.79	111.47	106.00
2	E	301	MES	C7-N4-C3	2.78	118.65	111.24
2	A	302	MES	C7-N4-C3	2.73	118.52	111.24
2	I	301	MES	C5-N4-C3	2.71	114.67	108.84
2	B	301	MES	C5-N4-C3	2.68	114.62	108.84
2	K	301	MES	C7-N4-C3	2.66	118.33	111.24
2	I	301	MES	O3S-S-C8	2.65	111.19	106.00
2	F	301	MES	O2S-S-C8	2.64	110.71	106.73
2	A	301	MES	C5-N4-C3	2.61	114.47	108.84
2	I	301	MES	O1S-S-C8	2.50	110.50	106.73
2	D	301	MES	C5-N4-C3	2.44	114.10	108.84
2	A	301	MES	O2S-S-C8	2.41	110.38	106.73
2	H	301	MES	O1S-S-C8	2.39	110.34	106.73
2	G	301	MES	O3S-S-C8	2.23	110.36	106.00
2	J	301	MES	O3S-S-C8	2.20	110.30	106.00
3	G	302	XPE	C20-O19-C18	2.19	122.84	113.26
2	D	301	MES	O3S-S-C8	2.13	110.18	106.00
2	F	301	MES	O3S-S-C8	2.10	110.11	106.00
2	E	301	MES	O1S-S-C8	2.10	109.89	106.73
2	L	301	MES	O2S-S-C8	2.08	109.86	106.73
2	A	302	MES	C5-N4-C3	2.06	113.27	108.84
2	K	301	MES	O2S-S-C8	2.05	109.83	106.73
2	J	301	MES	C6-C5-N4	-2.01	107.06	110.12
2	B	301	MES	O2S-S-C8	2.01	109.76	106.73

There are no chirality outliers.

All (139) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	302	MES	C8-C7-N4-C3
2	D	301	MES	C8-C7-N4-C5
2	D	301	MES	C7-C8-S-O1S
2	D	301	MES	C7-C8-S-O2S

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	301	MES	N4-C7-C8-S
2	F	301	MES	C8-C7-N4-C3
2	G	301	MES	C8-C7-N4-C5
2	G	301	MES	C7-C8-S-O1S
2	G	301	MES	C7-C8-S-O3S
2	H	301	MES	C8-C7-N4-C5
2	H	301	MES	C7-C8-S-O2S
2	J	301	MES	C7-C8-S-O2S
2	J	301	MES	C7-C8-S-O3S
2	K	301	MES	N4-C7-C8-S
3	G	302	XPE	C21-C20-O19-C18
3	E	302	XPE	C5-C6-O7-C8
3	D	303	XPE	C8-C9-O10-C11
3	G	302	XPE	C27-C26-O25-C24
3	I	302	XPE	O25-C26-C27-O28
3	J	302	XPE	O7-C8-C9-O10
3	B	302	XPE	O22-C23-C24-O25
3	C	301	XPE	O7-C8-C9-O10
3	E	302	XPE	O7-C8-C9-O10
3	E	302	XPE	O10-C11-C12-O13
3	I	302	XPE	O10-C11-C12-O13
3	B	302	XPE	O19-C20-C21-O22
3	D	303	XPE	O22-C23-C24-O25
3	G	302	XPE	O16-C17-C18-O19
3	D	303	XPE	O10-C11-C12-O13
3	L	302	XPE	O19-C20-C21-O22
3	D	302	XPE	O10-C11-C12-O13
3	D	303	XPE	C12-C11-O10-C9
3	G	302	XPE	O13-C14-C15-O16
3	J	302	XPE	O13-C14-C15-O16
3	C	301	XPE	O16-C17-C18-O19
3	E	302	XPE	O4-C5-C6-O7
3	C	301	XPE	O19-C20-C21-O22
2	D	301	MES	C7-C8-S-O3S
3	L	302	XPE	O25-C26-C27-O28
3	D	303	XPE	O7-C8-C9-O10
3	H	302	XPE	O4-C5-C6-O7
3	L	302	XPE	O16-C17-C18-O19
3	D	302	XPE	O25-C26-C27-O28
3	G	302	XPE	O22-C23-C24-O25
3	H	302	XPE	O10-C11-C12-O13
3	I	302	XPE	O16-C17-C18-O19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	303	XPE	O19-C20-C21-O22
3	E	302	XPE	O22-C23-C24-O25
3	B	302	XPE	C17-C18-O19-C20
3	J	302	XPE	O19-C20-C21-O22
3	L	302	XPE	O13-C14-C15-O16
3	E	302	XPE	O13-C14-C15-O16
2	H	301	MES	C7-C8-S-O3S
2	I	301	MES	C7-C8-S-O3S
3	G	302	XPE	C18-C17-O16-C15
3	K	302	XPE	O22-C23-C24-O25
3	D	303	XPE	O16-C17-C18-O19
3	L	302	XPE	O22-C23-C24-O25
3	J	302	XPE	O4-C5-C6-O7
3	G	302	XPE	O19-C20-C21-O22
3	H	302	XPE	O16-C17-C18-O19
2	A	302	MES	C8-C7-N4-C5
2	F	301	MES	C8-C7-N4-C5
3	D	302	XPE	C23-C24-O25-C26
3	G	302	XPE	O25-C26-C27-O28
3	C	301	XPE	O4-C5-C6-O7
3	C	301	XPE	C20-C21-O22-C23
2	E	301	MES	C7-C8-S-O3S
2	A	302	MES	C7-C8-S-O1S
2	A	302	MES	C7-C8-S-O2S
2	E	301	MES	C7-C8-S-O1S
2	E	301	MES	C7-C8-S-O2S
2	G	301	MES	C7-C8-S-O2S
2	H	301	MES	C7-C8-S-O1S
2	I	301	MES	C7-C8-S-O1S
2	I	301	MES	C7-C8-S-O2S
2	J	301	MES	C7-C8-S-O1S
3	D	303	XPE	C15-C14-O13-C12
3	I	302	XPE	O22-C23-C24-O25
3	L	302	XPE	C26-C27-O28-C29
3	C	301	XPE	C8-C9-O10-C11
3	B	302	XPE	C8-C9-O10-C11
3	J	302	XPE	C12-C11-O10-C9
3	G	302	XPE	C17-C18-O19-C20
3	K	302	XPE	O13-C14-C15-O16
3	D	303	XPE	C11-C12-O13-C14
3	D	303	XPE	C18-C17-O16-C15
3	H	302	XPE	C17-C18-O19-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	302	XPE	C23-C24-O25-C26
3	E	302	XPE	C6-C5-O4-C3
3	I	302	XPE	C12-C11-O10-C9
3	I	302	XPE	C14-C15-O16-C17
3	C	301	XPE	C18-C17-O16-C15
3	G	302	XPE	C24-C23-O22-C21
3	G	302	XPE	C20-C21-O22-C23
3	I	302	XPE	C6-C5-O4-C3
3	I	302	XPE	O13-C14-C15-O16
3	C	301	XPE	C14-C15-O16-C17
3	D	302	XPE	C15-C14-O13-C12
3	D	302	XPE	O16-C17-C18-O19
3	D	302	XPE	C20-C21-O22-C23
3	L	302	XPE	C24-C23-O22-C21
3	H	302	XPE	C11-C12-O13-C14
3	B	302	XPE	C20-C21-O22-C23
3	C	301	XPE	O10-C11-C12-O13
2	E	301	MES	C8-C7-N4-C3
3	C	301	XPE	C15-C14-O13-C12
3	H	302	XPE	C18-C17-O16-C15
3	C	301	XPE	C23-C24-O25-C26
3	C	301	XPE	C11-C12-O13-C14
3	E	302	XPE	C21-C20-O19-C18
3	K	302	XPE	C24-C23-O22-C21
3	D	302	XPE	C6-C5-O4-C3
3	B	302	XPE	C24-C23-O22-C21
3	H	302	XPE	C23-C24-O25-C26
3	L	302	XPE	C15-C14-O13-C12
3	L	302	XPE	C27-C26-O25-C24
3	L	302	XPE	C17-C18-O19-C20
3	G	302	XPE	C12-C11-O10-C9
3	J	302	XPE	C15-C14-O13-C12
3	C	301	XPE	C5-C6-O7-C8
3	K	302	XPE	O16-C17-C18-O19
3	J	302	XPE	C9-C8-O7-C6
3	C	301	XPE	C6-C5-O4-C3
2	K	301	MES	C7-C8-S-O2S
2	K	301	MES	C8-C7-N4-C3
3	B	302	XPE	C9-C8-O7-C6
2	A	302	MES	C7-C8-S-O3S
3	J	302	XPE	O16-C17-C18-O19
3	G	302	XPE	C11-C12-O13-C14

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	E	302	XPE	O16-C17-C18-O19
3	H	302	XPE	O7-C8-C9-O10
3	G	302	XPE	C14-C15-O16-C17
3	H	302	XPE	O22-C23-C24-O25
3	J	302	XPE	C17-C18-O19-C20
3	I	302	XPE	C24-C23-O22-C21
3	D	302	XPE	O13-C14-C15-O16
3	E	302	XPE	C9-C8-O7-C6
3	E	302	XPE	O19-C20-C21-O22




There are no ring outliers.



9 monomers are involved in 33 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	302	XPE	7	0
3	G	302	XPE	3	0
3	D	303	XPE	4	0
3	E	302	XPE	4	0
3	L	302	XPE	3	0
3	I	302	XPE	2	0
3	B	302	XPE	5	0
3	H	302	XPE	1	0
3	C	301	XPE	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand XPE D 302	
 Bond lengths	 Bond angles
 Torsions	 Rings



Ligand XPE J 302	
 Bond lengths	 Bond angles
 Torsions	 Rings



Ligand XPE G 302	
 Bond lengths	 Bond angles
 Torsions	 Rings


Ligand XPE D 303	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand XPE E 302	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand XPE L 302	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand XPE I 302	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand XPE B 302	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand XPE H 302			
 Bond lengths		 Bond angles	
 Torsions		 Rings	
Ligand XPE C 301			
 Bond lengths		 Bond angles	
 Torsions		 Rings	

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	227/235 (96%)	-0.64	3 (1%) 75 81	9, 17, 39, 80	2 (0%)
1	B	226/235 (96%)	-0.64	4 (1%) 67 74	10, 18, 40, 75	1 (0%)
1	C	227/235 (96%)	-0.44	9 (3%) 42 48	11, 19, 43, 71	9 (3%)
1	D	225/235 (95%)	-0.42	2 (0%) 81 86	12, 25, 47, 65	0
1	E	226/235 (96%)	-0.39	5 (2%) 62 69	9, 23, 45, 82	2 (0%)
1	F	228/235 (97%)	-0.36	6 (2%) 57 63	13, 24, 48, 80	0
1	G	225/235 (95%)	-0.32	8 (3%) 46 52	10, 23, 45, 62	7 (3%)
1	H	224/235 (95%)	-0.58	1 (0%) 88 91	13, 22, 42, 51	0
1	I	226/235 (96%)	-0.45	2 (0%) 81 86	10, 20, 44, 69	1 (0%)
1	J	224/235 (95%)	-0.48	2 (0%) 81 86	14, 23, 41, 53	1 (0%)
1	K	225/235 (95%)	-0.39	6 (2%) 56 62	13, 23, 49, 78	1 (0%)
1	L	225/235 (95%)	-0.29	2 (0%) 81 86	14, 26, 48, 70	1 (0%)
All	All	2708/2820 (96%)	-0.45	50 (1%) 67 74	9, 22, 45, 82	25 (0%)

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	36[A]	LYS	6.1
1	F	231	HIS	5.5
1	C	183[A]	THR	5.4
1	A	230	HIS	5.4
1	E	92[A]	ILE	5.3
1	K	92	ILE	5.1
1	I	229	SER	5.0
1	D	228	SER	5.0
1	C	36[A]	LYS	4.9
1	B	220	ALA	4.9
1	L	228	SER	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	92[A]	ILE	4.5
1	J	92	ILE	4.4
1	C	229	SER	4.4
1	F	230	HIS	4.3
1	C	91[A]	THR	4.3
1	C	230	HIS	4.1
1	F	228	SER	4.1
1	C	37[A]	HIS	4.0
1	G	92	ILE	3.9
1	G	38[A]	GLY	3.8
1	K	228	SER	3.8
1	B	2	CYS	3.8
1	C	38[A]	GLY	3.7
1	F	229	SER	3.7
1	G	37[A]	HIS	3.6
1	G	183	THR	3.5
1	H	92	ILE	3.5
1	F	92	ILE	3.2
1	K	93	GLY	3.2
1	E	229	SER	3.0
1	K	91	THR	2.8
1	B	219	ASP	2.8
1	G	182	ASP	2.8
1	D	92	ILE	2.7
1	C	93	GLY	2.7
1	E	119	ARG	2.6
1	G	228	SER	2.5
1	I	92	ILE	2.5
1	E	39	LEU	2.5
1	F	93	GLY	2.5
1	B	229	SER	2.3
1	E	91[A]	THR	2.3
1	A	92	ILE	2.3
1	L	202	ASP	2.2
1	G	39[A]	LEU	2.2
1	A	219	ASP	2.1
1	K	39	LEU	2.1
1	K	220	ALA	2.1
1	J	39	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	XPE	G	302	27/31	0.72	0.20	42,55,66,70	0
2	MES	A	302	12/12	0.75	0.21	44,60,90,93	0
3	XPE	D	303	24/31	0.77	0.28	70,84,96,96	0
2	MES	G	301	12/12	0.77	0.15	39,52,80,83	0
3	XPE	J	302	21/31	0.78	0.27	69,87,95,96	0
2	MES	F	301	12/12	0.79	0.16	48,60,86,92	0
3	XPE	H	302	24/31	0.80	0.16	33,46,72,73	0
2	MES	K	301	12/12	0.80	0.16	53,64,79,83	0
2	MES	D	301	12/12	0.81	0.14	43,52,75,77	0
3	XPE	C	301	24/31	0.83	0.16	36,47,63,67	0
3	XPE	E	302	24/31	0.85	0.17	37,52,79,80	0
2	MES	E	301	12/12	0.86	0.13	42,52,65,67	0
3	XPE	B	302	27/31	0.87	0.14	24,38,58,61	0
3	XPE	L	302	27/31	0.87	0.13	29,41,61,62	0
3	XPE	I	302	27/31	0.88	0.13	23,34,53,64	0
3	XPE	K	302	24/31	0.89	0.11	29,39,54,54	0
2	MES	H	301	12/12	0.90	0.11	36,44,53,57	0
3	XPE	D	302	26/31	0.90	0.12	21,35,55,58	0
2	MES	J	301	12/12	0.92	0.10	30,40,45,52	0
2	MES	B	301	12/12	0.94	0.09	32,40,49,50	0
2	MES	L	301	12/12	0.95	0.08	32,40,47,49	0
2	MES	A	301	12/12	0.95	0.08	25,31,36,38	0
2	MES	I	301	12/12	0.95	0.09	34,43,51,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XPE G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE D 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE J 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE H 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE I 302:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around XPE K 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.