



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 12:16 PM UTC

PDB ID : 5ZFM / pdb_00005zfm
Title : Ketoreductase LbCR mutant - M6
Authors : Gong, X.M.; Zheng, G.W.; Xu, J.H.
Deposited on : 2018-03-06
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	281	% 83% 5% 12%
1	B	281	% 82% 6% 12%
1	C	281	82% 6% 12%
1	D	281	% 80% 8% 12%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8500 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-oxoacyl-acyl carrier protein reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	248	Total	C	N	O	S	0	0	0
			1829	1144	324	357	4			
1	B	248	Total	C	N	O	S	0	0	0
			1829	1144	324	357	4			
1	C	248	Total	C	N	O	S	0	0	0
			1829	1144	324	357	4			
1	D	248	Total	C	N	O	S	0	0	0
			1829	1144	324	357	4			

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-31	MET	-	expression tag	UNP Q03TH6
A	-30	GLY	-	expression tag	UNP Q03TH6
A	-29	SER	-	expression tag	UNP Q03TH6
A	-28	SER	-	expression tag	UNP Q03TH6
A	-27	HIS	-	expression tag	UNP Q03TH6
A	-26	HIS	-	expression tag	UNP Q03TH6
A	-25	HIS	-	expression tag	UNP Q03TH6
A	-24	HIS	-	expression tag	UNP Q03TH6
A	-23	HIS	-	expression tag	UNP Q03TH6
A	-22	HIS	-	expression tag	UNP Q03TH6
A	-21	SER	-	expression tag	UNP Q03TH6
A	-20	SER	-	expression tag	UNP Q03TH6
A	-19	GLY	-	expression tag	UNP Q03TH6
A	-18	LEU	-	expression tag	UNP Q03TH6
A	-17	VAL	-	expression tag	UNP Q03TH6
A	-16	PRO	-	expression tag	UNP Q03TH6
A	-15	ARG	-	expression tag	UNP Q03TH6
A	-14	GLY	-	expression tag	UNP Q03TH6
A	-13	SER	-	expression tag	UNP Q03TH6
A	-12	HIS	-	expression tag	UNP Q03TH6
A	-11	MET	-	expression tag	UNP Q03TH6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	ALA	-	expression tag	UNP Q03TH6
A	-9	SER	-	expression tag	UNP Q03TH6
A	-8	MET	-	expression tag	UNP Q03TH6
A	-7	THR	-	expression tag	UNP Q03TH6
A	-6	GLY	-	expression tag	UNP Q03TH6
A	-5	GLY	-	expression tag	UNP Q03TH6
A	-4	GLN	-	expression tag	UNP Q03TH6
A	-3	GLN	-	expression tag	UNP Q03TH6
A	-2	MET	-	expression tag	UNP Q03TH6
A	-1	GLY	-	expression tag	UNP Q03TH6
A	0	ARG	-	expression tag	UNP Q03TH6
A	154	ILE	MET	engineered mutation	UNP Q03TH6
A	155	ASP	ALA	engineered mutation	UNP Q03TH6
A	201	ASP	ALA	engineered mutation	UNP Q03TH6
A	202	LEU	ALA	engineered mutation	UNP Q03TH6
B	-31	MET	-	expression tag	UNP Q03TH6
B	-30	GLY	-	expression tag	UNP Q03TH6
B	-29	SER	-	expression tag	UNP Q03TH6
B	-28	SER	-	expression tag	UNP Q03TH6
B	-27	HIS	-	expression tag	UNP Q03TH6
B	-26	HIS	-	expression tag	UNP Q03TH6
B	-25	HIS	-	expression tag	UNP Q03TH6
B	-24	HIS	-	expression tag	UNP Q03TH6
B	-23	HIS	-	expression tag	UNP Q03TH6
B	-22	HIS	-	expression tag	UNP Q03TH6
B	-21	SER	-	expression tag	UNP Q03TH6
B	-20	SER	-	expression tag	UNP Q03TH6
B	-19	GLY	-	expression tag	UNP Q03TH6
B	-18	LEU	-	expression tag	UNP Q03TH6
B	-17	VAL	-	expression tag	UNP Q03TH6
B	-16	PRO	-	expression tag	UNP Q03TH6
B	-15	ARG	-	expression tag	UNP Q03TH6
B	-14	GLY	-	expression tag	UNP Q03TH6
B	-13	SER	-	expression tag	UNP Q03TH6
B	-12	HIS	-	expression tag	UNP Q03TH6
B	-11	MET	-	expression tag	UNP Q03TH6
B	-10	ALA	-	expression tag	UNP Q03TH6
B	-9	SER	-	expression tag	UNP Q03TH6
B	-8	MET	-	expression tag	UNP Q03TH6
B	-7	THR	-	expression tag	UNP Q03TH6
B	-6	GLY	-	expression tag	UNP Q03TH6
B	-5	GLY	-	expression tag	UNP Q03TH6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	GLN	-	expression tag	UNP Q03TH6
B	-3	GLN	-	expression tag	UNP Q03TH6
B	-2	MET	-	expression tag	UNP Q03TH6
B	-1	GLY	-	expression tag	UNP Q03TH6
B	0	ARG	-	expression tag	UNP Q03TH6
B	154	ILE	MET	engineered mutation	UNP Q03TH6
B	155	ASP	ALA	engineered mutation	UNP Q03TH6
B	201	ASP	ALA	engineered mutation	UNP Q03TH6
B	202	LEU	ALA	engineered mutation	UNP Q03TH6
C	-31	MET	-	expression tag	UNP Q03TH6
C	-30	GLY	-	expression tag	UNP Q03TH6
C	-29	SER	-	expression tag	UNP Q03TH6
C	-28	SER	-	expression tag	UNP Q03TH6
C	-27	HIS	-	expression tag	UNP Q03TH6
C	-26	HIS	-	expression tag	UNP Q03TH6
C	-25	HIS	-	expression tag	UNP Q03TH6
C	-24	HIS	-	expression tag	UNP Q03TH6
C	-23	HIS	-	expression tag	UNP Q03TH6
C	-22	HIS	-	expression tag	UNP Q03TH6
C	-21	SER	-	expression tag	UNP Q03TH6
C	-20	SER	-	expression tag	UNP Q03TH6
C	-19	GLY	-	expression tag	UNP Q03TH6
C	-18	LEU	-	expression tag	UNP Q03TH6
C	-17	VAL	-	expression tag	UNP Q03TH6
C	-16	PRO	-	expression tag	UNP Q03TH6
C	-15	ARG	-	expression tag	UNP Q03TH6
C	-14	GLY	-	expression tag	UNP Q03TH6
C	-13	SER	-	expression tag	UNP Q03TH6
C	-12	HIS	-	expression tag	UNP Q03TH6
C	-11	MET	-	expression tag	UNP Q03TH6
C	-10	ALA	-	expression tag	UNP Q03TH6
C	-9	SER	-	expression tag	UNP Q03TH6
C	-8	MET	-	expression tag	UNP Q03TH6
C	-7	THR	-	expression tag	UNP Q03TH6
C	-6	GLY	-	expression tag	UNP Q03TH6
C	-5	GLY	-	expression tag	UNP Q03TH6
C	-4	GLN	-	expression tag	UNP Q03TH6
C	-3	GLN	-	expression tag	UNP Q03TH6
C	-2	MET	-	expression tag	UNP Q03TH6
C	-1	GLY	-	expression tag	UNP Q03TH6
C	0	ARG	-	expression tag	UNP Q03TH6
C	154	ILE	MET	engineered mutation	UNP Q03TH6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	155	ASP	ALA	engineered mutation	UNP Q03TH6
C	201	ASP	ALA	engineered mutation	UNP Q03TH6
C	202	LEU	ALA	engineered mutation	UNP Q03TH6
D	-31	MET	-	expression tag	UNP Q03TH6
D	-30	GLY	-	expression tag	UNP Q03TH6
D	-29	SER	-	expression tag	UNP Q03TH6
D	-28	SER	-	expression tag	UNP Q03TH6
D	-27	HIS	-	expression tag	UNP Q03TH6
D	-26	HIS	-	expression tag	UNP Q03TH6
D	-25	HIS	-	expression tag	UNP Q03TH6
D	-24	HIS	-	expression tag	UNP Q03TH6
D	-23	HIS	-	expression tag	UNP Q03TH6
D	-22	HIS	-	expression tag	UNP Q03TH6
D	-21	SER	-	expression tag	UNP Q03TH6
D	-20	SER	-	expression tag	UNP Q03TH6
D	-19	GLY	-	expression tag	UNP Q03TH6
D	-18	LEU	-	expression tag	UNP Q03TH6
D	-17	VAL	-	expression tag	UNP Q03TH6
D	-16	PRO	-	expression tag	UNP Q03TH6
D	-15	ARG	-	expression tag	UNP Q03TH6
D	-14	GLY	-	expression tag	UNP Q03TH6
D	-13	SER	-	expression tag	UNP Q03TH6
D	-12	HIS	-	expression tag	UNP Q03TH6
D	-11	MET	-	expression tag	UNP Q03TH6
D	-10	ALA	-	expression tag	UNP Q03TH6
D	-9	SER	-	expression tag	UNP Q03TH6
D	-8	MET	-	expression tag	UNP Q03TH6
D	-7	THR	-	expression tag	UNP Q03TH6
D	-6	GLY	-	expression tag	UNP Q03TH6
D	-5	GLY	-	expression tag	UNP Q03TH6
D	-4	GLN	-	expression tag	UNP Q03TH6
D	-3	GLN	-	expression tag	UNP Q03TH6
D	-2	MET	-	expression tag	UNP Q03TH6
D	-1	GLY	-	expression tag	UNP Q03TH6
D	0	ARG	-	expression tag	UNP Q03TH6
D	154	ILE	MET	engineered mutation	UNP Q03TH6
D	155	ASP	ALA	engineered mutation	UNP Q03TH6
D	201	ASP	ALA	engineered mutation	UNP Q03TH6
D	202	LEU	ALA	engineered mutation	UNP Q03TH6


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	304	Total 304	O 304	0	0
2	B	298	Total 298	O 298	0	0
2	C	311	Total 311	O 311	0	0
2	D	271	Total 271	O 271	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-oxoacyl-acyl carrier protein reductase




- Molecule 1: 3-oxoacyl-acyl carrier protein reductase



- Molecule 1: 3-oxoacyl-acyl carrier protein reductase



- Molecule 1: 3-oxoacyl-acyl carrier protein reductase



V198			
P199			
E200			
D201			
L202			
E240			
R248			
A249			

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.34Å 116.05Å 75.18Å 90.00° 114.33° 90.00°	Depositor
Resolution (Å)	44.28 – 2.00 44.28 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.1 (44.28-2.00) 99.1 (44.28-2.00)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.04 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.158 , 0.195 0.159 , 0.195	Depositor DCC
R_{free} test set	3657 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	26.2	Xtriage
Anisotropy	0.368	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 41.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8500	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/1853	0.75	0/2512
1	B	0.46	0/1853	0.77	0/2512
1	C	0.45	0/1853	0.73	0/2512
1	D	0.44	0/1853	0.76	0/2512
All	All	0.45	0/7412	0.75	0/10048

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1829	0	1843	10	0
1	B	1829	0	1843	9	0
1	C	1829	0	1843	12	0
1	D	1829	0	1843	14	0
2	A	304	0	0	4	0
2	B	298	0	0	4	0
2	C	311	0	0	4	0
2	D	271	0	0	5	0
All	All	8500	0	7372	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:178:GLN:NE2	2:C:301:HOH:O	2.01	0.91
1:C:206:ILE:HG21	1:C:215:MET:HE3	1.57	0.85
1:B:135:ASP:OD2	2:B:301:HOH:O	2.02	0.78
1:A:110:LYS:NZ	2:A:302:HOH:O	2.18	0.77
1:A:198:VAL:HG11	1:A:215:MET:HE1	1.71	0.73
1:D:75:ASP:OD1	2:D:302:HOH:O	2.09	0.69
1:A:66:LYS:NZ	2:A:301:HOH:O	2.07	0.68
1:B:198:VAL:O	2:B:302:HOH:O	2.15	0.65
1:A:2:THR:N	2:A:309:HOH:O	2.32	0.63
1:A:166:ARG:NH1	1:A:240:GLU:OE2	2.32	0.62
1:C:203:ARG:NH1	2:C:302:HOH:O	2.04	0.58
1:B:46:ARG:HD2	2:B:416:HOH:O	2.02	0.58
1:C:150:VAL:HG21	1:C:202:LEU:HD11	1.85	0.58
1:D:2:THR:HG23	1:D:3:ASP:H	1.68	0.58
1:D:200:GLU:O	1:D:202:LEU:N	2.30	0.56
1:D:161:SER:OG	2:D:301:HOH:O	2.07	0.55
1:D:137:LYS:NZ	2:D:309:HOH:O	2.32	0.53
1:D:166:ARG:NH1	1:D:240:GLU:OE1	2.31	0.53
1:C:219:GLN:O	1:C:223:GLU:HG2	2.12	0.50
1:D:93:ILE:HG13	1:D:114:VAL:HG11	1.95	0.48
1:B:234:ARG:HD3	2:B:470:HOH:O	2.14	0.47
1:A:137:LYS:NZ	2:A:317:HOH:O	2.48	0.46
1:B:167:LEU:HD23	1:B:167:LEU:HA	1.72	0.46
1:D:198:VAL:HA	1:D:199:PRO:HD3	1.76	0.45
1:D:104:ASP:OD2	2:D:303:HOH:O	2.21	0.45
1:A:121:LEU:HD21	1:B:105:LEU:HD13	1.99	0.44
1:A:167:LEU:HD23	1:A:167:LEU:HA	1.72	0.44
1:C:137:LYS:HE3	2:C:358:HOH:O	2.18	0.43
1:D:167:LEU:HD23	1:D:167:LEU:HA	1.81	0.43
1:C:100:ILE:HD13	1:D:172:THR:HG23	2.00	0.43
1:C:163:GLY:CA	1:D:167:LEU:HD12	2.49	0.43
1:D:137:LYS:NZ	2:D:312:HOH:O	2.49	0.43
1:C:167:LEU:HD12	1:D:163:GLY:CA	2.49	0.43
1:B:87:LEU:HD22	1:B:126:ALA:HB2	2.02	0.42
1:A:3:ASP:HB3	1:A:30:GLU:O	2.19	0.42
1:A:110:LYS:HE3	1:A:110:LYS:HB2	1.89	0.41
1:C:46:ARG:HD2	2:C:478:HOH:O	2.19	0.41
1:C:192:TRP:HB3	1:C:215:MET:HE2	2.02	0.41
1:C:167:LEU:HD23	1:C:167:LEU:HA	1.81	0.41
1:B:172:THR:HG22	1:B:185:VAL:HG21	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:219:GLN:O	1:B:223:GLU:HG2	2.21	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/281 (88%)	239 (97%)	7 (3%)	0	100	100
1	B	246/281 (88%)	238 (97%)	7 (3%)	1 (0%)	30	27
1	C	246/281 (88%)	239 (97%)	7 (3%)	0	100	100
1	D	246/281 (88%)	237 (96%)	8 (3%)	1 (0%)	30	27
All	All	984/1124 (88%)	953 (97%)	29 (3%)	2 (0%)	43	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	201	ASP
1	B	150	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/216 (88%)	187 (98%)	3 (2%)	55	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	190/216 (88%)	185 (97%)	5 (3%)	40	44
1	C	190/216 (88%)	187 (98%)	3 (2%)	55	62
1	D	190/216 (88%)	186 (98%)	4 (2%)	47	52
All	All	760/864 (88%)	745 (98%)	15 (2%)	48	54

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	100	ILE
1	A	159	SER
1	A	248	ARG
1	B	98	THR
1	B	100	ILE
1	B	178	GLN
1	B	200	GLU
1	B	248	ARG
1	C	197	ILE
1	C	198	VAL
1	C	248	ARG
1	D	100	ILE
1	D	150	VAL
1	D	197	ILE
1	D	248	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	89	ASN
1	A	214	HIS
1	B	40	HIS
1	B	89	ASN
1	B	178	GLN
1	C	40	HIS
1	C	89	ASN
1	C	109	GLN
1	D	39	ASN
1	D	40	HIS
1	D	89	ASN
1	D	132	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	248/281 (88%)	-0.49	2 (0%) 82 82	14, 22, 38, 52	0
1	B	248/281 (88%)	-0.49	2 (0%) 82 82	14, 21, 37, 49	0
1	C	248/281 (88%)	-0.55	1 (0%) 88 88	14, 20, 40, 65	0
1	D	248/281 (88%)	-0.44	4 (1%) 70 70	15, 23, 42, 77	0
All	All	992/1124 (88%)	-0.49	9 (0%) 81 80	14, 22, 39, 77	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	198	VAL	3.8
1	B	2	THR	2.8
1	D	199	PRO	2.8
1	A	147	ALA	2.5
1	D	201	ASP	2.4
1	B	40	HIS	2.2
1	D	2	THR	2.2
1	C	201	ASP	2.0
1	A	148	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.