



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 04:10 AM EDT

PDB ID : 1ZG9 / pdb_00001zg9
Title : Crystal Structure of 5-{[amino(imino)methyl]amino}-2-(sulfanylmethyl)penta
noic acid Bound to Activated Porcine Pancreatic Carboxypeptidase B
Authors : Adler, M.; Bryant, J.; Buckman, B.; Islam, I.; Larsen, B.; Finster, S.; Kent,
L.; May, K.; Mohan, R.; Yuan, S.; Whitlow, M.
Deposited on : 2005-04-20
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	306	 74% 24% .
1	B	306	 75% 21% .
1	C	306	 61% 34% . .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7830 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called procarboxypeptidase B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	305	Total	C	N	O	S	0	0	0
			2443	1564	398	469	12			
1	B	305	Total	C	N	O	S	0	0	0
			2443	1564	398	469	12			
1	C	304	Total	C	N	O	S	0	0	0
			2434	1558	397	467	12			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is 5-{[AMINO(IMINO)METHYL]AMINO}-2-(SULFANYLMETHYL)PENTANOIC ACID (CCD ID: L06) (formula: C₇H₁₅N₃O₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 13	C 7	N 3	O 2	S 1	0	0
3	B	1	Total 13	C 7	N 3	O 2	S 1	0	0
3	C	1	Total 13	C 7	N 3	O 2	S 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	176	Total O 176 176	0	0
4	B	187	Total O 187 187	0	0
4	C	105	Total O 105 105	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: procarboxypeptidase B




• Molecule 1: procarboxypeptidase B



• Molecule 1: procarboxypeptidase B





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	66.84Å 102.48Å 136.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.00 8.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	90.2 (8.00-2.00) 89.7 (8.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 1.99Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.203 , 0.272 0.195 , 0.256	Depositor DCC
R_{free} test set	2318 reflections (3.97%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtriage
Anisotropy	0.545	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 79.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7830	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, L06

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/2512	1.11	17/3418 (0.5%)
1	B	0.73	0/2512	1.09	16/3418 (0.5%)
1	C	0.68	0/2503	1.06	10/3407 (0.3%)
All	All	0.70	0/7527	1.09	43/10243 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	140	GLY	N-CA-C	9.21	124.28	112.68
1	A	70	ALA	N-CA-C	8.48	121.28	111.11
1	A	159	ASP	CA-C-N	7.41	127.12	119.56
1	A	159	ASP	C-N-CA	7.41	127.12	119.56
1	B	243	GLY	N-CA-C	7.37	121.56	112.64
1	C	145	ARG	N-CA-C	-7.20	102.92	114.09
1	B	159	ASP	CA-C-N	7.20	127.82	119.47
1	B	159	ASP	C-N-CA	7.20	127.82	119.47
1	A	87	VAL	N-CA-C	6.61	119.35	111.09
1	B	150	GLY	N-CA-C	-6.53	103.94	113.48
1	B	145	ARG	N-CA-C	-6.37	103.82	113.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	145	ARG	N-CA-C	-6.26	103.69	113.02
1	A	94	SER	N-CA-C	6.23	118.86	111.33
1	A	139	ILE	N-CA-C	6.18	117.49	108.53
1	B	264	LYS	N-CA-C	6.14	117.97	111.28
1	C	108	LEU	CA-C-N	6.04	127.38	119.84
1	C	108	LEU	C-N-CA	6.04	127.38	119.84
1	C	95	HIS	N-CA-C	5.96	118.92	111.24
1	B	128	LYS	N-CA-C	5.85	118.56	109.60
1	A	264	LYS	N-CA-C	5.74	118.48	111.82
1	A	68	PHE	N-CA-C	-5.73	104.95	111.14
1	C	69	HIS	ND1-CE1-NE2	5.68	114.08	108.40
1	B	68	PHE	N-CA-C	-5.55	105.31	111.36
1	A	277	TYR	N-CA-C	-5.54	106.87	113.97
1	B	73	TRP	N-CA-C	5.52	118.01	111.33
1	C	261	GLN	N-CA-C	-5.52	106.54	113.28
1	C	70	ALA	N-CA-C	5.44	120.35	111.37
1	C	68	PHE	N-CA-C	-5.40	105.29	111.07
1	A	195	ILE	N-CA-C	5.38	116.33	108.58
1	B	71	ARG	N-CA-C	5.34	119.42	113.01
1	B	137	THR	N-CA-C	-5.33	106.78	113.28
1	B	70	ALA	N-CA-C	5.26	117.44	111.02
1	A	151	TRP	N-CA-C	5.24	118.17	110.30
1	B	37	ALA	N-CA-C	-5.20	100.43	108.90
1	B	189	ILE	N-CA-C	5.17	115.67	108.84
1	A	108	LEU	CA-C-N	5.14	124.58	119.24
1	A	108	LEU	C-N-CA	5.14	124.58	119.24
1	C	228	LYS	N-CA-C	-5.07	104.71	111.24
1	B	261	GLN	N-CA-C	-5.06	107.05	113.18
1	A	102	LYS	N-CA-C	5.05	117.90	111.69
1	C	59	LYS	N-CA-C	5.00	116.38	110.07
1	B	270	GLU	N-CA-C	-5.00	100.36	108.52
1	A	60	PRO	N-CA-C	-5.00	103.68	111.13

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	240	TYR	Sidechain
1	C	234	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2443	0	2324	40	0
1	B	2443	0	2324	40	0
1	C	2434	0	2313	85	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	13	0	12	2	0
3	B	13	0	13	5	0
3	C	13	0	13	3	0
4	A	176	0	0	2	0
4	B	187	0	0	2	0
4	C	105	0	0	2	0
All	All	7830	0	6999	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:233:LEU:HD13	1:C:295:LEU:HD11	1.52	0.89
1:B:247:ILE:HG23	1:B:248:TYR:H	1.45	0.81
1:C:8:SER:HB3	1:C:11:LYS:HG2	1.63	0.80
1:C:129:THR:HG23	1:C:143:PRO:HG3	1.74	0.70
1:C:54:LYS:HE2	1:C:101:ASN:HA	1.74	0.70
1:A:119:THR:HA	1:A:123:ASN:O	1.92	0.69
3:C:601:L06:HN91	3:C:601:L06:H41	1.56	0.69
1:C:247:ILE:HD13	3:C:601:L06:H42	1.75	0.67
1:A:272:ARG:HH11	1:A:285:GLN:HE21	1.41	0.67
1:A:272:ARG:HH11	1:A:285:GLN:NE2	1.93	0.67
1:B:53:GLY:HA2	1:B:100:LEU:HG	1.76	0.65
1:C:84:ARG:HG3	1:C:85:GLU:N	2.10	0.65
1:B:215:ASN:H	1:B:215:ASN:HD22	1.46	0.64
1:B:272:ARG:HH11	1:B:285:GLN:HE21	1.46	0.64
1:B:303:TYR:O	1:B:307:HIS:HD2	1.81	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:TYR:CE1	1:B:122:LYS:HD2	2.34	0.62
1:B:72:GLU:O	1:B:75:SER:HB3	2.00	0.61
1:A:150:GLY:O	1:A:251:ALA:HB1	2.00	0.61
1:A:215:ASN:H	1:A:215:ASN:HD22	1.47	0.61
1:C:8:SER:HB3	1:C:11:LYS:HE2	1.82	0.61
1:B:147:PHE:HB2	1:B:252:GLY:O	2.02	0.60
1:C:8:SER:HB3	1:C:11:LYS:CG	2.30	0.59
1:C:105:PHE:HE1	1:C:301:THR:HG21	1.67	0.59
1:C:247:ILE:HG23	1:C:248:TYR:H	1.67	0.59
1:C:119:THR:HA	1:C:123:ASN:O	2.02	0.59
3:B:501:L06:S	4:B:1412:HOH:O	2.57	0.58
1:A:276:ARG:HG3	1:A:276:ARG:HH11	1.68	0.58
1:B:40:THR:O	1:B:174:LYS:HE2	2.02	0.58
3:C:601:L06:H41	3:C:601:L06:N9	2.19	0.57
1:C:35:ARG:HB2	1:C:50:LEU:HD23	1.87	0.57
1:C:84:ARG:O	1:C:87:VAL:HG22	2.05	0.57
1:A:98:GLU:O	1:A:102:LYS:HD3	2.06	0.56
1:B:238:TYR:OH	1:B:271:LEU:HA	2.06	0.55
1:A:204:TYR:CE1	1:A:242:PRO:HG3	2.42	0.55
1:C:9:TYR:CZ	1:C:84:ARG:HB3	2.41	0.55
1:B:268:THR:HG21	3:B:501:L06:H41	1.88	0.55
1:C:171:GLU:HB3	1:C:177:LYS:CD	2.36	0.55
1:C:14:ASN:ND2	1:C:17:THR:H	2.05	0.54
1:C:89:THR:HG23	1:C:93:GLU:HB2	1.90	0.53
1:B:5:THR:HA	1:B:17:THR:OG1	2.09	0.53
1:A:215:ASN:H	1:A:215:ASN:ND2	2.06	0.53
1:A:222:LEU:HD13	1:A:267:PHE:CZ	2.44	0.53
3:A:401:L06:HN91	3:A:401:L06:H31	1.73	0.52
1:C:8:SER:CB	1:C:11:LYS:HG2	2.36	0.52
1:B:215:ASN:HD22	1:B:215:ASN:N	2.07	0.52
1:C:70:ALA:HB3	1:C:126:TRP:O	2.10	0.52
1:C:42:PHE:HA	1:C:174:LYS:HD3	1.92	0.51
1:C:188:SER:O	1:C:190:LYS:HG2	2.10	0.51
1:B:19:GLU:HG3	1:B:48:TYR:CE2	2.45	0.51
1:C:170:ALA:O	1:C:171:GLU:HB2	2.10	0.51
1:C:303:TYR:CZ	1:C:307:HIS:CE1	2.99	0.51
1:C:59:LYS:HB2	1:C:103:LEU:HA	1.93	0.50
1:C:9:TYR:CE1	1:C:84:ARG:HB3	2.47	0.50
1:B:64:MET:HA	1:B:193:LEU:O	2.11	0.50
1:C:208:TYR:HB3	1:C:251:ALA:HA	1.94	0.50
1:C:307:HIS:N	1:C:307:HIS:CD2	2.79	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:198:TYR:O	1:B:199:SER:HB2	2.11	0.50
1:C:62:ILE:HD12	1:C:301:THR:HG23	1.93	0.50
1:C:90:TYR:CD1	1:C:97:THR:HA	2.47	0.50
1:A:18:ILE:O	1:A:22:THR:HG23	2.12	0.49
1:A:98:GLU:HG3	1:A:102:LYS:HE2	1.94	0.49
1:C:171:GLU:HB3	1:C:177:LYS:HD3	1.94	0.49
1:C:247:ILE:HG23	1:C:248:TYR:N	2.26	0.49
1:A:207:SER:OG	1:A:243:GLY:HA3	2.13	0.49
1:C:27:SER:O	1:C:30:PRO:HD3	2.13	0.49
1:C:198:TYR:O	1:C:199:SER:CB	2.61	0.48
1:C:14:ASN:C	1:C:14:ASN:HD22	2.21	0.48
1:A:64:MET:HA	1:A:193:LEU:O	2.13	0.48
1:C:171:GLU:O	1:C:177:LYS:HD3	2.14	0.47
1:A:198:TYR:O	1:A:199:SER:CB	2.62	0.47
1:A:268:THR:HG21	3:A:401:L06:H41	1.96	0.47
1:C:34:SER:HB2	4:C:1312:HOH:O	2.13	0.47
1:C:70:ALA:HB1	1:C:119:THR:HG23	1.96	0.47
1:A:215:ASN:HD22	1:A:215:ASN:N	2.07	0.47
1:C:37:ALA:HA	1:C:47:ILE:O	2.13	0.47
1:C:87:VAL:HG23	1:C:88:LEU:N	2.28	0.47
3:B:501:L06:HN91	3:B:501:L06:H31	1.79	0.47
1:B:70:ALA:HB1	1:B:119:THR:CG2	2.45	0.47
1:C:294:MET:O	1:C:298:LYS:HG3	2.14	0.47
1:A:156:ALA:HB1	1:A:166:CYS:HB3	1.96	0.47
1:B:247:ILE:HG23	1:B:248:TYR:N	2.22	0.47
1:C:303:TYR:CE2	1:C:307:HIS:CE1	3.03	0.47
1:C:225:ALA:HB1	1:C:299:TYR:CZ	2.50	0.46
1:C:203:LEU:CD2	1:C:246:THR:HB	2.45	0.46
1:A:259:TYR:HA	1:A:263:ILE:O	2.15	0.46
1:C:97:THR:HG22	1:C:101:ASN:HD21	1.79	0.46
1:C:171:GLU:OE2	1:C:177:LYS:HD2	2.15	0.46
1:C:233:LEU:HD13	1:C:295:LEU:CD1	2.34	0.46
1:A:247:ILE:HG23	1:A:248:TYR:N	2.31	0.46
1:A:299:TYR:CD2	1:A:299:TYR:C	2.93	0.46
1:C:54:LYS:HD3	1:C:101:ASN:OD1	2.16	0.46
1:C:71:ARG:HD3	1:C:125:MET:O	2.15	0.46
1:C:294:MET:HE3	1:C:298:LYS:HD2	1.98	0.46
1:C:272:ARG:HA	1:C:273:ASP:HA	1.68	0.45
1:B:259:TYR:HA	1:B:263:ILE:O	2.17	0.45
1:B:272:ARG:HH11	1:B:285:GLN:NE2	2.13	0.45
1:A:8:SER:HB3	1:A:11:LYS:HB2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:12:TYR:CD2	1:C:283:GLU:HG2	2.52	0.45
1:C:147:PHE:O	1:C:252:GLY:HA2	2.16	0.45
1:A:272:ARG:HD2	1:A:289:THR:OG1	2.17	0.45
1:B:33:ILE:HD11	1:B:87:VAL:HG11	1.97	0.45
1:B:70:ALA:HB1	1:B:119:THR:HG23	1.99	0.45
1:A:81:TRP:CG	1:A:290:CYS:HB3	2.51	0.45
1:C:24:GLN:HG3	4:C:1329:HOH:O	2.17	0.45
1:B:5:THR:HG23	1:B:16:GLU:OE2	2.17	0.45
1:C:90:TYR:HD1	1:C:97:THR:HA	1.82	0.45
1:C:199:SER:HB3	1:C:201:MET:HG3	1.99	0.44
1:C:281:LEU:HD12	1:C:282:PRO:HD2	1.99	0.44
1:B:204:TYR:OH	1:B:220:ASN:HB2	2.17	0.44
1:C:258:ALA:O	1:C:261:GLN:HB2	2.17	0.44
1:C:139:ILE:HG22	1:C:140:GLY:N	2.32	0.44
1:C:214:GLU:OE1	1:C:215:ASN:HB3	2.17	0.44
1:A:215:ASN:ND2	1:A:259:TYR:OH	2.51	0.44
1:B:243:GLY:O	1:B:247:ILE:HG22	2.18	0.44
1:B:37:ALA:HA	1:B:47:ILE:O	2.17	0.44
1:B:270:GLU:OE2	3:B:501:L06:H11	2.17	0.44
1:B:19:GLU:HG3	1:B:48:TYR:HE2	1.83	0.43
1:A:200:GLN:HB2	1:A:274:LYS:HD3	1.99	0.43
1:B:62:ILE:CD1	1:B:301:THR:HG23	2.49	0.43
1:C:233:LEU:HD23	1:C:234:TYR:CZ	2.53	0.43
1:C:257:TRP:O	1:C:261:GLN:HG2	2.18	0.43
1:C:96:MET:HG3	1:C:100:LEU:HD22	2.00	0.43
1:A:42:PHE:CD2	1:A:131:SER:HA	2.54	0.43
1:C:64:MET:HA	1:C:193:LEU:O	2.19	0.43
1:B:281:LEU:HD12	1:B:282:PRO:HD2	2.01	0.43
1:C:85:GLU:O	1:C:89:THR:HB	2.19	0.43
1:C:160:PRO:HA	1:C:165:TYR:CD2	2.53	0.43
1:A:102:LYS:HB3	1:A:305:LEU:HD21	2.00	0.43
1:A:209:ASP:HB3	1:A:211:LYS:HG2	2.00	0.43
1:B:198:TYR:O	1:B:199:SER:CB	2.67	0.43
1:C:171:GLU:HB3	1:C:177:LYS:HD2	2.00	0.43
1:B:27:SER:O	1:B:30:PRO:HD3	2.18	0.43
1:B:51:LYS:HG3	1:B:106:TYR:CE2	2.54	0.42
1:B:147:PHE:HZ	1:B:179:LEU:HD23	1.85	0.42
1:C:203:LEU:HD22	1:C:243:GLY:HA2	2.01	0.42
1:B:276:ARG:HH11	1:B:276:ARG:HG2	1.84	0.42
1:B:60:PRO:HG3	1:B:308:LEU:HD22	2.01	0.42
1:C:150:GLY:O	1:C:153:THR:HG23	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:205:PRO:HA	1:C:206:TYR:HA	1.72	0.42
1:A:233:LEU:HD12	1:A:233:LEU:HA	1.90	0.42
1:A:162:ASP:HB3	4:A:1277:HOH:O	2.20	0.42
1:C:204:TYR:O	1:C:242:PRO:HA	2.20	0.42
1:C:233:LEU:HD23	1:C:234:TYR:OH	2.20	0.42
1:B:253:GLY:HA3	3:B:501:L06:N8	2.35	0.41
1:A:151:TRP:CH2	1:A:169:ALA:HA	2.55	0.41
1:C:89:THR:HG23	1:C:93:GLU:CB	2.50	0.41
1:B:205:PRO:HA	1:B:206:TYR:HA	1.75	0.41
1:C:107:VAL:O	1:C:109:PRO:HD3	2.19	0.41
1:A:171:GLU:OE2	1:A:177:LYS:HD2	2.20	0.41
1:C:233:LEU:HB3	1:C:234:TYR:CE2	2.56	0.41
1:A:38:ILE:HG22	4:A:1416:HOH:O	2.20	0.41
1:A:247:ILE:HG23	1:A:248:TYR:H	1.85	0.41
1:A:303:TYR:O	1:A:307:HIS:HD2	2.04	0.41
1:C:84:ARG:CG	1:C:85:GLU:N	2.82	0.41
1:C:225:ALA:HB1	1:C:299:TYR:OH	2.21	0.41
1:A:205:PRO:O	1:A:213:PRO:HD3	2.21	0.41
1:C:87:VAL:CG2	1:C:88:LEU:N	2.84	0.41
1:C:139:ILE:CG2	1:C:140:GLY:N	2.83	0.41
1:A:187:LEU:HD23	1:A:187:LEU:HA	1.90	0.40
1:A:198:TYR:O	1:A:199:SER:HB2	2.21	0.40
1:A:222:LEU:HD13	1:A:267:PHE:HZ	1.84	0.40
1:B:119:THR:HA	1:B:123:ASN:O	2.20	0.40
1:B:218:GLU:HA	4:B:1345:HOH:O	2.20	0.40
1:C:233:LEU:HD23	1:C:234:TYR:CE2	2.56	0.40
1:C:247:ILE:CG2	1:C:248:TYR:H	2.34	0.40
1:C:259:TYR:HA	1:C:263:ILE:O	2.20	0.40
1:C:81:TRP:O	1:C:82:PHE:C	2.65	0.40
1:C:102:LYS:HB2	1:C:305:LEU:HD21	2.03	0.40
1:C:201:MET:HG2	1:C:239:THR:OG1	2.20	0.40
1:C:272:ARG:HH11	1:C:285:GLN:HE21	1.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	303/306 (99%)	292 (96%)	10 (3%)	1 (0%)	36	35
1	B	303/306 (99%)	291 (96%)	10 (3%)	2 (1%)	18	14
1	C	302/306 (99%)	279 (92%)	21 (7%)	2 (1%)	18	14
All	All	908/918 (99%)	862 (95%)	41 (4%)	5 (1%)	21	17

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	199	SER
1	B	199	SER
1	B	247	ILE
1	C	199	SER
1	C	60	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	258/259 (100%)	243 (94%)	15 (6%)	18	15
1	B	258/259 (100%)	246 (95%)	12 (5%)	23	22
1	C	257/259 (99%)	240 (93%)	17 (7%)	15	12
All	All	773/777 (100%)	729 (94%)	44 (6%)	18	15

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	LEU
1	A	35	ARG
1	A	58	ASN
1	A	68	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	85	GLU
1	A	100	LEU
1	A	103	LEU
1	A	152	CYS
1	A	188	SER
1	A	214	GLU
1	A	215	ASN
1	A	222	LEU
1	A	245	THR
1	A	287	GLN
1	A	305	LEU
1	B	5	THR
1	B	32	LEU
1	B	35	ARG
1	B	68	PHE
1	B	75	SER
1	B	111	LEU
1	B	199	SER
1	B	214	GLU
1	B	215	ASN
1	B	222	LEU
1	B	287	GLN
1	B	308	LEU
1	C	10	GLU
1	C	14	ASN
1	C	16	GLU
1	C	31	ASP
1	C	35	ARG
1	C	68	PHE
1	C	100	LEU
1	C	102	LYS
1	C	105	PHE
1	C	111	LEU
1	C	137	THR
1	C	141	THR
1	C	148	ASP
1	C	214	GLU
1	C	222	LEU
1	C	284	SER
1	C	287	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	ASN
1	A	215	ASN
1	A	216	ASN
1	A	221	ASN
1	A	261	GLN
1	A	285	GLN
1	A	287	GLN
1	B	24	GLN
1	B	46	ASN
1	B	215	ASN
1	B	216	ASN
1	B	285	GLN
1	B	287	GLN
1	B	302	ASN
1	B	307	HIS
1	C	14	ASN
1	C	216	ASN
1	C	220	ASN
1	C	285	GLN
1	C	287	GLN
1	C	307	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	L06	B	501	2	12,12,12	1.17	1 (8%)	10,14,14	1.51	2 (20%)
3	L06	C	601	2	12,12,12	1.19	1 (8%)	10,14,14	1.08	1 (10%)
3	L06	A	401	2	12,12,12	1.17	1 (8%)	10,14,14	1.27	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	L06	B	501	2	-	4/13/13/13	-
3	L06	C	601	2	-	2/13/13/13	-
3	L06	A	401	2	-	4/13/13/13	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	L06	O11-C10	2.18	1.28	1.22
3	B	501	L06	C7-N6	2.11	1.37	1.33
3	C	601	L06	O12-C10	-2.05	1.24	1.30

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	501	L06	O12-C10-O11	-2.99	117.29	124.08
3	B	501	L06	O12-C10-C2	2.91	121.71	114.16
3	C	601	L06	O12-C10-O11	-2.60	118.17	124.08
3	A	401	L06	O12-C10-O11	-2.37	118.70	124.08
3	A	401	L06	N6-C7-N8	-2.06	117.14	120.67

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	501	L06	C10-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	601	L06	C10-C2-C3-C4
3	C	601	L06	C4-C5-N6-C7
3	B	501	L06	C3-C4-C5-N6
3	A	401	L06	C3-C4-C5-N6
3	B	501	L06	C1-C2-C3-C4
3	A	401	L06	C1-C2-C3-C4
3	A	401	L06	C10-C2-C3-C4
3	A	401	L06	C4-C5-N6-C7
3	B	501	L06	C4-C5-N6-C7

There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	501	L06	5	0
3	C	601	L06	3	0
3	A	401	L06	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	305/306 (99%)	-0.69	1 (0%) 90 89	11, 20, 33, 51	0
1	B	305/306 (99%)	-0.64	2 (0%) 84 84	12, 21, 35, 55	0
1	C	304/306 (99%)	-0.15	4 (1%) 75 74	14, 30, 46, 64	0
All	All	914/918 (99%)	-0.50	7 (0%) 82 82	11, 22, 42, 64	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	248	TYR	3.1
1	B	5	THR	2.6
1	A	5	THR	2.3
1	C	87	VAL	2.1
1	C	57	PRO	2.1
1	C	231	ALA	2.1
1	C	58	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	L06	A	401	13/13	0.86	0.10	29,35,42,43	0
3	L06	C	601	13/13	0.87	0.10	23,32,42,43	0
3	L06	B	501	13/13	0.91	0.07	27,35,42,42	0
2	ZN	C	600	1/1	0.97	0.04	21,21,21,21	0
2	ZN	A	400	1/1	0.98	0.05	23,23,23,23	0
2	ZN	B	500	1/1	1.00	0.05	24,24,24,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.