



Full wwPDB EM Validation Report ⓘ

Jun 17, 2026 – 07:23 pm BST

PDB ID : 7ZHG / pdb_00007zhg
EMDB ID : EMD-14731
Title : High-resolution cryo-EM structure of *Pyrococcus abyssi* 30S ribosomal subunit bound to mRNA and initiator tRNA anticodon stem-loop
Authors : Kazan, R.; Bourgeois, G.; Mechulam, Y.; Coureux, P.D.; Schmitt, E.
Deposited on : 2022-04-06
Resolution : 2.25 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY



The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	3458 (1.75 - 2.75)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1497	
2	A	199	
3	B	202	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	C	63	
5	D	180	
6	E	243	
7	F	236	
8	G	125	
9	H	215	
10	I	130	
11	J	127	
12	K	135	
13	L	102	
14	M	137	
15	N	147	
16	O	148	
17	P	56	
18	Q	158	
19	R	113	
20	S	67	
21	T	132	
22	U	150	
23	V	99	
24	W	65	
25	X	71	
26	Y	51	
27	Z	210	
28	0	36	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	3	123	98% 66% 32% ..
30	5	17	76% 24%
31	4	77	18% 5% 75%

2 Entry composition

There are 34 unique types of molecules in this entry. The entry contains 64278 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called rRNA 16S.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	1497	Total	C	N	O	P	0	0
			32312	14418	5959	10438	1497		

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	17	4AC	C	modified residue	GB 5457433
2	53	4AC	C	modified residue	GB 5457433
2	286	4AC	C	modified residue	GB 5457433
2	303	4AC	C	modified residue	GB 5457433
2	319	4AC	C	modified residue	GB 5457433
2	379	4AC	C	modified residue	GB 5457433
2	394	4AC	C	modified residue	GB 5457433
2	479	4AC	C	modified residue	GB 5457433
2	511	4AC	C	modified residue	GB 5457433
2	546	4AC	C	modified residue	GB 5457433
2	590	4AC	C	modified residue	GB 5457433
2	626	4AC	C	modified residue	GB 5457433
2	636	4AC	C	modified residue	GB 5457433
2	703	4AC	C	modified residue	GB 5457433
2	718	4AC	C	modified residue	GB 5457433
2	731	4AC	C	modified residue	GB 5457433
2	751	4AC	C	modified residue	GB 5457433
2	828	4AC	C	modified residue	GB 5457433
2	839	4AC	C	modified residue	GB 5457433
2	848	4AC	C	modified residue	GB 5457433
2	851	4AC	C	modified residue	GB 5457433
2	868	4AC	C	modified residue	GB 5457433
2	957	4AC	C	modified residue	GB 5457433
2	1028	4AC	C	modified residue	GB 5457433
2	1147	4AC	C	modified residue	GB 5457433
2	1184	4AC	C	modified residue	GB 5457433
2	1233	4AC	C	modified residue	GB 5457433
2	1239	4AC	C	modified residue	GB 5457433

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
2	1479	4AC	C	modified residue	GB 5457433

- Molecule 2 is a protein called 30S ribosomal protein S3Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	188	Total	C	N	O	S	0	0
			1531	993	268	266	4		

- Molecule 3 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	196	Total	C	N	O	S	0	0
			1571	1017	269	281	4		

- Molecule 4 is a protein called Zn-ribbon RNA-binding protein involved in translation.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	57	Total	C	N	O	S	0	0
			449	285	80	76	8		

- Molecule 5 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	D	173	Total	C	N	O	S	0	0
			1452	913	280	255	4		

- Molecule 6 is a protein called 30S ribosomal protein S4e.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	E	242	Total	C	N	O	S	0	0
			1983	1281	358	339	5		

- Molecule 7 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	F	229	Total	C	N	O	S	0	0
			1808	1147	334	320	7		

- Molecule 8 is a protein called 30S ribosomal protein S6e.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	G	124	Total	C	N	O	S	0	0
			977	621	178	176	2		

- Molecule 9 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	H	214	Total	C	N	O	S	0	0
			1725	1095	323	300	7		

- Molecule 10 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	I	129	Total	C	N	O	S	0	0
			1034	668	184	180	2		

- Molecule 11 is a protein called 30S ribosomal protein S8e.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	J	125	Total	C	N	O		0	0
			986	612	205	169			

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	K	135	Total	C	N	O	S	0	0
			1073	673	207	189	4		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	L	100	Total	C	N	O	S	0	0
			809	502	157	147	3		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	M	127	Total	C	N	O	S	0	0
			955	591	190	172	2		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	N	146	Total	C	N	O	S	0	0
			1148	727	224	194	3		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	O	141	Total	C	N	O	S	0	0
			1134	712	224	193	5		

- Molecule 17 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	P	55	Total	C	N	O	S	0	0
			455	288	95	67	5		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	Q	151	Total	C	N	O	S	0	0
			1257	801	239	213	4		

- Molecule 19 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	R	107	Total	C	N	O	S	0	0
			884	562	172	147	3		

- Molecule 20 is a protein called 30S ribosomal protein S17e.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	S	64	Total	C	N	O	S	0	0
			541	343	104	93	1		

- Molecule 21 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	T	124	Total	C	N	O	S	0	0
			1007	641	191	168	7		

- Molecule 22 is a protein called 30S ribosomal protein S19e.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	U	149	Total	C	N	O	0	0
			1223	790	221	212		

- Molecule 23 is a protein called 30S ribosomal protein S24e.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	V	96	Total	C	N	O	S	0
			808	528	129	148	3	0

- Molecule 24 is a protein called 30S ribosomal protein S27e.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	W	61	Total	C	N	O	S	0
			470	294	91	80	5	0

- Molecule 25 is a protein called 30S ribosomal protein S28e.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	X	65	Total	C	N	O		0
			516	316	103	97		0

- Molecule 26 is a protein called 30S ribosomal protein S27ae.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	Y	49	Total	C	N	O	S	0
			400	257	76	62	5	0

- Molecule 27 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	Z	196	Total	C	N	O	S	0
			1541	983	284	270	4	0

- Molecule 28 is a protein called 50S ribosomal protein L41e.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	0	36	Total	C	N	O	S	0
			343	218	84	39	2	0

- Molecule 29 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	3	122	Total	C	N	O	S	0	0
			933	594	156	180	3		

- Molecule 30 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	5	17	Total	C	N	O	P	0	0
			368	164	67	120	17		

- Molecule 31 is a RNA chain called Met-tRNAⁱMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	4	19	Total	C	N	O	P	0	0
			406	182	74	131	19		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	0	A	-	engineered mutation	GB 1334604293
4	72	U	A	engineered mutation	GB 1334604293

- Molecule 32 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
32	2	85	Total	Mg	0
			85	85	
32	F	1	Total	Mg	0
			1	1	
32	K	1	Total	Mg	0
			1	1	
32	M	1	Total	Mg	0
			1	1	
32	5	1	Total	Mg	0
			1	1	
32	4	1	Total	Mg	0
			1	1	

- Molecule 33 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
33	C	2	Total	Zn	0
			2	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
33	F	1	Total 1	Zn 1	0
33	P	1	Total 1	Zn 1	0
33	R	1	Total 1	Zn 1	0
33	W	1	Total 1	Zn 1	0

- Molecule 34 is water.

Mol	Chain	Residues	Atoms		AltConf
34	2	1713	Total 1713	O 1713	0
34	A	1	Total 1	O 1	0
34	B	10	Total 10	O 10	0
34	C	1	Total 1	O 1	0
34	D	35	Total 35	O 35	0
34	E	23	Total 23	O 23	0
34	F	45	Total 45	O 45	0
34	H	20	Total 20	O 20	0
34	I	16	Total 16	O 16	0
34	J	16	Total 16	O 16	0
34	K	26	Total 26	O 26	0
34	L	13	Total 13	O 13	0
34	M	18	Total 18	O 18	0
34	N	33	Total 33	O 33	0
34	O	11	Total 11	O 11	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
34	P	8	Total 8	O 8	0
34	Q	21	Total 21	O 21	0
34	R	7	Total 7	O 7	0
34	S	1	Total 1	O 1	0
34	T	5	Total 5	O 5	0
34	U	16	Total 16	O 16	0
34	V	2	Total 2	O 2	0
34	W	4	Total 4	O 4	0
34	X	1	Total 1	O 1	0
34	Z	2	Total 2	O 2	0
34	0	15	Total 15	O 15	0
34	5	8	Total 8	O 8	0
34	4	12	Total 12	O 12	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: rRNA 16S









- Molecule 2: 30S ribosomal protein S3Ae



- Molecule 3: 30S ribosomal protein S2



- Molecule 4: Zn-ribbon RNA-binding protein involved in translation




- Molecule 5: 30S ribosomal protein S4




- Molecule 6: 30S ribosomal protein S4e




- Molecule 7: 30S ribosomal protein S5




- Molecule 8: 30S ribosomal protein S6e




- Molecule 9: 30S ribosomal protein S7




- Molecule 10: 30S ribosomal protein S8




- Molecule 11: 30S ribosomal protein S8e




- Molecule 12: 30S ribosomal protein S9




- Molecule 13: 30S ribosomal protein S10



- Molecule 14: 30S ribosomal protein S11



- Molecule 15: 30S ribosomal protein S12

Chain N:  95%




- Molecule 16: 30S ribosomal protein S13

Chain O:  89% 6% 5%



- Molecule 17: 30S ribosomal protein S14 type Z

Chain P:  9% 82% 16%




- Molecule 18: 30S ribosomal protein S15

Chain Q:  92%





- Molecule 19: 30S ribosomal protein S17

Chain R:  87% 7% 5%




- Molecule 20: 30S ribosomal protein S17e

Chain S:  96%



- Molecule 21: 30S ribosomal protein S19

Chain T:  80% 14% 6%





- Molecule 22: 30S ribosomal protein S19e

Chain U:  97% ..





- Molecule 23: 30S ribosomal protein S24e

Chain V:  95% ..



- Molecule 24: 30S ribosomal protein S27e

Chain W:  91% • 6%




- Molecule 25: 30S ribosomal protein S28e

Chain X:  85% 7% 8%




- Molecule 26: 30S ribosomal protein S27ae

Chain Y:  96% 57% 39% •




- Molecule 27: 30S ribosomal protein S3

Chain Z:  88% 5% 7%




- Molecule 28: 50S ribosomal protein L41e

Chain 0:  100%

There are no outlier residues recorded for this chain.


Chain 3:



Chain 5:



Chain 4:



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1000000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	39	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.336	Depositor
Minimum map value	-0.144	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.0249	Depositor
Map size (Å)	371.52002, 371.52002, 371.52002	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8600001, 0.8600001, 0.8600001	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6MZ, ZN, OMG, LHH, MA6, OMC, OMU, MG, UR3, 4AC, B8H, 5MC, A2M

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	2	0.23	6/34435 (0.0%)	0.38	1/53681 (0.0%)
2	A	0.22	0/1557	0.50	1/2087 (0.0%)
3	B	0.25	0/1602	0.49	3/2165 (0.1%)
4	C	0.38	1/463 (0.2%)	0.56	2/628 (0.3%)
5	D	0.21	0/1476	0.41	0/1980
6	E	0.21	0/2032	0.46	0/2742
7	F	0.24	0/1838	0.55	4/2478 (0.2%)
8	G	0.17	0/993	0.39	0/1329
9	H	0.21	0/1762	0.41	0/2366
10	I	0.21	0/1055	0.45	0/1415
11	J	0.15	0/995	0.33	0/1327
12	K	0.23	0/1089	0.47	0/1459
13	L	0.19	0/817	0.39	0/1097
14	M	0.21	0/973	0.44	1/1311 (0.1%)
15	N	0.20	0/1165	0.46	0/1547
16	O	0.15	0/1153	0.37	0/1551
17	P	0.21	0/465	0.87	3/613 (0.5%)
18	Q	0.20	0/1285	0.38	0/1727
19	R	0.29	0/907	0.58	1/1225 (0.1%)
20	S	0.16	0/548	0.33	0/725
21	T	0.17	0/1026	0.35	0/1371
22	U	0.20	0/1253	0.39	0/1689
23	V	0.15	0/826	0.36	0/1108
24	W	0.15	0/476	0.35	0/641
25	X	0.17	0/518	0.56	2/694 (0.3%)
26	Y	0.13	0/412	0.36	0/549
27	Z	0.16	0/1563	0.35	0/2099
28	0	0.25	0/349	0.43	0/451
29	3	0.19	0/945	0.43	0/1274
30	5	0.17	0/412	0.30	0/641
31	4	0.18	0/430	0.31	0/668
All	All	0.22	7/64820 (0.0%)	0.41	18/94638 (0.0%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	14	CYS	C-N	-6.51	1.25	1.33
1	2	373	A2M	O3'-P	5.30	1.61	1.56
1	2	1467	UR3	O3'-P	5.29	1.61	1.56
1	2	1177	OMU	O3'-P	5.14	1.61	1.56
1	2	20	OMU	O3'-P	5.09	1.61	1.56
1	2	1380	OMU	O3'-P	5.06	1.61	1.56
1	2	830	OMU	O3'-P	5.04	1.61	1.56

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	P	6	TYR	CB-CA-C	-13.55	90.44	111.17
17	P	7	ASN	N-CA-C	-9.93	99.97	113.18
25	X	37	LYS	N-CA-C	-7.76	98.53	110.10
3	B	72	VAL	N-CA-C	7.75	118.55	110.72
25	X	35	ARG	N-CA-C	7.38	120.27	111.33
19	R	7	LEU	N-CA-C	7.25	119.26	111.36
7	F	119	LEU	O-C-N	-7.03	113.26	122.39
1	2	1424	G	C2'-C3'-O3'	6.50	123.45	113.70
2	A	186	ILE	N-CA-C	-6.29	97.92	107.73
4	C	14	CYS	CA-C-N	6.01	128.33	120.28
4	C	14	CYS	C-N-CA	6.01	128.33	120.28
14	M	130	GLY	N-CA-C	5.99	121.92	114.37
17	P	8	LYS	N-CA-C	5.73	118.54	110.23
3	B	71	SER	O-C-N	-5.53	117.98	123.62
7	F	118	LYS	O-C-N	5.42	127.65	122.07
3	B	72	VAL	O-C-N	5.08	127.07	121.83
7	F	118	LYS	CA-C-N	-5.06	112.50	120.60
7	F	118	LYS	C-N-CA	-5.06	112.50	120.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	32312	0	16354	122	0
2	A	1531	0	1623	4	0
3	B	1571	0	1630	8	0
4	C	449	0	435	1	0
5	D	1452	0	1521	5	0
6	E	1983	0	2060	16	0
7	F	1808	0	1879	14	0
8	G	977	0	1037	13	0
9	H	1725	0	1780	8	0
10	I	1034	0	1069	6	0
11	J	986	0	1070	8	0
12	K	1073	0	1133	4	0
13	L	809	0	859	9	0
14	M	955	0	981	5	0
15	N	1148	0	1248	4	0
16	O	1134	0	1173	5	0
17	P	455	0	476	4	0
18	Q	1257	0	1326	3	0
19	R	884	0	906	6	0
20	S	541	0	573	0	0
21	T	1007	0	1073	10	0
22	U	1223	0	1263	1	0
23	V	808	0	832	1	0
24	W	470	0	496	1	0
25	X	516	0	544	3	0
26	Y	400	0	401	23	0
27	Z	1541	0	1624	6	0
28	0	343	0	407	0	0
29	3	933	0	982	34	0
30	5	368	0	182	1	0
31	4	406	0	209	4	0
32	2	85	0	0	0	0
32	4	1	0	0	0	0
32	5	1	0	0	0	0
32	F	1	0	0	0	0
32	K	1	0	0	0	0
32	M	1	0	0	0	0
33	C	2	0	0	0	0
33	F	1	0	0	0	0
33	P	1	0	0	0	0
33	R	1	0	0	0	0
33	W	1	0	0	0	0
34	0	15	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
34	2	1713	0	0	12	0
34	4	12	0	0	0	0
34	5	8	0	0	0	0
34	A	1	0	0	0	0
34	B	10	0	0	0	0
34	C	1	0	0	0	0
34	D	35	0	0	1	0
34	E	23	0	0	1	0
34	F	45	0	0	2	0
34	H	20	0	0	0	0
34	I	16	0	0	0	0
34	J	16	0	0	1	0
34	K	26	0	0	0	0
34	L	13	0	0	1	0
34	M	18	0	0	0	0
34	N	33	0	0	2	0
34	O	11	0	0	0	0
34	P	8	0	0	0	0
34	Q	21	0	0	1	0
34	R	7	0	0	0	0
34	S	1	0	0	0	0
34	T	5	0	0	0	0
34	U	16	0	0	1	0
34	V	2	0	0	0	0
34	W	4	0	0	0	0
34	X	1	0	0	0	0
34	Z	2	0	0	0	0
All	All	64278	0	47146	311	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (311) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:Y:15:VAL:HG12	26:Y:17:ARG:NH1	1.41	1.35
26:Y:15:VAL:CG1	26:Y:17:ARG:NH1	2.00	1.24
26:Y:15:VAL:CG1	26:Y:17:ARG:HH12	1.52	1.23
29:3:19:ALA:HB2	29:3:78:ILE:HG21	1.28	1.15
1:2:1393:G:H2'	1:2:1394:C:H5'	1.32	1.10
1:2:1393:G:C2'	1:2:1394:C:H5'	1.84	1.07

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:Y:39:ALA:O	26:Y:40:CYS:SG	2.17	1.02
29:3:70:CYS:SG	29:3:77:TYR:CE2	2.52	1.01
26:Y:15:VAL:HG12	26:Y:17:ARG:HH12	0.95	0.95
29:3:18:LYS:HZ2	29:3:110:LEU:HD13	1.32	0.91
1:2:105:A:O2'	6:E:5:GLY:HA3	1.78	0.83
26:Y:40:CYS:SG	26:Y:44:GLY:N	2.51	0.83
29:3:19:ALA:HB2	29:3:78:ILE:CG2	2.13	0.77
1:2:997:C:C4	1:2:998:C:C5	2.74	0.76
8:G:75:ARG:HG2	8:G:77:ASP:OD1	1.86	0.76
1:2:997:C:N4	1:2:998:C:C5	2.56	0.74
29:3:78:ILE:HG22	29:3:79:TYR:N	2.03	0.73
29:3:70:CYS:SG	29:3:77:TYR:HE2	2.11	0.72
26:Y:40:CYS:SG	26:Y:44:GLY:CA	2.79	0.71
1:2:1423:G:H3'	1:2:1423:G:N3	2.05	0.70
26:Y:15:VAL:HG11	26:Y:17:ARG:HH12	1.54	0.70
1:2:1427:G:H1'	8:G:77:ASP:OD2	1.93	0.69
9:H:135:ASP:HB2	9:H:152:ILE:HD11	1.74	0.68
25:X:36:ASP:HB2	25:X:39:ARG:HD3	1.76	0.68
15:N:29:ARG:NH1	34:N:201:HOH:O	2.27	0.68
1:2:631:G:H22	1:2:708:G:H1	1.43	0.67
1:2:1394:C:O2	1:2:1449:G:N2	2.19	0.67
7:F:190:GLU:OE2	34:F:401:HOH:O	2.13	0.67
13:L:56:GLU:OE2	34:L:201:HOH:O	2.13	0.67
1:2:717:C:H4'	18:Q:47:THR:HG22	1.77	0.67
8:G:63:ILE:HA	8:G:121:VAL:HG12	1.77	0.66
1:2:979:G:N2	1:2:998:C:H1'	2.10	0.66
11:J:81:ILE:HD11	11:J:102:GLU:HB3	1.78	0.66
26:Y:40:CYS:SG	26:Y:44:GLY:HA2	2.36	0.66
1:2:1059:G:N7	34:2:1724:HOH:O	2.28	0.65
1:2:636:4AC:HM73	1:2:703:4AC:HM73	1.79	0.64
6:E:33:ARG:HG3	6:E:34:PRO:HD2	1.79	0.64
1:2:105:A:HO2'	6:E:5:GLY:HA3	1.60	0.64
8:G:70:ASP:O	8:G:70:ASP:OD1	2.14	0.64
29:3:18:LYS:NZ	29:3:110:LEU:HD22	2.13	0.64
1:2:977:A:H62	1:2:999:G:H21	1.46	0.64
2:A:47:ARG:HD3	14:M:34:THR:HG21	1.80	0.64
26:Y:22:CYS:SG	26:Y:40:CYS:HB2	2.38	0.63
1:2:997:C:N3	1:2:998:C:C6	2.67	0.63
1:2:507:G:N7	34:2:1727:HOH:O	2.31	0.63
7:F:224:VAL:HG11	7:F:228:ALA:HA	1.81	0.63
1:2:1461:A:O2'	1:2:1462:A:H5''	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:1392:A:N6	1:2:1451:G:O2'	2.31	0.62
18:Q:8:LYS:NZ	34:Q:202:HOH:O	2.32	0.62
29:3:78:ILE:CG2	29:3:79:TYR:N	2.63	0.62
26:Y:15:VAL:HG11	26:Y:17:ARG:NH1	2.10	0.61
29:3:23:VAL:HG13	29:3:101:ILE:HD13	1.81	0.61
29:3:49:LYS:HG3	29:3:50:LEU:HD12	1.83	0.61
18:Q:130:ARG:HA	18:Q:133:VAL:HG12	1.83	0.61
31:4:32:OMC:HM22	31:4:33:U:H5'	1.83	0.60
13:L:32:VAL:HG23	13:L:76:GLU:HG2	1.82	0.60
29:3:27:ARG:HD2	29:3:90:ALA:HA	1.83	0.60
1:2:1484:G:OP1	34:2:1701:HOH:O	2.17	0.60
29:3:78:ILE:CG2	29:3:79:TYR:H	2.14	0.59
7:F:18:PRO:HG2	7:F:24:MET:HE2	1.84	0.59
6:E:11:LYS:HE3	6:E:27:LYS:HE3	1.84	0.59
31:4:43:A:H2'	31:4:44:A:C8	2.37	0.59
26:Y:37:ARG:HD2	26:Y:46:THR:HA	1.84	0.59
7:F:95:TYR:HB3	7:F:121:ILE:HD11	1.84	0.59
29:3:75:ILE:O	29:3:77:TYR:HD2	1.85	0.59
26:Y:39:ALA:C	26:Y:40:CYS:SG	2.85	0.58
1:2:1393:G:C3'	1:2:1394:C:H5'	2.33	0.58
29:3:19:ALA:CB	29:3:78:ILE:HG21	2.18	0.57
29:3:52:ILE:HD11	29:3:99:VAL:HB	1.86	0.57
26:Y:37:ARG:HG2	26:Y:48:TRP:H	1.69	0.57
21:T:54:ALA:HA	21:T:58:LYS:O	2.04	0.57
26:Y:6:LYS:HG3	26:Y:7:LEU:HG	1.86	0.56
6:E:3:ARG:HH22	11:J:24:ARG:HH22	1.54	0.56
1:2:1487:MA6:H93	1:2:1488:MA6:H92	1.86	0.56
8:G:40:VAL:HG11	8:G:47:LEU:HD22	1.87	0.56
29:3:80:VAL:HG11	29:3:86:LEU:HD13	1.85	0.56
1:2:636:4AC:HM73	1:2:703:4AC:CM7	2.35	0.56
29:3:43:VAL:HG11	29:3:66:LEU:HD12	1.86	0.56
1:2:1441:U:H2'	1:2:1442:A:H8	1.70	0.56
7:F:131:TRP:CE2	10:I:97:PHE:HA	2.41	0.56
1:2:918:A:H2'	1:2:919:G:C8	2.41	0.56
6:E:36:PRO:HD2	6:E:84:PRO:HG2	1.86	0.55
29:3:18:LYS:HZ2	29:3:110:LEU:CD1	2.13	0.55
3:B:23:GLN:HB2	3:B:144:GLU:HG3	1.88	0.55
1:2:1441:U:H2'	1:2:1442:A:C8	2.42	0.55
16:O:89:ARG:HH21	16:O:91:LEU:HD21	1.71	0.55
29:3:78:ILE:HG22	29:3:79:TYR:H	1.68	0.54
7:F:4:GLU:O	7:F:7:GLU:HG3	2.06	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:1402:A:H2'	1:2:1403:G:H8	1.73	0.54
1:2:636:4AC:O7	1:2:636:4AC:H5	2.08	0.53
1:2:997:C:C4	1:2:998:C:C6	2.96	0.53
29:3:92:ILE:HG13	29:3:93:GLU:H	1.73	0.53
1:2:1095:A:H2'	1:2:1096:G:C8	2.43	0.53
10:I:28:LYS:HB3	10:I:29:PRO:HD3	1.89	0.53
1:2:75:G:H2'	1:2:76:G:C8	2.44	0.52
9:H:37:ILE:HD11	9:H:127:ILE:HD11	1.92	0.52
21:T:41:THR:O	21:T:45:LYS:HG2	2.10	0.52
25:X:36:ASP:OD1	25:X:36:ASP:N	2.35	0.52
27:Z:23:LYS:NZ	27:Z:23:LYS:CB	2.73	0.52
1:2:1066:A:H4'	1:2:1067:A:O5'	2.09	0.52
21:T:82:TYR:HB3	21:T:89:PHE:HB3	1.91	0.52
1:2:28:G:H2'	1:2:29:C:C6	2.45	0.52
1:2:476:G:O2'	1:2:477:G:H5'	2.10	0.52
17:P:26:GLN:HB3	17:P:39:CYS:SG	2.50	0.51
29:3:66:LEU:HB2	29:3:67:PRO:HD3	1.91	0.51
3:B:22:GLN:NE2	3:B:38:ASP:O	2.41	0.51
26:Y:11:LYS:HG2	26:Y:14:LYS:HB2	1.92	0.51
3:B:24:LYS:C	3:B:24:LYS:HD2	2.36	0.51
29:3:50:LEU:HD13	29:3:101:ILE:HG13	1.92	0.51
1:2:1402:A:H2'	1:2:1403:G:C8	2.46	0.51
1:2:83:C:H2'	1:2:84:C:C6	2.46	0.50
1:2:1224:A:H2'	1:2:1225:A:C8	2.46	0.50
26:Y:9:ILE:HG23	26:Y:16:ILE:HG23	1.92	0.50
8:G:112:ILE:HA	8:G:116:ILE:HD12	1.93	0.50
8:G:59:VAL:HG23	8:G:125:TYR:HA	1.94	0.50
10:I:90:GLU:OE2	10:I:113:HIS:NE2	2.42	0.50
9:H:123:LEU:O	9:H:127:ILE:HG23	2.11	0.49
13:L:65:GLU:OE2	13:L:67:ARG:NE	2.41	0.49
23:V:3:ILE:HG12	23:V:23:ILE:HG12	1.93	0.49
1:2:96:C:H2'	1:2:97:A:C8	2.47	0.49
1:2:426:G:H2'	1:2:427:G:C8	2.47	0.49
5:D:52:ARG:NH1	34:D:201:HOH:O	2.26	0.49
13:L:89:ARG:NH1	13:L:89:ARG:HA	2.27	0.49
1:2:627:G:H2'	1:2:628:G:C8	2.48	0.49
3:B:24:LYS:C	3:B:24:LYS:CD	2.86	0.49
19:R:16:CYS:HB2	19:R:76:PRO:HG2	1.93	0.49
1:2:1043:U:OP1	34:2:1702:HOH:O	2.20	0.49
1:2:1447:C:H2'	1:2:1448:C:C6	2.47	0.49
11:J:37:VAL:HG22	11:J:95:ILE:HD11	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
19:R:37:ILE:HD13	19:R:85:ARG:HG2	1.93	0.49
1:2:373:A2M:HM'2	1:2:374:A:C5	2.48	0.49
6:E:87:ILE:HD12	6:E:104:PRO:HD3	1.94	0.49
9:H:135:ASP:OD1	9:H:136:THR:N	2.44	0.49
1:2:695:A:H2'	1:2:696:A:C8	2.48	0.49
11:J:78:ILE:HB	11:J:102:GLU:HG3	1.94	0.49
6:E:32:PRO:HB3	6:E:44:PRO:HG3	1.94	0.49
24:W:46:LEU:HD22	24:W:58:ALA:HB2	1.95	0.48
1:2:1148:G:H2'	1:2:1149:G:H5''	1.96	0.48
26:Y:27:PRO:O	29:3:45:ARG:NH2	2.40	0.48
29:3:18:LYS:HD2	29:3:110:LEU:HB3	1.94	0.48
1:2:1006:C:H2'	1:2:1007:C:C6	2.48	0.48
1:2:86:U:H3'	1:2:87:C:H5''	1.94	0.48
1:2:1423:G:N3	1:2:1423:G:C3'	2.75	0.48
21:T:70:MET:HB3	21:T:103:LEU:HD12	1.95	0.48
1:2:135:U:H2'	1:2:136:C:C6	2.49	0.47
1:2:929:U:H5''	21:T:111:LYS:HD3	1.95	0.47
1:2:987:G:OP1	21:T:64:ARG:NH1	2.46	0.47
7:F:40:LYS:HE2	7:F:40:LYS:HB3	1.78	0.47
1:2:86:U:H5'	1:2:87:C:OP2	2.14	0.47
6:E:56:ALA:HB1	6:E:61:GLU:HG3	1.97	0.47
6:E:138:ILE:HB	6:E:150:ILE:HG13	1.95	0.47
6:E:181:LYS:HZ2	6:E:201:GLU:HA	1.79	0.47
26:Y:47:GLU:O	26:Y:47:GLU:HG2	2.13	0.47
1:2:25:C:OP1	34:2:1703:HOH:O	2.20	0.47
1:2:97:A:H2'	1:2:98:C:H6	1.79	0.47
1:2:1365:U:H2'	1:2:1366:G:C8	2.49	0.47
19:R:37:ILE:CD1	19:R:85:ARG:HG2	2.45	0.47
29:3:12:PRO:HB2	29:3:15:LEU:HD13	1.96	0.47
1:2:85:U:H2'	1:2:86:U:H4'	1.97	0.47
1:2:1359:G:H2'	1:2:1360:C:C6	2.49	0.47
25:X:36:ASP:CB	25:X:39:ARG:HD3	2.44	0.47
1:2:993:C:H2'	1:2:994:U:C6	2.49	0.47
1:2:1380:OMU:HM22	1:2:1381:C:H5'	1.97	0.47
29:3:3:LYS:HD3	29:3:57:VAL:O	2.15	0.47
1:2:641:G:H2'	1:2:642:U:C6	2.50	0.47
1:2:730:C:H2'	1:2:731:4AC:H6	1.97	0.47
29:3:18:LYS:HZ1	29:3:110:LEU:HD22	1.78	0.47
31:4:26:G:H22	31:4:44:A:H2	1.63	0.47
1:2:1191:C:H5'	17:P:9:ARG:HG2	1.97	0.46
1:2:998:C:H2'	1:2:998:C:O2	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:1460:G:O2'	1:2:1461:A:H5'	2.16	0.46
14:M:34:THR:HG23	14:M:36:ALA:H	1.81	0.46
22:U:82:ASN:OD1	34:U:201:HOH:O	2.21	0.46
9:H:140:MET:HE1	9:H:145:ARG:HD2	1.98	0.46
1:2:125:U:OP1	34:2:1706:HOH:O	2.21	0.46
1:2:1202:5MC:H4'	16:O:140:THR:HA	1.98	0.46
1:2:1443:G:H2'	1:2:1444:G:C8	2.51	0.46
11:J:33:SER:HB3	11:J:56:ARG:HD3	1.96	0.46
12:K:1:MET:HE3	12:K:3:ILE:HD11	1.97	0.46
1:2:1434:U:H2'	1:2:1435:C:C6	2.51	0.46
17:P:21:CYS:HB2	17:P:39:CYS:SG	2.55	0.46
29:3:2:ALA:C	29:3:55:GLU:HA	2.41	0.46
7:F:33:ASP:OD2	7:F:35:HIS:ND1	2.35	0.46
7:F:93:ASP:O	7:F:126:ARG:CZ	2.63	0.46
1:2:722:G:O2'	10:I:2:THR:HG21	2.15	0.45
1:2:1006:C:H2'	1:2:1007:C:H6	1.81	0.45
1:2:1177:OMU:HM22	1:2:1178:A:H5'	1.98	0.45
3:B:169:TRP:CD2	3:B:192:VAL:HG22	2.51	0.45
13:L:48:VAL:HG22	13:L:63:ARG:HG2	1.98	0.45
1:2:405:G:N7	34:2:1741:HOH:O	2.36	0.45
16:O:5:ARG:NH2	16:O:54:LEU:O	2.45	0.45
1:2:171:C:OP1	34:2:1705:HOH:O	2.21	0.45
3:B:161:ARG:HD2	3:B:197:MET:O	2.16	0.45
1:2:1470:C:OP1	34:2:1704:HOH:O	2.21	0.45
21:T:87:LYS:HE3	21:T:87:LYS:HB2	1.74	0.45
1:2:121:U:H2'	1:2:122:C:C6	2.52	0.45
1:2:223:G:H2'	1:2:224:G:C8	2.52	0.45
5:D:38:LYS:HA	5:D:38:LYS:HD2	1.76	0.45
1:2:976:A:OP2	1:2:1000:G:N2	2.40	0.45
8:G:63:ILE:HD13	8:G:112:ILE:HD11	1.99	0.45
26:Y:21:PHE:CG	26:Y:27:PRO:HA	2.52	0.45
1:2:93:C:H2'	1:2:94:G:C8	2.51	0.45
1:2:97:A:H2'	1:2:98:C:C6	2.51	0.44
16:O:143:VAL:HG22	21:T:118:PRO:HB2	1.98	0.44
1:2:180:G:H2'	1:2:181:C:C6	2.52	0.44
2:A:166:LYS:HE2	2:A:166:LYS:HB2	1.83	0.44
6:E:181:LYS:NZ	6:E:201:GLU:HA	2.32	0.44
7:F:181:GLN:NE2	34:F:403:HOH:O	2.38	0.44
21:T:13:LEU:O	21:T:17:MET:HG2	2.18	0.44
26:Y:15:VAL:CG1	26:Y:17:ARG:CZ	2.85	0.44
1:2:196:G:N3	1:2:196:G:H2'	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:M:70:GLU:O	14:M:73:GLU:HG2	2.18	0.44
1:2:109:C:H2'	1:2:110:U:C6	2.53	0.44
1:2:703:4AC:O7	1:2:703:4AC:H5	2.17	0.44
1:2:1359:G:H2'	1:2:1360:C:H6	1.82	0.44
9:H:98:VAL:HG22	12:K:40:ILE:HG21	1.98	0.44
1:2:485:C:H2'	1:2:486:A:O4'	2.17	0.44
1:2:891:U:H2'	1:2:892:U:C6	2.53	0.44
2:A:96:LEU:HD22	2:A:183:LYS:HG3	1.99	0.44
5:D:58:LEU:HD13	5:D:70:ARG:HA	1.98	0.44
29:3:20:LEU:HD11	29:3:80:VAL:HG13	2.00	0.44
1:2:538:A:OP2	34:2:1707:HOH:O	2.21	0.44
1:2:1461:A:HO2'	1:2:1462:A:H8	1.61	0.44
8:G:5:LYS:HE3	8:G:5:LYS:HB2	1.74	0.43
8:G:75:ARG:CG	8:G:77:ASP:OD1	2.63	0.43
1:2:1043:U:OP2	34:2:1708:HOH:O	2.21	0.43
1:2:1424:G:H2'	1:2:1425:G:C8	2.53	0.43
7:F:63:GLN:HG2	7:F:89:VAL:HG12	1.99	0.43
15:N:20:ARG:NH2	34:N:202:HOH:O	2.35	0.43
1:2:1350:U:H2'	1:2:1351:A:C8	2.53	0.43
29:3:3:LYS:HE2	29:3:58:ASP:HB3	1.99	0.43
1:2:27:U:OP1	34:2:1709:HOH:O	2.21	0.43
27:Z:117:MET:HG3	27:Z:130:ILE:HD12	2.01	0.43
3:B:90:ARG:HD2	3:B:110:PHE:CE2	2.54	0.43
1:2:223:G:H2'	1:2:224:G:H8	1.83	0.43
4:C:7:LEU:HG	4:C:8:LYS:H	1.84	0.43
15:N:110:GLY:HA3	15:N:115:SER:O	2.19	0.43
1:2:145:G:H2'	1:2:146:A:C8	2.53	0.43
5:D:74:LEU:O	5:D:78:LYS:HG2	2.19	0.43
1:2:1297:G:H2'	1:2:1298:C:C6	2.53	0.43
1:2:1386:C:H2'	1:2:1387:A:C8	2.54	0.43
27:Z:23:LYS:HZ2	27:Z:23:LYS:HB2	1.83	0.43
1:2:644:C:H2'	1:2:645:C:C6	2.54	0.42
1:2:975:G:H8	1:2:975:G:OP2	2.02	0.42
6:E:103:LEU:O	6:E:111:ILE:HG13	2.19	0.42
7:F:131:TRP:NE1	10:I:97:PHE:HA	2.34	0.42
27:Z:76:GLU:O	27:Z:76:GLU:HG3	2.18	0.42
1:2:1417:U:H2'	1:2:1418:C:C6	2.54	0.42
2:A:175:ALA:HB3	2:A:181:LEU:HD11	2.01	0.42
9:H:203:LYS:HD2	9:H:203:LYS:HA	1.84	0.42
26:Y:35:GLY:HA2	26:Y:49:LYS:HZ2	1.84	0.42
31:4:43:A:H2'	31:4:44:A:H8	1.79	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:1098:C:H2'	1:2:1099:C:H6	1.85	0.42
1:2:1147:4AC:O7	1:2:1147:4AC:H5	2.19	0.42
19:R:35:GLU:OE2	19:R:85:ARG:NH1	2.52	0.42
7:F:64:GLU:HG2	7:F:173:LYS:HD3	2.02	0.42
12:K:1:MET:HE1	12:K:20:ARG:HD3	2.01	0.42
19:R:7:LEU:HD13	19:R:9:ILE:HD11	2.01	0.42
26:Y:35:GLY:HA2	26:Y:49:LYS:NZ	2.34	0.42
1:2:1053:A:H2'	1:2:1054:C:C6	2.54	0.42
7:F:132:GLU:HG3	7:F:160:PRO:HG3	2.02	0.42
21:T:51:ILE:HD13	21:T:76:MET:HG2	2.01	0.42
1:2:68:A:H4'	1:2:69:G:O5'	2.19	0.42
5:D:116:ARG:HG3	5:D:171:ILE:HA	2.01	0.42
8:G:29:LEU:HD12	8:G:29:LEU:HA	1.85	0.42
8:G:96:PRO:O	8:G:97:LYS:HB2	2.19	0.42
27:Z:59:GLY:C	27:Z:61:ARG:H	2.28	0.42
29:3:18:LYS:CE	29:3:110:LEU:HD22	2.50	0.42
1:2:190:C:H2'	1:2:191:U:C6	2.55	0.41
1:2:224:G:O2'	1:2:225:C:O4'	2.35	0.41
17:P:26:GLN:HG2	17:P:27:TYR:O	2.19	0.41
29:3:10:GLU:O	29:3:12:PRO:HD3	2.20	0.41
13:L:89:ARG:HA	13:L:89:ARG:HH11	1.84	0.41
1:2:774:OMU:HM22	1:2:775:G:H5'	2.01	0.41
1:2:1501:U:H2'	1:2:1502:C:C6	2.55	0.41
11:J:21:ARG:NE	34:J:201:HOH:O	2.53	0.41
30:5:10:U:C2	30:5:11:G:C8	3.08	0.41
1:2:180:G:H2'	1:2:181:C:H6	1.85	0.41
1:2:1311:G:H5''	1:2:1312:G:OP1	2.20	0.41
13:L:88:ILE:HD12	13:L:88:ILE:HA	1.95	0.41
15:N:63:LYS:HE2	15:N:63:LYS:HB3	1.82	0.41
1:2:1394:C:N3	1:2:1449:G:N1	2.51	0.41
1:2:1424:G:H2'	1:2:1425:G:H8	1.86	0.41
1:2:993:C:H2'	1:2:994:U:H6	1.83	0.41
1:2:908:C:H2'	1:2:909:A:H8	1.85	0.41
16:O:115:TYR:O	16:O:119:ARG:HG2	2.20	0.41
1:2:1101:U:H2'	1:2:1102:C:H6	1.85	0.41
6:E:3:ARG:NH2	11:J:24:ARG:HH22	2.17	0.41
13:L:85:ILE:O	13:L:88:ILE:HG22	2.21	0.41
14:M:11:LYS:HE2	14:M:11:LYS:HB2	1.89	0.41
19:R:43:PRO:HB2	19:R:46:THR:HB	2.02	0.41
1:2:975:G:N2	1:2:1000:G:O2'	2.41	0.41
6:E:3:ARG:NH1	34:E:301:HOH:O	2.31	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:195:A:O2'	1:2:197:G:N7	2.43	0.40
3:B:24:LYS:HD2	3:B:24:LYS:O	2.21	0.40
14:M:32:ASP:OD2	14:M:34:THR:HG22	2.21	0.40
1:2:1321:G:OP2	9:H:53:LYS:HE2	2.21	0.40
8:G:6:LEU:HD23	8:G:8:ILE:HD11	2.03	0.40
27:Z:37:LYS:HB2	27:Z:37:LYS:HE3	1.82	0.40
1:2:965:A:H5''	1:2:966:C:H5	1.86	0.40
1:2:1389:C:H2'	1:2:1390:C:H6	1.87	0.40
6:E:11:LYS:HD3	6:E:28:TRP:CZ3	2.57	0.40
1:2:64:OMU:HM22	1:2:65:G:O4'	2.22	0.40
1:2:609:A:H2'	1:2:610:C:H6	1.86	0.40
12:K:121:ARG:HG2	12:K:124:LYS:HD3	2.03	0.40
29:3:74:GLU:HG3	29:3:76:PRO:HD3	2.01	0.40
1:2:550:G:H2'	1:2:551:C:C6	2.56	0.40
10:I:12:SER:HA	10:I:15:THR:HG22	2.04	0.40
11:J:78:ILE:HG22	11:J:79:ARG:HG2	2.02	0.40
13:L:45:ILE:HD12	13:L:66:LEU:HD23	2.04	0.40
29:3:93:GLU:H	29:3:93:GLU:HG2	1.62	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	186/199 (94%)	180 (97%)	6 (3%)	0	100	100
3	B	194/202 (96%)	190 (98%)	4 (2%)	0	100	100
4	C	55/63 (87%)	55 (100%)	0	0	100	100
5	D	171/180 (95%)	168 (98%)	3 (2%)	0	100	100
6	E	240/243 (99%)	234 (98%)	6 (2%)	0	100	100
7	F	227/236 (96%)	218 (96%)	9 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	G	122/125 (98%)	118 (97%)	4 (3%)	0	100	100
9	H	212/215 (99%)	202 (95%)	10 (5%)	0	100	100
10	I	127/130 (98%)	123 (97%)	4 (3%)	0	100	100
11	J	123/127 (97%)	122 (99%)	1 (1%)	0	100	100
12	K	133/135 (98%)	129 (97%)	4 (3%)	0	100	100
13	L	98/102 (96%)	93 (95%)	5 (5%)	0	100	100
14	M	125/137 (91%)	122 (98%)	3 (2%)	0	100	100
15	N	144/147 (98%)	141 (98%)	3 (2%)	0	100	100
16	O	139/148 (94%)	137 (99%)	2 (1%)	0	100	100
17	P	53/56 (95%)	48 (91%)	5 (9%)	0	100	100
18	Q	149/158 (94%)	146 (98%)	3 (2%)	0	100	100
19	R	105/113 (93%)	103 (98%)	2 (2%)	0	100	100
20	S	62/67 (92%)	59 (95%)	3 (5%)	0	100	100
21	T	122/132 (92%)	119 (98%)	3 (2%)	0	100	100
22	U	147/150 (98%)	146 (99%)	1 (1%)	0	100	100
23	V	94/99 (95%)	91 (97%)	3 (3%)	0	100	100
24	W	59/65 (91%)	58 (98%)	1 (2%)	0	100	100
25	X	63/71 (89%)	63 (100%)	0	0	100	100
26	Y	47/51 (92%)	42 (89%)	5 (11%)	0	100	100
27	Z	194/210 (92%)	185 (95%)	9 (5%)	0	100	100
28	0	34/36 (94%)	34 (100%)	0	0	100	100
29	3	120/123 (98%)	101 (84%)	19 (16%)	0	100	100
All	All	3545/3720 (95%)	3427 (97%)	118 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	160/167 (96%)	159 (99%)	1 (1%)	78	84
3	B	168/173 (97%)	167 (99%)	1 (1%)	78	84
4	C	50/55 (91%)	50 (100%)	0	100	100
5	D	156/160 (98%)	156 (100%)	0	100	100
6	E	213/214 (100%)	211 (99%)	2 (1%)	70	79
7	F	192/198 (97%)	191 (100%)	1 (0%)	81	87
8	G	107/108 (99%)	101 (94%)	6 (6%)	19	20
9	H	183/184 (100%)	180 (98%)	3 (2%)	55	66
10	I	106/107 (99%)	105 (99%)	1 (1%)	70	79
11	J	101/103 (98%)	100 (99%)	1 (1%)	68	77
12	K	111/111 (100%)	111 (100%)	0	100	100
13	L	89/91 (98%)	88 (99%)	1 (1%)	65	75
14	M	94/104 (90%)	93 (99%)	1 (1%)	65	75
15	N	120/121 (99%)	119 (99%)	1 (1%)	73	80
16	O	117/123 (95%)	114 (97%)	3 (3%)	40	50
17	P	45/46 (98%)	44 (98%)	1 (2%)	45	56
18	Q	137/143 (96%)	135 (98%)	2 (2%)	57	68
19	R	96/102 (94%)	96 (100%)	0	100	100
20	S	58/61 (95%)	58 (100%)	0	100	100
21	T	108/114 (95%)	106 (98%)	2 (2%)	50	61
22	U	126/127 (99%)	124 (98%)	2 (2%)	55	66
23	V	88/90 (98%)	88 (100%)	0	100	100
24	W	53/56 (95%)	53 (100%)	0	100	100
25	X	55/60 (92%)	54 (98%)	1 (2%)	51	63
26	Y	40/42 (95%)	40 (100%)	0	100	100
27	Z	155/168 (92%)	150 (97%)	5 (3%)	34	43
28	0	34/34 (100%)	34 (100%)	0	100	100
29	3	98/99 (99%)	90 (92%)	8 (8%)	10	9
All	All	3060/3161 (97%)	3017 (99%)	43 (1%)	57	70

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	93	ILE
3	B	24	LYS
6	E	107	ILE
6	E	133	VAL
7	F	183	VAL
8	G	6	LEU
8	G	12	LYS
8	G	38	ILE
8	G	50	LEU
8	G	99	LYS
8	G	111	THR
9	H	60	ASN
9	H	127	ILE
9	H	214	SER
10	I	85	ASP
11	J	82	GLU
13	L	32	VAL
14	M	129	LYS
15	N	97	ILE
16	O	126	VAL
16	O	140	THR
16	O	141	VAL
17	P	56	GLU
18	Q	76	LEU
18	Q	90	GLU
21	T	19	MET
21	T	120	ILE
22	U	71	GLU
22	U	140	LEU
25	X	59	GLU
27	Z	3	ILE
27	Z	23	LYS
27	Z	153	LYS
27	Z	173	LEU
27	Z	175	VAL
29	3	11	VAL
29	3	29	THR
29	3	61	GLU
29	3	62	ILE
29	3	63	VAL
29	3	66	LEU
29	3	75	ILE
29	3	102	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	77	GLN
2	A	143	GLN
6	E	37	HIS
9	H	38	ASN
9	H	51	HIS
9	H	55	HIS
9	H	84	HIS
11	J	88	GLN
12	K	131	GLN
19	R	26	HIS
19	R	99	HIS
22	U	82	ASN
25	X	26	GLN
27	Z	87	ASN
29	3	47	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1496/1497 (99%)	149 (9%)	1 (0%)
30	5	16/17 (94%)	2 (12%)	0
31	4	18/77 (23%)	0	0
All	All	1530/1591 (96%)	151 (9%)	1 (0%)

All (151) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	45	U
1	2	54	G
1	2	57	U
1	2	59	A
1	2	76	G
1	2	85	U
1	2	86	U
1	2	88	U
1	2	95	C
1	2	117	C
1	2	126	A
1	2	128	C
1	2	154	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	159	A
1	2	189	A
1	2	196	G
1	2	209	A
1	2	211	A
1	2	212	G
1	2	219	G
1	2	222	A
1	2	223	G
1	2	225	C
1	2	229	G
1	2	254	U
1	2	256	G
1	2	260	G
1	2	275	G
1	2	276	C
1	2	298	C
1	2	315	A
1	2	337	C
1	2	338	A
1	2	353	A
1	2	354	C
1	2	355	G
1	2	358	G
1	2	363	G
1	2	371	G
1	2	376	C
1	2	381	C
1	2	406	A
1	2	415	G
1	2	424	C
1	2	425	U
1	2	426	G
1	2	477	G
1	2	484	G
1	2	497	U
1	2	498	A
1	2	513	A
1	2	539	A
1	2	542	C
1	2	600	G
1	2	620	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	632	A
1	2	642	U
1	2	690	U
1	2	691	G
1	2	715	G
1	2	722	G
1	2	744	A
1	2	760	U
1	2	761	A
1	2	782	A
1	2	784	G
1	2	788	G
1	2	814	A
1	2	861	G
1	2	885	A
1	2	890	A
1	2	893	G
1	2	897	G
1	2	905	C
1	2	932	U
1	2	941	A
1	2	943	G
1	2	946	G
1	2	947	G
1	2	949	A
1	2	965	A
1	2	968	G
1	2	974	U
1	2	975	G
1	2	977	A
1	2	990	G
1	2	991	G
1	2	997	C
1	2	998	C
1	2	999	G
1	2	1000	G
1	2	1001	A
1	2	1003	G
1	2	1004	C
1	2	1005	G
1	2	1008	G
1	2	1030	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1059	G
1	2	1060	U
1	2	1066	A
1	2	1090	U
1	2	1107	U
1	2	1116	A
1	2	1133	U
1	2	1149	G
1	2	1150	A
1	2	1157	G
1	2	1158	G
1	2	1170	A
1	2	1171	G
1	2	1186	A
1	2	1187	A
1	2	1188	A
1	2	1201	A
1	2	1212	A
1	2	1215	G
1	2	1222	A
1	2	1253	A
1	2	1254	A
1	2	1274	G
1	2	1276	U
1	2	1294	C
1	2	1310	U
1	2	1327	G
1	2	1338	U
1	2	1344	G
1	2	1353	G
1	2	1371	C
1	2	1391	G
1	2	1394	C
1	2	1396	G
1	2	1397	G
1	2	1400	C
1	2	1401	U
1	2	1402	A
1	2	1421	U
1	2	1424	G
1	2	1425	G
1	2	1456	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1461	A
1	2	1462	A
1	2	1463	G
1	2	1472	A
1	2	1474	G
1	2	1475	U
1	2	1486	G
1	2	1488	MA6
1	2	1498	5MC
1	2	1499	G
30	5	12	A
30	5	14	U

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2	1424	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

69 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	4AC	2	839	1	21,24,25	1.01	2 (9%)	29,34,37	1.34	4 (13%)
1	4AC	2	851	1	21,24,25	1.13	2 (9%)	29,34,37	1.25	3 (10%)
1	4AC	2	286	1	21,24,25	1.06	2 (9%)	29,34,37	1.33	4 (13%)
1	OMU	2	1177	1	19,22,23	1.23	2 (10%)	26,31,34	1.67	4 (15%)
1	5MC	2	1025	1	18,22,23	0.94	2 (11%)	26,32,35	1.15	3 (11%)
1	A2M	2	373	1	22,25,26	1.44	4 (18%)	31,36,39	2.15	8 (25%)
1	OMC	2	1376	1	19,22,23	0.78	0	26,31,34	0.82	0
1	4AC	2	394	1	21,24,25	1.09	2 (9%)	29,34,37	1.27	4 (13%)
1	OMG	2	1069	1	23,26,27	1.20	3 (13%)	33,38,41	1.94	6 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	UR3	2	1467	1	19,22,23	0.95	1 (5%)	26,32,35	1.39	2 (7%)
1	4AC	2	1184	1	21,24,25	0.99	2 (9%)	29,34,37	1.31	4 (13%)
1	4AC	2	1028	1	21,24,25	1.05	2 (9%)	29,34,37	1.30	4 (13%)
1	OMG	2	471	1	23,26,27	1.21	3 (13%)	33,38,41	1.99	5 (15%)
1	OMC	2	846	1	19,22,23	0.76	0	26,31,34	0.88	1 (3%)
1	LHH	2	250	1	22,25,26	2.50	8 (36%)	29,35,38	1.24	4 (13%)
1	6MZ	2	1469	1,32	22,25,26	1.50	4 (18%)	30,36,39	2.35	9 (30%)
1	4AC	2	1239	1	21,24,25	1.05	2 (9%)	29,34,37	1.30	4 (13%)
1	OMC	2	773	1	19,22,23	0.82	0	26,31,34	0.97	1 (3%)
1	OMC	2	129	1	19,22,23	0.77	0	26,31,34	0.79	0
1	LHH	2	1041	1	22,25,26	2.50	8 (36%)	29,35,38	1.24	4 (13%)
1	4AC	2	703	1	21,24,25	1.09	3 (14%)	29,34,37	1.58	4 (13%)
1	4AC	2	546	1	21,24,25	1.05	2 (9%)	29,34,37	1.23	3 (10%)
1	4AC	2	53	1	21,24,25	1.08	2 (9%)	29,34,37	1.25	4 (13%)
1	5MC	2	1202	1	18,22,23	0.95	2 (11%)	26,32,35	1.08	3 (11%)
1	OMU	2	830	1	19,22,23	1.27	4 (21%)	26,31,34	1.83	4 (15%)
1	OMU	2	20	1	19,22,23	1.22	3 (15%)	26,31,34	1.74	5 (19%)
1	MA6	2	1487	1	23,26,27	1.44	3 (13%)	34,38,41	2.19	11 (32%)
1	OMU	2	1380	1	19,22,23	1.21	2 (10%)	26,31,34	1.75	5 (19%)
1	4AC	2	828	1	21,24,25	1.06	2 (9%)	29,34,37	1.30	4 (13%)
31	OMC	4	32	31	19,22,23	0.84	0	26,31,34	0.99	2 (7%)
1	OMG	2	913	1	23,26,27	1.17	3 (13%)	33,38,41	2.06	8 (24%)
1	4AC	2	626	1	21,24,25	1.04	2 (9%)	29,34,37	1.30	4 (13%)
1	4AC	2	303	1	21,24,25	1.10	2 (9%)	29,34,37	1.26	3 (10%)
1	OMU	2	774	1	19,22,23	1.22	2 (10%)	26,31,34	1.73	4 (15%)
1	4AC	2	957	1	21,24,25	1.06	2 (9%)	29,34,37	1.28	4 (13%)
1	OMG	2	519	1	23,26,27	1.18	3 (13%)	33,38,41	1.99	7 (21%)
1	4AC	2	17	1	21,24,25	1.07	2 (9%)	29,34,37	1.23	4 (13%)
1	4AC	2	1233	1	21,24,25	1.07	2 (9%)	29,34,37	1.34	4 (13%)
1	MA6	2	1488	1	23,26,27	1.46	4 (17%)	34,38,41	2.12	10 (29%)
1	4AC	2	731	1	21,24,25	1.06	2 (9%)	29,34,37	1.18	3 (10%)
1	4AC	2	319	1	21,24,25	1.07	2 (9%)	29,34,37	1.33	4 (13%)
1	OMG	2	873	1	23,26,27	1.21	3 (13%)	33,38,41	1.95	6 (18%)
1	4AC	2	1147	1	21,24,25	1.03	2 (9%)	29,34,37	1.33	4 (13%)
1	5MC	2	535	1	18,22,23	0.90	2 (11%)	26,32,35	1.20	4 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	4AC	2	379	1	21,24,25	1.06	2 (9%)	29,34,37	1.25	3 (10%)
1	4AC	2	1479	1	21,24,25	1.11	2 (9%)	29,34,37	1.23	3 (10%)
1	4AC	2	479	1	21,24,25	1.05	2 (9%)	29,34,37	1.36	4 (13%)
1	4AC	2	751	1	21,24,25	1.05	2 (9%)	29,34,37	1.19	4 (13%)
1	OMU	2	64	1	19,22,23	1.18	3 (15%)	26,31,34	1.74	4 (15%)
1	OMG	2	680	1	23,26,27	1.21	3 (13%)	33,38,41	1.95	5 (15%)
1	5MC	2	1374	1	18,22,23	0.95	2 (11%)	26,32,35	1.11	3 (11%)
1	OMU	2	787	1	19,22,23	1.20	2 (10%)	26,31,34	1.90	5 (19%)
1	5MC	2	1496	1	18,22,23	0.94	2 (11%)	26,32,35	1.17	3 (11%)
1	OMG	2	467	1	23,26,27	1.20	3 (13%)	33,38,41	1.98	5 (15%)
1	5MC	2	1498	1	18,22,23	0.94	2 (11%)	26,32,35	1.34	5 (19%)
1	OMC	2	1036	1	19,22,23	0.79	0	26,31,34	0.87	1 (3%)
1	4AC	2	590	1	21,24,25	1.07	2 (9%)	29,34,37	1.30	4 (13%)
1	4AC	2	636	1	21,24,25	1.07	2 (9%)	29,34,37	1.65	4 (13%)
1	4AC	2	848	1	21,24,25	1.06	2 (9%)	29,34,37	1.42	4 (13%)
1	OMG	2	657	1	23,26,27	1.21	3 (13%)	33,38,41	1.97	6 (18%)
1	4AC	2	511	1	21,24,25	1.09	2 (9%)	29,34,37	1.33	4 (13%)
1	5MC	2	693	1	18,22,23	0.94	2 (11%)	26,32,35	1.10	3 (11%)
1	OMC	2	1040	1	19,22,23	0.77	0	26,31,34	0.78	0
1	4AC	2	718	1	21,24,25	1.06	2 (9%)	29,34,37	1.22	5 (17%)
1	5MC	2	1505	1,30	18,22,23	0.94	2 (11%)	26,32,35	1.16	3 (11%)
1	4AC	2	868	1	21,24,25	1.10	2 (9%)	29,34,37	1.26	3 (10%)
1	B8H	2	938	1	19,22,23	0.76	0	22,32,35	1.40	3 (13%)
1	5MC	2	875	1	18,22,23	0.92	2 (11%)	26,32,35	1.12	3 (11%)
1	OMG	2	934	1	23,26,27	1.19	3 (13%)	33,38,41	2.05	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	4AC	2	839	1	-	0/11/29/30	0/2/2/2
1	4AC	2	851	1	-	0/11/29/30	0/2/2/2
1	4AC	2	286	1	-	0/11/29/30	0/2/2/2
1	OMU	2	1177	1	-	0/9/27/28	0/2/2/2
1	5MC	2	1025	1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	A2M	2	373	1	-	0/9/27/28	0/3/3/3
1	OMC	2	1376	1	-	0/9/27/28	0/2/2/2
1	4AC	2	394	1	-	0/11/29/30	0/2/2/2
1	OMG	2	1069	1	-	0/9/27/28	0/3/3/3
1	UR3	2	1467	1	-	0/7/25/26	0/2/2/2
1	4AC	2	1184	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1028	1	-	0/11/29/30	0/2/2/2
1	OMG	2	471	1	-	0/9/27/28	0/3/3/3
1	OMC	2	846	1	-	0/9/27/28	0/2/2/2
1	LHH	2	250	1	-	0/13/31/32	0/2/2/2
1	6MZ	2	1469	1,32	-	0/9/27/28	0/3/3/3
1	4AC	2	1239	1	-	0/11/29/30	0/2/2/2
1	OMC	2	773	1	-	0/9/27/28	0/2/2/2
1	OMC	2	129	1	-	0/9/27/28	0/2/2/2
1	LHH	2	1041	1	-	0/13/31/32	0/2/2/2
1	4AC	2	703	1	-	0/11/29/30	0/2/2/2
1	4AC	2	546	1	-	0/11/29/30	0/2/2/2
1	4AC	2	53	1	-	0/11/29/30	0/2/2/2
1	5MC	2	1202	1	-	2/7/25/26	0/2/2/2
1	OMU	2	830	1	-	0/9/27/28	0/2/2/2
1	OMU	2	20	1	-	4/9/27/28	0/2/2/2
1	MA6	2	1487	1	-	0/11/29/30	0/3/3/3
1	OMU	2	1380	1	-	0/9/27/28	0/2/2/2
1	4AC	2	828	1	-	0/11/29/30	0/2/2/2
31	OMC	4	32	31	-	2/9/27/28	0/2/2/2
1	OMG	2	913	1	-	0/9/27/28	0/3/3/3
1	4AC	2	626	1	-	0/11/29/30	0/2/2/2
1	4AC	2	303	1	-	0/11/29/30	0/2/2/2
1	OMU	2	774	1	-	0/9/27/28	0/2/2/2
1	4AC	2	957	1	-	0/11/29/30	0/2/2/2
1	OMG	2	519	1	-	0/9/27/28	0/3/3/3
1	4AC	2	17	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1233	1	-	0/11/29/30	0/2/2/2
1	MA6	2	1488	1	-	1/11/29/30	0/3/3/3
1	4AC	2	731	1	-	0/11/29/30	0/2/2/2
1	4AC	2	319	1	-	0/11/29/30	0/2/2/2
1	OMG	2	873	1	-	0/9/27/28	0/3/3/3
1	4AC	2	1147	1	-	0/11/29/30	0/2/2/2
1	5MC	2	535	1	-	0/7/25/26	0/2/2/2
1	4AC	2	379	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1479	1	-	0/11/29/30	0/2/2/2
1	4AC	2	479	1	-	0/11/29/30	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	4AC	2	751	1	-	0/11/29/30	0/2/2/2
1	OMU	2	64	1	-	0/9/27/28	0/2/2/2
1	OMG	2	680	1	-	0/9/27/28	0/3/3/3
1	5MC	2	1374	1	-	0/7/25/26	0/2/2/2
1	OMU	2	787	1	-	4/9/27/28	0/2/2/2
1	5MC	2	1496	1	-	0/7/25/26	0/2/2/2
1	OMG	2	467	1	-	0/9/27/28	0/3/3/3
1	5MC	2	1498	1	-	4/7/25/26	0/2/2/2
1	OMC	2	1036	1	-	0/9/27/28	0/2/2/2
1	4AC	2	590	1	-	0/11/29/30	0/2/2/2
1	4AC	2	636	1	-	0/11/29/30	0/2/2/2
1	4AC	2	848	1	-	0/11/29/30	0/2/2/2
1	OMG	2	657	1	-	0/9/27/28	0/3/3/3
1	4AC	2	511	1	-	0/11/29/30	0/2/2/2
1	5MC	2	693	1	-	0/7/25/26	0/2/2/2
1	OMC	2	1040	1	-	0/9/27/28	0/2/2/2
1	4AC	2	718	1	-	0/11/29/30	0/2/2/2
1	5MC	2	1505	1,30	-	0/7/25/26	0/2/2/2
1	4AC	2	868	1	-	0/11/29/30	0/2/2/2
1	B8H	2	938	1	-	0/7/25/26	0/2/2/2
1	5MC	2	875	1	-	0/7/25/26	0/2/2/2
1	OMG	2	934	1	-	0/9/27/28	0/3/3/3

All (154) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	250	LHH	C4-N4	6.92	1.49	1.39
1	2	1041	LHH	C4-N4	6.81	1.49	1.39
1	2	1041	LHH	C7-N4	6.38	1.49	1.37
1	2	250	LHH	C7-N4	6.27	1.48	1.37
1	2	1469	6MZ	C5-C4	4.56	1.47	1.39
1	2	1487	MA6	C5-C4	4.42	1.47	1.39
1	2	1488	MA6	C5-C4	4.41	1.47	1.39
1	2	373	A2M	C5-C4	4.35	1.47	1.39
1	2	1041	LHH	O2-C2	-4.28	1.15	1.23
1	2	250	LHH	O2-C2	-4.21	1.15	1.23
1	2	303	4AC	C5-C4	3.29	1.47	1.40
1	2	868	4AC	C5-C4	3.26	1.47	1.40
1	2	851	4AC	C5-C4	3.26	1.47	1.40
1	2	1479	4AC	C5-C4	3.23	1.47	1.40
1	2	511	4AC	C5-C4	3.23	1.47	1.40
1	2	590	4AC	C5-C4	3.21	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	17	4AC	C5-C4	3.20	1.47	1.40
1	2	379	4AC	C5-C4	3.17	1.47	1.40
1	2	53	4AC	C5-C4	3.15	1.47	1.40
1	2	751	4AC	C5-C4	3.15	1.47	1.40
1	2	718	4AC	C5-C4	3.15	1.47	1.40
1	2	471	OMG	C5-C4	3.15	1.47	1.38
1	2	731	4AC	C5-C4	3.14	1.47	1.40
1	2	546	4AC	C5-C4	3.14	1.47	1.40
1	2	828	4AC	C5-C4	3.13	1.47	1.40
1	2	319	4AC	C5-C4	3.12	1.47	1.40
1	2	957	4AC	C5-C4	3.11	1.47	1.40
1	2	1028	4AC	C5-C4	3.10	1.47	1.40
1	2	286	4AC	C5-C4	3.10	1.47	1.40
1	2	1239	4AC	C5-C4	3.08	1.47	1.40
1	2	1469	6MZ	C5-C6	3.06	1.49	1.41
1	2	934	OMG	C5-C4	3.04	1.47	1.38
1	2	680	OMG	C5-C4	3.03	1.47	1.38
1	2	1233	4AC	C5-C4	3.03	1.47	1.40
1	2	467	OMG	C5-C4	3.02	1.47	1.38
1	2	703	4AC	C5-C4	3.01	1.47	1.40
1	2	657	OMG	C5-C4	3.01	1.47	1.38
1	2	626	4AC	C5-C4	3.01	1.47	1.40
1	2	479	4AC	C5-C4	3.01	1.47	1.40
1	2	394	4AC	C5-C4	3.00	1.47	1.40
1	2	1069	OMG	C5-C4	3.00	1.47	1.38
1	2	848	4AC	C5-C4	3.00	1.47	1.40
1	2	913	OMG	C5-C4	3.00	1.47	1.38
1	2	839	4AC	C5-C4	2.99	1.47	1.40
1	2	1488	MA6	C5-C6	2.99	1.49	1.41
1	2	1147	4AC	C5-C4	2.99	1.47	1.40
1	2	873	OMG	C5-C4	2.95	1.47	1.38
1	2	519	OMG	C5-C4	2.89	1.46	1.38
1	2	1202	5MC	C6-C5	2.89	1.39	1.34
1	2	636	4AC	C5-C4	2.86	1.47	1.40
1	2	1374	5MC	C6-C5	2.86	1.39	1.34
1	2	1177	OMU	C4-N3	-2.86	1.33	1.38
1	2	1496	5MC	C6-C5	2.84	1.39	1.34
1	2	830	OMU	C4-N3	-2.83	1.33	1.38
1	2	1184	4AC	C5-C4	2.82	1.46	1.40
1	2	1487	MA6	C5-C6	2.82	1.49	1.41
1	2	1025	5MC	C6-C5	2.73	1.39	1.34
1	2	1498	5MC	C6-C5	2.73	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	1505	5MC	C6-C5	2.71	1.39	1.34
1	2	373	A2M	C5-C6	2.70	1.48	1.41
1	2	787	OMU	C4-N3	-2.70	1.33	1.38
1	2	657	OMG	C6-N1	-2.69	1.33	1.38
1	2	250	LHH	C6-C5	2.69	1.41	1.35
1	2	851	4AC	C4-N3	-2.67	1.28	1.32
1	2	1380	OMU	C4-N3	-2.67	1.33	1.38
1	2	873	OMG	C6-N1	-2.67	1.33	1.38
1	2	693	5MC	C6-C5	2.67	1.39	1.34
1	2	875	5MC	C6-C5	2.67	1.39	1.34
1	2	774	OMU	C4-N3	-2.65	1.33	1.38
1	2	680	OMG	C6-N1	-2.64	1.33	1.38
1	2	1041	LHH	C6-C5	2.61	1.41	1.35
1	2	519	OMG	C6-N1	-2.60	1.34	1.38
1	2	467	OMG	C6-N1	-2.59	1.34	1.38
1	2	1177	OMU	C2-N3	-2.54	1.33	1.38
1	2	394	4AC	C4-N3	-2.53	1.28	1.32
1	2	535	5MC	C6-C5	2.53	1.38	1.34
1	2	934	OMG	C6-N1	-2.53	1.34	1.38
1	2	20	OMU	C4-N3	-2.52	1.34	1.38
1	2	957	4AC	C4-N3	-2.51	1.28	1.32
1	2	1069	OMG	C6-N1	-2.51	1.34	1.38
1	2	471	OMG	C6-N1	-2.45	1.34	1.38
1	2	53	4AC	C4-N3	-2.44	1.28	1.32
1	2	511	4AC	C4-N3	-2.43	1.28	1.32
1	2	657	OMG	C5-N7	-2.42	1.34	1.39
1	2	17	4AC	C4-N3	-2.41	1.28	1.32
1	2	467	OMG	C5-N7	-2.40	1.34	1.39
1	2	1041	LHH	C2-N1	-2.40	1.34	1.40
1	2	379	4AC	C4-N3	-2.39	1.28	1.32
1	2	1025	5MC	C6-N1	-2.39	1.34	1.38
1	2	718	4AC	C4-N3	-2.39	1.28	1.32
1	2	250	LHH	C2-N1	-2.38	1.34	1.40
1	2	64	OMU	C4-N3	-2.38	1.34	1.38
1	2	303	4AC	C4-N3	-2.37	1.28	1.32
1	2	830	OMU	C2-N3	-2.37	1.33	1.38
1	2	471	OMG	C5-N7	-2.37	1.34	1.39
1	2	873	OMG	C5-N7	-2.37	1.34	1.39
1	2	1479	4AC	C4-N3	-2.35	1.28	1.32
1	2	546	4AC	C4-N3	-2.35	1.28	1.32
1	2	373	A2M	C5-N7	-2.34	1.34	1.39
1	2	286	4AC	C4-N3	-2.34	1.28	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	913	OMG	C6-N1	-2.34	1.34	1.38
1	2	590	4AC	C4-N3	-2.33	1.28	1.32
1	2	1069	OMG	C5-N7	-2.33	1.34	1.39
1	2	680	OMG	C5-N7	-2.32	1.34	1.39
1	2	828	4AC	C4-N3	-2.32	1.28	1.32
1	2	848	4AC	C4-N3	-2.31	1.28	1.32
1	2	787	OMU	C2-N3	-2.31	1.33	1.38
1	2	868	4AC	C4-N3	-2.30	1.28	1.32
1	2	731	4AC	C4-N3	-2.29	1.28	1.32
1	2	1239	4AC	C4-N3	-2.28	1.28	1.32
1	2	875	5MC	C6-N1	-2.27	1.34	1.38
1	2	535	5MC	C6-N1	-2.26	1.34	1.38
1	2	20	OMU	C2-N3	-2.26	1.33	1.38
1	2	1380	OMU	C2-N3	-2.26	1.33	1.38
1	2	250	LHH	C6-N1	-2.25	1.32	1.38
1	2	693	5MC	C6-N1	-2.25	1.34	1.38
1	2	319	4AC	C4-N3	-2.24	1.28	1.32
1	2	703	4AC	C4-N3	-2.23	1.28	1.32
1	2	479	4AC	C4-N3	-2.23	1.28	1.32
1	2	1488	MA6	C5-N7	-2.23	1.34	1.39
1	2	1498	5MC	C6-N1	-2.21	1.34	1.38
1	2	1233	4AC	C4-N3	-2.21	1.29	1.32
1	2	1488	MA6	C8-N7	2.20	1.35	1.31
1	2	1496	5MC	C6-N1	-2.20	1.34	1.38
1	2	64	OMU	C2-N3	-2.20	1.34	1.38
1	2	1028	4AC	C4-N3	-2.19	1.29	1.32
1	2	636	4AC	C4-N3	-2.19	1.29	1.32
1	2	751	4AC	C4-N3	-2.19	1.29	1.32
1	2	626	4AC	C4-N3	-2.17	1.29	1.32
1	2	1467	UR3	C2-N1	2.17	1.41	1.38
1	2	774	OMU	C2-N3	-2.17	1.34	1.38
1	2	519	OMG	C5-N7	-2.17	1.34	1.39
1	2	830	OMU	C5-C4	-2.15	1.38	1.43
1	2	934	OMG	C5-N7	-2.15	1.34	1.39
1	2	913	OMG	C5-N7	-2.15	1.34	1.39
1	2	1374	5MC	C6-N1	-2.15	1.34	1.38
1	2	703	4AC	C4-N4	-2.14	1.36	1.39
1	2	1041	LHH	C2-N3	-2.14	1.32	1.36
1	2	373	A2M	C8-N7	2.13	1.35	1.31
1	2	1202	5MC	C6-N1	-2.13	1.34	1.38
1	2	1184	4AC	C4-N3	-2.13	1.29	1.32
1	2	1147	4AC	C4-N3	-2.11	1.29	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	1469	6MZ	C5-N7	-2.11	1.35	1.39
1	2	250	LHH	CM7-C7	2.09	1.54	1.50
1	2	1469	6MZ	C8-N7	2.08	1.35	1.31
1	2	1487	MA6	C5-N7	-2.08	1.35	1.39
1	2	1505	5MC	C6-N1	-2.08	1.34	1.38
1	2	64	OMU	C5-C4	-2.08	1.39	1.43
1	2	830	OMU	C2-N1	2.08	1.41	1.38
1	2	1041	LHH	C6-N1	-2.07	1.33	1.38
1	2	20	OMU	C2-N1	2.06	1.41	1.38
1	2	250	LHH	C2-N3	-2.04	1.32	1.36
1	2	839	4AC	C4-N3	-2.03	1.29	1.32
1	2	1041	LHH	CM7-C7	2.02	1.54	1.50

All (282) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	471	OMG	C5-C4-N3	-6.47	117.96	128.46
1	2	373	A2M	C5-C4-N3	-6.47	118.31	126.75
1	2	657	OMG	C5-C4-N3	-6.41	118.06	128.46
1	2	680	OMG	C5-C4-N3	-6.26	118.31	128.46
1	2	1469	6MZ	C5-C4-N3	-6.18	118.69	126.75
1	2	467	OMG	C5-C4-N3	-6.14	118.50	128.46
1	2	934	OMG	C5-C4-N3	-6.13	118.51	128.46
1	2	913	OMG	C5-C4-N3	-6.10	118.56	128.46
1	2	519	OMG	C5-C4-N3	-6.02	118.69	128.46
1	2	873	OMG	C5-C4-N3	-5.97	118.77	128.46
1	2	1488	MA6	C5-C4-N3	-5.82	119.15	126.75
1	2	1069	OMG	C5-C4-N3	-5.81	119.04	128.46
1	2	1487	MA6	C5-C4-N3	-5.78	119.20	126.75
1	2	703	4AC	O7-C7-N4	5.37	130.50	121.82
1	2	1467	UR3	C4-N3-C2	-5.36	119.51	124.56
1	2	636	4AC	O7-C7-N4	5.31	130.41	121.82
1	2	1469	6MZ	C6-C5-N7	5.28	138.10	132.39
1	2	471	OMG	C2-N3-C4	5.20	121.57	112.30
1	2	913	OMG	C2-N3-C4	5.17	121.52	112.30
1	2	657	OMG	C2-N3-C4	5.14	121.46	112.30
1	2	680	OMG	C2-N3-C4	5.08	121.36	112.30
1	2	934	OMG	C2-N3-C4	5.08	121.36	112.30
1	2	519	OMG	C2-N3-C4	5.01	121.23	112.30
1	2	787	OMU	N3-C2-N1	5.01	121.54	114.89
1	2	467	OMG	C2-N3-C4	4.98	121.17	112.30
1	2	787	OMU	C4-N3-C2	-4.97	120.03	126.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	1069	OMG	C2-N3-C4	4.88	121.00	112.30
1	2	1487	MA6	C2-N1-C6	4.86	123.22	111.75
1	2	938	B8H	C4-N3-C2	-4.83	121.10	127.35
1	2	873	OMG	C2-N3-C4	4.81	120.86	112.30
1	2	373	A2M	N3-C4-N9	4.75	134.92	127.08
1	2	657	OMG	N9-C4-N3	4.74	135.46	125.94
1	2	830	OMU	N3-C2-N1	4.72	121.15	114.89
1	2	830	OMU	C4-N3-C2	-4.70	120.37	126.58
1	2	873	OMG	N9-C4-N3	4.70	135.39	125.94
1	2	1380	OMU	C4-N3-C2	-4.68	120.40	126.58
1	2	20	OMU	C4-N3-C2	-4.60	120.52	126.58
1	2	471	OMG	N9-C4-N3	4.59	135.15	125.94
1	2	64	OMU	C4-N3-C2	-4.58	120.54	126.58
1	2	1488	MA6	C2-N1-C6	4.57	122.56	111.75
1	2	680	OMG	N9-C4-N3	4.57	135.11	125.94
1	2	519	OMG	N9-C4-N3	4.54	135.06	125.94
1	2	467	OMG	N9-C4-N3	4.54	135.06	125.94
1	2	303	4AC	O7-C7-N4	4.54	129.16	121.82
1	2	1380	OMU	N3-C2-N1	4.53	120.91	114.89
1	2	1233	4AC	O7-C7-N4	4.53	129.15	121.82
1	2	479	4AC	O7-C7-N4	4.51	129.12	121.82
1	2	774	OMU	C4-N3-C2	-4.48	120.67	126.58
1	2	1469	6MZ	C4-C5-N7	-4.48	105.16	110.62
1	2	1028	4AC	O7-C7-N4	4.48	129.06	121.82
1	2	1487	MA6	N3-C4-N9	4.46	134.43	127.08
1	2	1184	4AC	O7-C7-N4	4.44	129.00	121.82
1	2	1177	OMU	C4-N3-C2	-4.42	120.75	126.58
1	2	590	4AC	O7-C7-N4	4.41	128.96	121.82
1	2	848	4AC	O7-C7-N4	4.41	128.95	121.82
1	2	1239	4AC	O7-C7-N4	4.40	128.94	121.82
1	2	957	4AC	O7-C7-N4	4.39	128.93	121.82
1	2	913	OMG	N9-C4-N3	4.39	134.76	125.94
1	2	286	4AC	O7-C7-N4	4.38	128.90	121.82
1	2	319	4AC	O7-C7-N4	4.37	128.89	121.82
1	2	934	OMG	N9-C4-N3	4.37	134.71	125.94
1	2	774	OMU	N3-C2-N1	4.35	120.67	114.89
1	2	839	4AC	O7-C7-N4	4.34	128.84	121.82
1	2	379	4AC	O7-C7-N4	4.33	128.82	121.82
1	2	1069	OMG	N9-C4-N3	4.29	134.55	125.94
1	2	1147	4AC	O7-C7-N4	4.28	128.74	121.82
1	2	546	4AC	O7-C7-N4	4.27	128.73	121.82
1	2	511	4AC	O7-C7-N4	4.24	128.68	121.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	20	OMU	N3-C2-N1	4.24	120.52	114.89
1	2	828	4AC	O7-C7-N4	4.24	128.68	121.82
1	2	626	4AC	O7-C7-N4	4.23	128.67	121.82
1	2	851	4AC	O7-C7-N4	4.22	128.65	121.82
1	2	1488	MA6	C4-C5-N7	-4.15	105.56	110.62
1	2	1469	6MZ	N3-C4-N9	4.15	133.92	127.08
1	2	1177	OMU	N3-C2-N1	4.14	120.39	114.89
1	2	53	4AC	O7-C7-N4	4.12	128.49	121.82
1	2	64	OMU	N3-C2-N1	4.12	120.36	114.89
1	2	394	4AC	O7-C7-N4	4.09	128.44	121.82
1	2	1469	6MZ	C2-N3-C4	4.09	121.41	111.75
1	2	868	4AC	O7-C7-N4	4.07	128.40	121.82
1	2	373	A2M	C2-N3-C4	4.05	121.33	111.75
1	2	751	4AC	O7-C7-N4	4.04	128.35	121.82
1	2	1488	MA6	C2-N3-C4	3.97	121.14	111.75
1	2	1488	MA6	N3-C4-N9	3.96	133.61	127.08
1	2	1487	MA6	C2-N3-C4	3.92	121.02	111.75
1	2	731	4AC	O7-C7-N4	3.91	128.15	121.82
1	2	1479	4AC	O7-C7-N4	3.88	128.10	121.82
1	2	1487	MA6	C4-C5-N7	-3.88	105.90	110.62
1	2	718	4AC	O7-C7-N4	3.84	128.03	121.82
1	2	17	4AC	O7-C7-N4	3.83	128.02	121.82
1	2	636	4AC	N4-C4-N3	3.81	120.25	113.85
1	2	64	OMU	C5-C4-N3	3.75	120.45	114.84
1	2	636	4AC	C5-C4-N4	-3.71	116.48	122.92
1	2	1487	MA6	N1-C2-N3	-3.70	122.82	128.60
1	2	1177	OMU	C5-C4-N3	3.69	120.36	114.84
1	2	830	OMU	C5-C4-N3	3.67	120.33	114.84
1	2	913	OMG	C6-C5-N7	3.65	137.04	130.25
1	2	934	OMG	C6-C5-N7	3.65	137.03	130.25
1	2	373	A2M	C4-C5-N7	-3.63	106.19	110.62
1	2	535	5MC	C5-C6-N1	-3.63	119.60	123.34
1	2	1380	OMU	C5-C4-N3	3.59	120.22	114.84
1	2	703	4AC	CM7-C7-N4	-3.59	109.08	115.29
1	2	875	5MC	C5-C6-N1	-3.57	119.67	123.34
1	2	1496	5MC	C5-C6-N1	-3.57	119.67	123.34
1	2	787	OMU	C5-C4-N3	3.54	120.14	114.84
1	2	1025	5MC	C5-C6-N1	-3.53	119.71	123.34
1	2	20	OMU	C5-C4-N3	3.48	120.05	114.84
1	2	1469	6MZ	N1-C2-N3	-3.48	123.16	128.60
1	2	774	OMU	C5-C4-N3	3.47	120.03	114.84
1	2	1488	MA6	N1-C2-N3	-3.46	123.19	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	1469	6MZ	C5-N7-C8	3.46	108.42	103.51
1	2	1069	OMG	C6-C5-N7	3.43	136.63	130.25
1	2	1505	5MC	C5-C6-N1	-3.42	119.82	123.34
1	2	848	4AC	N4-C4-N3	3.37	119.51	113.85
1	2	519	OMG	C6-C5-N7	3.36	136.50	130.25
1	2	1498	5MC	C5-C4-N3	-3.35	118.06	121.67
1	2	467	OMG	C6-C5-N7	3.31	136.40	130.25
1	2	703	4AC	C5-C4-N4	-3.30	117.18	122.92
1	2	471	OMG	C6-C5-N7	3.29	136.37	130.25
1	2	1488	MA6	C5-N7-C8	3.28	108.17	103.51
1	2	680	OMG	C6-C5-N7	3.27	136.33	130.25
1	2	1487	MA6	C5-N7-C8	3.26	108.14	103.51
1	2	373	A2M	N3-C2-N1	-3.25	123.51	128.60
1	2	64	OMU	O4-C4-C5	-3.24	119.47	125.16
1	2	1202	5MC	C5-C6-N1	-3.23	120.02	123.34
1	2	873	OMG	C6-C5-N7	3.18	136.16	130.25
1	2	828	4AC	CM7-C7-N4	-3.13	109.88	115.29
1	2	479	4AC	N4-C4-N3	3.05	118.98	113.85
1	2	934	OMG	C4-C5-N7	-3.04	105.91	110.72
1	2	657	OMG	C6-C5-N7	3.03	135.89	130.25
1	2	839	4AC	N4-C4-N3	3.00	118.89	113.85
1	2	373	A2M	C5-N7-C8	2.99	107.76	103.51
1	2	1147	4AC	N4-C4-N3	2.98	118.86	113.85
1	2	303	4AC	CM7-C7-N4	-2.97	110.15	115.29
1	2	774	OMU	O4-C4-C5	-2.97	119.93	125.16
1	2	1487	MA6	C4-N9-C8	2.95	108.93	105.73
1	2	913	OMG	C4-C5-N7	-2.90	106.13	110.72
1	2	830	OMU	O4-C4-C5	-2.89	120.09	125.16
1	2	1233	4AC	N4-C4-N3	2.88	118.69	113.85
1	2	1374	5MC	C5-C4-N3	-2.87	118.58	121.67
1	2	693	5MC	C5-C6-N1	-2.85	120.40	123.34
1	2	1374	5MC	C5-C6-N1	-2.83	120.42	123.34
1	2	379	4AC	CM7-C7-N4	-2.81	110.43	115.29
1	2	471	OMG	C4-C5-N7	-2.81	106.28	110.72
1	2	1488	MA6	C6-C5-N7	2.81	138.00	133.28
1	2	1147	4AC	C5-C4-N4	-2.81	118.04	122.92
1	2	1184	4AC	C5-C4-N4	-2.80	118.05	122.92
1	2	1233	4AC	CM7-C7-N4	-2.79	110.47	115.29
1	2	626	4AC	N4-C4-N3	2.78	118.52	113.85
1	2	535	5MC	C5-C4-N3	-2.75	118.70	121.67
1	2	773	OMC	O2-C2-N3	-2.74	117.87	122.33
1	2	703	4AC	N4-C4-N3	2.74	118.45	113.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	319	4AC	N4-C4-N3	2.74	118.45	113.85
1	2	20	OMU	O4-C4-C5	-2.74	120.34	125.16
1	2	1496	5MC	C5-C4-N3	-2.74	118.72	121.67
1	2	1069	OMG	C4-C5-N7	-2.74	106.39	110.72
1	2	590	4AC	CM7-C7-N4	-2.73	110.56	115.29
1	2	848	4AC	C5-C4-N4	-2.73	118.18	122.92
1	2	957	4AC	CM7-C7-N4	-2.72	110.58	115.29
1	2	467	OMG	C4-C5-N7	-2.72	106.42	110.72
1	2	1184	4AC	N4-C4-N3	2.71	118.41	113.85
1	2	1380	OMU	O4-C4-C5	-2.71	120.39	125.16
1	2	1184	4AC	CM7-C7-N4	-2.71	110.60	115.29
1	2	286	4AC	CM7-C7-N4	-2.71	110.61	115.29
1	2	394	4AC	N4-C4-N3	2.70	118.39	113.85
1	2	546	4AC	CM7-C7-N4	-2.70	110.63	115.29
1	2	1025	5MC	C5-C4-N3	-2.70	118.77	121.67
1	2	1202	5MC	C5-C4-N3	-2.69	118.77	121.67
1	2	1505	5MC	C5-C4-N3	-2.69	118.77	121.67
1	2	787	OMU	O4-C4-C5	-2.68	120.45	125.16
1	2	680	OMG	C4-C5-N7	-2.68	106.49	110.72
1	2	1041	LHH	C5-C4-N3	-2.66	118.30	122.59
1	2	1498	5MC	O2-C2-N3	-2.65	118.02	122.33
1	2	1028	4AC	N4-C4-N3	2.65	118.31	113.85
1	2	479	4AC	CM7-C7-N4	-2.65	110.71	115.29
1	2	479	4AC	C5-C4-N4	-2.64	118.33	122.92
1	2	511	4AC	CM7-C7-N4	-2.64	110.72	115.29
1	2	250	LHH	C5-C4-N3	-2.64	118.35	122.59
1	2	1233	4AC	C5-C4-N4	-2.63	118.35	122.92
1	2	1028	4AC	CM7-C7-N4	-2.63	110.75	115.29
1	2	1239	4AC	CM7-C7-N4	-2.62	110.75	115.29
1	2	693	5MC	C5-C4-N3	-2.62	118.84	121.67
31	4	32	OMC	O2-C2-N3	-2.62	118.08	122.33
1	2	839	4AC	CM7-C7-N4	-2.61	110.78	115.29
1	2	286	4AC	N4-C4-N3	2.60	118.22	113.85
1	2	787	OMU	O2-C2-N1	-2.59	119.34	122.79
1	2	53	4AC	N4-C4-N3	2.59	118.20	113.85
1	2	657	OMG	C4-C5-N7	-2.57	106.65	110.72
1	2	519	OMG	C4-C5-N7	-2.57	106.66	110.72
1	2	718	4AC	N4-C4-N3	2.55	118.14	113.85
1	2	873	OMG	C4-C5-N7	-2.53	106.71	110.72
1	2	839	4AC	C5-C4-N4	-2.52	118.54	122.92
1	2	1147	4AC	CM7-C7-N4	-2.52	110.94	115.29
1	2	1479	4AC	O2-C2-N3	-2.52	118.24	122.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	751	4AC	CM7-C7-N4	-2.51	110.95	115.29
1	2	1467	UR3	C6-N1-C2	-2.50	119.55	121.79
1	2	394	4AC	CM7-C7-N4	-2.50	110.96	115.29
1	2	286	4AC	C5-C4-N4	-2.50	118.58	122.92
1	2	731	4AC	N4-C4-N3	2.49	118.04	113.85
1	2	938	B8H	N3-C2-N1	2.48	117.82	115.14
1	2	851	4AC	CM7-C7-N4	-2.48	111.01	115.29
1	2	875	5MC	C5-C4-N3	-2.47	119.01	121.67
1	2	1496	5MC	O2-C2-N3	-2.47	118.31	122.33
1	2	1177	OMU	O4-C4-C5	-2.46	120.83	125.16
1	2	250	LHH	N4-C4-N3	2.45	117.96	113.85
1	2	394	4AC	C5-C4-N4	-2.44	118.68	122.92
1	2	636	4AC	CM7-C7-N4	-2.43	111.08	115.29
1	2	751	4AC	N4-C4-N3	2.43	117.93	113.85
1	2	1028	4AC	C5-C4-N4	-2.42	118.71	122.92
1	2	868	4AC	CM7-C7-N4	-2.42	111.11	115.29
1	2	1380	OMU	O2-C2-N1	-2.41	119.58	122.79
1	2	319	4AC	CM7-C7-N4	-2.39	111.15	115.29
1	2	53	4AC	C5-C4-N4	-2.38	118.78	122.92
1	2	17	4AC	N4-C4-N3	2.38	117.85	113.85
1	2	1239	4AC	N4-C4-N3	2.38	117.85	113.85
1	2	1487	MA6	N9-C8-N7	-2.37	110.67	113.91
1	2	1036	OMC	O2-C2-N3	-2.37	118.48	122.33
1	2	957	4AC	N4-C4-N3	2.36	117.82	113.85
1	2	626	4AC	CM7-C7-N4	-2.36	111.22	115.29
1	2	868	4AC	N4-C4-N3	2.35	117.79	113.85
1	2	1041	LHH	N4-C4-N3	2.34	117.78	113.85
1	2	373	A2M	C6-C5-N7	2.34	136.38	132.02
1	2	250	LHH	O2-C2-N3	-2.34	118.53	122.33
1	2	1374	5MC	O2-C2-N3	-2.33	118.54	122.33
1	2	53	4AC	CM7-C7-N4	-2.32	111.27	115.29
1	2	1498	5MC	C1'-N1-C6	-2.32	117.26	121.12
1	2	1487	MA6	C6-C5-N7	2.31	137.16	133.28
1	2	1479	4AC	N4-C4-N3	2.29	117.70	113.85
1	2	693	5MC	O2-C2-N3	-2.29	118.61	122.33
1	2	590	4AC	N4-C4-N3	2.28	117.68	113.85
1	2	535	5MC	O2-C2-N3	-2.28	118.62	122.33
1	2	303	4AC	N4-C4-N3	2.27	117.66	113.85
1	2	1498	5MC	C1'-N1-C2	2.25	123.44	118.42
1	2	1469	6MZ	C2-N1-C6	2.24	122.78	115.25
1	2	1505	5MC	O2-C2-N3	-2.24	118.69	122.33
1	2	848	4AC	CM7-C7-N4	-2.24	111.42	115.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	828	4AC	N4-C4-N3	2.24	117.61	113.85
1	2	319	4AC	C5-C4-N4	-2.23	119.04	122.92
1	2	1041	LHH	O2-C2-N3	-2.23	118.71	122.33
1	2	957	4AC	C5-C4-N4	-2.22	119.05	122.92
1	2	20	OMU	O2-C2-N1	-2.22	119.83	122.79
1	2	519	OMG	O6-C6-C5	-2.19	120.79	126.60
1	2	873	OMG	O6-C6-C5	-2.18	120.81	126.60
1	2	626	4AC	C5-C4-N4	-2.17	119.15	122.92
1	2	934	OMG	C2'-C1'-N9	-2.17	110.02	114.22
1	2	546	4AC	N4-C4-N3	2.16	117.49	113.85
1	2	851	4AC	O2-C2-N3	-2.16	118.82	122.33
31	4	32	OMC	C1'-N1-C2	2.15	123.22	118.42
1	2	535	5MC	CM5-C5-C6	-2.14	119.99	122.85
1	2	1202	5MC	O2-C2-N3	-2.14	118.86	122.33
1	2	1487	MA6	N1-C6-N6	2.13	119.42	117.08
1	2	379	4AC	O2-C2-N3	-2.13	118.86	122.33
1	2	938	B8H	O4'-C1'-C2'	2.13	108.15	105.14
1	2	511	4AC	O2-C2-N3	-2.13	118.87	122.33
1	2	1041	LHH	C5-C6-N1	-2.12	118.25	121.81
1	2	1069	OMG	O6-C6-C5	-2.12	120.97	126.60
1	2	511	4AC	N4-C4-N3	2.12	117.42	113.85
1	2	1498	5MC	C5-C6-N1	-2.12	121.16	123.34
1	2	718	4AC	O2-C2-N3	-2.11	118.90	122.33
1	2	731	4AC	CM7-C7-N4	-2.11	111.65	115.29
1	2	17	4AC	O2-C2-N3	-2.11	118.90	122.33
1	2	590	4AC	C5-C4-N4	-2.10	119.28	122.92
1	2	828	4AC	C5-C4-N4	-2.10	119.28	122.92
1	2	519	OMG	C5-C6-N1	2.10	118.51	113.19
1	2	913	OMG	C5-C6-N1	2.09	118.50	113.19
1	2	373	A2M	C4-N9-C8	2.09	107.99	105.73
1	2	250	LHH	C5-C6-N1	-2.09	118.32	121.81
1	2	657	OMG	O6-C6-C5	-2.08	121.07	126.60
1	2	846	OMC	O2-C2-N3	-2.08	118.95	122.33
1	2	17	4AC	CM7-C7-N4	-2.08	111.69	115.29
1	2	751	4AC	C5-C4-N4	-2.08	119.31	122.92
1	2	1488	MA6	N9-C8-N7	-2.08	111.07	113.91
1	2	718	4AC	C5-C4-N4	-2.07	119.32	122.92
1	2	934	OMG	C8-N7-C5	2.06	107.98	104.24
1	2	718	4AC	CM7-C7-N4	-2.06	111.73	115.29
1	2	913	OMG	O6-C6-C5	-2.06	121.14	126.60
1	2	913	OMG	C2'-C1'-N9	-2.06	110.23	114.22
1	2	1488	MA6	C4-N9-C8	2.05	107.94	105.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	1239	4AC	C5-C4-N4	-2.04	119.37	122.92
1	2	875	5MC	O2-C2-N3	-2.03	119.03	122.33
1	2	1469	6MZ	N9-C8-N7	-2.03	111.14	113.91
1	2	1025	5MC	O2-C2-N3	-2.00	119.07	122.33

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	2	1202	5MC	O4'-C4'-C5'-O5'
1	2	20	OMU	C2'-C1'-N1-C6
31	4	32	OMC	C3'-C2'-O2'-CM2
1	2	20	OMU	O4'-C1'-N1-C6
1	2	1202	5MC	C3'-C4'-C5'-O5'
1	2	787	OMU	C2'-C1'-N1-C6
1	2	1498	5MC	O4'-C1'-N1-C6
1	2	1488	MA6	C4'-C5'-O5'-P
1	2	20	OMU	O4'-C1'-N1-C2
1	2	787	OMU	O4'-C1'-N1-C6
1	2	1498	5MC	O4'-C1'-N1-C2
1	2	1498	5MC	O4'-C4'-C5'-O5'
1	2	1498	5MC	C2'-C1'-N1-C2
1	2	20	OMU	C2'-C1'-N1-C2
1	2	787	OMU	O4'-C1'-N1-C2
31	4	32	OMC	C2'-C1'-N1-C2
1	2	787	OMU	C2'-C1'-N1-C2

There are no ring outliers.

13 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2	1177	OMU	1	0
1	2	373	A2M	1	0
1	2	703	4AC	3	0
1	2	1202	5MC	1	0
1	2	1487	MA6	1	0
1	2	1380	OMU	1	0
31	4	32	OMC	1	0
1	2	774	OMU	1	0
1	2	1488	MA6	1	0
1	2	731	4AC	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2	1147	4AC	1	0
1	2	64	OMU	1	0
1	2	636	4AC	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 96 ligands modelled in this entry, 96 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14731. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 216




Y Index: 216




Z Index: 216


6.2.2 Raw map



X Index: 216



Y Index: 216




Z Index: 216


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 221




Y Index: 207




Z Index: 222


6.3.2 Raw map



X Index: 225



Y Index: 229




Z Index: 218


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0249. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 521 nm³; this corresponds to an approximate mass of 470 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.444 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.444 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.25	-	-
Author-provided FSC curve	2.24	2.48	2.27
Unmasked-calculated*	2.57	2.95	2.62

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.57 differs from the reported value 2.25 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14731 and PDB model 7ZHG. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0249 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0249).

9.4 Atom inclusion ⓘ



At the recommended contour level, 91% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0249) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9230	 0.6960
0	 0.9500	 0.7380
2	 0.9610	 0.7070
3	 0.0620	 0.2640
4	 0.9610	 0.7030
5	 0.9290	 0.6750
A	 0.9180	 0.7000
B	 0.9270	 0.7030
C	 0.9480	 0.7190
D	 0.9660	 0.7310
E	 0.9550	 0.7120
F	 0.9500	 0.7380
G	 0.7710	 0.6030
H	 0.9500	 0.7220
I	 0.9660	 0.7460
J	 0.9310	 0.7030
K	 0.9540	 0.7230
L	 0.8140	 0.6540
M	 0.9520	 0.7250
N	 0.9460	 0.7210
O	 0.9110	 0.6910
P	 0.8670	 0.6980
Q	 0.9390	 0.7100
R	 0.9680	 0.7290
S	 0.8530	 0.6430
T	 0.8780	 0.6730
U	 0.9480	 0.7180
V	 0.9170	 0.6920
W	 0.9120	 0.6890
X	 0.8920	 0.6850
Y	 0.0650	 0.2560
Z	 0.8490	 0.6540

