



wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 02:49 AM UTC

PDB ID : 8ZH3 / pdb_00008zh3
EMDB ID : EMD-60094
Title : 80S ribosome with A/P-P/E tRNA and mRNA of WNV
Authors : Wu, M.; Yuan, S.
Deposited on : 2024-05-10
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10327 (2.20 - 3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	LA	3393	
2	LB	121	
3	LC	158	










Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	LD	251	
5	LE	386	
6	LF	361	
7	LG	294	
8	LH	175	
9	LI	222	
10	LJ	233	
11	LK	191	
12	LL	218	
13	LM	169	
14	LN	193	
15	LO	136	
16	LP	203	
17	LQ	197	
18	LR	183	
19	LS	185	
20	LT	188	
21	LU	171	
22	LV	159	
23	LW	100	
24	LX	136	
25	LY	65	
26	LZ	121	
27	La	125	
28	Lb	135	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Lc	148	
30	Ld	58	
31	Le	96	
32	Lf	109	
33	Lg	127	
34	Lh	106	
35	Li	112	
36	Lj	119	
37	Lk	99	
38	Ll	81	
39	Lm	77	
40	Ln	50	
41	Lo	52	
42	Lp	25	
43	Lq	103	
44	Lr	91	
45	S2	1799	
46	SA	223	
47	SB	206	
48	SC	92	
49	SD	124	
50	SE	117	
51	SF	141	
52	SG	125	
53	SH	145	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	SI	143	
55	SJ	101	
56	SK	82	
57	SL	63	
58	SM	53	
59	SN	73	
60	SO	312	
61	SP	206	
62	SQ	232	
63	SR	217	
64	SS	260	
65	ST	228	
66	SU	185	
67	SV	199	
68	SW	185	
69	SX	146	
70	SY	150	
71	SZ	128	
72	Sa	87	
73	Sb	129	
74	Sc	144	
75	Sd	134	
76	Se	97	
77	Sf	81	
78	Sg	57	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	Ta	77	44% 17% 62% 21%
80	Tb	77	29% 40% 42% 18%
81	mR	25	40% 60%

2 Entry composition

There are 81 unique types of molecules in this entry. The entry contains 202539 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S rRNA (3393-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	LA	3184	Total	C	N	O	P	0	0
			68091	30415	12259	22233	3184		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
LA	?	-	G	deletion	GB 2209526103

- Molecule 2 is a RNA chain called 5S rRNA (121-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
2	LB	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 3 is a RNA chain called 5.8S rRNA (158-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
3	LC	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 4 is a protein called Large ribosomal subunit protein uL2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	LD	251	Total	C	N	O	S	0	0
			1899	1182	385	331	1		

- Molecule 5 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	LE	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 6 is a protein called Large ribosomal subunit protein uL4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	LF	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 7 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	LG	294	Total	C	N	O	S	0	0
			2351	1484	410	455	2		

- Molecule 8 is a protein called Large ribosomal subunit protein eL6B.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	LH	167	Total	C	N	O	0	0
			1307	843	234	230		

- Molecule 9 is a protein called Large ribosomal subunit protein uL30A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	LI	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 10 is a protein called Large ribosomal subunit protein eL8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	LJ	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 11 is a protein called Large ribosomal subunit protein uL6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	LK	191	Total	C	N	O	S	0	0
			1508	957	274	273	4		

- Molecule 12 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	LL	218	Total	C	N	O	S	0	0
			1764	1117	334	306	7		

- Molecule 13 is a protein called Large ribosomal subunit protein uL5B.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	LM	169	Total	C	N	O	S	0	0
			1346	843	252	247	4		

- Molecule 14 is a protein called Large ribosomal subunit protein eL13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	LN	193	Total	C	N	O		0	0
			1543	962	315	266			

- Molecule 15 is a protein called Large ribosomal subunit protein eL14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	LO	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 16 is a protein called Large ribosomal subunit protein eL15A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	LP	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 17 is a protein called Large ribosomal subunit protein uL13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	LQ	197	Total	C	N	O	S	197	0
			1555	1003	289	262	1		

- Molecule 18 is a protein called Large ribosomal subunit protein uL22A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	LR	183	Total	C	N	O		0	0
			1416	879	284	253			

- Molecule 19 is a protein called Large ribosomal subunit protein eL18A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	LS	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 20 is a protein called Large ribosomal subunit protein eL19A.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	LT	188	Total	C	N	O	0	0
			1515	932	323	260		

- Molecule 21 is a protein called Large ribosomal subunit protein eL20A.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	LU	171	Total	C	N	O	S	0
			1437	925	266	243	3	0

- Molecule 22 is a protein called Large ribosomal subunit protein eL21A.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	LV	159	Total	C	N	O	S	0
			1272	802	245	221	4	0

- Molecule 23 is a protein called Large ribosomal subunit protein eL22A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	LW	100	Total	C	N	O		0
			796	516	131	149		0

- Molecule 24 is a protein called Large ribosomal subunit protein uL14A.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	LX	136	Total	C	N	O	S	0
			1003	628	189	179	7	0

- Molecule 25 is a protein called Large ribosomal subunit protein eL24A.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	LY	65	Total	C	N	O	S	0
			528	339	104	84	1	0

- Molecule 26 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	LZ	121	Total	C	N	O	S	0
			964	620	169	173	2	0

- Molecule 27 is a protein called Large ribosomal subunit protein uL24A.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	La	125	Total	C	N	O	0	0
			984	620	191	173		

- Molecule 28 is a protein called Large ribosomal subunit protein eL27A.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	Lb	135	Total	C	N	O	0	0
			1080	701	199	180		

- Molecule 29 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Lc	148	Total	C	N	O	S	0	0
			1169	747	231	188	3		

- Molecule 30 is a protein called Large ribosomal subunit protein eL29.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	Ld	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 31 is a protein called Large ribosomal subunit protein eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Le	96	Total	C	N	O	S	0	0
			737	476	123	137	1		

- Molecule 32 is a protein called Large ribosomal subunit protein eL31A.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Lf	109	Total	C	N	O	S	0	0
			876	556	167	152	1		

- Molecule 33 is a protein called Large ribosomal subunit protein eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Lg	127	Total	C	N	O	S	0	0
			1017	644	205	167	1		

- Molecule 34 is a protein called Large ribosomal subunit protein eL33A.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Lh	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 35 is a protein called Large ribosomal subunit protein eL34A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Li	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 36 is a protein called Large ribosomal subunit protein uL29A.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Lj	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 37 is a protein called Large ribosomal subunit protein eL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Lk	99	Total	C	N	O	S	0	0
			766	478	154	132	2		

- Molecule 38 is a protein called Large ribosomal subunit protein eL37A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Ll	81	Total	C	N	O	S	0	0
			645	393	141	106	5		

- Molecule 39 is a protein called Large ribosomal subunit protein eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Lm	77	Total	C	N	O	S	0	0
			612	391	115	106			

- Molecule 40 is a protein called Large ribosomal subunit protein eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Ln	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 41 is a protein called Large ribosomal subunit protein eL40A.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Lo	52	Total	C	N	O	S	0	0
			410	254	86	65	5		

- Molecule 42 is a protein called Large ribosomal subunit protein eL41A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Lp	25	Total	C	N	O	S	0	0
			229	139	62	27	1		

- Molecule 43 is a protein called Large ribosomal subunit protein eL42A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Lq	103	Total	C	N	O	S	0	0
			824	517	167	135	5		

- Molecule 44 is a protein called Large ribosomal subunit protein eL43A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Lr	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 45 is a RNA chain called chain 2 18S rRNA (1771-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
45	S2	1771	Total	C	N	O	P	0	0
			37739	16872	6683	12413	1771		

- Molecule 46 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	SA	222	Total	C	N	O	S	0	0
			1729	1098	312	313	6		

- Molecule 47 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	SB	206	Total	C	N	O	S	0	0
			1605	1005	299	298	3		

- Molecule 48 is a protein called Small ribosomal subunit protein eS10A.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	SC	92	Total	C	N	O	S	0	0
			752	487	122	141	2		

- Molecule 49 is a protein called Small ribosomal subunit protein eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	SD	121	Total	C	N	O	S	0	0
			875	551	153	169	2		

- Molecule 50 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	SE	117	Total	C	N	O	S	0	0
			916	583	171	155	7		

- Molecule 51 is a protein called Small ribosomal subunit protein uS9A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	SF	141	Total	C	N	O		0	0
			1105	708	203	194			

- Molecule 52 is a protein called Small ribosomal subunit protein eS17A.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	SG	121	Total	C	N	O	S	0	0
			948	596	179	171	2		

- Molecule 53 is a protein called Small ribosomal subunit protein uS13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	SH	145	Total	C	N	O	S	0	0
			1188	741	237	208	2		

- Molecule 54 is a protein called Small ribosomal subunit protein eS19A.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	SI	143	Total	C	N	O	S	0	0
			1112	694	208	208	2		

- Molecule 55 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	SJ	100	Total	C	N	O	S	0	0
			797	506	144	146	1		

- Molecule 56 is a protein called Small ribosomal subunit protein eS25A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	SK	82	Total	C	N	O		0	0
			651	416	123	112			

- Molecule 57 is a protein called Small ribosomal subunit protein eS28A.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	SL	63	Total	C	N	O	S	0	0
			491	303	96	91	1		

- Molecule 58 is a protein called Small ribosomal subunit protein uS14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	SM	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 59 is a protein called Small ribosomal subunit protein eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	SN	73	Total	C	N	O	S	0	0
			556	352	105	95	4		

- Molecule 60 is a protein called Small ribosomal subunit protein RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	SO	312	Total	C	N	O	S	0	0
			2383	1514	409	452	8		

- Molecule 61 is a protein called Small ribosomal subunit protein uS2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	SP	206	Total	C	N	O	S	0	0
			1603	1030	284	287	2		

- Molecule 62 is a protein called Small ribosomal subunit protein eS1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	SQ	226	Total	C	N	O	S	0	0
			1798	1139	330	325	4		

- Molecule 63 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	SR	216	Total	C	N	O	S	0	0
			1626	1042	287	295	2		

- Molecule 64 is a protein called Small ribosomal subunit protein eS4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SS	258	Total	C	N	O	S	0	0
			2056	1308	387	358	3		

- Molecule 65 is a protein called Small ribosomal subunit protein eS6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	ST	228	Total	C	N	O	S	0	0
			1815	1138	351	323	3		

- Molecule 66 is a protein called Small ribosomal subunit protein eS7A.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SU	184	Total	C	N	O	S	0	0
			1473	946	263	264			

- Molecule 67 is a protein called Small ribosomal subunit protein eS8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	SV	187	Total	C	N	O	S	0	0
			1476	916	295	263	2		

- Molecule 68 is a protein called Small ribosomal subunit protein uS4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	SW	184	Total	C	N	O	S	0	0
			1479	935	285	258	1		

- Molecule 69 is a protein called Small ribosomal subunit protein uS17A.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	SX	142	Total	C	N	O	S	0	0
			1142	733	217	189	3		

- Molecule 70 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	SY	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 71 is a protein called Small ribosomal subunit protein uS11B.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	SZ	127	Total	C	N	O	S	0	0
			923	568	185	167	3		

- Molecule 72 is a protein called Small ribosomal subunit protein eS21A.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Sa	87	Total	C	N	O	S	0	0
			673	415	125	131	2		

- Molecule 73 is a protein called Small ribosomal subunit protein uS8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Sb	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 74 is a protein called Small ribosomal subunit protein uS12A.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Sc	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 75 is a protein called Small ribosomal subunit protein eS24A.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Sd	134	Total	C	N	O		0	0
			1032	651	195	186			

- Molecule 76 is a protein called Small ribosomal subunit protein eS26B.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Se	97	Total	C	N	O	S	0	0
			765	473	160	127	5		

- Molecule 77 is a protein called Small ribosomal subunit protein eS27A.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Sf	81	Total	C	N	O	S	0	0
			610	382	110	113	5		

- Molecule 78 is a protein called Small ribosomal subunit protein eS30A.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Sg	57	Total	C	N	O	S	0	0
			451	284	93	73	1		

- Molecule 79 is a RNA chain called tRNA (77-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
79	Ta	77	Total	C	N	O	P	0	0
			1650	734	303	536	77		

- Molecule 80 is a RNA chain called tRNA (77-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
80	Tb	77	Total	C	N	O	P	0	0
			1645	732	298	538	77		


- Molecule 81 is a RNA chain called RNA (5'-R(P*AP*UP*UP*GP*AP*CP*CP*CP*UP*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
81	mR	10	Total	C	N	O	P	0	0
			207	93	32	72	10		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 25S rRNA (3393-MER)





U	A	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---




• Molecule 2: 5S rRNA (121-MER)

Chain LB: 57% 36% 7%




• Molecule 3: 5.8S rRNA (158-MER)

Chain LC: 41% 51% 9%




• Molecule 4: Large ribosomal subunit protein uL2A

Chain LD: 69% 31%




• Molecule 5: Large ribosomal subunit protein uL3




• Molecule 6: Large ribosomal subunit protein uL4A




• Molecule 7: Large ribosomal subunit protein uL18




- Molecule 8: Large ribosomal subunit protein eL6B




- Molecule 9: Large ribosomal subunit protein uL30A




- Molecule 10: Large ribosomal subunit protein eL8A




- Molecule 11: Large ribosomal subunit protein uL6A




- Molecule 12: Large ribosomal subunit protein uL16




- Molecule 13: Large ribosomal subunit protein uL5B




- Molecule 14: Large ribosomal subunit protein eL13A



- Molecule 15: Large ribosomal subunit protein eL14A





- Molecule 16: Large ribosomal subunit protein eL15A








- Molecule 17: Large ribosomal subunit protein uL13A





- Molecule 18: Large ribosomal subunit protein uL22A



- Molecule 19: Large ribosomal subunit protein eL18A




- Molecule 20: Large ribosomal subunit protein eL19A





- Molecule 21: Large ribosomal subunit protein eL20A









- Molecule 22: Large ribosomal subunit protein eL21A



- Molecule 23: Large ribosomal subunit protein eL22A




- Molecule 24: Large ribosomal subunit protein uL14A




- Molecule 25: Large ribosomal subunit protein eL24A




- Molecule 26: Large ribosomal subunit protein uL23







- Molecule 27: Large ribosomal subunit protein uL24A





- Molecule 28: Large ribosomal subunit protein eL27A




- Molecule 29: Large ribosomal subunit protein uL15




- Molecule 30: Large ribosomal subunit protein eL29




- Molecule 31: Large ribosomal subunit protein eL30




- Molecule 32: Large ribosomal subunit protein eL31A




- Molecule 33: Large ribosomal subunit protein eL32




- Molecule 34: Large ribosomal subunit protein eL33A




- Molecule 35: Large ribosomal subunit protein eL34A



- Molecule 36: Large ribosomal subunit protein uL29A



- Molecule 37: Large ribosomal subunit protein eL36A







- Molecule 38: Large ribosomal subunit protein eL37A





- Molecule 39: Large ribosomal subunit protein eL38



- Molecule 40: Large ribosomal subunit protein eL39




- Molecule 41: Large ribosomal subunit protein eL40A




- Molecule 42: Large ribosomal subunit protein eL41A





- Molecule 43: Large ribosomal subunit protein eL42A




- Molecule 44: Large ribosomal subunit protein eL43A




• Molecule 45: chain 2 18S rRNA (1771-MER)






• Molecule 46: Small ribosomal subunit protein uS3







• Molecule 47: Small ribosomal subunit protein uS7



• Molecule 48: Small ribosomal subunit protein eS10A




• Molecule 49: Small ribosomal subunit protein eS12







- Molecule 50: Small ribosomal subunit protein uS19




- Molecule 51: Small ribosomal subunit protein uS9A




- Molecule 52: Small ribosomal subunit protein eS17A





- Molecule 53: Small ribosomal subunit protein uS13A




- Molecule 54: Small ribosomal subunit protein eS19A




• Molecule 55: Small ribosomal subunit protein uS10



• Molecule 56: Small ribosomal subunit protein eS25A




• Molecule 57: Small ribosomal subunit protein eS28A



• Molecule 58: Small ribosomal subunit protein uS14A





• Molecule 59: Small ribosomal subunit protein eS31






• Molecule 60: Small ribosomal subunit protein RACK1





• Molecule 61: Small ribosomal subunit protein uS2A



• Molecule 62: Small ribosomal subunit protein eS1A









• Molecule 66: Small ribosomal subunit protein eS7A

Chain SU: 19% 66% 32% ..




• Molecule 67: Small ribosomal subunit protein eS8A


Chain SV: 13% 58% 35% 6%




• Molecule 68: Small ribosomal subunit protein uS4A

Chain SW: 17% 56% 41% ..






- Molecule 69: Small ribosomal subunit protein uS17A



- Molecule 70: Small ribosomal subunit protein uS15



- Molecule 71: Small ribosomal subunit protein uS11B




- Molecule 72: Small ribosomal subunit protein eS21A




- Molecule 73: Small ribosomal subunit protein uS8A

Chain Sb: 




- Molecule 74: Small ribosomal subunit protein uS12A

Chain Sc: 



- Molecule 75: Small ribosomal subunit protein eS24A

Chain Sd: 



- Molecule 76: Small ribosomal subunit protein eS26B

Chain Se: 




- Molecule 77: Small ribosomal subunit protein eS27A

Chain Sf: 




- Molecule 78: Small ribosomal subunit protein eS30A


Chain Sg: 



• Molecule 79: tRNA (77-MER)



• Molecule 80: tRNA (77-MER)



• Molecule 81: RNA (5'-R(P*AP*UP*UP*GP*AP*CP*CP*CP*UP*U)-3')



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	85406	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.237	Depositor
Minimum map value	-1.818	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.090	Depositor
Recommended contour level	0.26	Depositor
Map size ($\text{\AA}$)	570.0, 570.0, 570.0	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.95, 0.95, 0.95	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	LA	0.26	0/76214	0.32	0/118821
2	LB	0.22	0/2883	0.26	0/4491
3	LC	0.25	0/3746	0.33	0/5832
4	LD	0.25	0/1933	0.38	0/2598
5	LE	0.23	0/3146	0.36	0/4228
6	LF	0.50	1/2800 (0.0%)	0.49	2/3790 (0.1%)
7	LG	0.19	0/2400	0.37	0/3239
8	LH	0.19	0/1329	0.35	0/1794
9	LI	0.24	0/1821	0.39	0/2451
10	LJ	0.20	0/1836	0.39	0/2481
11	LK	0.19	0/1529	0.39	0/2060
12	LL	0.21	0/1801	0.34	0/2416
13	LM	0.17	0/1367	0.38	0/1834
14	LN	0.21	0/1568	0.38	0/2106
15	LO	0.19	0/1068	0.35	0/1438
16	LP	0.46	2/1757 (0.1%)	0.44	1/2354 (0.0%)
17	LQ	0.23	0/1585	0.37	0/2128
18	LR	0.23	0/1439	0.36	0/1938
19	LS	0.24	0/1465	0.40	0/1965
20	LT	0.19	0/1532	0.33	0/2043
21	LU	0.23	0/1473	0.39	0/1980
22	LV	0.22	0/1296	0.34	0/1739
23	LW	0.16	0/812	0.43	1/1099 (0.1%)
24	LX	0.22	0/1018	0.34	0/1369
25	LY	0.22	0/540	0.36	0/717
26	LZ	0.19	0/979	0.32	0/1321
27	La	0.19	0/995	0.32	0/1329
28	Lb	0.18	0/1106	0.33	0/1485
29	Lc	0.25	0/1200	0.40	0/1607
30	Ld	0.20	0/473	0.35	0/629
31	Le	0.19	0/745	0.35	0/1001
32	Lf	0.21	0/890	0.39	0/1196
33	Lg	0.23	0/1038	0.35	0/1390
34	Lh	0.24	0/868	0.38	0/1168

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	Li	0.22	0/890	0.36	0/1189
36	Lj	0.20	0/978	0.35	0/1301
37	Lk	0.18	0/772	0.36	0/1026
38	Ll	0.26	0/660	0.36	0/875
39	Lm	0.17	0/618	0.40	0/826
40	Ln	0.22	0/443	0.31	0/588
41	Lo	0.18	0/416	0.29	0/553
42	Lp	0.17	0/230	0.26	0/296
43	Lq	0.57	3/836 (0.4%)	0.58	1/1104 (0.1%)
44	Lr	0.24	0/701	0.41	0/934
45	S2	0.20	0/42211	0.31	0/65773
46	SA	0.16	0/1754	0.37	0/2361
47	SB	0.17	0/1625	0.38	0/2197
48	SC	0.21	0/769	0.46	0/1039
49	SD	0.14	0/883	0.49	0/1199
50	SE	0.16	0/936	0.36	0/1259
51	SF	0.17	0/1125	0.40	0/1510
52	SG	0.15	0/957	0.36	0/1283
53	SH	0.15	0/1207	0.38	0/1623
54	SI	0.16	0/1130	0.41	0/1517
55	SJ	0.17	0/807	0.38	0/1091
56	SK	0.15	0/661	0.34	0/888
57	SL	0.21	0/493	0.44	0/663
58	SM	0.17	0/452	0.33	0/600
59	SN	0.13	0/567	0.36	0/764
60	SO	0.18	0/2436	0.46	0/3318
61	SP	0.19	0/1644	0.44	0/2249
62	SQ	0.20	0/1823	0.48	0/2447
63	SR	0.20	0/1656	0.39	0/2251
64	SS	0.16	0/2097	0.37	0/2823
65	ST	0.15	0/1839	0.39	0/2460
66	SU	0.17	0/1498	0.37	0/2019
67	SV	0.16	0/1501	0.34	0/2006
68	SW	0.16	0/1504	0.37	0/2016
69	SX	0.19	0/1168	0.36	0/1575
70	SY	0.21	0/1215	0.39	0/1638
71	SZ	0.26	0/934	0.44	0/1257
72	Sa	0.17	0/682	0.38	0/921
73	Sb	0.24	0/1038	0.42	0/1395
74	Sc	0.21	0/1139	0.40	0/1518
75	Sd	0.16	0/1046	0.37	0/1401
76	Se	0.21	0/778	0.41	0/1042
77	Sf	0.17	0/620	0.38	0/838

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
78	Sg	0.14	0/459	0.38	0/611
79	Ta	0.14	0/1844	0.32	0/2873
80	Tb	0.16	0/1837	0.32	0/2861
All	All	0.23	6/217531 (0.0%)	0.34	5/320015 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	LJ	0	2
30	Ld	0	1
47	SB	0	1
61	SP	0	2
66	SU	0	1
All	All	0	7

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	LF	301	PRO	N-CD	23.03	1.79	1.47
16	LP	76	PRO	CA-C	-6.94	1.45	1.52
43	Lq	55	LYS	C-O	-6.24	1.17	1.24
43	Lq	55	LYS	N-CA	-5.34	1.41	1.45
16	LP	73	ARG	CA-C	-5.29	1.47	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	LF	301	PRO	CA-N-CD	-16.07	89.50	112.00
6	LF	301	PRO	N-CD-CG	-7.18	92.43	103.20
43	Lq	56	PRO	N-CA-C	7.10	121.53	110.80
23	LW	27	VAL	N-CA-C	-5.12	108.30	113.47
16	LP	76	PRO	CB-CA-C	-5.01	105.24	111.11

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	LJ	30	THR	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
10	LJ	76	ALA	Peptide
30	Ld	20	GLY	Peptide
47	SB	162	VAL	Peptide
61	SP	193	GLN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	LA	68091	0	34217	1005	0
2	LB	2579	0	1304	45	0
3	LC	3353	0	1695	75	0
4	LD	1899	0	1957	70	0
5	LE	3075	0	3142	94	0
6	LF	2748	0	2859	99	0
7	LG	2351	0	2294	67	0
8	LH	1307	0	1377	42	0
9	LI	1784	0	1862	51	0
10	LJ	1804	0	1877	45	0
11	LK	1508	0	1572	66	0
12	LL	1764	0	1804	42	0
13	LM	1346	0	1370	38	0
14	LN	1543	0	1608	47	0
15	LO	1053	0	1149	54	0
16	LP	1720	0	1779	58	0
17	LQ	1555	0	1659	42	0
18	LR	1416	0	1433	35	0
19	LS	1441	0	1543	45	0
20	LT	1515	0	1606	27	0
21	LU	1437	0	1475	56	0
22	LV	1272	0	1312	34	0
23	LW	796	0	812	22	0
24	LX	1003	0	1048	26	0
25	LY	528	0	546	20	0
26	LZ	964	0	1025	19	0
27	La	984	0	1075	25	0
28	Lb	1080	0	1122	43	0
29	Lc	1169	0	1211	44	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
30	Ld	462	0	491	12	0
31	Le	737	0	792	23	0
32	Lf	876	0	912	31	0
33	Lg	1017	0	1081	23	0
34	Lh	850	0	880	18	0
35	Li	880	0	945	24	0
36	Lj	969	0	1078	47	0
37	Lk	766	0	844	18	0
38	Ll	645	0	649	20	0
39	Lm	612	0	682	28	0
40	Ln	436	0	475	13	0
41	Lo	410	0	446	6	0
42	Lp	229	0	273	7	0
43	Lq	824	0	892	19	0
44	Lr	694	0	738	29	0
45	S2	37739	0	18988	704	0
46	SA	1729	0	1812	67	0
47	SB	1605	0	1669	75	0
48	SC	752	0	719	39	0
49	SD	875	0	878	39	0
50	SE	916	0	941	44	0
51	SF	1105	0	1166	33	0
52	SG	948	0	990	29	0
53	SH	1188	0	1216	53	0
54	SI	1112	0	1124	49	0
55	SJ	797	0	863	36	0
56	SK	651	0	682	23	0
57	SL	491	0	524	26	0
58	SM	442	0	432	28	0
59	SN	556	0	549	18	0
60	SO	2383	0	2332	122	0
61	SP	1603	0	1610	54	0
62	SQ	1798	0	1890	73	0
63	SR	1626	0	1715	66	0
64	SS	2056	0	2140	88	0
65	ST	1815	0	1894	65	0
66	SU	1473	0	1555	51	0
67	SV	1476	0	1501	62	0
68	SW	1479	0	1556	76	0
69	SX	1142	0	1209	44	0
70	SY	1192	0	1255	36	0
71	SZ	923	0	948	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
72	Sa	673	0	662	25	0
73	Sb	1021	0	1060	45	0
74	Sc	1121	0	1196	34	0
75	Sd	1032	0	1044	43	0
76	Se	765	0	814	21	0
77	Sf	610	0	633	22	0
78	Sg	451	0	494	19	0
79	Ta	1650	0	838	31	0
80	Tb	1645	0	837	22	0
81	mR	207	0	0	0	0
All	All	202539	0	148647	4167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 4167 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
53:SH:101:LEU:CD2	53:SH:104:ASN:ND2	1.67	1.50
46:SA:175:VAL:CG2	46:SA:177:MET:HE3	1.46	1.44
46:SA:175:VAL:HG23	46:SA:177:MET:CE	1.48	1.42
11:LK:23:ARG:HH12	11:LK:42:ASP:CA	1.37	1.36
6:LF:301:PRO:CD	6:LF:301:PRO:N	1.80	1.31

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	LD	249/251 (99%)	236 (95%)	13 (5%)	0	100	100
5	LE	384/386 (100%)	358 (93%)	26 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	LF	359/361 (99%)	335 (93%)	24 (7%)	0	100	100
7	LG	292/294 (99%)	274 (94%)	18 (6%)	0	100	100
8	LH	163/175 (93%)	156 (96%)	7 (4%)	0	100	100
9	LI	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
10	LJ	231/233 (99%)	218 (94%)	13 (6%)	0	100	100
11	LK	189/191 (99%)	176 (93%)	13 (7%)	0	100	100
12	LL	216/218 (99%)	205 (95%)	11 (5%)	0	100	100
13	LM	167/169 (99%)	158 (95%)	9 (5%)	0	100	100
14	LN	191/193 (99%)	174 (91%)	17 (9%)	0	100	100
15	LO	134/136 (98%)	130 (97%)	4 (3%)	0	100	100
16	LP	201/203 (99%)	187 (93%)	14 (7%)	0	100	100
17	LQ	195/197 (99%)	191 (98%)	4 (2%)	0	100	100
18	LR	181/183 (99%)	167 (92%)	14 (8%)	0	100	100
19	LS	183/185 (99%)	173 (94%)	10 (6%)	0	100	100
20	LT	186/188 (99%)	182 (98%)	4 (2%)	0	100	100
21	LU	169/171 (99%)	159 (94%)	10 (6%)	0	100	100
22	LV	157/159 (99%)	148 (94%)	9 (6%)	0	100	100
23	LW	98/100 (98%)	88 (90%)	10 (10%)	0	100	100
24	LX	134/136 (98%)	130 (97%)	4 (3%)	0	100	100
25	LY	63/65 (97%)	60 (95%)	3 (5%)	0	100	100
26	LZ	119/121 (98%)	118 (99%)	1 (1%)	0	100	100
27	La	123/125 (98%)	118 (96%)	5 (4%)	0	100	100
28	Lb	133/135 (98%)	121 (91%)	12 (9%)	0	100	100
29	Lc	146/148 (99%)	135 (92%)	11 (8%)	0	100	100
30	Ld	56/58 (97%)	52 (93%)	4 (7%)	0	100	100
31	Le	94/96 (98%)	94 (100%)	0	0	100	100
32	Lf	107/109 (98%)	101 (94%)	6 (6%)	0	100	100
33	Lg	125/127 (98%)	120 (96%)	5 (4%)	0	100	100
34	Lh	104/106 (98%)	101 (97%)	3 (3%)	0	100	100
35	Li	110/112 (98%)	108 (98%)	2 (2%)	0	100	100
36	Lj	117/119 (98%)	111 (95%)	6 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	Lk	97/99 (98%)	91 (94%)	6 (6%)	0	100	100
38	Ll	79/81 (98%)	77 (98%)	2 (2%)	0	100	100
39	Lm	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
40	Ln	48/50 (96%)	48 (100%)	0	0	100	100
41	Lo	50/52 (96%)	49 (98%)	1 (2%)	0	100	100
42	Lp	23/25 (92%)	23 (100%)	0	0	100	100
43	Lq	101/103 (98%)	95 (94%)	6 (6%)	0	100	100
44	Lr	89/91 (98%)	86 (97%)	3 (3%)	0	100	100
46	SA	220/223 (99%)	212 (96%)	8 (4%)	0	100	100
47	SB	204/206 (99%)	183 (90%)	20 (10%)	1 (0%)	24	48
48	SC	90/92 (98%)	78 (87%)	12 (13%)	0	100	100
49	SD	119/124 (96%)	97 (82%)	22 (18%)	0	100	100
50	SE	115/117 (98%)	101 (88%)	14 (12%)	0	100	100
51	SF	139/141 (99%)	130 (94%)	9 (6%)	0	100	100
52	SG	117/125 (94%)	112 (96%)	5 (4%)	0	100	100
53	SH	143/145 (99%)	136 (95%)	7 (5%)	0	100	100
54	SI	141/143 (99%)	131 (93%)	10 (7%)	0	100	100
55	SJ	98/101 (97%)	92 (94%)	6 (6%)	0	100	100
56	SK	80/82 (98%)	70 (88%)	10 (12%)	0	100	100
57	SL	61/63 (97%)	54 (88%)	7 (12%)	0	100	100
58	SM	51/53 (96%)	49 (96%)	2 (4%)	0	100	100
59	SN	71/73 (97%)	55 (78%)	16 (22%)	0	100	100
60	SO	310/312 (99%)	275 (89%)	35 (11%)	0	100	100
61	SP	204/206 (99%)	177 (87%)	27 (13%)	0	100	100
62	SQ	222/232 (96%)	203 (91%)	19 (9%)	0	100	100
63	SR	214/217 (99%)	203 (95%)	11 (5%)	0	100	100
64	SS	256/260 (98%)	232 (91%)	24 (9%)	0	100	100
65	ST	226/228 (99%)	211 (93%)	13 (6%)	2 (1%)	14	35
66	SU	182/185 (98%)	172 (94%)	10 (6%)	0	100	100
67	SV	183/199 (92%)	177 (97%)	6 (3%)	0	100	100
68	SW	182/185 (98%)	170 (93%)	12 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
69	SX	140/146 (96%)	132 (94%)	8 (6%)	0	100	100
70	SY	148/150 (99%)	138 (93%)	10 (7%)	0	100	100
71	SZ	125/128 (98%)	113 (90%)	12 (10%)	0	100	100
72	Sa	85/87 (98%)	73 (86%)	12 (14%)	0	100	100
73	Sb	127/129 (98%)	119 (94%)	8 (6%)	0	100	100
74	Sc	142/144 (99%)	124 (87%)	18 (13%)	0	100	100
75	Sd	132/134 (98%)	128 (97%)	4 (3%)	0	100	100
76	Se	95/97 (98%)	89 (94%)	6 (6%)	0	100	100
77	Sf	79/81 (98%)	68 (86%)	10 (13%)	1 (1%)	9	25
78	Sg	55/57 (96%)	48 (87%)	7 (13%)	0	100	100
All	All	10914/11115 (98%)	10193 (93%)	717 (7%)	4 (0%)	100	100

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
65	ST	177	ARG
65	ST	175	ILE
77	Sf	51	GLN
47	SB	162	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	LD	190/193 (98%)	188 (99%)	2 (1%)	65	85
5	LE	318/322 (99%)	305 (96%)	13 (4%)	27	56
6	LF	288/288 (100%)	281 (98%)	7 (2%)	43	72
7	LG	241/243 (99%)	230 (95%)	11 (5%)	24	51
8	LH	139/154 (90%)	133 (96%)	6 (4%)	26	54
9	LI	186/186 (100%)	181 (97%)	5 (3%)	39	69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	LJ	187/191 (98%)	179 (96%)	8 (4%)	26	54
11	LK	168/171 (98%)	153 (91%)	15 (9%)	9	23
12	LL	185/185 (100%)	178 (96%)	7 (4%)	29	58
13	LM	145/147 (99%)	138 (95%)	7 (5%)	23	50
14	LN	154/154 (100%)	146 (95%)	8 (5%)	21	47
15	LO	107/107 (100%)	103 (96%)	4 (4%)	30	59
16	LP	175/175 (100%)	166 (95%)	9 (5%)	21	48
17	LQ	160/160 (100%)	158 (99%)	2 (1%)	61	83
18	LR	138/145 (95%)	136 (99%)	2 (1%)	59	82
19	LS	150/150 (100%)	144 (96%)	6 (4%)	28	56
20	LT	152/153 (99%)	146 (96%)	6 (4%)	28	57
21	LU	155/155 (100%)	148 (96%)	7 (4%)	24	52
22	LV	135/136 (99%)	132 (98%)	3 (2%)	45	74
23	LW	87/87 (100%)	83 (95%)	4 (5%)	24	51
24	LX	104/104 (100%)	103 (99%)	1 (1%)	68	86
25	LY	54/57 (95%)	53 (98%)	1 (2%)	50	77
26	LZ	104/105 (99%)	98 (94%)	6 (6%)	18	42
27	La	108/108 (100%)	103 (95%)	5 (5%)	24	51
28	Lb	112/115 (97%)	107 (96%)	5 (4%)	24	52
29	Lc	117/118 (99%)	108 (92%)	9 (8%)	12	30
30	Ld	46/46 (100%)	46 (100%)	0	100	100
31	Le	81/81 (100%)	77 (95%)	4 (5%)	22	49
32	Lf	92/96 (96%)	88 (96%)	4 (4%)	26	54
33	Lg	108/109 (99%)	104 (96%)	4 (4%)	30	59
34	Lh	90/90 (100%)	88 (98%)	2 (2%)	45	74
35	Li	95/95 (100%)	87 (92%)	8 (8%)	10	26
36	Lj	104/104 (100%)	102 (98%)	2 (2%)	50	77
37	Lk	80/81 (99%)	78 (98%)	2 (2%)	42	71
38	Ll	67/67 (100%)	67 (100%)	0	100	100
39	Lm	68/68 (100%)	65 (96%)	3 (4%)	25	53
40	Ln	45/45 (100%)	44 (98%)	1 (2%)	45	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	Lo	45/47 (96%)	45 (100%)	0	100	100
42	Lp	22/23 (96%)	22 (100%)	0	100	100
43	Lq	87/88 (99%)	85 (98%)	2 (2%)	44	73
44	Lr	71/71 (100%)	70 (99%)	1 (1%)	59	82
46	SA	182/182 (100%)	172 (94%)	10 (6%)	19	45
47	SB	172/173 (99%)	165 (96%)	7 (4%)	27	56
48	SC	77/85 (91%)	77 (100%)	0	100	100
49	SD	88/100 (88%)	81 (92%)	7 (8%)	11	28
50	SE	95/98 (97%)	93 (98%)	2 (2%)	47	75
51	SF	117/117 (100%)	114 (97%)	3 (3%)	40	70
52	SG	101/113 (89%)	97 (96%)	4 (4%)	28	56
53	SH	127/128 (99%)	123 (97%)	4 (3%)	35	65
54	SI	115/115 (100%)	114 (99%)	1 (1%)	70	87
55	SJ	93/94 (99%)	90 (97%)	3 (3%)	34	64
56	SK	67/73 (92%)	65 (97%)	2 (3%)	36	66
57	SL	55/56 (98%)	52 (94%)	3 (6%)	19	45
58	SM	47/47 (100%)	45 (96%)	2 (4%)	26	54
59	SN	56/64 (88%)	54 (96%)	2 (4%)	31	60
60	SO	250/257 (97%)	235 (94%)	15 (6%)	17	41
61	SP	170/173 (98%)	161 (95%)	9 (5%)	20	46
62	SQ	200/205 (98%)	194 (97%)	6 (3%)	36	66
63	SR	175/176 (99%)	167 (95%)	8 (5%)	24	51
64	SS	220/221 (100%)	208 (94%)	12 (6%)	19	45
65	ST	189/195 (97%)	184 (97%)	5 (3%)	40	70
66	SU	163/165 (99%)	157 (96%)	6 (4%)	30	59
67	SV	148/160 (92%)	144 (97%)	4 (3%)	39	69
68	SW	156/158 (99%)	147 (94%)	9 (6%)	18	42
69	SX	126/129 (98%)	121 (96%)	5 (4%)	28	56
70	SY	127/127 (100%)	124 (98%)	3 (2%)	43	72
71	SZ	90/97 (93%)	84 (93%)	6 (7%)	15	36
72	Sa	71/74 (96%)	69 (97%)	2 (3%)	38	68

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
73	Sb	110/110 (100%)	107 (97%)	3 (3%)	39 69
74	Sc	119/119 (100%)	113 (95%)	6 (5%)	22 48
75	Sd	102/112 (91%)	97 (95%)	5 (5%)	22 49
76	Se	82/83 (99%)	80 (98%)	2 (2%)	43 72
77	Sf	70/70 (100%)	70 (100%)	0	100 100
78	Sg	48/49 (98%)	46 (96%)	2 (4%)	26 55
All	All	9168/9345 (98%)	8818 (96%)	350 (4%)	30 58

5 of 350 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
55	SJ	91	ILE
64	SS	180	LEU
58	SM	6	VAL
61	SP	93	THR
66	SU	115	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 97 such sidechains are listed below:

Mol	Chain	Res	Type
48	SC	29	GLN
60	SO	299	GLN
50	SE	70	ASN
54	SI	129	GLN
62	SQ	194	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	LA	3180/3393 (93%)	677 (21%)	15 (0%)
2	LB	120/121 (99%)	11 (9%)	0
3	LC	157/158 (99%)	34 (21%)	2 (1%)
45	S2	1768/1799 (98%)	485 (27%)	29 (1%)
79	Ta	76/77 (98%)	44 (57%)	0
80	Tb	76/77 (98%)	31 (40%)	0
81	mR	0/25	-	-
All	All	5377/5650 (95%)	1282 (23%)	46 (0%)

5 of 1282 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	LA	14	U
1	LA	23	A
1	LA	26	A
1	LA	30	G
1	LA	40	A

5 of 46 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
45	S2	803	A
45	S2	1274	C
45	S2	819	G
45	S2	963	A
45	S2	1382	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-60094. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300


6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 283




Y Index: 309




Z Index: 345


6.3.2 Raw map



X Index: 283



Y Index: 0




Z Index: 345


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1584 nm^3 ; this corresponds to an approximate mass of 1431 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.370 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.70	6.34	3.83

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.70 differs from the reported value 2.7 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-60094 and PDB model 8ZH3. Per-residue inclusion information can be found in section [3](#) on page [19](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.26 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.26) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8270	 0.5510
LA	 0.9040	 0.5850
LB	 0.9610	 0.6070
LC	 0.9360	 0.6000
LD	 0.9450	 0.6420
LE	 0.9120	 0.6070
LF	 0.9110	 0.6120
LG	 0.8170	 0.5570
LH	 0.8040	 0.5400
LI	 0.9110	 0.6170
LJ	 0.8130	 0.5490
LK	 0.8310	 0.5690
LL	 0.8740	 0.6040
LM	 0.8030	 0.5450
LN	 0.8740	 0.5910
LO	 0.8600	 0.5700
LP	 0.9620	 0.6420
LQ	 0.9110	 0.6050
LR	 0.8880	 0.6070
LS	 0.9510	 0.6350
LT	 0.8000	 0.5640
LU	 0.9050	 0.6070
LV	 0.9040	 0.6120
LW	 0.6670	 0.4810
LX	 0.9200	 0.6200
LY	 0.9040	 0.6100
LZ	 0.8750	 0.6030
La	 0.9170	 0.6190
Lb	 0.8420	 0.5710
Lc	 0.9310	 0.6300
Ld	 0.8760	 0.5890
Le	 0.8650	 0.5870
Lf	 0.8450	 0.5810
Lg	 0.8810	 0.6100
Lh	 0.9350	 0.6320



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Li	 0.8790	 0.5970
Lj	 0.8930	 0.5980
Lk	 0.8430	 0.5630
Ll	 0.9660	 0.6450
Lm	 0.6540	 0.4900
Ln	 0.9080	 0.6160
Lo	 0.8990	 0.6060
Lp	 0.8560	 0.6170
Lq	 0.9060	 0.6170
Lr	 0.9250	 0.6330
S2	 0.7870	 0.5050
SA	 0.6520	 0.5100
SB	 0.6090	 0.4650
SC	 0.5300	 0.4260
SD	 0.1310	 0.2180
SE	 0.6800	 0.4680
SF	 0.6630	 0.4800
SG	 0.6000	 0.4490
SH	 0.6790	 0.4980
SI	 0.6220	 0.4530
SJ	 0.5220	 0.4360
SK	 0.4050	 0.3760
SL	 0.6240	 0.4530
SM	 0.8060	 0.5490
SN	 0.2150	 0.2700
SO	 0.4670	 0.3910
SP	 0.7360	 0.5050
SQ	 0.7770	 0.5360
SR	 0.8430	 0.5870
SS	 0.7360	 0.5220
ST	 0.5320	 0.4140
SU	 0.6410	 0.4880
SV	 0.6880	 0.4860
SW	 0.6660	 0.4870
SX	 0.8140	 0.5670
SY	 0.8570	 0.5830
SZ	 0.8400	 0.5640
Sa	 0.7980	 0.5530
Sb	 0.9110	 0.6210
Sc	 0.8510	 0.5880
Sd	 0.6520	 0.4500
Se	 0.8920	 0.6010

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Sf	 0.7550	 0.5430
Sg	 0.6480	 0.4640
Ta	 0.4490	 0.2740
Tb	 0.5820	 0.3670
mR	 0.9320	 0.5910