



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 04:52 AM UTC

PDB ID : 3ZJE / pdb_00003zje
Title : A20 OTU domain in reversibly oxidised (SOH) state
Authors : Kulathu, Y.; Garcia, F.J.; Mevissen, T.E.T.; Busch, M.; Arnaudo, N.; Carroll, K.S.; Barford, D.; Komander, D.
Deposited on : 2013-01-17
Resolution : 1.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1296 (1.84-1.84)
Clashscore	190562	1329 (1.84-1.84)
Ramachandran outliers	187476	1318 (1.84-1.84)
Sidechain outliers	187428	1318 (1.84-1.84)
RSRZ outliers	180081	1296 (1.84-1.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	366	11% 74% 13% • • 10%
1	B	366	12% 73% 10% • 11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	A	1358	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5697 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called A20P50.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	28	8	0
			2694	1732	468	477	17			
1	B	324	Total	C	N	O	S	54	3	0
			2664	1718	460	470	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	114	SER	GLY	engineered mutation	UNP P21580
B	114	SER	GLY	engineered mutation	UNP P21580

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Cl	0	0
			2	2		
3	B	4	Total	Cl	0	0
			4	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	169	Total	O	0	0
			169	169		
4	B	156	Total	O	0	0
			156	156		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: A20P50



• Molecule 1: A20P50



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	43.85Å 69.15Å 84.70Å 99.14° 100.28° 97.09°	Depositor
Resolution (Å)	33.72 – 1.84 33.72 – 1.84	Depositor EDS
% Data completeness (in resolution range)	94.3 (33.72-1.84) 94.3 (33.72-1.84)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 1.84Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.182 , 0.220 0.183 , 0.219	Depositor DCC
R_{free} test set	3937 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	27.3	Xtriage
Anisotropy	0.205	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 59.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5697	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, CL, CSO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.98	2/2768 (0.1%)	1.05	8/3751 (0.2%)
1	B	0.91	1/2723 (0.0%)	1.05	10/3688 (0.3%)
All	All	0.94	3/5491 (0.1%)	1.05	18/7439 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	270	ILE	CA-CB	-5.40	1.47	1.54
1	B	261	VAL	CA-C	-5.39	1.45	1.52
1	A	89	VAL	CA-CB	5.30	1.62	1.54

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	166	ASP	N-CA-C	-6.91	104.04	113.30
1	A	335	LEU	CA-C-N	6.33	126.35	119.89
1	A	335	LEU	C-N-CA	6.33	126.35	119.89
1	B	54	CYS	N-CA-C	-5.94	102.16	110.35
1	B	6	LEU	CA-C-N	5.61	125.61	119.89
1	B	6	LEU	C-N-CA	5.61	125.61	119.89
1	B	66	LYS	N-CA-C	-5.51	105.82	112.54
1	A	6	LEU	CA-C-N	-5.49	114.04	119.92
1	A	6	LEU	C-N-CA	-5.49	114.04	119.92
1	B	341	LEU	CB-CG-CD2	-5.49	94.22	110.70
1	A	344	ASP	N-CA-C	-5.41	105.47	111.36
1	B	258	VAL	CA-C-N	-5.31	114.51	120.14
1	B	258	VAL	C-N-CA	-5.31	114.51	120.14
1	B	341	LEU	N-CA-CB	-5.31	102.95	110.81
1	A	53	THR	N-CA-C	-5.31	107.47	114.31
1	A	321	THR	CB-CA-C	-5.25	110.09	117.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	74	GLN	N-CA-C	-5.04	105.79	111.28
1	B	90	ARG	CA-CB-CG	-5.00	104.09	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2694	0	2650	40	0
1	B	2664	0	2619	43	0
2	A	8	0	12	7	0
3	A	2	0	0	2	0
3	B	4	0	0	0	0
4	A	169	0	0	5	0
4	B	156	0	0	2	0
All	All	5697	0	5281	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:ARG:HE	2:A:1358:EDO:H11	1.10	1.08
1:B:48:LEU:HD11	1:B:342:VAL:HG21	1.49	0.92
1:B:66:LYS:O	1:B:96:LYS:NZ	2.04	0.91
1:A:45:ARG:NE	2:A:1358:EDO:H11	1.90	0.86
1:B:50:MET:HE3	1:B:50:MET:HA	1.57	0.85
1:B:57:CYS:HG	1:B:353:TYR:HH	1.25	0.83
1:B:50:MET:HE2	1:B:51:PHE:H	1.45	0.81
1:B:52:ARG:HH21	1:B:54:CYS:HB3	1.42	0.81
1:B:31:LYS:H	1:B:31:LYS:HE2	1.45	0.81
1:B:52:ARG:HH11	1:B:263:LEU:HD21	1.46	0.81
1:B:11:TYR:HA	1:B:341:LEU:HD21	1.66	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:LEU:HD22	1:A:261[B]:VAL:HG11	1.71	0.73
3:A:1359:CL:CL	4:A:2104:HOH:O	2.43	0.72
1:B:57:CYS:SG	1:B:353:TYR:OH	2.50	0.69
1:A:277:ASN:OD1	4:A:2053:HOH:O	2.12	0.68
1:B:336:PRO:O	1:B:340:ASN:HB2	1.96	0.66
1:A:69:ILE:HD12	1:A:93[B]:VAL:CG2	2.27	0.65
1:B:32:PRO:HG2	1:B:36:ILE:HG12	1.79	0.65
1:B:49:GLU:HG2	1:B:262:THR:HG22	1.81	0.63
1:B:48:LEU:CD1	1:B:342:VAL:HG21	2.26	0.63
1:A:52:ARG:HA	1:A:52:ARG:HE	1.65	0.60
1:B:21:ILE:HG12	1:B:339:ILE:HB	1.84	0.60
1:A:49:GLU:HB2	1:A:333:ALA:HB2	1.85	0.59
1:A:82:LYS:HE2	1:A:213:LYS:HB3	1.84	0.59
1:B:227:LEU:HB3	1:B:229:VAL:HG23	1.85	0.58
1:B:53:THR:OG1	1:B:65:HIS:NE2	2.18	0.57
1:B:34:ASN:OD1	1:B:36:ILE:HG23	2.05	0.56
1:A:45:ARG:HE	2:A:1358:EDO:C1	2.02	0.56
1:B:319:HIS:HE1	4:B:2066:HOH:O	1.89	0.55
1:A:45:ARG:HH21	2:A:1358:EDO:H22	1.72	0.54
1:B:10:LEU:CD2	1:B:342:VAL:HG22	2.37	0.54
1:B:335:LEU:HD22	1:B:339:ILE:HG13	1.89	0.54
1:A:22:ARG:NH2	4:A:2005:HOH:O	2.33	0.53
1:A:227:LEU:HD13	3:A:1360:CL:CL	2.46	0.52
1:A:80:GLN:NE2	1:A:212:ASP:OD1	2.36	0.52
1:B:52:ARG:NH1	1:B:263:LEU:HD21	2.22	0.52
1:A:53:THR:HG21	1:A:65:HIS:CE1	2.45	0.51
1:B:50:MET:HE2	1:B:51:PHE:N	2.21	0.51
1:A:69:ILE:HD12	1:A:93[B]:VAL:HG21	1.93	0.50
1:A:53:THR:HG21	1:A:65:HIS:NE2	2.26	0.49
1:A:86[B]:CYS:HB3	1:A:89:VAL:HG22	1.93	0.49
1:B:171:LEU:HD23	1:B:174[A]:MET:HE3	1.95	0.49
1:A:17:LYS:NZ	1:A:344:ASP:OD2	2.42	0.48
1:B:133:THR:HG22	1:B:134:ASP:H	1.78	0.48
1:B:50:MET:HA	1:B:50:MET:CE	2.36	0.48
1:A:87:ARG:NH2	1:A:315:GLN:OE1	2.45	0.48
1:A:53:THR:HG23	1:A:61:ARG:HG2	1.96	0.47
1:B:50:MET:HE3	1:B:50:MET:CA	2.37	0.47
1:A:69:ILE:HD12	1:A:93[B]:VAL:HG22	1.97	0.47
1:B:263:LEU:HB3	4:B:2063:HOH:O	2.15	0.47
1:A:52:ARG:NH1	1:A:54:CYS:HB3	2.30	0.46
1:A:143:GLN:HE21	1:A:164:TRP:CG	2.33	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:10:LEU:HG	1:B:342:VAL:HG22	1.97	0.46
1:A:213:LYS:HB2	1:A:227:LEU:N	2.30	0.46
1:A:121:VAL:HB	2:A:1357:EDO:C1	2.45	0.46
1:A:187:GLN:HG2	1:A:188:TYR:CE2	2.50	0.46
1:B:52:ARG:NH2	1:B:54:CYS:HB3	2.23	0.45
1:B:133:THR:HG22	1:B:134:ASP:N	2.32	0.45
1:B:186:LEU:HD22	1:B:186:LEU:H	1.82	0.45
1:A:299:LYS:HB3	1:A:299:LYS:HE2	1.63	0.45
1:A:121:VAL:HB	2:A:1357:EDO:H11	1.98	0.45
1:A:325:ILE:O	1:A:325:ILE:HG13	2.17	0.45
1:A:334:ASN:O	1:A:336:PRO:HD3	2.17	0.44
1:A:60:PHE:HE2	1:A:349:VAL:HG13	1.81	0.44
1:A:241:GLN:H	1:A:241:GLN:CD	2.24	0.44
1:A:24:ARG:HD2	4:A:2008:HOH:O	2.17	0.44
1:A:48:LEU:HD23	1:A:49:GLU:N	2.32	0.44
1:A:95:LEU:HB2	1:A:259:PRO:HG2	2.01	0.43
1:B:50:MET:HE2	1:B:51:PHE:CD2	2.54	0.43
1:B:95:LEU:HB2	1:B:259:PRO:HG2	2.00	0.43
1:A:45:ARG:HH21	2:A:1358:EDO:C2	2.31	0.43
1:A:287:LYS:HE2	4:A:2023:HOH:O	2.18	0.42
1:B:52:ARG:HH21	1:B:54:CYS:CB	2.23	0.42
1:B:31:LYS:H	1:B:31:LYS:CE	2.22	0.42
1:B:335:LEU:HA	1:B:336:PRO:HD3	1.88	0.42
1:B:287:LYS:HA	1:B:287:LYS:HD2	1.74	0.42
1:B:170:ASN:O	1:B:174[B]:MET:HG2	2.19	0.42
1:B:52:ARG:HD2	1:B:52:ARG:HA	1.69	0.41
1:A:292:THR:OG1	1:A:294:PRO:HD2	2.20	0.41
1:A:284:GLU:OE1	1:A:284:GLU:HA	2.21	0.41
1:B:119:ASP:O	1:B:120:LEU:HB2	2.20	0.41
1:B:19:VAL:O	1:B:23:GLU:HG3	2.21	0.41
1:A:134:ASP:OD1	1:A:136:ARG:HD3	2.22	0.40
1:B:200:CYS:HB2	1:B:205:ARG:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/366 (89%)	316 (97%)	10 (3%)	0	100	100
1	B	316/366 (86%)	305 (96%)	9 (3%)	2 (1%)	21	9
All	All	642/732 (88%)	621 (97%)	19 (3%)	2 (0%)	36	25

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	133	THR
1	B	34	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	290/335 (87%)	271 (93%)	19 (7%)	15	3
1	B	286/335 (85%)	268 (94%)	18 (6%)	16	3
All	All	576/670 (86%)	539 (94%)	37 (6%)	15	3

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LEU
1	A	52	ARG
1	A	53	THR
1	A	63	ILE
1	A	87	ARG
1	A	89	VAL
1	A	90	ARG
1	A	134	ASP
1	A	136	ARG
1	A	147	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	179	THR
1	A	213	LYS
1	A	227	LEU
1	A	241	GLN
1	A	299	LYS
1	A	335	LEU
1	A	341	LEU
1	A	343	ASP
1	A	348	LEU
1	B	6	LEU
1	B	10	LEU
1	B	31	LYS
1	B	36	ILE
1	B	50	MET
1	B	52	ARG
1	B	120	LEU
1	B	131	LYS
1	B	134	ASP
1	B	164	TRP
1	B	173	LYS
1	B	186	LEU
1	B	262	THR
1	B	282	ARG
1	B	287	LYS
1	B	339	ILE
1	B	341	LEU
1	B	347	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	110	GLN
1	A	255	HIS
1	A	296	ASN
1	A	319	HIS
1	B	110	GLN
1	B	170	ASN
1	B	189	ASN
1	B	277	ASN
1	B	296	ASN
1	B	319	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSO	A	103	1	3,6,7	0.93	0	1,6,8	0.08	0
1	CSO	B	103	1	3,6,7	0.96	0	1,6,8	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	103	1	-	0/1/5/7	-
1	CSO	B	103	1	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	1357	-	3,3,3	0.31	0	2,2,2	0.64	0
2	EDO	A	1358	-	3,3,3	0.35	0	2,2,2	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	1357	-	-	0/1/1/1	-
2	EDO	A	1358	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1357	EDO	2	0
2	A	1358	EDO	5	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/366 (89%)	0.40	41 (12%) 8 8	9, 31, 66, 78	17 (5%)
1	B	323/366 (88%)	0.41	44 (13%) 7 7	11, 33, 71, 91	18 (5%)
All	All	651/732 (88%)	0.40	85 (13%) 7 7	9, 32, 68, 91	35 (5%)

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	321	THR	7.0
1	B	57	CYS	7.0
1	A	356	TRP	6.6
1	B	153	VAL	6.4
1	B	54	CYS	5.6
1	A	186	LEU	5.4
1	B	265	ASP	5.3
1	A	337	LYS	5.3
1	A	6	LEU	5.1
1	A	5	VAL	5.0
1	B	11	TYR	4.9
1	A	11	TYR	4.9
1	B	58	PRO	4.7
1	B	5	VAL	4.4
1	B	356	TRP	4.4
1	B	151	GLU	4.2
1	B	133	THR	4.1
1	A	227	LEU	4.1
1	B	340	ASN	3.9
1	A	185	GLY	3.7
1	B	152	PHE	3.7
1	A	63	ILE	3.7
1	A	341	LEU	3.7
1	A	319	HIS	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	63	ILE	3.6
1	B	164	TRP	3.5
1	A	58	PRO	3.4
1	B	36	ILE	3.4
1	A	342	VAL	3.3
1	A	52	ARG	3.3
1	B	8	GLN	3.3
1	B	60	PHE	3.2
1	A	354	LYS	3.2
1	B	12	LEU	3.2
1	B	134	ASP	3.2
1	A	160	ASP	3.2
1	A	8	GLN	3.1
1	A	53	THR	3.1
1	B	33	THR	3.1
1	A	161	THR	3.0
1	A	214	MET	3.0
1	B	55	GLN	2.9
1	B	59	GLN	2.9
1	A	322	THR	2.9
1	A	57	CYS	2.9
1	B	186	LEU	2.9
1	A	59	GLN	2.8
1	B	185	GLY	2.8
1	B	338	GLU	2.7
1	A	218	LEU	2.7
1	B	341	LEU	2.7
1	B	62	GLU	2.7
1	A	54	CYS	2.6
1	B	342	VAL	2.6
1	A	149	SER	2.6
1	B	165	ASN	2.6
1	A	60	PHE	2.5
1	B	56	PHE	2.5
1	B	6	LEU	2.5
1	A	148	LYS	2.5
1	B	53	THR	2.5
1	B	166	ASP	2.5
1	B	64	ILE	2.5
1	B	52	ARG	2.4
1	A	7	PRO	2.4
1	A	316	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	133	THR	2.3
1	B	264	LYS	2.3
1	B	335	LEU	2.3
1	A	162	ARG	2.3
1	B	267	GLY	2.3
1	B	132	GLU	2.3
1	A	340	ASN	2.3
1	B	212	ASP	2.2
1	B	61	ARG	2.2
1	A	351	HIS	2.2
1	A	10	LEU	2.2
1	B	167	GLU	2.1
1	B	263	LEU	2.1
1	A	9	ALA	2.1
1	A	55	GLN	2.1
1	A	134	ASP	2.1
1	B	351	HIS	2.0
1	A	179	THR	2.0
1	A	268	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSO	A	103	7/8	0.97	0.07	15,18,29,42	0
1	CSO	B	103	7/8	0.98	0.06	23,23,34,43	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	A	1357	4/4	0.96	0.18	22,25,26,28	0
2	EDO	A	1358	4/4	0.96	0.13	18,26,31,40	0
3	CL	A	1359	1/1	0.96	0.08	29,29,29,29	0
3	CL	A	1360	1/1	0.96	0.11	49,49,49,49	0
3	CL	B	1361	1/1	0.97	0.09	36,36,36,36	0
3	CL	B	1360	1/1	0.99	0.06	22,22,22,22	0
3	CL	B	1358	1/1	0.99	0.03	18,18,18,18	0
3	CL	B	1359	1/1	1.00	0.05	22,22,22,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.