



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 12:49 AM UTC

PDB ID : 3ZJK / pdb_00003zjk
Title : crystal structure of Ttb-gly F401S mutant
Authors : Teze, D.; Tran, V.; Tellier, C.; Dion, M.; Leroux, C.; Roncza, J.; Czjzek, M.
Deposited on : 2013-01-18
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	431	0.2% 81% 16% ..
1	B	431	3% 78% 17% ..
1	C	431	5% 77% 20% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	C	904	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 10601 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BETA GLYCOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	424	Total	C	N	O	S	0	0	0
			3393	2185	606	597	5			
1	B	423	Total	C	N	O	S	0	0	0
			3388	2182	605	596	5			
1	C	425	Total	C	N	O	S	0	0	0
			3398	2188	607	598	5			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	401	SER	PHE	engineered mutation	UNP Q9RA61
B	401	SER	PHE	engineered mutation	UNP Q9RA61
C	401	SER	PHE	engineered mutation	UNP Q9RA61

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0
3	B	1	Total Cl 1 1	0	0
3	C	1	Total Cl 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	183	Total O 183 183	0	0
4	B	145	Total O 145 145	0	0
4	C	73	Total O 73 73	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: BETA GLYCOSIDASE




• Molecule 1: BETA GLYCOSIDASE



• Molecule 1: BETA GLYCOSIDASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	98.56Å 77.32Å 101.77Å 90.00° 103.46° 90.00°	Depositor
Resolution (Å)	60.18 – 2.20 60.18 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (60.18-2.20) 99.8 (60.18-2.20)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.88 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.173 , 0.223 0.176 , 0.223	Depositor DCC
R_{free} test set	3813 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	23.6	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.020 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10601	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.23	2/3504 (0.1%)	1.11	7/4782 (0.1%)
1	B	1.21	1/3499 (0.0%)	1.15	4/4775 (0.1%)
1	C	0.98	0/3509	1.05	10/4789 (0.2%)
All	All	1.15	3/10512 (0.0%)	1.10	21/14346 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	164	GLU	N-CA	6.42	1.50	1.46
1	A	381	GLY	C-O	5.80	1.30	1.24
1	A	260	PRO	CA-C	5.29	1.57	1.52

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	GLU	N-CA-C	7.29	118.87	111.07
1	C	315	TYR	CA-C-N	6.96	127.25	119.32
1	C	315	TYR	C-N-CA	6.96	127.25	119.32
1	C	285	ALA	CA-C-N	6.29	126.25	120.21
1	C	285	ALA	C-N-CA	6.29	126.25	120.21
1	C	289	VAL	N-CA-C	6.15	117.70	108.96
1	A	258	ASP	CA-C-N	-6.11	115.26	119.66
1	A	258	ASP	C-N-CA	-6.11	115.26	119.66
1	C	78	VAL	N-CA-C	-5.59	100.42	108.53
1	C	421	TRP	N-CA-C	-5.58	105.11	111.14
1	C	44	ARG	N-CA-C	5.58	119.34	112.54
1	A	293	THR	N-CA-C	5.50	120.25	112.93
1	B	358	ARG	N-CA-C	-5.47	105.47	111.82
1	B	262	VAL	N-CA-C	-5.33	104.04	108.63
1	A	274	ARG	N-CA-CB	-5.30	101.64	110.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	301	LEU	CA-C-N	5.30	125.84	120.38
1	A	301	LEU	C-N-CA	5.30	125.84	120.38
1	C	305	GLY	CA-C-N	5.18	125.47	119.93
1	C	305	GLY	C-N-CA	5.18	125.47	119.93
1	B	20	GLU	N-CA-C	5.17	116.99	111.36
1	B	285	ALA	N-CA-C	5.01	112.73	108.22

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3393	0	3280	53	0
1	B	3388	0	3275	71	0
1	C	3398	0	3285	65	0
2	A	6	0	8	0	0
2	B	6	0	8	2	0
2	C	6	0	8	7	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	183	0	0	4	0
4	B	145	0	0	4	0
4	C	73	0	0	1	0
All	All	10601	0	9864	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:119:HIS:HE1	2:C:904:GOL:H32	1.06	1.19
1:C:310:MET:HE1	1:C:395:PHE:CE2	1.83	1.14

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:LYS:HA	1:B:7:LYS:HE2	1.28	1.08
1:A:7:LYS:NZ	1:A:7:LYS:HB2	1.70	1.07
1:B:36:PHE:CD1	1:B:180:PRO:O	2.11	1.03
1:A:213:ARG:NH2	1:B:213:ARG:NH1	2.06	1.02
1:C:119:HIS:CE1	2:C:904:GOL:H32	1.95	1.01
1:B:7:LYS:HA	1:B:7:LYS:CE	1.96	0.94
1:B:101:ARG:HH11	1:B:101:ARG:HG2	1.34	0.93
1:C:119:HIS:HE1	2:C:904:GOL:C3	1.82	0.93
1:C:184:ASN:HD21	1:C:186:GLU:HB3	1.32	0.92
1:A:83:ILE:HD12	1:A:96:LEU:HD13	1.50	0.91
1:A:36:PHE:CD1	1:A:180:PRO:O	2.27	0.88
1:B:288:ARG:CG	1:B:288:ARG:HH11	1.89	0.86
1:A:7:LYS:HB2	1:A:7:LYS:HZ3	1.37	0.85
1:B:274:ARG:HB3	1:B:274:ARG:HH11	1.42	0.85
1:A:219:ASN:OD1	1:A:238:HIS:HE1	1.61	0.84
1:B:288:ARG:HH11	1:B:288:ARG:HG2	1.42	0.83
1:A:179:ALA:HA	1:A:180:PRO:C	2.03	0.82
1:A:213:ARG:NH2	1:B:213:ARG:HH11	1.73	0.81
1:C:83:ILE:HD12	1:C:96:LEU:HD13	1.60	0.81
1:B:7:LYS:HE2	1:B:7:LYS:CA	2.11	0.81
1:C:55:HIS:HD2	1:C:62:ASP:OD2	1.65	0.79
1:B:367:GLU:OE2	1:B:425:ARG:NH1	2.17	0.78
1:B:179:ALA:HA	1:B:180:PRO:C	2.07	0.78
1:B:303:PRO:HB3	1:B:313:GLU:HG3	1.66	0.77
1:B:224:TYR:HB2	1:B:288:ARG:NH1	1.99	0.77
1:C:310:MET:HE3	1:C:399:ARG:HE	1.49	0.76
1:B:101:ARG:HG2	1:B:101:ARG:NH1	2.00	0.75
1:C:132:TRP:O	1:C:194:HIS:HD2	1.70	0.74
1:A:179:ALA:HA	1:A:180:PRO:O	1.89	0.72
1:B:274:ARG:HH11	1:B:274:ARG:CB	2.01	0.71
1:A:7:LYS:HB2	1:A:7:LYS:HZ2	1.55	0.71
1:B:183:ARG:NH1	4:B:2077:HOH:O	2.22	0.71
1:B:274:ARG:HH11	1:B:274:ARG:CG	2.04	0.70
1:A:428:ARG:O	1:A:429:ALA:C	2.34	0.69
1:C:184:ASN:C	1:C:184:ASN:HD22	1.99	0.69
1:B:179:ALA:HA	1:B:180:PRO:O	1.92	0.69
1:C:49:GLY:O	1:C:52:ALA:N	2.26	0.68
1:A:213:ARG:HH21	1:B:213:ARG:NH1	1.90	0.68
1:C:158:PHE:CE1	1:C:213:ARG:HD2	2.29	0.67
1:A:213:ARG:CZ	1:B:213:ARG:NH1	2.58	0.66
1:A:55:HIS:HD2	1:A:62:ASP:OD2	1.78	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:36:PHE:CD1	1:C:180:PRO:O	2.49	0.65
1:B:51:PRO:HD3	4:B:2035:HOH:O	1.97	0.65
1:C:60:GLU:HG2	1:C:105:ARG:NH1	2.13	0.64
1:C:179:ALA:HA	1:C:180:PRO:C	2.22	0.64
1:A:219:ASN:OD1	1:A:238:HIS:CE1	2.49	0.62
1:C:132:TRP:O	1:C:194:HIS:CD2	2.51	0.62
1:A:17:TYR:CZ	1:A:49:GLY:HA3	2.34	0.62
1:C:412:ARG:HA	4:C:2021:HOH:O	1.98	0.61
1:C:412:ARG:HG3	1:C:413:ARG:N	2.14	0.61
1:C:105:ARG:O	1:C:105:ARG:HG3	2.00	0.60
1:B:51:PRO:O	1:B:52:ALA:C	2.44	0.60
1:C:310:MET:HE1	1:C:395:PHE:CD2	2.35	0.60
1:A:129:ARG:HD2	4:A:2075:HOH:O	2.00	0.60
1:B:338:GLU:OE1	2:B:903:GOL:H32	2.02	0.59
1:B:332:TRP:HB3	1:B:333:PRO:HD2	1.84	0.59
1:B:194:HIS:HE1	4:B:2066:HOH:O	1.85	0.58
1:C:184:ASN:C	1:C:184:ASN:ND2	2.60	0.58
1:A:367:GLU:OE2	4:A:2163:HOH:O	2.17	0.58
1:C:393:TRP:HE1	2:C:904:GOL:H31	1.69	0.58
1:B:274:ARG:O	1:B:275:PRO:C	2.45	0.58
1:B:7:LYS:HE2	1:B:8:PHE:H	1.69	0.57
1:C:44:ARG:NH2	1:C:399:ARG:HH22	2.02	0.57
1:B:224:TYR:HB2	1:B:288:ARG:HH12	1.69	0.57
1:A:150:ARG:HG2	1:C:91:ILE:HD12	1.85	0.57
1:C:60:GLU:HG2	1:C:105:ARG:HH11	1.70	0.56
1:C:180:PRO:HG2	1:C:182:LEU:HD13	1.88	0.56
1:A:80:TRP:HB3	1:A:81:PRO:HD3	1.88	0.56
1:C:284:TYR:OH	1:C:338:GLU:OE1	2.20	0.55
1:B:274:ARG:CG	1:B:274:ARG:NH1	2.66	0.55
1:C:18:GLN:OE1	2:C:904:GOL:O3	2.25	0.55
1:B:139:PHE:CE1	1:B:143:GLU:OE1	2.60	0.55
1:C:36:PHE:HD1	1:C:180:PRO:O	1.90	0.54
1:B:274:ARG:NH1	1:B:274:ARG:HG3	2.22	0.54
1:B:288:ARG:CG	1:B:288:ARG:NH1	2.57	0.53
1:C:18:GLN:O	1:C:390:ASN:HB2	2.08	0.53
1:C:164:GLU:HG2	1:C:219:ASN:HB2	1.92	0.52
1:C:310:MET:HE1	1:C:395:PHE:CZ	2.39	0.52
1:A:80:TRP:N	1:A:81:PRO:CD	2.73	0.52
1:B:124:LEU:O	1:B:128:GLU:HG2	2.10	0.51
1:A:7:LYS:NZ	1:A:7:LYS:CB	2.56	0.51
1:B:146:GLU:OE2	1:B:150:ARG:NH2	2.43	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:TYR:CB	1:B:288:ARG:HH12	2.24	0.51
1:C:224:TYR:O	1:C:288:ARG:HA	2.10	0.51
1:C:308:THR:C	1:C:310:MET:H	2.17	0.51
1:A:68:SER:O	1:A:423:ARG:HD2	2.11	0.51
1:A:350:GLU:H	1:A:350:GLU:CD	2.19	0.51
1:C:54:ASP:O	1:C:58:ARG:HG3	2.11	0.51
1:C:310:MET:HE3	1:C:399:ARG:NE	2.24	0.50
1:C:308:THR:C	1:C:310:MET:N	2.68	0.50
1:A:132:TRP:O	1:A:194:HIS:HD2	1.94	0.50
1:C:133:ARG:HD2	1:C:187:ALA:HB1	1.93	0.50
1:B:101:ARG:HH11	1:B:101:ARG:CG	2.14	0.50
1:B:271:LEU:O	1:B:274:ARG:HG2	2.12	0.50
1:B:55:HIS:HD2	1:B:62:ASP:OD2	1.95	0.49
1:C:130:GLY:O	1:C:133:ARG:HB2	2.13	0.49
1:B:359:VAL:O	1:B:363:GLU:HG3	2.12	0.49
1:C:219:ASN:OD1	1:C:238:HIS:HE1	1.94	0.49
1:C:184:ASN:HD22	1:C:185:LEU:N	2.10	0.49
1:C:347:TRP:CZ2	1:C:349:GLY:HA2	2.47	0.48
1:A:146:GLU:HB2	1:A:205:ALA:HB1	1.96	0.48
1:B:350:GLU:H	1:B:350:GLU:CD	2.19	0.48
1:A:288:ARG:HD3	1:A:304:GLU:OE2	2.13	0.48
1:C:427:ALA:C	1:C:429:ALA:H	2.21	0.48
1:B:79:ALA:C	1:B:81:PRO:HD2	2.40	0.47
1:A:63:ILE:HA	1:A:66:MET:HE3	1.96	0.47
1:A:320:HIS:CE1	1:A:371:ARG:HG2	2.50	0.47
1:B:80:TRP:N	1:B:81:PRO:CD	2.77	0.47
1:C:393:TRP:HE1	2:C:904:GOL:C3	2.27	0.47
1:A:353:VAL:HB	1:A:416:LYS:HG2	1.98	0.46
1:B:50:GLU:HA	1:B:51:PRO:HA	1.55	0.46
1:B:180:PRO:HG2	1:B:181:GLY:H	1.80	0.46
1:B:7:LYS:HE2	1:B:8:PHE:N	2.30	0.46
1:A:236:ARG:HD2	1:A:253:GLU:O	2.15	0.45
1:C:320:HIS:O	1:C:324:LYS:HG2	2.16	0.45
1:A:180:PRO:HG2	1:A:181:GLY:H	1.80	0.45
1:B:274:ARG:HD2	1:B:274:ARG:HA	1.55	0.45
1:B:36:PHE:CE1	1:B:180:PRO:O	2.65	0.45
1:A:51:PRO:O	1:A:52:ALA:C	2.60	0.45
1:B:357:GLU:H	1:B:357:GLU:HG2	1.37	0.45
1:C:119:HIS:CE1	2:C:904:GOL:C3	2.74	0.45
1:C:412:ARG:HG2	1:C:414:ILE:CD1	2.47	0.45
1:B:18:GLN:HG2	1:B:391:PHE:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:ILE:O	1:A:93:PRO:HD3	2.17	0.44
1:A:149:ALA:HB2	1:A:206:LEU:HD12	1.99	0.44
1:B:301:LEU:HB3	1:B:302:PRO:HD2	1.99	0.44
1:B:146:GLU:O	1:B:150:ARG:HG3	2.18	0.44
1:C:310:MET:HG2	1:C:342:ALA:HB3	1.99	0.44
1:A:36:PHE:HD1	1:A:180:PRO:O	1.93	0.44
1:B:389:ASP:OD2	1:B:405:TYR:HA	2.18	0.44
1:A:343:TYR:CE2	1:A:357:GLU:HB3	2.52	0.44
1:C:427:ALA:C	1:C:429:ALA:N	2.76	0.44
1:A:7:LYS:HZ3	1:A:7:LYS:CB	2.18	0.44
1:A:133:ARG:HD2	1:A:187:ALA:HB1	2.00	0.44
1:A:50:GLU:HA	1:A:51:PRO:HA	1.53	0.43
1:C:412:ARG:HG2	1:C:414:ILE:HD11	1.99	0.43
1:C:44:ARG:HB3	1:C:394:ALA:O	2.18	0.43
1:C:343:TYR:H	1:C:358:ARG:HH21	1.66	0.43
1:B:119:HIS:HE1	2:B:903:GOL:O2	2.01	0.43
1:A:151:ALA:HB1	1:C:93:PRO:HG3	1.99	0.43
1:A:427:ALA:C	1:A:429:ALA:H	2.27	0.43
1:C:49:GLY:O	1:C:52:ALA:HB2	2.19	0.43
1:C:63:ILE:HD11	1:C:102:LEU:HD12	1.99	0.43
1:C:224:TYR:HB2	1:C:288:ARG:HD3	2.00	0.42
1:C:37:ALA:HB1	1:C:48:THR:HG22	2.00	0.42
1:B:119:HIS:HD2	4:B:2005:HOH:O	2.01	0.42
1:B:350:GLU:OE1	1:B:350:GLU:N	2.26	0.42
1:C:385:TRP:HA	1:C:386:SER:HA	1.77	0.42
1:B:148:VAL:HG13	1:B:152:LEU:HD12	2.00	0.42
1:A:36:PHE:CE1	1:A:180:PRO:O	2.73	0.42
1:C:184:ASN:HD21	1:C:186:GLU:CB	2.16	0.42
1:B:274:ARG:HH11	1:B:274:ARG:HG3	1.79	0.41
1:B:288:ARG:NH1	1:B:288:ARG:HG3	2.34	0.41
1:B:392:GLU:HG3	1:B:399:ARG:O	2.19	0.41
1:A:296:LEU:HA	1:A:297:PRO:HD3	1.77	0.41
1:B:227:ASP:HA	1:B:228:PRO:HD3	1.93	0.41
1:C:63:ILE:HA	1:C:66:MET:HE3	2.02	0.41
1:A:194:HIS:HE1	4:A:2084:HOH:O	2.02	0.41
1:B:74:TYR:CE2	1:B:76:PHE:HB3	2.55	0.41
1:B:119:HIS:O	1:B:120:TRP:HB2	2.20	0.41
1:B:186:GLU:OE1	1:B:260:PRO:HB2	2.21	0.41
1:C:242:PHE:O	1:C:246:ILE:HG12	2.20	0.41
1:B:36:PHE:CB	1:B:179:ALA:HB2	2.51	0.41
1:B:132:TRP:O	1:B:194:HIS:HD2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:ARG:HD2	1:A:425:ARG:HA	1.84	0.41
1:C:85:PRO:HG2	1:C:90:ARG:NH1	2.36	0.41
1:A:50:GLU:OE2	1:A:51:PRO:HB3	2.20	0.41
1:A:180:PRO:HA	4:A:2024:HOH:O	2.20	0.41
1:A:242:PHE:O	1:A:246:ILE:HG12	2.21	0.41
1:A:385:TRP:HA	1:A:386:SER:HA	1.77	0.41
1:B:343:TYR:CZ	1:B:357:GLU:HB2	2.56	0.41
1:B:392:GLU:O	1:B:393:TRP:C	2.63	0.41
1:A:310:MET:HE1	1:A:395:PHE:CE2	2.56	0.41
1:B:236:ARG:HD2	1:B:253:GLU:O	2.20	0.41
1:A:302:PRO:HA	1:A:303:PRO:HD2	1.86	0.40
1:A:132:TRP:O	1:A:194:HIS:CD2	2.73	0.40
1:C:106:LEU:HD23	1:C:106:LEU:HA	1.94	0.40
1:B:332:TRP:CB	1:B:333:PRO:HD2	2.51	0.40
1:B:92:ASN:HA	1:B:93:PRO:HD3	1.96	0.40
1:C:236:ARG:HD2	1:C:253:GLU:O	2.22	0.40
1:C:75:ARG:NH1	1:C:338:GLU:HG3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	422/431 (98%)	402 (95%)	18 (4%)	2 (0%)	24	27
1	B	421/431 (98%)	405 (96%)	11 (3%)	5 (1%)	10	8
1	C	423/431 (98%)	401 (95%)	19 (4%)	3 (1%)	18	19
All	All	1266/1293 (98%)	1208 (95%)	48 (4%)	10 (1%)	16	16

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	52	ALA
1	B	275	PRO
1	C	309	ALA
1	A	180	PRO
1	A	181	GLY
1	B	180	PRO
1	B	294	GLY
1	C	263	PRO
1	C	428	ARG
1	B	181	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/339 (98%)	317 (95%)	16 (5%)	23	30
1	B	333/339 (98%)	312 (94%)	21 (6%)	16	19
1	C	333/339 (98%)	314 (94%)	19 (6%)	18	23
All	All	999/1017 (98%)	943 (94%)	56 (6%)	19	24

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LYS
1	A	90	ARG
1	A	91	ILE
1	A	96	LEU
1	A	101	ARG
1	A	150	ARG
1	A	206	LEU
1	A	226	GLU
1	A	270	GLU
1	A	274	ARG
1	A	298	VAL
1	A	346	LEU
1	A	352	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	357	GLU
1	A	420	LEU
1	A	425	ARG
1	B	6	GLU
1	B	7	LYS
1	B	25	GLU
1	B	44	ARG
1	B	71	VAL
1	B	86	GLU
1	B	90	ARG
1	B	96	LEU
1	B	100	ASP
1	B	101	ARG
1	B	128	GLU
1	B	136	GLU
1	B	204	GLU
1	B	258	ASP
1	B	267	ARG
1	B	274	ARG
1	B	288	ARG
1	B	298	VAL
1	B	337	THR
1	B	357	GLU
1	B	425	ARG
1	C	7	LYS
1	C	50	GLU
1	C	61	GLU
1	C	86	GLU
1	C	88	ARG
1	C	96	LEU
1	C	128	GLU
1	C	133	ARG
1	C	184	ASN
1	C	258	ASP
1	C	262	VAL
1	C	267	ARG
1	C	270	GLU
1	C	271	LEU
1	C	274	ARG
1	C	310	MET
1	C	350	GLU
1	C	412	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	425	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	HIS
1	A	119	HIS
1	A	163	ASN
1	A	194	HIS
1	A	238	HIS
1	A	320	HIS
1	B	55	HIS
1	B	119	HIS
1	B	194	HIS
1	B	238	HIS
1	C	38	GLN
1	C	55	HIS
1	C	92	ASN
1	C	119	HIS
1	C	184	ASN
1	C	194	HIS
1	C	238	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	902	-	5,5,5	0.58	0	5,5,5	1.19	1 (20%)
2	GOL	B	903	-	5,5,5	0.63	0	5,5,5	1.45	2 (40%)
2	GOL	C	904	-	5,5,5	0.41	0	5,5,5	1.42	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	902	-	-	0/4/4/4	-
2	GOL	B	903	-	-	2/4/4/4	-
2	GOL	C	904	-	-	2/4/4/4	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	902	GOL	C3-C2-C1	-2.48	102.70	111.80
2	B	903	GOL	O2-C2-C1	2.34	118.85	109.18
2	B	903	GOL	O2-C2-C3	2.08	117.80	109.18
2	C	904	GOL	O2-C2-C1	2.04	117.62	109.18

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	904	GOL	C1-C2-C3-O3
2	B	903	GOL	O1-C1-C2-O2
2	B	903	GOL	O2-C2-C3-O3
2	C	904	GOL	O2-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	903	GOL	2	0
2	C	904	GOL	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	424/431 (98%)	-0.58	3 (0%) 84 82	12, 23, 44, 63	0
1	B	423/431 (98%)	-0.41	12 (2%) 55 52	11, 24, 55, 86	0
1	C	425/431 (98%)	0.14	22 (5%) 33 29	16, 46, 82, 94	0
All	All	1272/1293 (98%)	-0.28	37 (2%) 53 50	11, 29, 69, 94	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	180	PRO	6.6
1	A	429	ALA	6.2
1	C	49	GLY	5.3
1	C	429	ALA	5.2
1	C	5	ALA	4.8
1	C	180	PRO	4.6
1	A	180	PRO	4.5
1	B	49	GLY	4.0
1	C	293	THR	3.9
1	C	257	ARG	3.5
1	B	51	PRO	3.4
1	C	259	PRO	3.4
1	C	266	SER	3.3
1	B	274	ARG	3.0
1	B	309	ALA	3.0
1	B	428	ARG	3.0
1	C	50	GLU	3.0
1	C	263	PRO	2.9
1	C	262	VAL	2.9
1	C	260	PRO	2.7
1	B	306	PRO	2.5
1	B	392	GLU	2.5
1	C	224	TYR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	346	LEU	2.5
1	C	306	PRO	2.5
1	C	288	ARG	2.4
1	B	312	TRP	2.4
1	C	351	ALA	2.4
1	B	307	ALA	2.3
1	B	6	GLU	2.3
1	C	264	ILE	2.3
1	B	7	LYS	2.2
1	C	265	LEU	2.1
1	C	305	GLY	2.1
1	C	258	ASP	2.1
1	C	228	PRO	2.1
1	C	261	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	C	904	6/6	0.88	0.16	50,52,53,55	0
2	GOL	B	903	6/6	0.97	0.06	20,25,32,34	0
2	GOL	A	902	6/6	0.98	0.05	17,18,21,26	0
3	CL	B	1429	1/1	0.98	0.06	22,22,22,22	0
3	CL	A	1430	1/1	0.99	0.04	18,18,18,18	0
3	CL	C	1430	1/1	0.99	0.07	31,31,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.