



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:14 AM UTC

PDB ID : 2ZK6 / pdb_00002zk6
Title : Human peroxisome proliferator-activated receptor gamma ligand binding domain complexed with C8-BODIPY
Authors : Waku, T.; Shiraki, T.; Oyama, T.; Fujimoto, Y.; Morikawa, K.
Deposited on : 2008-03-12
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6062 (2.44-2.40)
Clashscore	190562	6562 (2.44-2.40)
Ramachandran outliers	187476	6481 (2.44-2.40)
Sidechain outliers	187428	6482 (2.44-2.40)
RSRZ outliers	180081	6066 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	
1	B	286	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4383 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2186	1409	358	409	10			
1	B	262	Total	C	N	O	S	0	0	0
			2101	1358	344	390	9			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	191	GLY	-	expression tag	UNP P37231
A	192	SER	-	expression tag	UNP P37231
A	193	HIS	-	expression tag	UNP P37231
A	194	MET	-	expression tag	UNP P37231
B	191	GLY	-	expression tag	UNP P37231
B	192	SER	-	expression tag	UNP P37231
B	193	HIS	-	expression tag	UNP P37231
B	194	MET	-	expression tag	UNP P37231

- Molecule 2 is difluoro(5-{2-[(5-octyl-1H-pyrrol-2-yl-kappaN)methylidene]-2H-pyrrol-5-yl-kappaN}pentanoato)boron (CCD ID: C08) (formula: C₂₂H₃₁BF₂N₂O₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	B	C	F	N	O	0	0
			29	1	22	2	2	2		
2	B	1	Total	B	C	F	N	O	0	0
			29	1	22	2	2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	19	Total	O	0	0
			19	19		
3	B	19	Total	O	0	0
			19	19		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.42Å 61.15Å 118.43Å 90.00° 102.91° 90.00°	Depositor
Resolution (Å)	48.76 – 2.41 48.76 – 2.41	Depositor EDS
% Data completeness (in resolution range)	93.7 (48.76-2.41) 93.9 (48.76-2.41)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.60 (at 2.42Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.250 , 0.299 0.245 , 0.294	Depositor DCC
R_{free} test set	1199 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	44.2	Xtriage
Anisotropy	0.700	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 42.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4383	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: C08

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/2223	1.13	14/2995 (0.5%)
1	B	0.58	0/2136	1.08	14/2876 (0.5%)
All	All	0.58	0/4359	1.11	28/5871 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	267	ILE	N-CA-C	-12.07	102.12	111.90
1	B	279	ILE	N-CA-C	-8.28	100.67	112.35
1	A	403	VAL	N-CA-C	8.27	119.05	110.62
1	A	245	SER	CA-C-N	8.05	128.20	120.31
1	A	245	SER	C-N-CA	8.05	128.20	120.31
1	A	364	MET	N-CA-C	8.04	122.86	112.89
1	A	337	ASP	N-CA-C	7.60	122.55	113.28
1	A	242	THR	N-CA-C	-7.56	103.14	114.64
1	A	255	LEU	N-CA-C	-7.13	103.50	111.28
1	B	458	LYS	N-CA-C	-7.09	105.06	113.21
1	B	403	VAL	N-CA-C	7.03	117.82	110.72
1	A	266	HIS	N-CA-C	-6.26	97.47	110.80
1	A	206	PRO	N-CA-CB	6.25	109.81	103.25
1	A	281	ILE	N-CA-C	-6.05	104.84	110.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	457	LYS	N-CA-C	-5.97	105.83	113.23
1	B	248	VAL	N-CA-C	5.79	117.11	108.54
1	A	306	PHE	N-CA-C	5.68	117.47	111.28
1	B	285	CYS	N-CA-C	-5.62	105.31	111.82
1	B	212	ARG	N-CA-C	-5.58	104.69	112.45
1	B	244	LYS	N-CA-C	5.39	117.95	109.39
1	B	426	PRO	N-CA-C	-5.35	106.09	113.53
1	A	322	VAL	N-CA-C	5.34	115.96	110.36
1	B	268	THR	N-CA-C	5.20	121.29	109.81
1	A	334	MET	N-CA-C	5.14	117.48	109.52
1	B	322	VAL	N-CA-C	5.11	115.84	110.62
1	B	412	ASN	N-CA-C	-5.09	105.91	111.82
1	B	428	SER	N-CA-C	5.06	117.16	107.75
1	B	427	GLU	N-CA-C	5.00	117.38	111.33

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	327	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2186	0	2239	150	0
1	B	2101	0	2162	161	0
2	A	29	0	30	11	0
2	B	29	0	30	9	0
3	A	19	0	0	0	0
3	B	19	0	0	0	0
All	All	4383	0	4461	309	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 35.

All (309) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:LEU:HG	1:B:334:MET:HE3	1.35	1.09
1:B:459:THR:HG22	1:B:460:GLU:H	1.25	1.00
1:B:363:PHE:HE1	1:B:367:LYS:HZ1	1.10	0.97
1:A:267:ILE:HG13	2:A:1:C08:H18A	1.48	0.94
1:A:329:MET:HG3	2:A:1:C08:H13B	1.52	0.92
1:A:241:THR:CG2	1:A:244:LYS:HD3	2.02	0.90
1:A:307:VAL:HA	1:A:314:GLN:NE2	1.86	0.90
1:B:358:LYS:HB3	1:B:359:PRO:HD2	1.53	0.88
1:A:274:SER:O	1:A:276:GLU:N	2.07	0.87
1:B:268:THR:O	1:B:270:LEU:HD22	1.73	0.87
1:B:364:MET:SD	2:B:2:C08:H01	2.15	0.85
1:A:267:ILE:O	1:A:269:PRO:HD3	1.77	0.83
1:A:441:ASP:O	1:A:445:ILE:HG12	1.79	0.83
1:A:473:TYR:HA	1:A:476:LEU:HD22	1.60	0.82
1:B:252:MET:HE1	1:B:277:VAL:HG21	1.60	0.82
1:A:472:ILE:O	1:A:476:LEU:HD13	1.80	0.81
1:B:311:LEU:H	1:B:311:LEU:HD22	1.46	0.80
1:B:271:GLN:O	1:B:272:GLU:HG3	1.80	0.80
1:A:363:PHE:CZ	1:A:452:LEU:HD22	2.14	0.80
1:A:241:THR:HG22	1:A:244:LYS:HD3	1.64	0.79
1:B:459:THR:HG22	1:B:460:GLU:HG3	1.63	0.79
1:B:268:THR:O	1:B:270:LEU:N	2.17	0.78
1:B:266:HIS:H	1:B:266:HIS:CD2	1.97	0.77
1:A:267:ILE:HG12	1:A:284:GLY:CA	2.15	0.76
1:B:265:LYS:O	1:B:269:PRO:CD	2.34	0.76
1:B:288:ARG:HH21	2:B:2:C08:H12A	1.52	0.75
1:A:267:ILE:HG12	1:A:284:GLY:HA2	1.69	0.74
1:A:273:GLN:HG3	1:A:274:SER:N	2.02	0.73
1:B:265:LYS:O	1:B:269:PRO:HD3	1.87	0.73
1:B:341:ILE:HB	2:B:2:C08:H17	1.70	0.73
1:A:307:VAL:HA	1:A:314:GLN:HE21	1.49	0.73
1:A:267:ILE:HG13	2:A:1:C08:C18	2.19	0.72
1:B:352:PHE:O	1:B:355:SER:HB3	1.89	0.72
1:B:335:ASN:C	1:B:335:ASN:HD22	1.97	0.72
1:A:368:PHE:O	1:A:372:VAL:HG23	1.88	0.72
1:A:249:ILE:HG21	1:A:255:LEU:HD23	1.72	0.72
1:B:358:LYS:HB3	1:B:359:PRO:CD	2.18	0.71
1:B:266:HIS:H	1:B:266:HIS:HD2	1.33	0.71
1:B:455:VAL:HA	1:B:458:LYS:HD3	1.72	0.71
1:A:387:PHE:CE2	1:A:391:ILE:HD11	2.26	0.70
1:B:459:THR:HG22	1:B:460:GLU:N	2.04	0.70
1:B:285:CYS:HA	2:B:2:C08:F01	1.82	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:443:ARG:O	1:B:447:THR:HG23	1.92	0.69
1:B:292:ALA:O	1:B:296:ILE:HG12	1.93	0.69
1:A:283:GLN:HE21	1:A:283:GLN:HA	1.58	0.67
1:B:271:GLN:C	1:B:272:GLU:HG3	2.19	0.67
1:B:411:ASP:O	1:B:415:GLN:HG3	1.95	0.67
1:B:274:SER:OG	1:B:280:ARG:HD3	1.94	0.66
1:B:349:THR:HG23	1:B:352:PHE:H	1.61	0.66
1:A:329:MET:HB2	2:A:1:C08:H10	1.77	0.66
1:A:272:GLU:OE1	1:A:273:GLN:HG2	1.95	0.66
1:A:394:SER:HB2	1:A:397:ARG:HG2	1.78	0.65
1:A:239:GLY:C	1:A:241:THR:H	2.04	0.65
1:B:459:THR:CG2	1:B:460:GLU:H	2.08	0.65
1:B:358:LYS:CB	1:B:359:PRO:HD2	2.26	0.64
1:A:327:TYR:CD2	1:A:367:LYS:HD2	2.31	0.64
1:B:249:ILE:N	1:B:249:ILE:HD12	2.12	0.64
1:A:240:LYS:C	1:A:241:THR:HG23	2.23	0.64
1:A:243:ASP:CG	1:A:244:LYS:HD2	2.23	0.64
1:B:273:GLN:HG3	1:B:274:SER:H	1.64	0.63
1:B:379:LEU:HD11	1:B:435:LEU:HD13	1.80	0.63
1:A:296:ILE:HD11	2:A:1:C08:H13A	1.80	0.62
1:A:357:ARG:HG3	1:A:359:PRO:HD2	1.80	0.62
1:B:265:LYS:O	1:B:269:PRO:HD2	1.99	0.62
1:B:457:LYS:C	1:B:459:THR:H	2.06	0.62
1:B:288:ARG:HD2	1:B:288:ARG:O	1.99	0.61
2:B:2:C08:F02	2:B:2:C08:H16A	1.90	0.61
1:B:472:ILE:HB	1:B:473:TYR:CE1	2.36	0.61
1:A:395:GLY:O	1:A:400:LEU:HD12	2.00	0.60
1:B:264:PHE:O	1:B:266:HIS:N	2.34	0.60
1:B:327:TYR:CE1	1:B:367:LYS:NZ	2.70	0.60
1:A:257:MET:O	1:A:260:ASP:HB2	2.02	0.60
1:B:472:ILE:O	1:B:472:ILE:HG22	2.01	0.60
1:A:323:HIS:CE1	1:A:472:ILE:HG21	2.36	0.60
1:B:404:LYS:HB3	1:B:405:PRO:HD3	1.84	0.59
1:A:230:LYS:O	1:A:234:ARG:HG2	2.02	0.59
1:B:311:LEU:H	1:B:311:LEU:CD2	2.14	0.59
1:B:452:LEU:HD13	1:B:452:LEU:C	2.28	0.59
1:B:471:GLU:OE2	1:B:471:GLU:O	2.20	0.59
1:B:421:LEU:HD22	1:B:431:LEU:HD23	1.84	0.59
1:A:473:TYR:O	1:A:476:LEU:HB2	2.03	0.59
1:A:457:LYS:O	1:A:457:LYS:HG2	2.04	0.58
1:A:251:ASP:O	1:A:255:LEU:HB2	2.04	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:MET:HE2	1:A:368:PHE:CE1	2.39	0.58
1:A:327:TYR:CE2	1:A:367:LYS:HD2	2.39	0.58
1:B:335:ASN:ND2	1:B:338:GLY:H	2.01	0.58
1:B:368:PHE:O	1:B:372:VAL:HG23	2.04	0.58
1:A:267:ILE:HG12	1:A:284:GLY:HA3	1.84	0.57
1:A:283:GLN:HA	1:A:283:GLN:NE2	2.19	0.57
1:B:258:GLY:O	1:B:262:ILE:HG13	2.04	0.57
1:B:263:LYS:C	1:B:265:LYS:H	2.12	0.57
1:A:455:VAL:O	1:A:459:THR:HG22	2.03	0.57
1:A:291:GLU:HA	1:A:294:GLN:OE1	2.04	0.57
1:B:363:PHE:O	1:B:366:PRO:HD2	2.05	0.57
1:A:325:ILE:HD13	1:A:388:ILE:HG23	1.86	0.57
1:B:212:ARG:HG3	1:B:212:ARG:HH11	1.69	0.57
1:B:425:HIS:HB3	1:B:428:SER:OG	2.04	0.57
1:B:357:ARG:HG2	1:B:358:LYS:N	2.19	0.56
1:A:278:ALA:HA	1:A:356:LEU:HD22	1.87	0.56
1:B:311:LEU:HD22	1:B:311:LEU:N	2.17	0.56
1:B:365:GLU:N	1:B:366:PRO:CD	2.68	0.56
1:B:402:ASN:O	1:B:405:PRO:HD2	2.06	0.56
1:A:239:GLY:O	1:A:241:THR:N	2.31	0.56
1:A:433:ALA:O	1:A:437:GLN:HG3	2.06	0.56
1:A:263:LYS:HG2	1:A:345:GLN:OE1	2.06	0.55
1:B:267:ILE:HG13	1:B:268:THR:HG23	1.88	0.55
1:A:239:GLY:C	1:A:241:THR:N	2.64	0.55
1:A:468:LEU:HD13	1:A:468:LEU:C	2.32	0.55
1:A:291:GLU:O	1:A:294:GLN:HB2	2.07	0.55
1:A:283:GLN:HE21	1:A:283:GLN:CA	2.19	0.55
1:B:207:GLU:O	1:B:211:LEU:HD13	2.06	0.55
1:B:452:LEU:HD22	1:B:452:LEU:O	2.06	0.54
1:B:260:ASP:O	1:B:261:LYS:C	2.51	0.54
1:B:325:ILE:HD11	1:B:392:ILE:HG12	1.89	0.54
1:B:279:ILE:O	1:B:283:GLN:HG3	2.07	0.54
1:B:247:PHE:HE2	1:B:254:SER:O	1.89	0.54
1:B:442:LEU:O	1:B:446:VAL:HG23	2.08	0.54
1:B:388:ILE:O	1:B:392:ILE:HG13	2.07	0.54
1:B:264:PHE:C	1:B:264:PHE:CD2	2.85	0.54
1:B:268:THR:OG1	1:B:269:PRO:HD3	2.08	0.54
1:A:232:LYS:O	1:A:236:ILE:HG13	2.08	0.53
1:A:456:ILE:HA	1:A:459:THR:CG2	2.38	0.53
1:A:292:ALA:HB1	2:A:1:C08:H12A	1.90	0.53
1:A:267:ILE:HG23	1:A:268:THR:N	2.23	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:263:LYS:C	1:B:265:LYS:N	2.65	0.53
1:A:393:LEU:HD12	1:A:409:ILE:HB	1.91	0.53
1:A:357:ARG:CD	1:A:359:PRO:HD2	2.38	0.53
1:A:364:MET:SD	2:A:1:C08:H01	2.49	0.53
1:A:453:LEU:HD21	1:A:473:TYR:CE2	2.44	0.53
1:B:262:ILE:O	1:B:264:PHE:N	2.41	0.53
1:B:384:LEU:O	1:B:388:ILE:HG12	2.08	0.53
1:A:282:PHE:CD2	1:A:463:MET:SD	3.02	0.53
1:B:288:ARG:NH2	2:B:2:C08:H12A	2.22	0.52
1:B:341:ILE:HG21	2:B:2:C08:H15	1.91	0.52
1:A:219:TYR:CZ	1:A:223:ILE:HD11	2.44	0.52
1:A:442:LEU:O	1:A:446:VAL:HG23	2.09	0.52
1:B:330:LEU:CG	1:B:334:MET:HE3	2.25	0.52
1:B:349:THR:HG22	1:B:352:PHE:HB3	1.92	0.52
1:A:207:GLU:HG3	1:A:208:SER:H	1.74	0.52
1:A:227:PRO:HD3	1:A:295:GLU:OE1	2.11	0.51
1:B:262:ILE:C	1:B:264:PHE:H	2.17	0.51
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.92	0.51
1:A:271:GLN:O	1:A:272:GLU:O	2.27	0.51
1:A:293:VAL:HG22	1:A:322:VAL:HG11	1.92	0.51
1:B:349:THR:HG22	1:B:352:PHE:CB	2.40	0.51
1:B:460:GLU:O	1:B:461:THR:HG23	2.11	0.51
1:B:349:THR:CG2	1:B:352:PHE:H	2.23	0.51
1:B:265:LYS:O	1:B:266:HIS:C	2.53	0.51
1:A:360:PHE:C	1:A:362:ASP:H	2.18	0.51
1:A:240:LYS:O	1:A:241:THR:CG2	2.59	0.51
1:A:267:ILE:HD13	1:A:267:ILE:C	2.36	0.51
1:A:443:ARG:HG3	1:B:440:THR:CG2	2.41	0.51
1:A:240:LYS:C	1:A:241:THR:CG2	2.85	0.50
1:A:273:GLN:HG3	1:A:274:SER:H	1.74	0.50
1:A:363:PHE:CD2	1:A:452:LEU:HD13	2.47	0.50
1:B:325:ILE:HD11	1:B:392:ILE:CG1	2.41	0.50
1:B:335:ASN:ND2	1:B:338:GLY:N	2.58	0.50
1:B:455:VAL:C	1:B:457:LYS:H	2.20	0.50
1:A:341:ILE:HB	2:A:1:C08:H17A	1.91	0.50
1:B:456:ILE:HD13	1:B:456:ILE:O	2.11	0.50
1:A:274:SER:C	1:A:276:GLU:H	2.19	0.50
1:B:454:GLN:O	1:B:457:LYS:HG2	2.11	0.50
1:B:277:VAL:O	1:B:278:ALA:HB3	2.10	0.49
1:A:474:LYS:O	1:A:475:ASP:HB2	2.12	0.49
1:B:247:PHE:HZ	1:B:257:MET:HE3	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:468:LEU:O	1:B:472:ILE:HG13	2.12	0.49
1:A:430:GLN:O	1:A:434:LYS:HG3	2.13	0.49
1:B:276:GLU:HG2	1:B:279:ILE:HB	1.94	0.49
1:A:274:SER:C	1:A:276:GLU:N	2.70	0.49
1:A:357:ARG:CG	1:A:359:PRO:HD2	2.43	0.49
1:B:262:ILE:C	1:B:264:PHE:N	2.71	0.49
1:A:456:ILE:HA	1:A:459:THR:HG23	1.95	0.48
1:B:393:LEU:HG	1:B:409:ILE:HG22	1.94	0.48
1:A:252:MET:CE	1:A:277:VAL:HG21	2.43	0.48
1:B:447:THR:O	1:B:451:GLN:HG2	2.13	0.48
1:B:363:PHE:HE1	1:B:367:LYS:NZ	1.95	0.48
1:B:270:LEU:HD22	1:B:270:LEU:H	1.78	0.48
1:A:252:MET:SD	1:A:277:VAL:HG11	2.53	0.48
1:A:330:LEU:O	1:A:334:MET:HG3	2.14	0.48
1:B:365:GLU:OE1	1:B:365:GLU:HA	2.14	0.48
1:A:363:PHE:CE1	1:A:452:LEU:HD22	2.49	0.47
1:B:272:GLU:C	1:B:273:GLN:HG2	2.39	0.47
1:B:289:SER:O	1:B:293:VAL:HG23	2.14	0.47
1:B:264:PHE:C	1:B:266:HIS:H	2.22	0.47
1:A:252:MET:HE2	1:A:277:VAL:HG21	1.96	0.47
1:A:241:THR:CB	1:A:244:LYS:HD3	2.45	0.47
1:A:290:VAL:HG21	1:A:466:HIS:CG	2.49	0.47
1:A:450:VAL:C	1:A:452:LEU:H	2.22	0.47
1:A:267:ILE:HG23	1:A:268:THR:H	1.80	0.47
1:B:353:LEU:HD12	1:B:368:PHE:HE2	1.80	0.47
1:A:351:GLU:OE2	1:A:354:LYS:HE2	2.15	0.47
1:A:462:ASP:OD1	1:A:462:ASP:N	2.42	0.47
1:B:273:GLN:HG3	1:B:274:SER:N	2.27	0.47
1:A:250:TYR:HB3	1:A:349:THR:HG21	1.96	0.47
1:A:241:THR:HG21	1:A:244:LYS:HB2	1.97	0.46
1:A:273:GLN:HB2	1:A:280:ARG:NH1	2.30	0.46
1:B:356:LEU:O	1:B:361:GLY:HA3	2.15	0.46
1:A:466:HIS:HB3	1:A:469:LEU:HB2	1.96	0.46
1:B:473:TYR:CD1	1:B:473:TYR:N	2.83	0.46
1:A:262:ILE:HG13	1:A:262:ILE:O	2.15	0.46
1:B:335:ASN:HD22	1:B:338:GLY:H	1.63	0.46
1:A:252:MET:HA	1:A:255:LEU:HB3	1.97	0.46
1:B:270:LEU:H	1:B:270:LEU:HD13	1.80	0.46
1:A:354:LYS:O	1:A:354:LYS:HG2	2.16	0.46
1:B:444:GLN:O	1:B:448:GLU:HB2	2.16	0.46
1:A:357:ARG:HD2	1:A:359:PRO:HD2	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:380:ASP:C	1:A:380:ASP:OD1	2.59	0.45
1:B:327:TYR:CE1	1:B:367:LYS:HD3	2.51	0.45
1:A:240:LYS:O	1:A:241:THR:HG23	2.16	0.45
1:B:455:VAL:O	1:B:458:LYS:N	2.45	0.45
1:A:267:ILE:CG1	1:A:284:GLY:HA3	2.45	0.45
1:A:336:LYS:HE3	1:A:337:ASP:OD2	2.16	0.45
1:B:457:LYS:C	1:B:459:THR:N	2.74	0.45
1:B:469:LEU:O	1:B:473:TYR:HD1	1.98	0.45
1:A:252:MET:HE1	1:A:352:PHE:CE1	2.52	0.45
1:A:437:GLN:O	1:A:440:THR:HG23	2.16	0.45
1:B:219:TYR:OH	1:B:223:ILE:HD11	2.17	0.45
1:A:252:MET:O	1:A:253:ASN:C	2.59	0.45
1:A:252:MET:HE1	1:A:352:PHE:CZ	2.51	0.44
1:A:468:LEU:O	1:A:471:GLU:N	2.50	0.44
1:B:237:LEU:CD2	1:B:340:LEU:HD13	2.46	0.44
1:B:260:ASP:O	1:B:263:LYS:HE3	2.17	0.44
1:B:262:ILE:HD12	1:B:264:PHE:CE1	2.52	0.44
1:A:273:GLN:O	1:A:274:SER:OG	2.34	0.44
1:A:325:ILE:HD11	1:A:392:ILE:CG1	2.47	0.44
1:B:276:GLU:O	1:B:277:VAL:C	2.61	0.44
1:A:330:LEU:HD21	1:A:364:MET:HE1	1.99	0.44
1:A:436:LEU:HD12	1:B:436:LEU:HD12	1.99	0.44
1:B:255:LEU:O	1:B:258:GLY:N	2.51	0.44
1:B:455:VAL:C	1:B:457:LYS:N	2.74	0.44
1:B:230:LYS:NZ	1:B:379:LEU:O	2.48	0.44
1:B:335:ASN:C	1:B:335:ASN:ND2	2.68	0.44
1:B:393:LEU:HG	1:B:409:ILE:CG2	2.48	0.44
1:B:266:HIS:CD2	1:B:266:HIS:N	2.72	0.44
1:A:393:LEU:O	1:A:410:GLN:HB2	2.18	0.44
1:B:330:LEU:O	1:B:334:MET:HG2	2.17	0.44
1:B:251:ASP:OD1	1:B:251:ASP:C	2.61	0.43
1:B:262:ILE:HB	1:B:264:PHE:HD1	1.83	0.43
1:B:410:GLN:O	1:B:413:LEU:HB2	2.18	0.43
1:A:355:SER:O	1:A:356:LEU:C	2.60	0.43
1:B:466:HIS:O	1:B:468:LEU:N	2.51	0.43
1:A:276:GLU:HG2	1:A:279:ILE:HD12	2.00	0.43
1:A:252:MET:HA	1:A:255:LEU:CB	2.48	0.43
1:B:459:THR:O	1:B:460:GLU:O	2.36	0.43
1:A:437:GLN:OE1	1:B:439:MET:HE1	2.18	0.43
1:B:405:PRO:O	1:B:409:ILE:HG13	2.19	0.43
1:A:397:ARG:HA	1:A:398:PRO:HD3	1.90	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:400:LEU:HD13	1:A:406:ILE:CD1	2.48	0.43
1:A:341:ILE:CG2	2:A:1:C08:H15A	2.48	0.43
1:A:205:ASN:O	1:A:206:PRO:C	2.61	0.43
1:A:467:PRO:O	1:A:468:LEU:C	2.62	0.43
1:B:335:ASN:HD21	1:B:338:GLY:N	2.17	0.43
1:B:402:ASN:OD1	1:B:405:PRO:HD3	2.18	0.43
1:B:267:ILE:HG22	1:B:287:PHE:CG	2.54	0.42
1:A:451:GLN:O	1:A:451:GLN:OE1	2.37	0.42
1:B:237:LEU:HD23	1:B:340:LEU:HD13	2.01	0.42
1:A:251:ASP:O	1:A:255:LEU:N	2.47	0.42
1:A:249:ILE:HG21	1:A:255:LEU:CD2	2.44	0.42
1:B:226:PHE:HA	1:B:227:PRO:HD3	1.77	0.42
1:B:268:THR:O	1:B:269:PRO:C	2.62	0.42
1:B:276:GLU:N	1:B:276:GLU:OE1	2.52	0.42
1:B:342:SER:H	2:B:2:C08:C19	2.33	0.42
1:B:353:LEU:HD12	1:B:368:PHE:CE2	2.54	0.42
1:A:329:MET:HB2	2:A:1:C08:C10	2.49	0.42
1:B:264:PHE:C	1:B:266:HIS:N	2.77	0.42
1:B:460:GLU:HB2	1:B:461:THR:H	1.71	0.42
1:A:357:ARG:HG3	1:A:357:ARG:O	2.19	0.42
1:B:333:LEU:HD21	2:B:2:C08:H12	2.02	0.42
1:B:472:ILE:O	1:B:472:ILE:CG2	2.68	0.42
1:B:290:VAL:HG21	1:B:473:TYR:CE2	2.55	0.42
1:B:338:GLY:HA3	1:B:347:PHE:CZ	2.55	0.42
1:A:435:LEU:O	1:A:438:LYS:HB2	2.20	0.41
1:A:341:ILE:HD13	1:A:348:MET:HE3	2.01	0.41
1:A:236:ILE:HG23	1:A:244:LYS:O	2.20	0.41
1:A:357:ARG:HG2	1:A:357:ARG:HH11	1.86	0.41
1:A:399:GLY:O	1:A:400:LEU:C	2.62	0.41
1:A:293:VAL:HG13	1:A:322:VAL:HG21	2.03	0.41
1:A:352:PHE:O	1:A:355:SER:OG	2.36	0.41
1:B:234:ARG:CZ	1:B:237:LEU:HD12	2.50	0.41
1:B:258:GLY:O	1:B:259:GLU:C	2.63	0.41
1:A:456:ILE:C	1:A:458:LYS:H	2.29	0.41
1:B:465:LEU:C	1:B:467:PRO:HD2	2.45	0.41
1:A:226:PHE:HA	1:A:227:PRO:HD3	1.92	0.41
1:A:419:LEU:HD12	1:A:419:LEU:HA	1.86	0.41
1:A:425:HIS:N	1:A:426:PRO:HD3	2.36	0.41
1:B:249:ILE:N	1:B:249:ILE:CD1	2.80	0.41
1:B:207:GLU:HB2	1:B:211:LEU:HD13	2.03	0.41
1:B:270:LEU:N	1:B:270:LEU:HD13	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:ASP:OD2	1:A:244:LYS:HD2	2.20	0.41
1:A:326:ILE:HA	2:A:1:C08:H11A	2.03	0.41
1:A:359:PRO:HG2	1:A:360:PHE:H	1.85	0.41
1:A:469:LEU:HD12	1:A:469:LEU:HA	1.95	0.41
1:B:245:SER:HA	1:B:246:PRO:HD3	1.86	0.41
1:B:335:ASN:ND2	1:B:337:ASP:H	2.18	0.41
1:A:379:LEU:HD11	1:A:435:LEU:HD13	2.03	0.41
1:A:463:MET:HG2	1:A:464:SER:N	2.35	0.41
1:A:425:HIS:HB3	1:A:428:SER:HB3	2.01	0.40
1:B:247:PHE:CZ	1:B:257:MET:HE3	2.56	0.40
1:A:456:ILE:HG21	1:A:463:MET:HE1	2.02	0.40
1:B:262:ILE:HG13	1:B:262:ILE:H	1.60	0.40
1:A:249:ILE:CG2	1:A:255:LEU:HD23	2.45	0.40
1:A:424:ASN:C	1:A:426:PRO:HD3	2.47	0.40
1:B:260:ASP:OD1	1:B:261:LYS:N	2.54	0.40
1:B:265:LYS:HB3	1:B:268:THR:OG1	2.21	0.40
1:B:291:GLU:O	1:B:295:GLU:HG3	2.21	0.40
1:B:342:SER:O	1:B:343:GLU:HB2	2.20	0.40
1:A:460:GLU:OE1	1:A:460:GLU:HA	2.20	0.40
1:B:212:ARG:HG3	1:B:212:ARG:NH1	2.35	0.40
1:B:276:GLU:HG2	1:B:276:GLU:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/286 (95%)	236 (87%)	26 (10%)	10 (4%)	2	2
1	B	256/286 (90%)	217 (85%)	26 (10%)	13 (5%)	1	1
All	All	528/572 (92%)	453 (86%)	52 (10%)	23 (4%)	2	1

All (23) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	272	GLU
1	A	275	LYS
1	A	358	LYS
1	B	263	LYS
1	B	265	LYS
1	B	269	PRO
1	B	273	GLN
1	B	460	GLU
1	A	271	GLN
1	A	469	LEU
1	B	261	LYS
1	B	277	VAL
1	B	358	LYS
1	A	240	LYS
1	B	227	PRO
1	B	259	GLU
1	A	265	LYS
1	A	394	SER
1	B	232	LYS
1	A	356	LEU
1	A	359	PRO
1	B	467	PRO
1	B	268	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/257 (95%)	220 (90%)	23 (10%)	8	12
1	B	235/257 (91%)	210 (89%)	25 (11%)	6	9
All	All	478/514 (93%)	430 (90%)	48 (10%)	7	11

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	234	ARG
1	A	240	LYS
1	A	242	THR
1	A	244	LYS
1	A	252	MET
1	A	260	ASP
1	A	266	HIS
1	A	267	ILE
1	A	270	LEU
1	A	271	GLN
1	A	277	VAL
1	A	285	CYS
1	A	287	PHE
1	A	357	ARG
1	A	358	LYS
1	A	388	ILE
1	A	422	LYS
1	A	451	GLN
1	A	453	LEU
1	A	459	THR
1	A	465	LEU
1	A	472	ILE
1	A	476	LEU
1	B	207	GLU
1	B	249	ILE
1	B	253	ASN
1	B	262	ILE
1	B	263	LYS
1	B	266	HIS
1	B	269	PRO
1	B	270	LEU
1	B	272	GLU
1	B	277	VAL
1	B	279	ILE
1	B	285	CYS
1	B	302	SER
1	B	311	LEU
1	B	318	LEU
1	B	335	ASN
1	B	340	LEU
1	B	349	THR
1	B	363	PHE
1	B	452	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	454	GLN
1	B	456	ILE
1	B	460	GLU
1	B	461	THR
1	B	467	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	217	HIS
1	A	266	HIS
1	A	273	GLN
1	A	283	GLN
1	A	308	ASN
1	A	312	ASN
1	A	415	GLN
1	A	424	ASN
1	A	451	GLN
1	A	470	GLN
1	B	217	HIS
1	B	266	HIS
1	B	273	GLN
1	B	283	GLN
1	B	308	ASN
1	B	312	ASN
1	B	335	ASN
1	B	424	ASN
1	B	454	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	C08	A	1	-	31,31,31	3.02	7 (22%)	41,43,43	3.63	11 (26%)
2	C08	B	2	-	31,31,31	3.24	9 (29%)	41,43,43	3.27	13 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C08	A	1	-	-	6/15/44/44	0/2/3/3
2	C08	B	2	-	-	9/15/44/44	0/2/3/3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	C08	C05-N01	12.59	1.49	1.36
2	A	1	C08	C05-N01	9.73	1.46	1.36
2	A	1	C08	C14-N02	-8.48	1.28	1.35
2	B	2	C08	C20-C14	6.46	1.50	1.40
2	B	2	C08	B-F01	-5.78	1.29	1.39
2	A	1	C08	C20-C14	5.70	1.49	1.40
2	B	2	C08	B-F02	-5.51	1.29	1.39
2	A	1	C08	B-F01	-4.98	1.30	1.39
2	A	1	C08	B-F02	-4.19	1.31	1.39
2	A	1	C08	B-N02	-4.10	1.47	1.55
2	B	2	C08	C14-N02	-3.46	1.32	1.35
2	B	2	C08	B-N02	-3.20	1.49	1.55
2	B	2	C08	C06-C05	2.65	1.52	1.50
2	A	1	C08	C02-N01	2.25	1.42	1.37
2	B	2	C08	C02-N01	2.24	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	C08	C03-C02	-2.13	1.35	1.40

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	C08	C20-C14-N02	15.04	112.42	109.17
2	A	1	C08	B-N01-C05	-10.00	118.37	126.82
2	B	2	C08	B-N01-C02	-9.74	107.38	124.49
2	B	2	C08	B-N01-C05	-9.71	118.61	126.82
2	A	1	C08	B-N01-C02	-7.97	110.47	124.49
2	B	2	C08	C15-C14-C20	-6.91	115.74	129.10
2	B	2	C08	C20-C14-N02	6.61	110.60	109.17
2	A	1	C08	C15-C14-C20	-5.42	118.62	129.10
2	B	2	C08	C02-N01-C05	-5.28	104.81	107.98
2	B	2	C08	B-N02-C14	4.91	132.92	126.68
2	B	2	C08	N01-B-N02	4.65	112.20	106.89
2	A	1	C08	F02-B-N01	-4.32	104.78	110.24
2	B	2	C08	F02-B-N01	-4.22	104.91	110.24
2	A	1	C08	C02-N01-C05	-4.01	105.57	107.98
2	A	1	C08	C22-C01-C02	-3.92	115.70	126.04
2	A	1	C08	C21-C20-C14	-3.82	103.42	106.66
2	A	1	C08	N01-B-N02	3.74	111.17	106.89
2	B	2	C08	C22-C01-C02	-3.38	117.12	126.04
2	B	2	C08	C22-N02-C14	-3.33	106.80	108.06
2	B	2	C08	C07-C06-C05	3.03	118.54	113.63
2	A	1	C08	C07-C06-C05	2.71	118.02	113.63
2	A	1	C08	B-N02-C14	2.46	129.80	126.68
2	B	2	C08	C21-C20-C14	-2.31	104.69	106.66
2	B	2	C08	C03-C04-C05	2.22	108.94	107.06

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2	C08	N02-C14-C15-C16
2	B	2	C08	C09-C10-C11-C12
2	B	2	C08	C20-C14-C15-C16
2	A	1	C08	C07-C08-C09-C10
2	B	2	C08	C14-C15-C16-C17
2	A	1	C08	C09-C10-C11-C12
2	A	1	C08	C10-C11-C12-C13
2	B	2	C08	C08-C09-C10-C11

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	2	C08	C10-C11-C12-C13
2	A	1	C08	C06-C07-C08-C09
2	B	2	C08	C16-C17-C18-C19
2	B	2	C08	C05-C06-C07-C08
2	A	1	C08	C17-C18-C19-O02
2	A	1	C08	C17-C18-C19-O01
2	B	2	C08	C07-C08-C09-C10


There are no ring outliers.

2 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	C08	11	0
2	B	2	C08	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/286 (95%)	0.37	8 (2%) 53 50	30, 48, 74, 85	0
1	B	262/286 (91%)	0.48	12 (4%) 37 33	27, 47, 75, 84	0
All	All	536/572 (93%)	0.42	20 (3%) 45 41	27, 48, 74, 85	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	268	THR	4.2
1	B	363	PHE	3.9
1	A	270	LEU	3.8
1	A	269	PRO	3.6
1	B	239	GLY	3.3
1	B	456	ILE	2.9
1	B	464	SER	2.8
1	B	411	ASP	2.8
1	B	267	ILE	2.7
1	B	277	VAL	2.6
1	A	264	PHE	2.5
1	B	455	VAL	2.5
1	A	267	ILE	2.4
1	A	266	HIS	2.4
1	B	273	GLN	2.3
1	B	465	LEU	2.3
1	A	472	ILE	2.3
1	B	262	ILE	2.2
1	A	257	MET	2.2
1	B	278	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	C08	A	1	29/29	0.79	0.18	59,75,79,79	0
2	C08	B	2	29/29	0.79	0.18	55,72,74,74	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around C08 A 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around C08 B 2:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.