



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:27 PM UTC

PDB ID : 1ZL1 / pdb_00001zl1
Title : Crystal structure of the complex of signalling protein from sheep (SPS-40) with a designed peptide Trp-His-Trp reveals significance of Asn79 and Trp191 in the complex formation
Authors : Ethayathulla, A.S.; Srivastava, D.B.; Singh, N.; Kumar, J.; Somvanshi, R.K.; Sharma, S.; Dey, S.; Singh, T.P.
Deposited on : 2005-05-05
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1140 (3.54-3.46)
Ramachandran outliers	187476	1113 (3.54-3.46)
Sidechain outliers	187428	1114 (3.54-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	361	
2	C	3	
3	B	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MAN	B	3	X	-	-	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3000 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Chitinase-3 like protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	361	Total	C	N	O	S	0	0	0
			2869	1832	499	529	9			

- Molecule 2 is a protein called TRP-HIS-TRP peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	3	Total	C	N	O	0	0	0
			38	28	7	3			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	B	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	52	Total	O	0	0
			52	52		
4	C	2	Total	O	0	0
			2	2		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Chitinase-3 like protein 1



- Molecule 2: TRP-HIS-TRP peptide



- Molecule 3: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.79Å 66.31Å 107.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	56.00 – 3.50	Depositor
% Data completeness (in resolution range)	84.8 (56.00-3.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.20	Depositor
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.176 , 0.210	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3000	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDG, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.24	8/2945 (0.3%)	1.28	32/3995 (0.8%)
2	C	1.40	1/42 (2.4%)	1.88	1/58 (1.7%)
All	All	1.24	9/2987 (0.3%)	1.29	33/4053 (0.8%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	306	ALA	CA-C	-5.87	1.45	1.52
1	A	66	ASN	C-O	-5.70	1.17	1.24
1	A	181	SER	CA-C	-5.57	1.46	1.52
1	A	5	CYS	C-O	-5.43	1.18	1.24
1	A	210	SER	C-N	5.26	1.41	1.33
1	A	37	PHE	CA-C	-5.24	1.45	1.52
1	A	232	LYS	C-O	-5.12	1.17	1.24
2	C	2	HIS	N-CA	5.06	1.51	1.46
1	A	99	ILE	C-O	-5.03	1.18	1.24

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	189	GLY	N-CA-C	-13.87	98.91	111.67
1	A	66	ASN	CA-C-N	8.92	128.66	119.56
1	A	66	ASN	C-N-CA	8.92	128.66	119.56
2	C	1	TRP	CA-CB-CG	8.63	130.00	113.60
1	A	202	PHE	N-CA-C	8.01	122.31	110.46
1	A	36	SER	N-CA-C	7.94	121.40	109.25
1	A	336	ASP	N-CA-C	-7.83	100.43	110.53
1	A	305	VAL	N-CA-C	7.27	118.28	108.11
1	A	203	ALA	N-CA-C	7.19	120.03	111.33
1	A	37	PHE	N-CA-C	6.61	124.88	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	339	ARG	N-CA-C	-6.26	105.78	113.41
1	A	118	TRP	N-CA-C	-6.09	100.37	109.15
1	A	318	ARG	N-CA-C	-6.00	104.81	111.36
1	A	343	CYS	N-CA-C	5.90	119.54	112.93
1	A	120	TYR	CA-C-N	5.85	125.76	119.85
1	A	120	TYR	C-N-CA	5.85	125.76	119.85
1	A	239	THR	N-CA-C	-5.76	103.84	112.54
1	A	202	PHE	CA-C-N	5.55	127.98	120.38
1	A	202	PHE	C-N-CA	5.55	127.98	120.38
1	A	62	LEU	N-CA-C	-5.51	105.38	111.71
1	A	361	GLU	N-CA-C	-5.50	103.36	110.19
1	A	15	GLU	N-CA-C	5.48	118.59	110.48
1	A	119	LEU	N-CA-C	5.45	118.01	108.52
1	A	169	ASP	N-CA-C	-5.36	102.15	109.71
1	A	237	ILE	CA-C-N	5.32	125.22	119.85
1	A	237	ILE	C-N-CA	5.32	125.22	119.85
1	A	198	HIS	N-CA-C	5.24	118.94	112.54
1	A	320	LEU	CA-CB-CG	5.21	134.53	116.30
1	A	295	VAL	CA-C-N	5.18	126.52	120.98
1	A	295	VAL	C-N-CA	5.18	126.52	120.98
1	A	193	GLN	N-CA-C	5.14	121.74	110.80
1	A	332	ALA	N-CA-C	5.05	121.57	110.80
1	A	296	PRO	N-CA-C	5.03	118.49	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2869	0	2794	122	0
2	C	38	0	29	0	0
3	B	39	0	33	0	0
4	A	52	0	0	11	0
4	C	2	0	0	0	0
All	All	3000	0	2856	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:270:LYS:HE2	4:A:413:HOH:O	1.59	1.01
1:A:49:GLU:HA	4:A:399:HOH:O	1.56	1.01
1:A:345:GLN:O	1:A:345:GLN:HG2	1.63	0.98
1:A:239:THR:HG21	1:A:332:ALA:O	1.71	0.90
1:A:57:ASP:O	1:A:61:THR:HG23	1.74	0.87
1:A:103:PRO:HB2	1:A:104:PRO:HD3	1.58	0.83
1:A:188:HIS:ND1	1:A:189:GLY:N	2.27	0.81
1:A:95:ARG:CZ	1:A:131:THR:HG21	2.14	0.77
1:A:239:THR:HG22	1:A:335:LEU:HB2	1.65	0.76
1:A:27:PRO:HG3	1:A:62:LEU:HD22	1.71	0.72
1:A:332:ALA:HB1	1:A:335:LEU:HG	1.72	0.71
1:A:289:ARG:NH2	1:A:309:ASP:OD2	2.26	0.68
1:A:297:TYR:HA	1:A:305:VAL:O	1.93	0.68
1:A:310:GLN:O	1:A:314:LYS:HG3	1.95	0.67
1:A:323:ARG:HH11	1:A:323:ARG:HG2	1.62	0.64
1:A:185:TYR:HB3	1:A:238:PRO:HG3	1.79	0.64
1:A:210:SER:C	1:A:213:PHE:H	2.05	0.64
1:A:237:ILE:N	1:A:329:MET:O	2.29	0.64
1:A:332:ALA:HB1	1:A:335:LEU:CG	2.27	0.64
1:A:95:ARG:NH2	1:A:131:THR:HG21	2.13	0.63
1:A:239:THR:CG2	1:A:335:LEU:HB2	2.28	0.63
1:A:240:PHE:HB3	1:A:335:LEU:HD13	1.79	0.62
1:A:114:LEU:CD2	1:A:136:MET:HE3	2.29	0.62
1:A:102:VAL:HB	1:A:103:PRO:HD3	1.82	0.61
1:A:210:SER:O	1:A:213:PHE:N	2.33	0.61
1:A:192:ARG:HA	4:A:404:HOH:O	1.99	0.60
1:A:332:ALA:CB	1:A:335:LEU:HD12	2.32	0.60
1:A:129:LEU:HD22	1:A:129:LEU:O	2.01	0.59
1:A:212:ARG:HD2	4:A:417:HOH:O	2.02	0.59
1:A:26:ASP:HB3	1:A:29:LEU:HB2	1.85	0.59
1:A:8:THR:HA	1:A:36:SER:HB2	1.85	0.58
1:A:312:SER:O	1:A:315:ASN:HB2	2.04	0.58
1:A:272:ILE:HG22	1:A:273:LEU:N	2.18	0.57
1:A:310:GLN:HG3	4:A:394:HOH:O	2.05	0.56
1:A:81:GLY:O	1:A:84:ARG:HB2	2.05	0.56
1:A:189:GLY:O	1:A:190:ALA:C	2.49	0.56
1:A:95:ARG:CZ	1:A:131:THR:CG2	2.82	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:ARG:HH11	1:A:323:ARG:CG	2.19	0.56
1:A:323:ARG:HG2	1:A:323:ARG:NH1	2.19	0.56
1:A:4:ILE:HD13	1:A:32:HIS:HB2	1.87	0.55
1:A:79:ASN:CG	4:A:400:HOH:O	2.49	0.55
1:A:192:ARG:O	1:A:194:THR:N	2.39	0.54
1:A:193:GLN:H	1:A:193:GLN:NE2	2.06	0.54
1:A:331:TRP:O	1:A:332:ALA:HB3	2.06	0.54
1:A:204:GLY:HA2	1:A:292:ASP:HB3	1.89	0.54
1:A:185:TYR:CB	1:A:238:PRO:HG3	2.38	0.54
1:A:319:TYR:CZ	1:A:323:ARG:HD2	2.44	0.53
1:A:208:ALA:O	1:A:209:SER:HB3	2.09	0.52
1:A:311:GLU:O	1:A:312:SER:C	2.52	0.52
1:A:122:GLY:N	1:A:125:ASP:OD2	2.33	0.52
1:A:193:GLN:NE2	1:A:193:GLN:N	2.57	0.52
1:A:193:GLN:HE21	1:A:193:GLN:CA	2.22	0.52
1:A:53:VAL:HG12	1:A:109:HIS:CE1	2.46	0.51
1:A:74:SER:HA	1:A:115:ASP:O	2.11	0.51
1:A:197:HIS:O	1:A:200:PRO:HD3	2.10	0.51
1:A:212:ARG:CD	4:A:417:HOH:O	2.59	0.50
1:A:193:GLN:N	1:A:193:GLN:HE21	2.09	0.50
1:A:347:LEU:HD22	1:A:348:THR:O	2.12	0.50
1:A:239:THR:CG2	1:A:239:THR:O	2.60	0.50
1:A:195:VAL:HG22	1:A:304:TRP:CE3	2.46	0.50
1:A:120:TYR:CD2	1:A:120:TYR:N	2.78	0.49
1:A:7:TYR:O	1:A:36:SER:HB2	2.13	0.48
1:A:272:ILE:CG2	1:A:273:LEU:N	2.76	0.48
1:A:257:VAL:CG1	1:A:258:SER:N	2.76	0.48
1:A:193:GLN:H	1:A:193:GLN:CD	2.19	0.48
1:A:192:ARG:HG3	4:A:404:HOH:O	2.13	0.48
1:A:288:HIS:CD2	1:A:297:TYR:CE2	3.02	0.48
1:A:320:LEU:HD11	1:A:328:ALA:HB2	1.96	0.48
1:A:43:ASN:O	1:A:98:PHE:HA	2.15	0.47
1:A:79:ASN:ND2	4:A:400:HOH:O	2.46	0.47
1:A:319:TYR:OH	1:A:323:ARG:HD2	2.13	0.47
1:A:235:MET:CE	1:A:316:LYS:HB3	2.44	0.47
1:A:201:LEU:HD23	1:A:294:GLN:HE21	1.79	0.47
1:A:103:PRO:HB2	1:A:104:PRO:CD	2.38	0.46
1:A:217:ASP:O	1:A:218:TYR:C	2.58	0.46
1:A:332:ALA:HB1	1:A:335:LEU:HB2	1.97	0.46
1:A:83:GLU:H	1:A:83:GLU:CD	2.23	0.46
1:A:220:VAL:HG11	1:A:323:ARG:HD3	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:LEU:HD23	1:A:119:LEU:HA	1.63	0.45
1:A:332:ALA:HB1	1:A:335:LEU:CB	2.47	0.45
1:A:206:GLU:O	1:A:207:ASP:C	2.58	0.45
1:A:257:VAL:HG13	1:A:259:GLY:H	1.82	0.45
1:A:185:TYR:OH	1:A:329:MET:HE1	2.17	0.45
1:A:188:HIS:CD2	1:A:196:GLY:HA3	2.51	0.45
1:A:235:MET:HE1	1:A:316:LYS:HB3	1.97	0.45
1:A:75:VAL:HG22	1:A:114:LEU:HD11	2.00	0.44
1:A:316:LYS:O	1:A:319:TYR:HB3	2.17	0.44
1:A:6:TYR:CE2	1:A:34:ILE:HG21	2.53	0.44
1:A:362:VAL:OXT	1:A:362:VAL:HG12	2.16	0.44
1:A:103:PRO:CB	1:A:104:PRO:HD3	2.39	0.44
1:A:172:GLN:O	1:A:175:ARG:HG3	2.17	0.43
1:A:288:HIS:HB2	1:A:297:TYR:CZ	2.53	0.43
1:A:114:LEU:HD23	1:A:136:MET:HE3	1.99	0.43
1:A:282:LEU:HA	1:A:282:LEU:HD12	1.78	0.43
1:A:78:TRP:HZ3	1:A:331:TRP:CZ2	2.36	0.43
1:A:161:LYS:HG2	1:A:218:TYR:HE2	1.83	0.43
1:A:102:VAL:CB	1:A:103:PRO:HD3	2.49	0.43
1:A:218:TYR:O	1:A:219:ALA:C	2.62	0.43
1:A:349:PHE:O	1:A:353:SER:OG	2.25	0.43
1:A:75:VAL:CG2	1:A:114:LEU:HD11	2.49	0.43
1:A:157:VAL:HG12	1:A:158:SER:O	2.19	0.43
1:A:107:ARG:HD3	1:A:143:GLU:OE2	2.20	0.42
1:A:239:THR:O	1:A:239:THR:HG23	2.20	0.42
1:A:247:ALA:HB2	1:A:258:SER:HB2	2.00	0.42
1:A:313:VAL:HG13	1:A:355:VAL:HG22	2.01	0.42
1:A:345:GLN:O	1:A:347:LEU:N	2.53	0.41
1:A:347:LEU:HD23	1:A:348:THR:H	1.84	0.41
1:A:356:LYS:HG2	4:A:397:HOH:O	2.19	0.41
1:A:195:VAL:HG13	1:A:304:TRP:CH2	2.55	0.41
1:A:288:HIS:HB2	1:A:297:TYR:CE1	2.54	0.41
1:A:309:ASP:CG	4:A:415:HOH:O	2.64	0.41
1:A:102:VAL:HG12	1:A:103:PRO:N	2.34	0.41
1:A:188:HIS:CG	1:A:189:GLY:H	2.33	0.41
1:A:128:HIS:O	1:A:129:LEU:C	2.64	0.41
1:A:293:GLN:O	1:A:294:GLN:HB2	2.21	0.41
1:A:345:GLN:HE21	1:A:345:GLN:HB3	1.60	0.41
1:A:5:CYS:HB3	1:A:333:LEU:HD11	2.02	0.41
1:A:26:ASP:HA	1:A:27:PRO:HD3	1.92	0.41
1:A:255:ALA:HA	1:A:256:PRO:HD3	1.89	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:GLY:O	1:A:191:TRP:N	2.54	0.40
1:A:347:LEU:HD23	1:A:348:THR:N	2.36	0.40
1:A:224:LEU:HD23	1:A:224:LEU:HA	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	359/361 (99%)	323 (90%)	25 (7%)	11 (3%)	3	25
2	C	1/3 (33%)	1 (100%)	0	0	100	100
All	All	360/364 (99%)	324 (90%)	25 (7%)	11 (3%)	3	25

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	193	GLN
1	A	209	SER
1	A	204	GLY
1	A	207	ASP
1	A	332	ALA
1	A	346	ASN
1	A	190	ALA
1	A	212	ARG
1	A	345	GLN
1	A	37	PHE
1	A	120	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/302 (100%)	271 (90%)	31 (10%)	7	28
2	C	3/3 (100%)	2 (67%)	1 (33%)	0	2
All	All	305/305 (100%)	273 (90%)	32 (10%)	6	27

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	65	ARG
1	A	75	VAL
1	A	85	PHE
1	A	93	GLN
1	A	106	LEU
1	A	107	ARG
1	A	129	LEU
1	A	149	GLU
1	A	175	ARG
1	A	184	THR
1	A	193	GLN
1	A	195	VAL
1	A	205	ASN
1	A	206	GLU
1	A	210	SER
1	A	239	THR
1	A	252	ASP
1	A	257	VAL
1	A	258	SER
1	A	262	VAL
1	A	282	LEU
1	A	299	THR
1	A	315	ASN
1	A	320	LEU
1	A	321	LYS
1	A	323	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	345	GLN
1	A	347	LEU
1	A	351	LEU
1	A	359	LEU
2	C	1	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	ASN
1	A	109	HIS
1	A	193	GLN
1	A	205	ASN
1	A	288	HIS
1	A	293	GLN
1	A	294	GLN
1	A	310	GLN
1	A	345	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	1	3,1	14,14,15	0.88	1 (7%)	17,19,21	1.30	1 (5%)
3	NDG	B	2	3	14,14,15	0.83	0	17,19,21	1.90	5 (29%)
3	MAN	B	3	3	11,11,12	0.64	0	15,15,17	2.10	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	1	3,1	-	0/6/23/26	0/1/1/1
3	NDG	B	2	3	-	2/6/23/26	0/1/1/1
3	MAN	B	3	3	1/1/4/5	1/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1	NAG	O5-C1	-2.23	1.40	1.43

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	3	MAN	C1-O5-C5	4.50	118.22	112.19
3	B	3	MAN	O5-C5-C6	3.98	115.41	107.66
3	B	2	NDG	O5-C1-C2	-3.79	105.43	111.29
3	B	2	NDG	C2-N2-C7	3.72	127.88	122.90
3	B	1	NAG	O5-C1-C2	-3.10	106.50	111.29
3	B	2	NDG	C3-C4-C5	-3.03	104.74	110.23
3	B	3	MAN	O5-C1-C2	2.99	117.92	110.79
3	B	3	MAN	C1-C2-C3	2.75	113.64	109.64
3	B	2	NDG	C1-C2-N2	2.58	114.50	110.43
3	B	3	MAN	C6-C5-C4	-2.42	107.09	113.02
3	B	2	NDG	O4-C4-C3	2.06	115.23	110.38
3	B	3	MAN	O5-C5-C4	2.05	115.81	110.83

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	B	3	MAN	C1


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	2	NDG	C4-C5-C6-O6
3	B	2	NDG	O5-C5-C6-O6
3	B	3	MAN	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.