



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:54 AM UTC

PDB ID : 1ZL2 / pdb_00001zl2
Title : Crystal structure of the uridine phosphorylase from Salmonella typhimurium in complex with 2,2'-anhydrouridine and phosphate ion at 1.85Å resolution
Authors : Gabdoulkhakov, A.G.; Dontsova, M.V.; Lashkov, A.A.; Betzel, C.; Ealick, S.; Mikhailov, A.M.
Deposited on : 2005-05-05
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	253	8% 83%13%..
1	B	253	% 82%12%..
1	C	253	6% 72%21%..
1	D	253	6% 75%19%.5%
1	E	253	5% 78%15%.5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	253	5% 80% 13% • 5%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 11660 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridine phosphorylase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	253	Total	C	N	O	S	0	0	0
			1900	1188	334	365	13			
1	B	242	Total	C	N	O	S	0	1	0
			1816	1138	320	347	11			
1	C	243	Total	C	N	O	S	0	1	0
			1825	1143	322	348	12			
1	D	241	Total	C	N	O	S	0	0	0
			1806	1132	318	344	12			
1	E	241	Total	C	N	O	S	0	0	0
			1807	1132	319	345	11			
1	F	240	Total	C	N	O	S	0	1	0
			1801	1128	318	344	11			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total O P 5 4 1	0	0
2	D	1	Total O P 5 4 1	0	0
2	F	1	Total O P 5 4 1	0	0

- Molecule 3 is 2,2'-Anhydro-(1-beta-D-arabinofuranosyl)uracil (CCD ID: ANU) (formula: $C_9H_{10}N_2O_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total C N O 16 9 2 5	0	0
3	D	1	Total C N O 16 9 2 5	0	0
3	F	1	Total C N O 16 9 2 5	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	128	Total O 128 128	0	0
4	B	115	Total O 115 115	0	0
4	C	94	Total O 94 94	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	91	Total 91	O 91	0	0
4	E	116	Total 116	O 116	0	0
4	F	98	Total 98	O 98	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Uridine phosphorylase




• Molecule 1: Uridine phosphorylase




• Molecule 1: Uridine phosphorylase





• Molecule 1: Uridine phosphorylase







• Molecule 1: Uridine phosphorylase



• Molecule 1: Uridine phosphorylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	88.79Å 124.07Å 134.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.09 – 1.85 28.09 – 1.85	Depositor EDS
% Data completeness (in resolution range)	95.1 (28.09-1.85) 96.5 (28.09-1.85)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 1.85Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.178 , 0.198 0.178 , 0.198	Depositor DCC
R_{free} test set	6010 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	18.0	Xtriage
Anisotropy	0.271	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11660	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ANU, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.40	1/1930 (0.1%)	0.99	10/2613 (0.4%)
1	B	0.37	0/1849	0.96	6/2505 (0.2%)
1	C	0.35	0/1858	0.94	4/2513 (0.2%)
1	D	0.36	0/1834	0.93	4/2482 (0.2%)
1	E	0.41	1/1835 (0.1%)	0.99	7/2484 (0.3%)
1	F	0.37	0/1834	0.93	4/2482 (0.2%)
All	All	0.38	2/11140 (0.0%)	0.96	35/15079 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	5224	THR	C-N	-8.04	1.22	1.33
1	A	1235	LYS	C-N	-7.49	1.24	1.33

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1233	THR	N-CA-C	-8.89	101.53	111.14
1	F	4007	PHE	N-CA-C	8.41	120.45	111.28
1	D	3007	PHE	N-CA-C	7.96	120.04	111.36
1	C	2007	PHE	N-CA-C	7.64	119.69	111.36
1	E	5224	THR	CA-C-N	7.63	135.44	121.70
1	E	5224	THR	C-N-CA	7.63	135.44	121.70
1	B	6070	GLY	N-CA-C	6.82	119.93	112.29
1	B	6007	PHE	N-CA-C	6.75	119.65	111.82
1	E	5199	SER	N-CA-C	6.73	118.62	111.28
1	A	1199	SER	N-CA-C	6.66	118.54	111.28
1	E	5007	PHE	N-CA-C	6.58	118.53	111.36
1	C	2199	SER	N-CA-C	6.14	117.97	111.28
1	D	3199	SER	N-CA-C	6.13	117.96	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	4199	SER	N-CA-C	6.12	117.95	111.28
1	E	5070	GLY	N-CA-C	6.11	120.38	112.68
1	D	3114	VAL	N-CA-C	-6.09	100.86	108.89
1	F	4114	VAL	N-CA-C	-5.99	100.99	108.89
1	A	1094	THR	N-CA-C	-5.98	99.65	109.40
1	A	1007	PHE	N-CA-C	5.90	118.66	111.82
1	B	6199	SER	N-CA-C	5.80	117.60	111.28
1	A	1233	THR	CB-CA-C	5.79	120.04	110.90
1	A	1197	MET	N-CA-C	5.70	120.06	112.30
1	C	2031	VAL	N-CA-C	5.67	115.86	110.42
1	E	5023	ILE	N-CA-C	-5.54	100.44	108.36
1	F	4070	GLY	N-CA-C	5.49	119.54	112.18
1	B	6194	ASN	N-CA-C	5.43	115.71	108.38
1	E	5114	VAL	N-CA-C	-5.33	101.85	108.89
1	D	3197	MET	N-CA-C	5.33	119.55	112.30
1	C	2114	VAL	N-CA-C	-5.21	102.02	108.89
1	A	1166	GLN	N-CA-C	-5.17	106.28	112.59
1	A	1235	LYS	O-C-N	-5.17	115.71	122.59
1	A	1070	GLY	N-CA-C	5.16	119.10	112.18
1	B	6159	SER	N-CA-C	5.14	118.20	109.76
1	B	6068	GLY	N-CA-C	-5.07	103.45	112.58
1	A	1114	VAL	N-CA-C	-5.03	102.25	108.89

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1900	0	1914	30	0
1	B	1816	0	1826	19	0
1	C	1825	0	1844	39	0
1	D	1806	0	1822	33	0
1	E	1807	0	1821	24	0
1	F	1801	0	1815	24	0
2	B	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	5	0	0	0	0
2	F	5	0	0	0	0
3	B	16	0	10	1	0
3	D	16	0	10	2	0
3	F	16	0	10	1	0
4	A	128	0	0	2	0
4	B	115	0	0	0	0
4	C	94	0	0	1	0
4	D	91	0	0	0	0
4	E	116	0	0	0	0
4	F	98	0	0	1	0
All	All	11660	0	11072	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2220:ILE:HG13	1:C:2221:VAL:HG22	1.54	0.89
1:A:1243:LYS:HD2	4:A:8640:HOH:O	1.81	0.80
1:B:6176:VAL:O	1:B:6181:LYS:HE2	1.83	0.78
1:D:3239:SER:O	1:D:3243:LYS:HG3	1.86	0.75
1:A:1178:ARG:HA	1:A:1181:LYS:HE2	1.69	0.74
1:A:1158:SER:HB3	1:A:1200:ALA:HB2	1.74	0.69
3:B:7016:ANU:H5'1	3:B:7016:ANU:C2	2.22	0.69
3:F:7014:ANU:C2	3:F:7014:ANU:H5'1	2.23	0.68
1:E:5158:SER:HB3	1:E:5200:ALA:HB2	1.74	0.68
1:C:2101:HIS:CD2	1:C:2101:HIS:H	2.11	0.67
1:E:5147:ILE:HD13	1:E:5243:LYS:HD2	1.75	0.67
3:D:7013:ANU:H5'1	3:D:7013:ANU:C2	2.25	0.67
1:D:3105:GLY:HA2	1:D:3237:THR:HG23	1.77	0.67
1:C:2038:MET:SD	1:C:2062:VAL:HG21	2.35	0.66
1:C:2057:LEU:HG	1:C:2250:ARG:HG3	1.77	0.66
1:A:1037:LEU:HD22	1:A:1242:VAL:HG12	1.77	0.66
1:C:2104:VAL:HG13	1:C:2220:ILE:HA	1.78	0.65
1:A:1234:MET:HG2	1:A:1238:GLU:HB2	1.79	0.64
1:C:2239:SER:O	1:C:2243:LYS:HG3	1.98	0.64
1:E:5184:MET:O	1:E:5188:GLN:HG3	1.98	0.62
1:B:6158:SER:HB3	1:B:6200:ALA:HB2	1.81	0.62
1:E:5057:LEU:HD22	1:E:5250:ARG:NH1	2.15	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:4184:MET:O	1:F:4188:GLN:HG3	2.00	0.61
1:E:5049:GLU:HG3	1:E:5068:GLY:HA3	1.83	0.61
1:C:2158:SER:HB3	1:C:2200:ALA:HB2	1.83	0.60
1:A:1215:MET:HE2	4:A:8179:HOH:O	2.02	0.60
1:B:6092:ILE:HD13	1:B:6092:ILE:C	2.26	0.59
1:D:3158:SER:HB3	1:D:3200:ALA:HB2	1.83	0.59
1:E:5030:ARG:HE	1:E:5238:GLU:HG3	1.67	0.59
1:D:3025:PRO:HB2	1:D:3030:ARG:HH11	1.68	0.59
1:A:1092:ILE:C	1:A:1092:ILE:HD13	2.29	0.58
1:F:4158:SER:HB3	1:F:4200:ALA:HB2	1.85	0.57
1:A:1049:GLU:HB3	1:F:4049:GLU:HB3	1.86	0.57
1:A:1143:ALA:O	1:A:1147:ILE:HD13	2.03	0.57
1:B:6030:ARG:HH12	1:B:6093:GLY:HA2	1.70	0.57
1:F:4060:LYS:HD3	1:F:4253:LEU:HB3	1.87	0.56
1:E:5060:LYS:HB2	1:E:5253:LEU:HD13	1.87	0.56
1:D:3236:GLN:HE21	1:D:3240:HIS:CE1	2.24	0.56
1:D:3057:LEU:HG	1:D:3250:ARG:HG2	1.88	0.55
1:C:2049:GLU:HG3	1:C:2068:GLY:HA3	1.89	0.55
1:A:1094:THR:HB	1:A:1220:ILE:HD13	1.89	0.54
1:E:5220:ILE:CG2	1:E:5237:THR:HG21	2.36	0.54
1:A:1094:THR:HG21	1:A:1234:MET:CG	2.37	0.54
1:B:6108:LEU:HD22	1:B:6152:HIS:HB2	1.90	0.54
1:B:6049:GLU:HB3	1:D:3049:GLU:HB3	1.90	0.54
1:F:4030:ARG:HH11	1:F:4033:LYS:HE3	1.73	0.54
1:F:4028:PRO:HA	1:F:4066:SER:HB3	1.91	0.53
1:F:4049:GLU:HG3	1:F:4068:GLY:HA3	1.90	0.53
1:B:6108:LEU:CD2	1:B:6152:HIS:HB2	2.39	0.53
1:D:3049:GLU:HG3	1:D:3068:GLY:HA3	1.92	0.52
1:F:4092:ILE:C	1:F:4092:ILE:HD13	2.33	0.52
1:C:2007:PHE:HD2	1:C:2008:HIS:CE1	2.27	0.52
1:D:3238:GLU:O	1:D:3242:VAL:HG23	2.09	0.52
1:A:1021:LEU:C	1:A:1021:LEU:HD23	2.35	0.51
1:D:3163:TYR:HB2	1:D:3164:PRO:CD	2.40	0.51
1:C:2099:GLN:HB3	1:C:2101:HIS:NE2	2.26	0.51
1:F:4003:LYS:HD2	1:F:4004:SER:HB3	1.93	0.51
1:B:6167:GLU:HG2	1:B:6169:TYR:CE1	2.45	0.51
1:C:2038:MET:HG2	1:C:2057:LEU:HD13	1.93	0.51
1:C:2102:ILE:O	1:C:2222:ASN:ND2	2.43	0.51
1:C:2093:GLY:O	1:C:2217:ALA:HA	2.11	0.51
1:B:6049:GLU:HG3	1:B:6068:GLY:HA3	1.92	0.51
1:E:5030:ARG:NE	1:E:5238:GLU:HG3	2.25	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1094:THR:HG21	1:A:1234:MET:HG3	1.93	0.50
1:E:5163:TYR:HB2	1:E:5164:PRO:CD	2.42	0.50
1:B:6048:ARG:HD3	1:D:3069:ILE:HD11	1.93	0.49
1:D:3092:ILE:C	1:D:3092:ILE:HD13	2.38	0.49
1:D:3057:LEU:HB3	1:D:3253:LEU:HD11	1.94	0.49
1:E:5238:GLU:O	1:E:5242:VAL:HG23	2.13	0.49
1:A:1092:ILE:HD13	1:A:1093:GLY:N	2.28	0.49
1:D:3137:THR:O	1:D:3141:VAL:HG23	2.13	0.49
1:C:2021:LEU:HD23	1:C:2022:ALA:N	2.28	0.48
1:B:6021:LEU:C	1:B:6021:LEU:HD23	2.38	0.48
1:D:3089:PHE:O	1:D:3213:ALA:HA	2.12	0.48
1:F:4030:ARG:NH1	1:F:4033:LYS:HE3	2.27	0.48
1:C:2096:GLY:HA2	1:C:2221:VAL:HG23	1.95	0.48
1:F:4056:GLU:HG2	4:F:8543:HOH:O	2.13	0.48
1:D:3235:LYS:C	1:D:3237:THR:H	2.21	0.48
1:D:3057:LEU:HD21	1:D:3250:ARG:HG3	1.95	0.48
1:D:3142:GLU:HB3	1:D:3251:ARG:NH1	2.29	0.47
1:C:2215:MET:HE3	4:C:8253:HOH:O	2.14	0.47
1:A:1229:PRO:O	1:A:1233:THR:HG22	2.15	0.47
1:A:1229:PRO:HG2	1:A:1233:THR:CG2	2.44	0.47
1:C:2222:ASN:CG	1:C:2225:GLN:HG3	2.40	0.47
1:D:3092:ILE:HG23	1:D:3092:ILE:O	2.14	0.47
1:E:5220:ILE:HG22	1:E:5237:THR:HG21	1.97	0.47
1:C:2021:LEU:HD23	1:C:2021:LEU:C	2.40	0.47
1:C:2048:ARG:HB3	1:C:2049:GLU:OE1	2.14	0.47
1:B:6025:PRO:O	1:B:6066:SER:HA	2.14	0.47
1:A:1234:MET:O	1:A:1235:LYS:C	2.57	0.47
1:E:5224:THR:O	1:E:5225:GLN:HB3	2.14	0.47
1:C:2058:ASP:OD2	1:C:2250:ARG:HG2	2.15	0.47
1:A:1229:PRO:HG2	1:A:1233:THR:HG22	1.95	0.46
1:C:2031:VAL:HG13	1:C:2064:VAL:HG12	1.96	0.46
1:D:3235:LYS:C	1:D:3235:LYS:HD3	2.41	0.46
1:C:2003:LYS:O	1:C:2003:LYS:HG2	2.16	0.46
1:C:2092:ILE:HD11	1:C:2241:ALA:HB1	1.98	0.46
1:F:4163:TYR:HB2	1:F:4164:PRO:CD	2.45	0.46
1:D:3186:GLU:OE2	1:E:5178:ARG:HB2	2.16	0.46
1:E:5057:LEU:HD22	1:E:5250:ARG:HH12	1.80	0.46
1:D:3184:MET:O	1:D:3188:GLN:HG3	2.15	0.46
1:A:1049:GLU:HG3	1:A:1068:GLY:HA3	1.97	0.46
1:C:2104:VAL:HA	1:C:2219:VAL:HG12	1.98	0.46
1:C:2060:LYS:HD2	1:C:2253:LEU:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1163:TYR:HB2	1:A:1164:PRO:CD	2.46	0.45
1:C:2125:PRO:HB2	1:C:2127:GLU:OE1	2.16	0.45
1:D:3235:LYS:HD3	1:D:3236:GLN:N	2.30	0.45
1:C:2030:ARG:CZ	1:C:2238:GLU:OE1	2.65	0.45
1:A:1126:MET:HE3	1:E:5127:GLU:HG3	1.99	0.45
1:A:1238:GLU:O	1:A:1242:VAL:HG23	2.17	0.45
1:F:4240:HIS:O	1:F:4244:ILE:HG13	2.17	0.45
1:F:4223:ARG:HA	1:F:4226:GLN:O	2.17	0.45
1:C:2162:PHE:O	1:C:2168:ARG:NH1	2.50	0.44
1:C:2163:TYR:HB2	1:C:2164:PRO:CD	2.47	0.44
1:D:3038:MET:HG2	1:D:3057:LEU:HD13	1.98	0.44
1:A:1089:PHE:O	1:A:1213:ALA:HA	2.18	0.44
1:D:3144:ALA:HB1	1:D:3151:THR:OG1	2.17	0.44
1:C:2016:LEU:HD22	1:C:2084:LEU:HB3	2.00	0.44
1:A:1069:ILE:HD11	1:F:4048:ARG:HD3	1.98	0.44
1:C:2104:VAL:HG13	1:C:2220:ILE:CA	2.46	0.44
1:E:5104:VAL:HG13	1:E:5220:ILE:HA	2.00	0.44
1:F:4021:LEU:C	1:F:4021:LEU:HD23	2.43	0.44
3:D:7013:ANU:H5'1	3:D:7013:ANU:O2	2.18	0.44
1:C:2057:LEU:HB3	1:C:2253:LEU:HD11	1.99	0.43
1:E:5093:GLY:O	1:E:5217:ALA:HA	2.18	0.43
1:F:4221:VAL:HG23	1:F:4226:GLN:OE1	2.18	0.43
1:D:3095:THR:OG1	1:D:3194:ASN:HB2	2.18	0.43
1:C:2242:VAL:O	1:C:2245:VAL:HG12	2.18	0.43
1:F:4003:LYS:HD2	1:F:4004:SER:N	2.33	0.43
1:B:6039:ASP:HB2	1:B:6056:GLU:HB3	2.00	0.43
1:E:5058:ASP:O	1:E:5060:LYS:HD2	2.19	0.43
1:F:4057:LEU:HG	1:F:4250:ARG:HG2	2.00	0.43
1:A:1149:ALA:HB2	1:A:1240:HIS:CD2	2.54	0.43
1:E:5021:LEU:C	1:E:5021:LEU:HD23	2.44	0.43
1:A:1034:ILE:HG12	1:A:1242:VAL:HG13	1.99	0.43
1:B:6163:TYR:HB2	1:B:6164:PRO:CD	2.49	0.42
1:D:3121:LEU:HD21	1:D:3126:MET:HE2	2.00	0.42
1:C:2170:ASP:OD2	1:C:2170:ASP:N	2.52	0.42
1:F:4007:PHE:HD2	1:F:4008:HIS:CE1	2.37	0.42
1:F:4016:LEU:HG	1:F:4063:ILE:HG13	2.02	0.42
1:C:2176:VAL:O	1:C:2181:LYS:HG3	2.19	0.42
1:D:3167:GLU:HG2	1:D:3169:TYR:CE1	2.54	0.42
1:B:6021:LEU:HD23	1:B:6022:ALA:N	2.35	0.42
1:D:3108:LEU:CD2	1:D:3152:HIS:HB2	2.50	0.42
1:B:6092:ILE:O	1:B:6092:ILE:HG23	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:5167:GLU:HG2	1:E:5169:TYR:CE1	2.55	0.42
1:B:6007:PHE:HD1	1:B:6008:HIS:CE1	2.37	0.42
1:D:3043:LYS:HB2	1:D:3053:TRP:CZ2	2.55	0.42
1:E:5037:LEU:HD12	1:E:5242:VAL:HG12	2.02	0.42
1:E:5163:TYR:CB	1:E:5164:PRO:CD	2.98	0.42
1:C:2094:THR:CG2	1:C:2238:GLU:HG2	2.50	0.42
1:F:4039:ASP:HB2	1:F:4056:GLU:HB3	2.03	0.41
1:C:2096:GLY:HA2	1:C:2221:VAL:O	2.20	0.41
1:D:3119:ALA:HB3	1:D:3201:THR:OG1	2.20	0.41
1:F:4119:ALA:HB3	1:F:4201:THR:OG1	2.20	0.41
1:D:3163:TYR:CB	1:D:3164:PRO:CD	2.99	0.41
1:A:1232:GLU:O	1:A:1232:GLU:HG3	2.20	0.41
1:F:4025:PRO:O	1:F:4066:SER:HA	2.21	0.41
1:A:1230:ASN:O	1:A:1232:GLU:N	2.54	0.40
1:C:2024:VAL:HG23	1:C:2024:VAL:O	2.20	0.40
1:E:5089:PHE:O	1:E:5213:ALA:HA	2.21	0.40
1:A:1021:LEU:HD23	1:A:1022:ALA:N	2.36	0.40
1:B:6107:VAL:HG21	1:B:6244:ILE:HD12	2.02	0.40
1:C:2096:GLY:CA	1:C:2221:VAL:HG23	2.52	0.40
1:A:1149:ALA:HB2	1:A:1240:HIS:HD2	1.87	0.40
1:B:6149:ALA:HB2	1:B:6240:HIS:HD2	1.87	0.40
1:D:3181:LYS:HB2	1:D:3181:LYS:HE3	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	251/253 (99%)	240 (96%)	6 (2%)	5 (2%)	6 1
1	B	239/253 (94%)	235 (98%)	3 (1%)	1 (0%)	30 17
1	C	240/253 (95%)	234 (98%)	5 (2%)	1 (0%)	30 17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	237/253 (94%)	231 (98%)	5 (2%)	1 (0%)	30	17
1	E	237/253 (94%)	231 (98%)	4 (2%)	2 (1%)	16	6
1	F	237/253 (94%)	231 (98%)	5 (2%)	1 (0%)	30	17
All	All	1441/1518 (95%)	1402 (97%)	28 (2%)	11 (1%)	16	6

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1235	LYS
1	A	1163	TYR
1	A	1231	ALA
1	B	6163	TYR
1	E	5163	TYR
1	F	4163	TYR
1	C	2163	TYR
1	D	3163	TYR
1	A	1002	SER
1	E	5224	THR
1	A	1234	MET

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/202 (100%)	197 (98%)	5 (2%)	42	27
1	B	193/202 (96%)	188 (97%)	5 (3%)	40	25
1	C	194/202 (96%)	185 (95%)	9 (5%)	24	9
1	D	191/202 (95%)	189 (99%)	2 (1%)	68	60
1	E	191/202 (95%)	183 (96%)	8 (4%)	26	12
1	F	191/202 (95%)	189 (99%)	2 (1%)	68	60
All	All	1162/1212 (96%)	1131 (97%)	31 (3%)	39	24

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1092	ILE
1	A	1215	MET
1	A	1232	GLU
1	A	1234	MET
1	A	1240	HIS
1	B	6092	ILE
1	B	6142	GLU
1	B	6145	LYS
1	B	6240	HIS
1	B	6251	ARG
1	C	2029	GLU
1	C	2084	LEU
1	C	2145	LYS
1	C	2185	GLU
1	C	2221	VAL
1	C	2236	GLN
1	C	2238	GLU
1	C	2250	ARG
1	C	2251	ARG
1	D	3092	ILE
1	D	3240	HIS
1	E	5003	LYS
1	E	5029	GLU
1	E	5030	ARG
1	E	5092	ILE
1	E	5094	THR
1	E	5181	LYS
1	E	5224	THR
1	E	5237	THR
1	F	4092	ILE
1	F	4226	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1240	HIS
1	B	6014	ASN
1	B	6240	HIS
1	D	3236	GLN
1	E	5188	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ANU	D	7013	-	18,18,18	1.92	3 (16%)	23,27,27	2.66	3 (13%)
2	PO4	B	7006	-	4,4,4	1.58	0	6,6,6	0.45	0
3	ANU	F	7014	-	18,18,18	1.91	3 (16%)	23,27,27	2.69	3 (13%)
2	PO4	D	7003	-	4,4,4	1.68	0	6,6,6	0.47	0
2	PO4	F	7004	-	4,4,4	1.70	1 (25%)	6,6,6	0.45	0
3	ANU	B	7016	-	18,18,18	1.94	4 (22%)	23,27,27	2.66	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANU	F	7014	-	-	0/2/26/26	0/3/3/3
3	ANU	B	7016	-	-	0/2/26/26	0/3/3/3
3	ANU	D	7013	-	-	0/2/26/26	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	7014	ANU	C2-N3	5.62	1.40	1.30
3	B	7016	ANU	C2-N3	5.44	1.40	1.30
3	D	7013	ANU	C2-N3	5.43	1.40	1.30
3	B	7016	ANU	C2-N1	3.95	1.40	1.34
3	D	7013	ANU	C2-N1	3.87	1.40	1.34
3	F	7014	ANU	C2-N1	3.84	1.40	1.34
3	B	7016	ANU	C5-C4	-2.53	1.39	1.44
3	D	7013	ANU	C5-C4	-2.36	1.39	1.44
3	F	7014	ANU	C5-C4	-2.26	1.39	1.44
3	B	7016	ANU	C6-C5	2.05	1.39	1.35
2	F	7004	PO4	P-O3	-2.02	1.48	1.54

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	7014	ANU	N1-C2-N3	-9.66	118.66	127.09
3	B	7016	ANU	N1-C2-N3	-9.61	118.70	127.09
3	D	7013	ANU	N1-C2-N3	-9.48	118.81	127.09
3	F	7014	ANU	O2-C2-N3	6.13	130.09	121.24
3	D	7013	ANU	O2-C2-N3	6.10	130.05	121.24
3	B	7016	ANU	O2-C2-N3	5.92	129.79	121.24
3	B	7016	ANU	C2-N3-C4	4.00	120.73	116.66
3	D	7013	ANU	C2-N3-C4	3.94	120.67	116.66
3	F	7014	ANU	C2-N3-C4	3.94	120.67	116.66

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	7013	ANU	2	0
3	F	7014	ANU	1	0
3	B	7016	ANU	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	253/253 (100%)	-0.13	19 (7%)	20 22	9, 17, 69, 127	0
1	B	242/253 (95%)	-0.28	3 (1%)	76 80	9, 17, 42, 60	1 (0%)
1	C	243/253 (96%)	0.19	16 (6%)	24 26	11, 24, 56, 116	1 (0%)
1	D	241/253 (95%)	0.03	14 (5%)	29 31	11, 21, 50, 101	0
1	E	241/253 (95%)	-0.13	12 (4%)	34 37	9, 17, 48, 103	0
1	F	240/253 (94%)	-0.04	13 (5%)	31 34	9, 20, 50, 82	1 (0%)
All	All	1460/1518 (96%)	-0.06	77 (5%)	32 35	9, 19, 52, 127	3 (0%)

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1231	ALA	5.9
1	A	1233	THR	5.9
1	E	5225	GLN	5.3
1	A	1234	MET	5.1
1	A	1228	ILE	4.6
1	D	3101	HIS	4.6
1	D	3237	THR	4.2
1	A	1001	MET	4.2
1	D	3234	MET	4.1
1	D	3104	VAL	4.0
1	C	2003	LYS	3.9
1	F	4007	PHE	3.9
1	A	1002	SER	3.8
1	A	1229	PRO	3.7
1	D	3235	LYS	3.6
1	C	2101	HIS	3.6
1	F	4003	LYS	3.6
1	E	5221	VAL	3.6
1	E	5224	THR	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1003	LYS	3.5
1	E	5003	LYS	3.5
1	E	5240	HIS	3.5
1	C	2235	LYS	3.5
1	A	1235	LYS	3.5
1	C	2221	VAL	3.4
1	E	5237	THR	3.4
1	A	1230	ASN	3.3
1	D	3238	GLU	3.2
1	E	5238	GLU	3.2
1	E	5007	PHE	3.2
1	F	4170	ASP	3.0
1	C	2234	MET	3.0
1	E	5236	GLN	2.9
1	C	2007	PHE	2.9
1	A	1007	PHE	2.8
1	D	3220	ILE	2.8
1	D	3221	VAL	2.8
1	C	2104	VAL	2.8
1	F	4004	SER	2.7
1	A	1237	THR	2.7
1	C	2093	GLY	2.6
1	F	4239	SER	2.6
1	A	1220	ILE	2.6
1	D	3033	LYS	2.6
1	B	6239	SER	2.6
1	C	2220	ILE	2.6
1	D	3105	GLY	2.6
1	E	5096	GLY	2.5
1	A	1221	VAL	2.5
1	F	4225	GLN	2.5
1	A	1101	HIS	2.5
1	E	5250	ARG	2.4
1	F	4226	GLN	2.4
1	E	5220	ILE	2.4
1	D	3239	SER	2.4
1	F	4147	ILE	2.4
1	B	6146	SER	2.4
1	F	4101	HIS	2.3
1	C	2147	ILE	2.3
1	D	3150	THR	2.3
1	A	1148	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	3147	ILE	2.2
1	F	4220	ILE	2.2
1	C	2240	HIS	2.2
1	C	2237	THR	2.2
1	D	3148	GLY	2.2
1	F	4005	ASP	2.2
1	C	2225	GLN	2.1
1	C	2236	GLN	2.1
1	C	2094	THR	2.1
1	C	2151	THR	2.1
1	B	6101	HIS	2.1
1	A	1232	GLU	2.1
1	A	1238	GLU	2.1
1	F	4148	GLY	2.1
1	F	4030	ARG	2.0
1	A	1240	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ANU	F	7014	16/16	0.81	0.12	26,29,32,33	0
3	ANU	D	7013	16/16	0.84	0.12	24,29,32,33	0
3	ANU	B	7016	16/16	0.94	0.07	15,17,19,20	0
2	PO4	F	7004	5/5	0.95	0.12	26,32,38,39	0
2	PO4	D	7003	5/5	0.95	0.12	20,26,35,39	0
2	PO4	B	7006	5/5	0.97	0.08	17,20,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.