



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 11:49 AM UTC

PDB ID : 2ZL8 / pdb_00002zl8
Title : Crystal structure of copper amine oxidase from *Arthrobacter globiformis*: Substrate Schiff-base intermediate formed with ethylamine
Authors : Murakawa, T.; Okajima, T.
Deposited on : 2008-04-03
Resolution : 1.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1187 (1.74-1.74)
Clashscore	190562	1207 (1.74-1.74)
Ramachandran outliers	187476	1200 (1.74-1.74)
Sidechain outliers	187428	1200 (1.74-1.74)
RSRZ outliers	180081	1188 (1.74-1.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	638	6% 77% 20% ..
1	B	638	4% 81% 15% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10902 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phenylethylamine oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	620	Total	C	N	O	S	0	0	0
			4870	3076	856	929	9			
1	B	620	Total	C	N	O	S	0	0	0
			4870	3076	856	929	9			

- Molecule 2 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cu	0	0
			1	1		
2	B	1	Total	Cu	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	544	Total	O	0	0
			544	544		
3	B	616	Total	O	0	0
			616	616		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Phenylethylamine oxidase



• Molecule 1: Phenylethylamine oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	157.76Å 63.52Å 184.07Å 90.00° 111.90° 90.00°	Depositor
Resolution (Å)	26.40 – 1.73 26.40 – 1.73	Depositor EDS
% Data completeness (in resolution range)	(Not available) (26.40-1.73) 97.4 (26.40-1.73)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.34 (at 1.73Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.191 , 0.213 0.187 , 0.209	Depositor DCC
R_{free} test set	8625 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	21.1	Xtriage
Anisotropy	0.834	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 52.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10902	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.54 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.1252e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CU, ESB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/4975	0.89	11/6774 (0.2%)
1	B	0.35	0/4975	0.91	13/6774 (0.2%)
All	All	0.34	0/9950	0.90	24/13548 (0.2%)

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	602	MET	N-CA-C	7.77	119.86	110.07
1	B	602	MET	N-CA-C	7.68	119.75	110.07
1	A	540	ASP	N-CA-C	6.31	118.24	111.36
1	A	224	GLN	CA-C-N	6.14	126.59	119.47
1	A	224	GLN	C-N-CA	6.14	126.59	119.47
1	A	294	GLN	N-CA-C	6.05	117.86	109.15
1	B	310	SER	N-CA-C	-6.01	99.40	108.96
1	B	592	HIS	N-CA-C	5.79	117.95	108.52
1	B	540	ASP	N-CA-C	5.76	117.64	111.36
1	A	300	GLY	N-CA-C	5.75	120.13	112.77
1	A	582	ILE	N-CA-C	5.69	117.04	108.96
1	B	300	GLY	N-CA-C	5.61	119.95	112.77
1	A	592	HIS	N-CA-C	5.59	117.63	108.52
1	B	374	SER	N-CA-C	5.45	117.08	108.96
1	B	483	ALA	N-CA-C	5.45	119.24	112.59
1	B	294	GLN	N-CA-C	5.45	116.99	109.15
1	B	455	VAL	N-CA-C	-5.43	102.57	109.80
1	A	374	SER	N-CA-C	5.19	116.69	108.96
1	B	277	ILE	N-CA-C	-5.18	99.01	106.88
1	B	582	ILE	N-CA-C	5.18	117.07	108.99
1	A	408	THR	N-CA-C	5.13	117.69	110.14
1	A	297	PHE	N-CA-C	-5.10	99.01	108.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	92	THR	N-CA-C	5.07	117.54	111.71
1	B	605	ASP	N-CA-C	-5.00	101.72	109.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4870	0	4690	102	0
1	B	4870	0	4690	82	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	544	0	0	6	0
3	B	616	0	0	9	0
All	All	10902	0	9380	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:448:ASN:HB2	1:A:582:ILE:HD11	1.41	1.01
1:A:280:MET:HE3	1:A:298:ASP:HB2	1.57	0.87
1:A:458:GLN:HE22	1:B:418:ASN:HD21	1.23	0.86
1:A:448:ASN:HB2	1:A:582:ILE:CD1	2.10	0.81
1:A:582:ILE:H	1:A:582:ILE:HD13	1.46	0.80
1:A:104:GLU:O	1:A:107:VAL:HG12	1.82	0.79
1:A:460:MET:HE3	1:A:466:ARG:C	2.10	0.76
1:B:166:SER:H	1:B:203:ASN:HD21	1.30	0.75
1:A:137:LEU:HD22	1:A:296:TYR:HE2	1.54	0.71
1:B:328:ILE:HD13	1:B:336:ARG:O	1.93	0.69
1:A:180:ASP:OD1	1:A:182:VAL:HG22	1.95	0.67
1:A:450:VAL:HG22	1:A:497:ILE:CD1	2.26	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:GLN:HE22	1:A:334:ASN:ND2	1.93	0.66
1:A:170:HIS:HD2	1:A:198:PRO:O	1.79	0.66
1:A:280:MET:HE3	1:A:298:ASP:CB	2.24	0.65
1:B:530:ILE:HD13	1:B:530:ILE:O	1.96	0.65
1:B:441:MET:HE3	1:B:497:ILE:HG12	1.79	0.65
1:A:528:SER:HA	1:B:460:MET:HE1	1.79	0.65
1:B:150:ARG:HD3	1:B:180:ASP:OD2	1.96	0.65
1:B:422:LEU:HD11	1:B:428:ALA:HB2	1.79	0.64
1:A:137:LEU:HD22	1:A:296:TYR:CE2	2.33	0.63
1:A:418:ASN:C	1:A:419:ILE:HD12	2.23	0.63
1:B:290:ILE:HD12	1:B:290:ILE:N	2.14	0.63
1:B:9:ALA:HB3	3:B:1501:HOH:O	1.99	0.63
1:A:339:ARG:HD3	1:A:340:ASN:ND2	2.14	0.63
1:B:443:ILE:H	1:B:448:ASN:HD21	1.48	0.62
1:A:406:VAL:HG12	1:A:602:MET:HE2	1.81	0.61
1:B:137:LEU:HD12	1:B:296:TYR:HE1	1.66	0.61
1:A:150:ARG:HB2	1:A:152:ILE:HD11	1.83	0.61
1:A:347:GLU:OE1	1:A:370:ARG:HD3	2.00	0.61
1:B:328:ILE:HD13	1:B:328:ILE:H	1.66	0.60
1:A:66:ASP:CG	1:A:70:ALA:HB3	2.27	0.59
1:A:297:PHE:HB2	1:A:301:GLU:HG3	1.84	0.59
1:A:339:ARG:C	1:A:339:ARG:HD2	2.27	0.59
1:A:222:ILE:HD12	1:A:222:ILE:N	2.17	0.59
1:B:135:ALA:O	1:B:137:LEU:HD22	2.03	0.59
1:A:379:ILE:HD12	1:A:379:ILE:N	2.19	0.58
1:B:496:ILE:HD12	1:B:496:ILE:N	2.18	0.58
1:A:505:ARG:HD3	1:A:618:ASP:HB3	1.85	0.58
1:B:296:TYR:HE2	1:B:382:ESB:HOH	1.51	0.58
1:B:599:TRP:CD2	1:B:600:PRO:HA	2.39	0.57
1:A:599:TRP:CD2	1:A:600:PRO:HA	2.39	0.57
1:A:496:ILE:HD12	1:A:496:ILE:N	2.20	0.57
1:B:530:ILE:HD13	1:B:530:ILE:C	2.29	0.57
1:A:277:ILE:HD12	1:A:277:ILE:N	2.20	0.57
1:B:567:LEU:O	1:B:571:ILE:HD13	2.05	0.57
1:A:105:PHE:HB3	1:A:136:PRO:HG3	1.86	0.57
1:A:220:ILE:HG22	1:A:222:ILE:HD11	1.86	0.57
1:B:163:PRO:HB2	1:B:164:GLU:OE2	2.05	0.56
1:A:503:LYS:HB2	1:A:503:LYS:HZ2	1.71	0.56
1:A:328:ILE:HG12	1:A:338:ILE:HD11	1.88	0.56
1:A:582:ILE:HD13	3:A:1026:HOH:O	2.05	0.55
1:A:441:MET:HE2	1:A:497:ILE:HG13	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:ILE:HD12	1:A:327:VAL:HG12	1.89	0.55
1:A:100:VAL:HG11	1:A:105:PHE:CE1	2.42	0.55
1:B:533:ARG:HD2	1:B:561:HIS:O	2.07	0.55
1:A:260:ILE:HD12	1:A:260:ILE:N	2.22	0.55
1:B:24:GLN:HE22	1:B:334:ASN:ND2	2.05	0.54
1:A:324:LEU:HB2	1:A:342:ILE:HB	1.88	0.54
1:A:338:ILE:HD12	1:A:338:ILE:N	2.23	0.54
1:A:503:LYS:HB2	1:A:503:LYS:NZ	2.22	0.54
1:B:206:ASP:CG	1:B:208:GLU:HG2	2.33	0.54
1:B:110:GLN:HG3	3:B:1261:HOH:O	2.08	0.54
1:A:350:GLY:HA2	1:A:367:ARG:NH2	2.23	0.54
1:A:450:VAL:HG22	1:A:497:ILE:HD12	1.89	0.54
1:B:166:SER:H	1:B:203:ASN:ND2	2.05	0.54
1:A:290:ILE:HD12	1:A:290:ILE:N	2.23	0.54
1:A:582:ILE:HD13	1:A:582:ILE:N	2.19	0.54
1:A:163:PRO:HB2	1:A:164:GLU:OE2	2.08	0.53
1:A:460:MET:HE2	1:A:465:GLU:O	2.09	0.53
1:B:533:ARG:CD	1:B:561:HIS:O	2.57	0.53
1:A:72:PRO:HG2	1:A:90:LEU:HB2	1.91	0.53
1:A:321:ILE:N	1:A:321:ILE:HD12	2.24	0.52
1:A:443:ILE:H	1:A:448:ASN:HD21	1.58	0.52
1:B:206:ASP:OD1	1:B:208:GLU:HG2	2.09	0.52
1:B:297:PHE:HB2	1:B:301:GLU:HG3	1.92	0.52
1:A:224:GLN:NE2	1:B:220:ILE:HD13	2.25	0.51
1:B:263:ARG:NH2	1:B:268:LEU:HB2	2.25	0.51
1:A:246:ASP:HB2	1:A:258:HIS:HB2	1.92	0.51
1:A:422:LEU:HD11	1:A:428:ALA:HB2	1.91	0.51
1:B:101:LEU:HB2	1:B:104:GLU:HG3	1.92	0.51
1:B:22:GLU:O	1:B:26:ILE:HG12	2.11	0.51
1:A:257:LEU:HB3	1:A:260:ILE:HD11	1.92	0.50
1:B:441:MET:HE3	1:B:497:ILE:CD1	2.42	0.50
1:A:9:ALA:HB3	3:A:1227:HOH:O	2.10	0.50
1:A:22:GLU:O	1:A:26:ILE:HG12	2.11	0.50
1:B:324:LEU:HB2	1:B:342:ILE:HB	1.92	0.50
1:B:379:ILE:N	1:B:379:ILE:HD12	2.26	0.50
1:A:526:PRO:HG3	3:B:1239:HOH:O	2.12	0.50
1:A:483:ALA:HB1	1:A:543:VAL:HB	1.94	0.50
1:A:450:VAL:HG22	1:A:497:ILE:HD13	1.94	0.49
1:A:550:GLU:HG2	1:A:570:TYR:CE1	2.46	0.49
1:A:406:VAL:HG21	1:A:422:LEU:HD11	1.94	0.49
1:A:512:TYR:CZ	1:A:613:PRO:HG3	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:VAL:HG23	1:A:183:SER:N	2.28	0.49
1:A:368:ASN:ND2	1:A:369:ARG:H	2.11	0.48
1:B:42:LEU:C	1:B:42:LEU:HD23	2.37	0.48
1:A:406:VAL:CG1	1:A:602:MET:HE2	2.42	0.48
1:B:317:CYS:HB3	1:B:321:ILE:HG12	1.95	0.48
1:B:188:ARG:HD3	3:B:1242:HOH:O	2.13	0.48
1:B:200:GLU:HB2	3:B:1177:HOH:O	2.13	0.47
1:A:152:ILE:HD12	1:A:152:ILE:N	2.29	0.47
1:A:237:HIS:HD2	1:A:246:ASP:OD1	1.98	0.47
1:A:370:ARG:O	1:A:370:ARG:HG2	2.14	0.47
1:B:296:TYR:CE2	1:B:382:ESB:OH	2.65	0.47
1:A:194:VAL:HG13	3:A:1027:HOH:O	2.15	0.46
1:B:39:ILE:HD12	1:B:333:GLY:HA2	1.97	0.46
1:A:107:VAL:HG22	1:A:111:LEU:HG	1.96	0.46
1:B:441:MET:HE3	1:B:497:ILE:CG1	2.44	0.46
1:A:42:LEU:C	1:A:42:LEU:HD23	2.40	0.46
1:B:45:LEU:HD21	1:B:61:ARG:HB2	1.96	0.46
1:A:378:THR:C	1:A:379:ILE:HD12	2.41	0.46
1:B:237:HIS:HD2	1:B:246:ASP:OD1	1.99	0.46
1:A:18:GLY:HA3	3:A:1475:HOH:O	2.15	0.46
1:B:328:ILE:HD13	1:B:328:ILE:N	2.31	0.46
1:B:561:HIS:HD2	3:B:1011:HOH:O	1.97	0.46
1:B:296:TYR:HE2	1:B:382:ESB:OH	1.98	0.45
3:A:1274:HOH:O	1:B:621:PRO:HD2	2.15	0.45
1:B:495:TRP:C	1:B:496:ILE:HD12	2.42	0.45
1:B:267:ARG:HG2	1:B:267:ARG:HH11	1.82	0.45
1:B:280:MET:HE1	1:B:384:TYR:CG	2.51	0.45
1:B:290:ILE:HD12	1:B:290:ILE:H	1.79	0.45
1:B:290:ILE:N	1:B:290:ILE:CD1	2.79	0.44
1:B:281:VAL:HA	1:B:296:TYR:O	2.17	0.44
1:B:379:ILE:O	1:B:382:ESB:H1	2.17	0.44
1:B:239:GLU:HG3	3:B:1081:HOH:O	2.17	0.44
1:A:220:ILE:HG22	1:A:222:ILE:CD1	2.46	0.44
1:A:528:SER:CA	1:B:460:MET:HE1	2.46	0.44
1:A:406:VAL:HG21	1:A:422:LEU:CD1	2.48	0.44
1:B:483:ALA:HB1	1:B:543:VAL:HB	1.99	0.44
1:B:490:ARG:HH21	1:B:490:ARG:HG3	1.83	0.44
1:A:221:SER:C	1:A:222:ILE:HD12	2.43	0.44
1:A:290:ILE:N	1:A:290:ILE:CD1	2.80	0.44
1:B:154:ARG:HD2	1:B:293:TRP:CE3	2.53	0.44
1:A:368:ASN:HD22	1:A:369:ARG:H	1.65	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:LEU:CD1	1:A:321:ILE:HD13	2.48	0.43
1:A:319:GLY:C	1:A:321:ILE:HD12	2.42	0.43
1:B:505:ARG:HD3	1:B:618:ASP:HB3	2.00	0.43
1:B:378:THR:C	1:B:379:ILE:HD12	2.44	0.43
1:B:496:ILE:HD11	1:B:513:LYS:HE2	2.00	0.43
1:A:582:ILE:CD1	1:A:582:ILE:N	2.82	0.43
1:A:71:ARG:HG2	1:A:89:GLU:HB3	1.99	0.43
1:A:120:LYS:HD2	3:A:1359:HOH:O	2.19	0.43
1:B:441:MET:HE2	1:B:584:VAL:HB	2.00	0.43
1:B:232:VAL:HG22	1:B:238:ILE:CD1	2.49	0.43
1:A:128:ASP:HB3	1:A:131:LYS:HD2	2.01	0.43
1:A:281:VAL:HA	1:A:296:TYR:O	2.18	0.43
1:B:164:GLU:N	1:B:164:GLU:CD	2.77	0.43
1:B:522:LEU:HD11	1:B:530:ILE:HD12	2.01	0.43
1:A:319:GLY:O	1:A:321:ILE:HD12	2.19	0.42
1:B:443:ILE:H	1:B:448:ASN:ND2	2.16	0.42
1:B:154:ARG:HD2	1:B:293:TRP:CD2	2.53	0.42
1:A:351:ILE:HD11	1:B:316:ASP:HA	2.01	0.42
1:B:20:ILE:HD12	1:B:327:VAL:HG12	2.01	0.42
1:A:25:GLY:O	1:A:29:THR:HG23	2.19	0.42
1:A:214:ARG:HE	1:B:624:ASP:CG	2.28	0.42
1:B:443:ILE:N	1:B:448:ASN:HD21	2.17	0.41
1:A:330:ASP:OD2	1:A:330:ASP:C	2.63	0.41
1:A:421:GLN:HG2	1:B:506:LEU:HD13	2.02	0.41
1:A:513:LYS:O	1:A:611:LEU:HA	2.21	0.41
1:A:302:TYR:O	1:A:303:LEU:HB2	2.21	0.41
1:B:224:GLN:NE2	3:B:1032:HOH:O	2.53	0.41
1:A:154:ARG:HD2	1:A:293:TRP:CD2	2.55	0.41
1:A:241:GLU:O	1:A:242:LYS:HB2	2.20	0.41
1:A:330:ASP:OD1	1:A:334:ASN:HB2	2.21	0.41
1:B:59:ARG:CZ	1:B:85:ILE:HD13	2.51	0.41
1:B:246:ASP:HB2	1:B:258:HIS:HB2	2.02	0.41
1:B:496:ILE:N	1:B:496:ILE:CD1	2.84	0.41
1:A:162:PHE:HB2	1:A:163:PRO:HD2	2.03	0.41
1:A:550:GLU:HG2	1:A:570:TYR:CD1	2.56	0.41
1:A:318:LEU:C	1:A:321:ILE:HD11	2.45	0.40
1:B:23:VAL:HG22	1:B:79:VAL:HG12	2.03	0.40
1:B:515:HIS:HE1	3:B:1030:HOH:O	2.05	0.40
1:A:279:GLU:HA	1:A:299:THR:HB	2.03	0.40
1:B:290:ILE:H	1:B:290:ILE:CD1	2.33	0.40
1:A:36:GLU:O	1:A:67:VAL:HG22	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:358:LEU:CD2	1:B:358:LEU:C	2.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	617/638 (97%)	593 (96%)	23 (4%)	1 (0%)	43	29
1	B	617/638 (97%)	591 (96%)	26 (4%)	0	100	100
All	All	1234/1276 (97%)	1184 (96%)	49 (4%)	1 (0%)	48	34

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	55	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	513/529 (97%)	508 (99%)	5 (1%)	68	54
1	B	513/529 (97%)	506 (99%)	7 (1%)	59	41
All	All	1026/1058 (97%)	1014 (99%)	12 (1%)	63	47

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	ARG
1	A	268	LEU
1	A	376	PHE
1	A	541	LEU
1	A	582	ILE
1	B	36	GLU
1	B	137	LEU
1	B	290	ILE
1	B	328	ILE
1	B	358	LEU
1	B	376	PHE
1	B	530	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	GLN
1	A	170	HIS
1	A	237	HIS
1	A	294	GLN
1	A	309	ASN
1	A	334	ASN
1	A	345	HIS
1	A	368	ASN
1	A	418	ASN
1	A	468	ASN
1	A	507	ASN
1	A	515	HIS
1	B	110	GLN
1	B	203	ASN
1	B	224	GLN
1	B	237	HIS
1	B	294	GLN
1	B	306	GLN
1	B	334	ASN
1	B	340	ASN
1	B	418	ASN
1	B	448	ASN
1	B	458	GLN
1	B	468	ASN
1	B	507	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	515	HIS
1	B	519	GLN
1	B	561	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	ESB	B	382	1	14,16,17	1.83	4 (28%)	10,21,23	1.51	1 (10%)
1	ESB	A	382	1	14,16,17	1.98	4 (28%)	10,21,23	1.56	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	ESB	B	382	1	-	2/8/25/27	0/1/1/1
1	ESB	A	382	1	-	3/8/25/27	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	382	ESB	CG-CD1	4.55	1.55	1.49
1	B	382	ESB	CG-CD1	4.05	1.54	1.49
1	A	382	ESB	CE1-CD1	2.96	1.52	1.44
1	B	382	ESB	CE1-CD1	2.82	1.52	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	382	ESB	CZ-CE2	-2.72	1.41	1.46
1	A	382	ESB	CE1-CZ	2.63	1.40	1.36
1	B	382	ESB	CE1-CZ	2.53	1.40	1.36
1	B	382	ESB	CZ-CE2	-2.35	1.42	1.46

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	382	ESB	CD2-CE2-CZ	3.26	121.13	117.44
1	B	382	ESB	CD2-CE2-CZ	3.05	120.90	117.44

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	382	ESB	N-CA-CB-CG
1	A	382	ESB	C-CA-CB-CG
1	B	382	ESB	N-CA-CB-CG
1	B	382	ESB	C-CA-CB-CG
1	A	382	ESB	CA-CB-CG-CD1

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	382	ESB	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	619/638 (97%)	0.45	40 (6%) 25 30	17, 28, 44, 78	0
1	B	619/638 (97%)	0.17	28 (4%) 38 47	15, 25, 39, 73	0
All	All	1238/1276 (97%)	0.31	68 (5%) 30 37	15, 26, 43, 78	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	52	GLY	8.2
1	B	51	ALA	7.6
1	B	55	ALA	6.4
1	B	628	ASN	5.7
1	B	54	GLU	5.4
1	B	53	SER	5.1
1	A	628	ASN	5.0
1	A	9	ALA	4.9
1	A	55	ALA	4.9
1	A	296	TYR	4.5
1	A	51	ALA	4.3
1	A	54	GLU	4.3
1	A	50	GLY	4.0
1	A	49	ARG	3.5
1	B	296	TYR	3.4
1	A	338	ILE	3.4
1	A	105	PHE	3.4
1	A	70	ALA	3.3
1	B	413	GLU	3.3
1	A	314	GLY	3.3
1	A	56	GLU	3.2
1	A	315	CYS	3.1
1	A	52	GLY	3.1
1	A	53	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	592	HIS	3.0
1	A	339	ARG	2.9
1	B	414	GLY	2.9
1	B	56	GLU	2.9
1	B	50	GLY	2.9
1	B	315	CYS	2.9
1	A	107	VAL	2.8
1	B	9	ALA	2.7
1	A	29	THR	2.7
1	A	266	ASP	2.7
1	A	85	ILE	2.6
1	B	339	ARG	2.6
1	B	571	ILE	2.6
1	B	267	ARG	2.5
1	B	569	SER	2.5
1	A	81	ASN	2.5
1	B	313	LEU	2.5
1	A	71	ARG	2.5
1	B	321	ILE	2.4
1	B	530	ILE	2.4
1	A	86	SER	2.4
1	A	80	THR	2.4
1	B	220	ILE	2.3
1	A	413	GLU	2.3
1	A	188	ARG	2.3
1	A	26	ILE	2.3
1	A	82	GLY	2.3
1	A	260	ILE	2.3
1	A	225	PRO	2.2
1	A	506	LEU	2.2
1	A	57	ASP	2.2
1	A	77	VAL	2.2
1	B	150	ARG	2.2
1	A	627	ALA	2.1
1	B	362	ILE	2.1
1	B	265	GLY	2.1
1	A	290	ILE	2.1
1	A	461	GLY	2.1
1	B	208	GLU	2.1
1	B	314	GLY	2.0
1	A	84	VAL	2.0
1	B	266	ASP	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	213	LEU	2.0
1	A	463	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	ESB	A	382	16/17	0.81	0.27	23,50,61,62	0
1	ESB	B	382	16/17	0.84	0.24	20,47,57,58	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CU	A	1001	1/1	0.99	0.02	24,24,24,24	0
2	CU	B	1001	1/1	0.99	0.02	25,25,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.