



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:18 AM UTC

PDB ID : 6ZL1 / pdb_00006zl1
Title : Crystal structure of human serum albumin in complex with the MCL-1 neutralizing Alphabody CMPX-383B
Authors : Pannecoucke, E.; Savvides, S.N.; Desmet, J.; Lasters, I.
Deposited on : 2020-06-30
Resolution : 3.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1303 (3.30-3.26)
Clashscore	190562	1354 (3.30-3.26)
Ramachandran outliers	187476	1334 (3.30-3.26)
Sidechain outliers	187428	1333 (3.30-3.26)
RSRZ outliers	180081	1303 (3.30-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	609	6% 78% 11% 9%
1	B	609	9% 76% 12% 11%
2	C	143	3% 64% 20% 15%
2	D	143	2% 65% 15% 16%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8860 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Albumin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	555	Total	C	N	O	S	0	0	0
			3627	2258	638	699	32			
1	B	542	Total	C	N	O	S	0	0	0
			3537	2202	622	681	32			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	131	LYS	ASP	conflict	UNP P02768
A	155	THR	GLU	conflict	UNP P02768
A	529	GLY	GLU	conflict	UNP P02768
B	131	LYS	ASP	conflict	UNP P02768
B	155	THR	GLU	conflict	UNP P02768
B	529	GLY	GLU	conflict	UNP P02768


- Molecule 2 is a protein called CMPX-383B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	122	Total	C	N	O	S	0	1	0
			842	529	145	163	5			
2	D	120	Total	C	N	O	S	0	0	0
			854	538	147	165	4			


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Albumin




• Molecule 1: Albumin





• Molecule 2: CMPX-383B



• Molecule 2: CMPX-383B



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	60.69Å 231.35Å 240.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	115.67 – 3.27 115.67 – 3.27	Depositor EDS
% Data completeness (in resolution range)	91.8 (115.67-3.27) 91.8 (115.67-3.27)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.02 (at 3.26Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.239 , 0.281 0.267 , 0.312	Depositor DCC
R_{free} test set	1271 reflections (5.18%)	wwPDB-VP
Wilson B-factor (Å ²)	84.5	Xtriage
Anisotropy	0.046	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 132.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	8860	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	0/3687	1.22	6/5066 (0.1%)
1	B	0.80	0/3592	1.21	5/4936 (0.1%)
2	C	0.89	0/845	1.32	4/1147 (0.3%)
2	D	0.98	1/857 (0.1%)	1.38	7/1157 (0.6%)
All	All	0.83	1/8981 (0.0%)	1.24	22/12306 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	129	CYS	CA-C	5.18	1.59	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	120	PHE	CA-CB-CG	-8.82	104.98	113.80
2	D	114	ILE	N-CA-CB	8.39	120.14	110.82
2	C	31	THR	CA-C-N	6.50	133.95	121.54
2	C	31	THR	C-N-CA	6.50	133.95	121.54
1	B	401	PHE	CA-CB-CG	5.94	119.74	113.80
2	D	19	ARG	CA-C-N	5.79	127.86	120.56
2	D	19	ARG	C-N-CA	5.79	127.86	120.56
1	A	401	PHE	CA-CB-CG	5.69	119.49	113.80
1	B	292	GLN	CB-CG-CD	-5.60	103.09	112.60
1	B	475	ASP	CA-CB-CG	5.56	118.16	112.60
1	A	107	THR	CA-C-N	5.43	131.91	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	107	THR	C-N-CA	5.43	131.91	121.54
1	A	332	ASP	CA-CB-CG	5.36	117.96	112.60
2	D	12	ARG	CA-C-N	5.36	127.40	120.44
2	D	12	ARG	C-N-CA	5.36	127.40	120.44
2	C	89	ILE	N-CA-C	5.31	116.01	107.73
1	A	279	ASP	CA-CB-CG	5.18	117.78	112.60
2	D	100	ILE	CA-C-N	5.16	127.45	120.44
2	D	100	ILE	C-N-CA	5.16	127.45	120.44
1	B	332	ASP	CA-CB-CG	5.14	117.74	112.60
1	B	87	ASP	CA-CB-CG	5.08	117.68	112.60
1	A	288	ILE	N-CA-CB	5.04	118.13	110.58

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	522	VAL	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3627	0	2834	33	0
1	B	3537	0	2782	43	0
2	C	842	0	779	18	0
2	D	854	0	828	17	0
All	All	8860	0	7223	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:MET:HA	1:B:129:HIS:HD2	1.26	1.00

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:MET:HA	1:B:129:HIS:CD2	2.10	0.86
2:C:128:THR:HG23	2:C:131:GLY:H	1.52	0.74
1:B:357:GLU:O	1:B:361:ARG:HD2	1.87	0.74
1:B:353:MET:HG3	2:D:122:LEU:HD21	1.68	0.74
2:C:20:ILE:HG23	2:C:54:ILE:HD12	1.75	0.68
1:A:257:LYS:HE3	2:C:130:GLU:HB3	1.77	0.66
1:B:111:MET:CA	1:B:129:HIS:HD2	2.07	0.65
1:A:287:TYR:OH	2:C:128:THR:HG21	1.99	0.63
2:C:114:ILE:HD13	2:C:143:HIS:CD2	2.33	0.63
1:A:289:CYS:SG	1:A:314:ILE:HD11	2.40	0.61
1:B:257:LYS:HE3	2:D:130:GLU:HB3	1.84	0.59
1:B:289:CYS:SG	1:B:314:ILE:HD11	2.43	0.58
2:C:44:GLY:N	2:C:115:THR:HA	2.20	0.57
2:C:122:LEU:HB3	2:C:135:LEU:HD21	1.88	0.56
1:B:260:THR:OG1	2:D:138:HIS:NE2	2.28	0.54
1:B:357:GLU:OE1	1:B:360:ARG:NH1	2.40	0.54
2:D:91:LYS:HA	2:D:91:LYS:NZ	2.23	0.54
1:B:298:LYS:HG2	1:B:318:GLU:HB2	1.90	0.53
1:A:248:PRO:HD2	1:A:320:ASP:HB3	1.89	0.53
1:A:353:MET:HG3	2:C:122:LEU:HD21	1.91	0.53
1:B:397:VAL:HG13	1:B:398:PHE:HD1	1.74	0.53
1:B:177:GLU:OE2	1:B:312:HIS:ND1	2.42	0.52
1:A:397:VAL:HG13	1:A:398:PHE:HD1	1.73	0.52
1:A:369:LEU:HD11	1:A:405:VAL:HG12	1.91	0.52
1:B:253:ALA:HB1	2:D:131:GLY:O	2.09	0.52
1:A:407:GLU:OE2	1:A:509:ARG:NH2	2.44	0.51
1:A:177:GLU:OE2	1:A:312:HIS:ND1	2.44	0.51
1:B:248:PRO:HD2	1:B:320:ASP:HB3	1.93	0.50
1:B:241:ALA:O	1:B:245:GLN:HG3	2.11	0.50
1:B:246:ARG:HD3	1:B:317:VAL:HG12	1.94	0.49
1:A:372:ARG:HG2	1:A:506:VAL:HG12	1.95	0.49
2:C:22:ALA:O	2:C:26:ARG:HG3	2.13	0.49
1:B:369:LEU:O	1:B:373:LEU:HG	2.11	0.49
2:D:122:LEU:HB3	2:D:135:LEU:HD21	1.95	0.48
2:C:102:LYS:HD3	2:C:124:ASN:HA	1.95	0.48
2:C:23:ILE:HG21	2:C:54:ILE:HD11	1.94	0.48
1:A:292:GLN:O	1:A:296:SER:O	2.32	0.47
1:A:496:ARG:HH22	1:A:516:GLU:H	1.62	0.47
1:A:346:ALA:HB1	2:C:142:ALA:HB3	1.96	0.47
1:B:372:ARG:HG2	1:B:506:VAL:HG12	1.97	0.46
1:A:507:ASN:HA	1:A:510:PRO:HD2	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:91:HIS:CE1	1:B:273:ASP:OD1	2.68	0.46
1:A:63:HIS:HA	1:A:66:LEU:HD12	1.97	0.46
1:A:372:ARG:HG2	1:A:506:VAL:CG1	2.45	0.46
2:C:23:ILE:HG23	2:C:107:ILE:HD11	1.97	0.46
2:C:87:GLU:HG3	2:C:87:GLU:O	2.15	0.46
1:B:63:HIS:HA	1:B:66:LEU:HD12	1.99	0.45
1:B:496:ARG:HH22	1:B:516:GLU:H	1.64	0.45
1:A:254:GLU:OE1	2:C:128:THR:HG22	2.17	0.45
1:B:176:PRO:HG3	1:B:278:ALA:HA	1.99	0.45
1:B:357:GLU:HA	1:B:360:ARG:HD3	1.97	0.45
2:D:20:ILE:HA	2:D:23:ILE:HD12	1.99	0.45
1:A:91:HIS:CE1	1:A:273:ASP:OD1	2.70	0.45
2:C:135:LEU:O	2:C:139:ILE:HG13	2.17	0.44
1:A:105:ARG:O	1:A:108:TYR:O	2.35	0.44
1:B:176:PRO:HG3	1:B:278:ALA:CA	2.48	0.44
1:B:372:ARG:HG2	1:B:506:VAL:CG1	2.47	0.44
1:B:366:SER:HB2	1:B:369:LEU:H	1.83	0.44
1:B:507:ASN:HA	1:B:510:PRO:HD2	2.00	0.44
1:B:564:THR:HB	1:B:567:GLN:CB	2.48	0.44
1:B:258:LEU:O	1:B:262:LEU:HB2	2.18	0.44
1:B:475:ASP:O	1:B:479:VAL:HG23	2.17	0.44
1:B:353:MET:CG	2:D:122:LEU:HD21	2.43	0.44
1:B:247:PHE:CD1	1:B:296:SER:HB2	2.52	0.44
2:C:97:GLU:HA	2:C:100:ILE:HD12	2.00	0.43
2:C:123:ILE:HD13	2:C:135:LEU:HD23	2.00	0.43
1:A:222:LEU:HD12	1:A:482:ASN:HD22	1.83	0.43
1:B:88:LYS:CB	1:B:93:LEU:HG	2.49	0.43
2:D:53:GLN:OE1	2:D:99:GLN:OE1	2.36	0.43
1:B:355:LEU:HG	1:B:374:ALA:HB2	2.01	0.42
2:D:53:GLN:HB3	2:D:103:ILE:HD11	2.01	0.42
1:A:111:MET:HE2	1:A:129:HIS:HB3	2.01	0.42
1:A:298:LYS:HD3	1:A:320:ASP:HA	2.01	0.42
1:A:143:GLU:CB	1:A:146:VAL:CB	2.97	0.42
1:A:176:PRO:HG3	1:A:278:ALA:HA	2.02	0.42
1:B:143:GLU:CB	1:B:146:VAL:CB	2.98	0.42
1:A:298:LYS:H	1:A:298:LYS:HD2	1.84	0.41
1:B:91:HIS:O	1:B:95:GLY:HA3	2.19	0.41
1:B:298:LYS:HB3	1:B:317:VAL:HG22	2.02	0.41
1:A:373:LEU:HD22	1:A:401:PHE:HB3	2.02	0.41
1:A:587:ASP:CB	1:A:590:THR:CB	2.98	0.41
1:A:91:HIS:O	1:A:95:GLY:HA3	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:73:PHE:HE2	1:B:93:LEU:HD13	1.85	0.41
1:B:257:LYS:HB2	2:D:131:GLY:HA2	2.01	0.41
2:D:102:LYS:HD3	2:D:124:ASN:HA	2.03	0.41
1:B:564:THR:HG22	1:B:566:GLU:H	1.85	0.41
2:D:110:LYS:HE2	2:D:110:LYS:HB3	1.83	0.41
1:A:258:LEU:O	1:A:262:LEU:HB2	2.21	0.41
1:A:355:LEU:HG	1:A:374:ALA:HB2	2.02	0.41
1:A:241:ALA:HB2	1:A:355:LEU:HD22	2.03	0.41
1:B:298:LYS:HD3	1:B:320:ASP:HA	2.03	0.41
2:D:114:ILE:HG22	2:D:143:HIS:CD2	2.55	0.41
1:A:240:VAL:O	1:A:244:SER:HB2	2.21	0.40
1:B:266:HIS:O	1:B:270:CYS:SG	2.80	0.40
1:A:226:SER:HA	1:A:230:PHE:HD2	1.86	0.40
2:D:57:ILE:HD13	2:D:100:ILE:CD1	2.52	0.40
1:B:32:ALA:HB2	1:B:77:CYS:HB3	2.03	0.40
2:D:23:ILE:HG21	2:D:54:ILE:HD11	2.04	0.40
2:D:57:ILE:HD13	2:D:100:ILE:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	546/609 (90%)	510 (93%)	30 (6%)	6 (1%)	11	39
1	B	528/609 (87%)	494 (94%)	32 (6%)	2 (0%)	30	60
2	C	117/143 (82%)	110 (94%)	6 (5%)	1 (1%)	14	43
2	D	114/143 (80%)	108 (95%)	6 (5%)	0	100	100
All	All	1305/1504 (87%)	1222 (94%)	74 (6%)	9 (1%)	18	48

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	87	ASP
1	A	307	LEU
1	A	541	SER
1	A	588	LYS
1	B	307	LEU
2	C	32	ALA
1	A	523	PRO
1	A	108	TYR
1	B	108	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/532 (51%)	251 (93%)	20 (7%)	13	39
1	B	267/532 (50%)	244 (91%)	23 (9%)	10	33
2	C	70/101 (69%)	66 (94%)	4 (6%)	18	47
2	D	77/101 (76%)	68 (88%)	9 (12%)	5	21
All	All	685/1266 (54%)	629 (92%)	56 (8%)	10	35

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	VAL
1	A	115	CYS
1	A	122	ARG
1	A	163	LEU
1	A	166	ILE
1	A	222	LEU
1	A	227	LEU
1	A	260	THR
1	A	262	LEU
1	A	269	CYS
1	A	288	ILE
1	A	292	GLN
1	A	293	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	332	ASP
1	A	355	LEU
1	A	379	THR
1	A	434	ARG
1	A	436	THR
1	A	519	GLU
1	A	565	LYS
1	B	47	VAL
1	B	87	ASP
1	B	115	CYS
1	B	122	ARG
1	B	127	LEU
1	B	163	LEU
1	B	166	ILE
1	B	206	LEU
1	B	222	LEU
1	B	227	LEU
1	B	260	THR
1	B	262	LEU
1	B	269	CYS
1	B	292	GLN
1	B	293	ASP
1	B	304	GLU
1	B	317	VAL
1	B	332	ASP
1	B	355	LEU
1	B	379	THR
1	B	434	ARG
1	B	436	THR
1	B	540	LEU
2	C	7	GLU
2	C	30	MET
2	C	51	THR
2	C	122	LEU
2	D	48	GLU
2	D	52	LYS
2	D	53	GLN
2	D	59	LEU
2	D	88	GLU
2	D	91	LYS
2	D	98	THR
2	D	100	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	110	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	ASN
1	A	129	HIS
1	A	245	GLN
1	A	292	GLN
1	A	482	ASN
1	A	507	ASN
1	B	123	ASN
1	B	129	HIS
1	B	482	ASN
2	C	24	GLN
2	C	65	GLN
2	C	99	GLN
2	C	124	ASN
2	C	143	HIS
2	D	8	GLN
2	D	99	GLN
2	D	143	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	555/609 (91%)	0.61	37 (6%) 24 17	40, 100, 165, 188	0
1	B	542/609 (88%)	0.72	53 (9%) 13 11	36, 107, 179, 210	0
2	C	122/143 (85%)	0.20	4 (3%) 49 33	43, 71, 124, 132	1 (0%)
2	D	120/143 (83%)	0.10	3 (2%) 58 39	37, 56, 90, 99	0
All	All	1339/1504 (89%)	0.57	97 (7%) 21 16	36, 97, 169, 210	1 (0%)

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	467	ALA	4.9
1	B	201	CYS	4.9
1	B	540	LEU	4.9
1	B	57	GLN	4.5
1	A	535	ALA	4.3
1	B	163	LEU	4.1
1	B	111	MET	4.0
1	B	31	VAL	4.0
1	A	84	GLU	4.0
2	C	46	SER	3.9
1	A	582	CYS	3.8
1	B	182	ALA	3.7
1	A	473	ALA	3.4
1	B	61	GLU	3.4
1	B	178	LEU	3.3
1	B	535	ALA	3.3
1	A	579	VAL	3.2
1	A	175	ALA	3.0
1	B	162	TYR	3.0
1	A	46	LEU	2.9
1	B	203	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	33	SER	2.9
1	A	388	ALA	2.9
1	A	576	ALA	2.8
1	A	100	THR	2.8
1	A	575	PHE	2.7
1	B	404	LEU	2.7
1	B	62	ASP	2.7
1	A	608	GLY	2.6
1	A	110	GLU	2.6
1	B	539	THR	2.6
2	D	5	SER	2.6
1	A	453	ASN	2.6
1	B	181	PHE	2.6
1	A	156	GLU	2.6
1	B	81	GLU	2.6
1	B	210	ARG	2.6
1	A	162	TYR	2.5
1	A	112	ALA	2.5
1	B	83	ALA	2.5
1	B	580	GLU	2.5
1	A	587	ASP	2.5
1	B	114	CYS	2.5
1	A	544	GLU	2.4
1	A	480	VAL	2.4
1	B	213	GLY	2.4
1	A	348	ASP	2.4
1	B	476	TYR	2.4
1	B	56	GLN	2.4
2	D	46	SER	2.4
1	B	157	THR	2.3
1	B	536	ASP	2.3
1	A	589	GLU	2.3
1	A	444	THR	2.3
1	A	113	ASP	2.3
2	D	43	ALA	2.3
2	C	119	TYR	2.3
1	B	304	GLU	2.3
1	A	63	HIS	2.3
1	B	155	THR	2.3
1	B	172	TYR	2.3
1	A	577	ALA	2.2
1	A	149	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	43	PHE	2.2
1	B	153	ASP	2.2
1	B	90	LEU	2.2
1	A	102	ALA	2.2
1	A	435	TYR	2.2
1	B	156	GLU	2.2
1	A	275	LEU	2.1
1	B	346	ALA	2.1
1	B	574	ASP	2.1
1	A	506	VAL	2.1
1	B	34	ARG	2.1
1	B	525	GLU	2.1
1	A	201	CYS	2.1
1	B	348	ASP	2.1
1	A	97	LYS	2.1
1	B	365	TYR	2.1
2	C	91	LYS	2.1
1	A	106	GLU	2.1
1	B	144	VAL	2.1
1	A	104	LEU	2.1
1	B	209	LEU	2.1
1	B	537	ILE	2.1
1	B	110	GLU	2.1
1	B	165	GLU	2.1
1	B	49	ILE	2.1
1	B	113	ASP	2.1
1	B	538	CYS	2.1
1	A	541	SER	2.0
1	B	478	SER	2.0
1	A	163	LEU	2.0
1	B	122	ARG	2.0
1	B	58	CYS	2.0
1	B	367	VAL	2.0
1	B	98	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.