



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:18 PM UTC

PDB ID : 7ZLS / pdb_00007zls
Title : co-crystal structure of SOCS2:ElonginB:ElonginC in complex with compound 13
Authors : Ramachandran, S.; Ciulli, A.; Makukhin, N.
Deposited on : 2022-04-15
Resolution : 1.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1188 (1.92-1.92)
Clashscore	190562	1209 (1.92-1.92)
Ramachandran outliers	187476	1195 (1.92-1.92)
Sidechain outliers	187428	1195 (1.92-1.92)
RSRZ outliers	180081	1188 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	169	4% 89% 7%
1	D	169	6% 80% 9% 11%
1	G	169	5% 84% 9% 7%
1	J	169	10% 82% 14% 5%
2	B	118	3% 81% 8% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	118	
2	H	118	
2	K	118	
3	C	97	
3	F	97	
3	I	97	
3	L	97	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11373 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Suppressor of cytokine signaling 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	157	Total	C	N	O	S	0	0	0
			1237	795	206	229	7			
1	D	151	Total	C	N	O	S	0	0	0
			1181	761	194	220	6			
1	J	161	Total	C	N	O	S	0	0	0
			1250	801	209	234	6			
1	G	157	Total	C	N	O	S	0	0	0
			1218	782	201	229	6			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	30	SER	-	expression tag	UNP O14508
A	31	MET	-	expression tag	UNP O14508
D	30	SER	-	expression tag	UNP O14508
D	31	MET	-	expression tag	UNP O14508
J	30	SER	-	expression tag	UNP O14508
J	31	MET	-	expression tag	UNP O14508
G	30	SER	-	expression tag	UNP O14508
G	31	MET	-	expression tag	UNP O14508

- Molecule 2 is a protein called Elongin-B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	104	Total	C	N	O	S	0	1	0
			825	523	141	156	5			
2	E	104	Total	C	N	O	S	0	0	0
			792	503	133	152	4			
2	K	101	Total	C	N	O	S	0	0	0
			673	422	118	129	4			
2	H	104	Total	C	N	O	S	0	1	0
			820	519	141	156	4			


- Molecule 3 is a protein called Elongin-C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	85	Total	C	N	O	S	0	0	0
			677	437	108	126	6			
3	F	87	Total	C	N	O	S	0	2	0
			695	451	111	126	7			
3	L	84	Total	C	N	O	S	0	0	0
			620	406	95	114	5			
3	I	86	Total	C	N	O	S	0	1	0
			690	443	113	128	6			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	16	MET	-	initiating methionine	UNP Q15369
F	16	MET	-	initiating methionine	UNP Q15369
L	16	MET	-	initiating methionine	UNP Q15369
I	16	MET	-	initiating methionine	UNP Q15369

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is [4-[(2 {S})-3-[(4-fluoranyl-3-prop-2-enyl-phenyl)methylamino]-2-[2-(4-fluorophenyl)ethanoylamino]-3-oxidanylidene-propyl]phenyl] dihydrogen phosphate (CCD ID: JH9) (formula: C₂₇H₂₇F₂N₂O₆P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	F	N	O	P	0	0
			38	27	2	2	6	1		
5	D	1	Total	C	F	N	O	P	0	0
			36	25	2	2	6	1		
5	J	1	Total	C	F	N	O	P	0	0
			38	27	2	2	6	1		
5	G	1	Total	C	F	N	O	P	0	0
			36	25	2	2	6	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	81	Total	O	0	0
			81	81		
6	B	63	Total	O	0	0
			63	63		
6	C	55	Total	O	0	0
			55	55		
6	D	43	Total	O	0	0
			43	43		
6	E	47	Total	O	0	0
			47	47		
6	F	37	Total	O	0	0
			37	37		
6	J	66	Total	O	0	0
			66	66		
6	K	4	Total	O	0	0
			4	4		

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	L	4	Total 4	O 4	0	0
6	G	68	Total 68	O 68	0	0
6	H	37	Total 37	O 37	0	0
6	I	38	Total 38	O 38	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Suppressor of cytokine signaling 2





- Molecule 1: Suppressor of cytokine signaling 2




- Molecule 1: Suppressor of cytokine signaling 2



- Molecule 1: Suppressor of cytokine signaling 2





- Molecule 2: Elongin-B









● Molecule 2: Elongin-B





● Molecule 2: Elongin-B





● Molecule 2: Elongin-B




● Molecule 3: Elongin-C




● Molecule 3: Elongin-C





● Molecule 3: Elongin-C





● Molecule 3: Elongin-C



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.55Å 172.64Å 185.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	63.18 – 1.92 63.18 – 1.92	Depositor EDS
% Data completeness (in resolution range)	98.4 (63.18-1.92) 98.5 (63.18-1.92)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.95 (at 1.92Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.202 , 0.238 0.203 , 0.237	Depositor DCC
R_{free} test set	7329 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	42.8	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11373	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, JH9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/1263	0.54	0/1710
1	D	0.33	0/1206	0.50	0/1636
1	G	0.37	0/1244	0.53	0/1689
1	J	0.33	0/1276	0.48	0/1733
2	B	0.37	0/841	0.61	0/1137
2	E	0.34	0/808	0.56	0/1097
2	H	0.32	0/836	0.54	0/1132
2	K	0.19	0/684	0.43	0/938
3	C	0.38	0/691	0.55	0/933
3	F	0.33	0/709	0.53	0/956
3	I	0.34	0/704	0.53	0/950
3	L	0.24	0/634	0.39	0/863
All	All	0.34	0/10896	0.52	0/14774

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1237	0	1217	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1181	0	1152	8	0
1	G	1218	0	1170	11	0
1	J	1250	0	1207	14	0
2	B	825	0	826	5	0
2	E	792	0	762	5	0
2	H	820	0	812	5	0
2	K	673	0	575	6	0
3	C	677	0	672	2	0
3	F	695	0	683	4	0
3	I	690	0	677	3	0
3	L	620	0	572	2	0
4	A	4	0	6	0	0
5	A	38	0	0	0	0
5	D	36	0	0	0	0
5	G	36	0	0	0	0
5	J	38	0	0	0	0
6	A	81	0	0	0	0
6	B	63	0	0	0	0
6	C	55	0	0	0	0
6	D	43	0	0	0	0
6	E	47	0	0	0	0
6	F	37	0	0	0	0
6	G	68	0	0	0	0
6	H	37	0	0	0	0
6	I	38	0	0	0	0
6	J	66	0	0	1	0
6	K	4	0	0	0	0
6	L	4	0	0	0	0
All	All	11373	0	10331	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:CYS:HB3	2:B:103:MET:HB3	1.60	0.84
2:K:6:MET:HE2	2:K:8:ARG:HD2	1.77	0.66
3:C:80:LYS:O	3:C:84:THR:HG23	1.96	0.65
2:E:56:THR:OG1	2:E:59:GLU:HG3	1.99	0.63
1:G:174:CYS:O	2:H:104:LYS:HE3	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:50:TRP:CE2	1:G:158:THR:HG22	2.34	0.62
2:K:15:PHE:HB2	3:L:31:VAL:HG12	1.84	0.59
1:J:189:ASP:O	1:J:193:GLU:HG3	2.03	0.59
1:J:111:CYS:HB3	1:J:116:LEU:HD21	1.84	0.58
3:L:69:VAL:HG21	3:L:102:GLU:HB3	1.87	0.56
2:H:99:LEU:HD13	3:I:98:GLU:HA	1.87	0.56
2:H:29:ARG:NH1	2:H:32:GLU:OE1	2.39	0.55
3:F:102:GLU:HA	3:F:105[A]:MET:HE3	1.88	0.55
1:G:111:CYS:HB2	1:G:116:LEU:HD11	1.88	0.55
2:B:52:ASP:HB2	2:B:55:LYS:HG3	1.90	0.53
2:K:6:MET:HE3	2:K:13:THR:HG21	1.92	0.52
2:E:15:PHE:HB2	3:F:31:VAL:HG12	1.91	0.51
3:I:22:ILE:HG12	3:I:28:GLU:HG2	1.92	0.51
1:J:178:ILE:HG22	1:J:188:LYS:HG2	1.92	0.51
1:J:108:SER:HB2	1:J:113:LYS:HG2	1.93	0.51
2:E:63:THR:OG1	2:E:66:THR:HG23	2.11	0.50
1:D:179:TRP:HA	1:D:188:LYS:HD2	1.94	0.50
1:J:99:TYR:OH	1:J:102:GLY:HA2	2.11	0.50
1:J:46:THR:HB	1:J:48:TRP:CE2	2.47	0.49
2:H:43:ARG:HG2	2:H:50:LEU:HD11	1.95	0.49
1:A:117:LYS:HD3	1:A:119:PHE:CZ	2.48	0.49
1:G:46:THR:HB	1:G:48:TRP:CE2	2.49	0.48
2:B:69:PRO:HB3	3:C:78:THR:HG22	1.96	0.48
3:I:39:SER:HB3	3:I:42:ILE:HB	1.95	0.48
2:E:23:THR:HA	2:E:56:THR:HA	1.94	0.48
1:D:189:ASP:O	1:D:193:GLU:HG3	2.13	0.47
1:J:103:LYS:HB3	1:J:118:GLN:HB3	1.95	0.47
1:G:50:TRP:CD2	1:G:158:THR:HG22	2.50	0.47
1:G:105:ARG:HG3	1:G:106:LEU:O	2.14	0.47
1:J:111:CYS:CB	1:J:116:LEU:HD21	2.44	0.47
1:J:161:PRO:HG2	1:J:166:LEU:HD21	1.96	0.47
1:A:111:CYS:HB2	1:A:116:LEU:HD11	1.97	0.46
1:G:72:ILE:HD11	1:G:126:ILE:HD11	1.98	0.45
2:E:99:LEU:HD23	2:E:99:LEU:HA	1.83	0.45
1:G:189:ASP:O	1:G:193:GLU:HG3	2.17	0.45
1:J:50:TRP:CE2	1:J:158:THR:HG22	2.51	0.45
1:A:46:THR:HB	1:A:48:TRP:CE2	2.51	0.44
1:G:72:ILE:HD11	1:G:126:ILE:HG13	1.98	0.44
1:D:161:PRO:HG2	1:D:166:LEU:HD21	1.98	0.44
2:K:43:ARG:O	2:K:77:LEU:HA	2.18	0.44
1:J:50:TRP:CD2	1:J:158:THR:HG22	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:101:ASP:OD1	2:B:104:LYS:NZ	2.48	0.43
1:G:80:TYR:CD1	1:G:96:ARG:HD3	2.53	0.43
2:B:38:PRO:HG2	2:B:41:GLU:HG3	2.01	0.43
1:J:35:ARG:HG3	6:J:360:HOH:O	2.19	0.43
3:F:41:THR:O	3:F:45:MET:HG3	2.18	0.43
2:H:43:ARG:HD2	2:H:85:PHE:CG	2.54	0.43
1:D:77:HIS:CE1	1:D:79:ASP:HB2	2.54	0.42
1:J:127:ASP:O	1:J:131:GLN:HG2	2.19	0.42
2:K:4:PHE:CD2	2:K:69:PRO:HD3	2.54	0.42
1:D:46:THR:HB	1:D:48:TRP:CE2	2.55	0.41
2:K:4:PHE:CE2	2:K:69:PRO:HD3	2.55	0.41
3:F:98:GLU:OE2	3:F:98:GLU:N	2.52	0.41
1:D:50:TRP:CD2	1:D:158:THR:HG22	2.55	0.41
1:D:187:LEU:HD23	1:D:187:LEU:HA	1.77	0.41
1:G:72:ILE:HD11	1:G:126:ILE:CG1	2.51	0.41
1:D:178:ILE:HD11	1:D:179:TRP:CE2	2.56	0.40
1:A:116:LEU:HD23	1:A:116:LEU:HA	1.76	0.40
1:J:187:LEU:HA	1:J:187:LEU:HD23	1.76	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	153/169 (90%)	148 (97%)	5 (3%)	0	100	100
1	D	145/169 (86%)	140 (97%)	5 (3%)	0	100	100
1	G	153/169 (90%)	149 (97%)	4 (3%)	0	100	100
1	J	157/169 (93%)	153 (98%)	4 (2%)	0	100	100
2	B	103/118 (87%)	99 (96%)	4 (4%)	0	100	100
2	E	102/118 (86%)	99 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	H	103/118 (87%)	98 (95%)	5 (5%)	0	100	100
2	K	97/118 (82%)	88 (91%)	9 (9%)	0	100	100
3	C	81/97 (84%)	81 (100%)	0	0	100	100
3	F	85/97 (88%)	83 (98%)	2 (2%)	0	100	100
3	I	83/97 (86%)	82 (99%)	1 (1%)	0	100	100
3	L	80/97 (82%)	78 (98%)	2 (2%)	0	100	100
All	All	1342/1536 (87%)	1298 (97%)	44 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	130/149 (87%)	130 (100%)	0	100	100
1	D	124/149 (83%)	123 (99%)	1 (1%)	73	71
1	G	125/149 (84%)	125 (100%)	0	100	100
1	J	129/149 (87%)	128 (99%)	1 (1%)	73	71
2	B	90/103 (87%)	89 (99%)	1 (1%)	65	60
2	E	82/103 (80%)	82 (100%)	0	100	100
2	H	88/103 (85%)	88 (100%)	0	100	100
2	K	56/103 (54%)	56 (100%)	0	100	100
3	C	76/86 (88%)	76 (100%)	0	100	100
3	F	75/86 (87%)	75 (100%)	0	100	100
3	I	76/86 (88%)	76 (100%)	0	100	100
3	L	61/86 (71%)	61 (100%)	0	100	100
All	All	1112/1352 (82%)	1109 (100%)	3 (0%)	86	86

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	27	LEU
1	D	78	SER
1	J	72	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	ASN
2	B	65	GLN
1	D	32	GLN
1	D	45	GLN
1	D	118	GLN
1	D	131	GLN
1	D	197	GLN
3	F	61	ASN
1	J	32	GLN
1	J	197	GLN
3	L	61	ASN
1	G	118	GLN
1	G	197	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	201	-	3,3,3	1.29	0	2,2,2	0.61	0
5	JH9	D	201	-	38,38,40	1.50	3 (7%)	53,53,55	1.32	5 (9%)
5	JH9	J	201	-	40,40,40	1.46	5 (12%)	55,55,55	1.05	3 (5%)
5	JH9	G	201	-	38,38,40	1.55	4 (10%)	53,53,55	1.27	5 (9%)
5	JH9	A	202	-	40,40,40	1.46	3 (7%)	55,55,55	1.03	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	201	-	-	0/1/1/1	-
5	JH9	D	201	-	-	1/26/26/29	0/3/3/3
5	JH9	J	201	-	-	1/29/29/29	0/3/3/3
5	JH9	G	201	-	-	1/26/26/29	0/3/3/3
5	JH9	A	202	-	-	2/29/29/29	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	201	JH9	C13-N14	5.45	1.46	1.33
5	A	202	JH9	C02-N11	5.35	1.45	1.34
5	G	201	JH9	C13-N14	5.32	1.46	1.33
5	G	201	JH9	C02-N11	5.25	1.45	1.34
5	D	201	JH9	C02-N11	4.93	1.44	1.34
5	A	202	JH9	C13-N14	4.53	1.44	1.33
5	J	201	JH9	C13-N14	4.46	1.44	1.33
5	J	201	JH9	C02-N11	4.40	1.43	1.34
5	J	201	JH9	P33-O32	4.03	1.67	1.59
5	A	202	JH9	P33-O32	3.84	1.66	1.59
5	D	201	JH9	P33-O32	3.08	1.65	1.59
5	G	201	JH9	P33-O32	2.67	1.64	1.59
5	J	201	JH9	O26-C13	-2.49	1.18	1.23
5	G	201	JH9	O26-C13	-2.32	1.18	1.23
5	J	201	JH9	O01-C02	-2.02	1.19	1.23

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	201	JH9	C25-C21-C19	4.03	119.80	115.88
5	G	201	JH9	C25-C21-C19	3.73	119.51	115.88
5	D	201	JH9	C18-C19-C21	-2.95	119.80	124.46
5	A	202	JH9	C25-C21-C19	2.54	119.34	116.54
5	A	202	JH9	C16-C15-N14	-2.51	107.78	113.07
5	J	201	JH9	C13-C12-N11	-2.50	104.34	111.11
5	G	201	JH9	C28-C27-C12	-2.50	106.71	113.36
5	J	201	JH9	C16-C15-N14	-2.46	107.88	113.07
5	G	201	JH9	C18-C19-C21	-2.32	120.80	124.46
5	D	201	JH9	C22-C21-C19	-2.31	118.91	121.94
5	A	202	JH9	C05-C04-C10	2.20	121.50	118.23
5	G	201	JH9	C21-C25-C16	-2.16	119.78	122.22
5	D	201	JH9	O35-P33-O32	2.14	111.65	105.32
5	J	201	JH9	C05-C04-C10	2.13	121.39	118.23
5	D	201	JH9	O01-C02-N11	-2.04	119.50	122.95
5	G	201	JH9	O35-P33-O32	2.04	111.35	105.32
5	A	202	JH9	C15-N14-C13	-2.01	119.52	122.29

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	202	JH9	C21-C22-C23-C24
5	A	202	JH9	N11-C12-C27-C28
5	J	201	JH9	N11-C12-C27-C28
5	D	201	JH9	N11-C12-C27-C28
5	G	201	JH9	N11-C12-C27-C28


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	157/169 (92%)	0.15	6 (3%) 44 49	31, 41, 67, 95	0
1	D	151/169 (89%)	0.54	10 (6%) 24 29	36, 48, 77, 112	0
1	G	157/169 (92%)	0.32	8 (5%) 33 37	32, 43, 81, 110	0
1	J	161/169 (95%)	0.56	17 (10%) 11 14	35, 48, 77, 107	0
2	B	104/118 (88%)	0.28	3 (2%) 53 60	19, 46, 61, 72	1 (0%)
2	E	104/118 (88%)	0.41	4 (3%) 44 49	37, 49, 73, 88	0
2	H	104/118 (88%)	0.76	12 (11%) 9 12	21, 58, 80, 99	1 (0%)
2	K	101/118 (85%)	2.25	55 (54%) 0 0	62, 92, 113, 122	0
3	C	85/97 (87%)	0.13	4 (4%) 36 41	33, 41, 61, 75	0
3	F	87/97 (89%)	0.53	7 (8%) 18 22	26, 48, 77, 90	2 (2%)
3	I	86/97 (88%)	0.39	2 (2%) 61 67	28, 47, 69, 106	1 (1%)
3	L	84/97 (86%)	1.40	19 (22%) 2 2	53, 70, 99, 137	0
All	All	1381/1536 (89%)	0.60	147 (10%) 11 14	19, 49, 94, 137	5 (0%)

All (147) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	K	79	PHE	6.4
2	K	1	MET	6.3
2	K	64	SER	5.7
3	F	47	SER	5.2
1	D	148	VAL	5.1
1	D	149	HIS	5.1
2	K	3	VAL	4.8
1	A	148	VAL	4.8
2	K	45	TYR	4.7
1	D	116	LEU	4.6
1	G	112	VAL	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	L	85	ASN	4.2
3	I	16	MET	4.2
1	J	116	LEU	4.2
1	D	110	ILE	4.1
3	L	17	MET	4.1
3	L	88	THR	4.0
2	K	88	LEU	4.0
3	L	58	ASN	3.7
2	K	40	ASP	3.7
3	F	85	ASN	3.7
2	K	34	ILE	3.7
2	K	61	GLY	3.7
1	J	147	THR	3.6
1	D	179	TRP	3.6
3	L	86	SER	3.6
1	D	150	LEU	3.6
2	K	55	LYS	3.5
2	K	84	THR	3.5
2	K	99	LEU	3.5
2	K	54	GLY	3.5
2	H	102	VAL	3.5
1	G	149	HIS	3.5
2	K	25	PHE	3.4
2	B	102	VAL	3.3
3	C	46	LEU	3.3
1	J	176	GLY	3.3
2	H	64	SER	3.3
2	E	102	VAL	3.3
2	K	87	ALA	3.3
2	K	50	LEU	3.3
2	K	4	PHE	3.3
2	K	22	SER	3.3
3	L	42	ILE	3.2
2	K	86	GLU	3.2
1	A	114	SER	3.2
2	B	1	MET	3.2
2	K	51	LEU	3.2
1	A	135	ASP	3.2
2	H	104	LYS	3.1
3	F	58	ASN	3.1
3	L	36	ALA	3.1
1	D	134	LYS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	F	57	THR	3.1
2	K	67	ALA	3.1
1	G	135	ASP	3.1
2	H	101	ASP	3.1
3	F	44	ALA	3.1
1	G	110	ILE	3.0
3	L	87	SER	3.0
2	H	81	ALA	3.0
2	K	83	ASP	3.0
2	K	10	HIS	3.0
2	K	90	ILE	3.0
1	A	113	LYS	2.9
2	K	52	ASP	2.9
1	J	110	ILE	2.9
2	K	2	ASP	2.9
3	F	17	MET	2.9
2	K	66	THR	2.8
1	J	148	VAL	2.8
2	H	84	THR	2.8
3	L	81	VAL	2.8
1	G	136	LYS	2.7
2	K	21	SER	2.7
1	J	115	LYS	2.7
2	E	1	MET	2.7
1	D	178	ILE	2.7
2	K	36	LYS	2.7
2	K	38	PRO	2.7
2	K	57	LEU	2.7
3	L	18	TYR	2.6
2	K	56	THR	2.6
3	L	37	LEU	2.6
1	D	109	ILE	2.6
1	J	185	THR	2.6
1	G	111	CYS	2.6
2	K	68	ARG	2.6
2	H	1	MET	2.6
1	J	112	VAL	2.6
1	J	145	ASN	2.5
2	K	18	ALA	2.5
2	K	78	ALA	2.5
2	K	53	ASP	2.5
1	J	136	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	L	84	THR	2.5
2	K	89	CYS	2.4
1	D	187	LEU	2.4
1	J	114	SER	2.4
2	K	102	VAL	2.4
3	C	17	MET	2.4
2	E	101	ASP	2.4
2	K	101	ASP	2.4
2	K	12	THR	2.4
1	J	146	GLY	2.4
2	K	62	PHE	2.4
2	K	37	ARG	2.4
2	E	104	LYS	2.4
2	K	49	GLN	2.3
2	K	72	PRO	2.3
1	A	112	VAL	2.3
2	K	77	LEU	2.3
3	L	90	ILE	2.3
2	K	11	LYS	2.3
2	K	43	ARG	2.3
2	K	44	LEU	2.3
2	K	63	THR	2.3
2	K	14	ILE	2.3
3	L	65	ILE	2.3
2	H	66	THR	2.3
2	H	68[A]	ARG	2.2
3	F	46	LEU	2.2
1	A	115	LYS	2.2
1	J	175	THR	2.2
1	J	111	CYS	2.2
2	H	50	LEU	2.2
2	K	95	SER	2.2
2	K	96	PRO	2.2
1	G	109	ILE	2.2
3	C	85	ASN	2.1
3	I	17	MET	2.1
1	J	178	ILE	2.1
2	K	23	THR	2.1
1	G	134	LYS	2.1
3	L	33	ARG	2.1
3	L	45	MET	2.1
3	C	44	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	66	THR	2.1
3	L	64	GLU	2.1
2	K	69	PRO	2.1
2	K	100	PRO	2.1
2	H	77	LEU	2.1
1	J	149	HIS	2.1
1	J	177	ALA	2.1
3	L	99	ILE	2.0
3	L	108	ASN	2.0
2	H	52	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	201	4/4	0.64	0.26	40,40,48,49	0
5	JH9	D	201	36/38	0.95	0.10	35,44,72,83	0
5	JH9	G	201	36/38	0.95	0.10	35,44,57,60	0
5	JH9	J	201	38/38	0.97	0.07	32,39,60,71	0
5	JH9	A	202	38/38	0.97	0.07	32,39,53,61	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around JH9 D 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JH9 G 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JH9 J 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around JH9 A 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.