



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:38 PM UTC

PDB ID : 1ZMV / pdb_00001zmv
Title : Catalytic and ubiquitin-associated domains of MARK2/PAR-1: K82R mutant
Authors : Panneerselvam, S.; Marx, A.; Mandelkow, E.-M.; Mandelkow, E.
Deposited on : 2005-05-11
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	327	 49% 33% 7% • 10%
1	B	327	 % 52% 30% 9% • 9%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 4667 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MAP/Microtubule affinity regulating kinase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	293	Total	C	N	O	S	0	0	0
			2321	1490	396	423	12			
1	B	296	Total	C	N	O	S	0	0	0
			2346	1507	401	426	12			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	38	GLY	-	cloning artifact	UNP O08679
A	82	ARG	LYS	engineered mutation	UNP O08679
B	38	GLY	-	cloning artifact	UNP O08679
B	82	ARG	LYS	engineered mutation	UNP O08679


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MAP/Microtubule affinity regulating kinase 2



• Molecule 1: MAP/Microtubule affinity regulating kinase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	121.19Å 121.19Å 99.66Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	51.78 – 3.10 51.78 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.2 (51.78-3.10) 97.9 (51.78-3.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.50 (at 3.13Å)	Xtriage
Refinement program	REFMAC 5.2	Depositor
R, R_{free}	0.200 , 0.251 0.199 , 0.251	Depositor DCC
R_{free} test set	740 reflections (3.13%)	wwPDB-VP
Wilson B-factor (Å ²)	73.5	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 56.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.047 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4667	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.26	2/2364 (0.1%)	1.28	15/3192 (0.5%)
1	B	1.21	2/2391 (0.1%)	1.28	21/3229 (0.7%)
All	All	1.24	4/4755 (0.1%)	1.28	36/6421 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	175	ASP	CA-C	6.49	1.60	1.53
1	B	269	ILE	CA-C	6.13	1.57	1.53
1	B	239	ILE	CA-CB	-5.55	1.48	1.54
1	A	179	GLU	CA-CB	5.08	1.62	1.53

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	178	ALA	N-CA-C	-9.82	101.65	114.31
1	B	49	HIS	N-CA-C	8.24	121.16	110.53
1	B	213	PRO	N-CA-C	7.78	120.19	110.70
1	A	52	ASN	N-CA-C	7.75	127.32	110.80
1	A	213	PRO	N-CA-C	7.50	119.85	110.70
1	B	213	PRO	CA-C-N	-7.46	112.11	119.87
1	B	213	PRO	C-N-CA	-7.46	112.11	119.87
1	B	320	LEU	CA-C-N	6.88	128.44	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	320	LEU	C-N-CA	6.88	128.44	119.84
1	B	347	VAL	N-CA-C	-6.84	103.64	110.62
1	A	213	PRO	CA-C-N	-6.81	113.15	119.82
1	A	213	PRO	C-N-CA	-6.81	113.15	119.82
1	A	178	ALA	N-CA-C	-6.67	104.86	114.12
1	A	310	ASP	N-CA-C	6.54	121.43	113.38
1	A	318	GLU	CA-C-N	-6.32	113.44	120.14
1	A	318	GLU	C-N-CA	-6.32	113.44	120.14
1	B	269	ILE	N-CA-C	6.24	114.06	107.76
1	B	61	LYS	N-CA-C	5.92	118.48	109.95
1	B	310	ASP	N-CA-C	5.92	120.66	113.38
1	B	137	VAL	N-CA-C	-5.80	105.08	110.53
1	A	275	THR	N-CA-C	-5.80	105.10	111.82
1	B	152	ALA	N-CA-C	-5.62	104.37	111.11
1	A	84	ILE	N-CA-C	5.45	115.75	108.11
1	A	175	ASP	N-CA-C	5.44	118.26	109.83
1	A	61	LYS	N-CA-C	5.37	117.42	109.69
1	A	129	MET	N-CA-C	5.25	116.27	108.86
1	A	361	LEU	N-CA-C	-5.25	106.13	113.37
1	B	131	TYR	CA-C-N	-5.25	116.02	122.84
1	B	131	TYR	C-N-CA	-5.25	116.02	122.84
1	B	251	ASP	N-CA-C	5.20	116.19	108.86
1	B	148	LYS	N-CA-C	-5.16	103.72	110.53
1	A	347	VAL	N-CA-C	-5.08	105.44	110.62
1	B	108	ASN	N-CA-C	5.08	115.69	107.32
1	B	84	ILE	N-CA-C	5.06	115.20	108.11
1	B	291	LYS	CA-C-N	-5.02	115.17	122.65
1	B	291	LYS	C-N-CA	-5.02	115.17	122.65

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	178	ALA	Peptide
1	B	48	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2321	0	2332	96	1
1	B	2346	0	2358	94	1
All	All	4667	0	4690	190	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:261:ARG:HH11	1:B:261:ARG:HG2	1.21	1.06
1:A:261:ARG:HH11	1:A:261:ARG:HG2	1.22	1.01
1:A:330:GLU:HA	1:A:330:GLU:OE1	1.71	0.87
1:B:49:HIS:HE1	1:B:73:ILE:HD11	1.42	0.84
1:B:311:ASP:OD1	1:B:311:ASP:O	1.98	0.81
1:B:49:HIS:CE1	1:B:73:ILE:HD11	2.15	0.80
1:A:324:LYS:HE2	1:A:343:GLN:HE22	1.49	0.77
1:A:343:GLN:O	1:A:347:VAL:HG23	1.84	0.77
1:B:220:LEU:HB2	1:B:226:TYR:CE2	2.20	0.76
1:A:219:GLU:HB2	1:A:224:LYS:HB2	1.68	0.76
1:A:77:LYS:HE2	1:A:363:TYR:HB2	1.69	0.74
1:A:169:LYS:HB2	1:A:171:ILE:HD12	1.69	0.74
1:A:220:LEU:HB2	1:A:226:TYR:CE2	2.22	0.74
1:B:147:MET:HE2	1:B:152:ALA:HA	1.70	0.73
1:A:147:MET:HE2	1:A:152:ALA:HA	1.70	0.73
1:B:219:GLU:HB2	1:B:224:LYS:HB2	1.70	0.71
1:A:261:ARG:HG2	1:A:261:ARG:NH1	2.01	0.71
1:B:169:LYS:HB2	1:B:171:ILE:HD12	1.72	0.70
1:B:261:ARG:HH11	1:B:261:ARG:CG	2.02	0.70
1:B:311:ASP:OD1	1:B:311:ASP:C	2.34	0.70
1:B:339:ARG:HG2	1:B:339:ARG:HH11	1.57	0.70
1:A:330:GLU:OE1	1:A:330:GLU:CA	2.36	0.69
1:B:77:LYS:HD3	1:B:360:LEU:O	1.92	0.69
1:B:77:LYS:HE2	1:B:363:TYR:HB2	1.74	0.69
1:A:147:MET:HG2	1:A:151:GLU:OE1	1.93	0.68
1:B:286:ILE:O	1:B:292:ARG:NH1	2.24	0.68
1:B:225:LYS:HD3	1:B:225:LYS:H	1.59	0.68
1:A:131:TYR:CE2	1:A:133:SER:HB3	2.29	0.67
1:B:120:GLU:HG2	1:B:125:LEU:CD1	2.25	0.67
1:B:330:GLU:HA	1:B:330:GLU:OE1	1.94	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:ASN:C	1:A:288:ASN:HD22	2.02	0.66
1:B:49:HIS:HE1	1:B:73:ILE:CD1	2.09	0.66
1:A:311:ASP:O	1:A:311:ASP:OD1	2.14	0.65
1:B:48:PRO:HD2	1:B:54:ARG:CZ	2.26	0.64
1:B:261:ARG:HG2	1:B:261:ARG:NH1	2.01	0.63
1:A:311:ASP:OD1	1:A:311:ASP:C	2.42	0.63
1:B:324:LYS:HE2	1:B:343:GLN:HE22	1.62	0.62
1:A:261:ARG:HH11	1:A:261:ARG:CG	2.05	0.62
1:A:288:ASN:C	1:A:288:ASN:ND2	2.58	0.62
1:A:175:ASP:OD1	1:A:177:LYS:HE2	1.99	0.62
1:A:105:LYS:HG2	1:A:351:TYR:CD2	2.35	0.62
1:B:136:GLU:OE1	1:B:179:GLU:HA	1.99	0.62
1:B:90:ASN:ND2	1:B:93:SER:OG	2.33	0.61
1:A:228:GLY:HA3	1:A:230:GLU:OE2	2.00	0.60
1:A:77:LYS:HE2	1:A:363:TYR:CB	2.31	0.60
1:B:175:ASP:OD1	1:B:177:LYS:HE2	2.00	0.60
1:A:178:ALA:C	1:A:180:ASN:H	2.09	0.60
1:B:175:ASP:OD1	1:B:175:ASP:O	2.20	0.59
1:A:331:LEU:O	1:A:334:SER:HB2	2.02	0.59
1:A:308:HIS:HB3	1:A:311:ASP:O	2.03	0.58
1:A:324:LYS:HE2	1:A:343:GLN:NE2	2.19	0.58
1:A:72:HIS:CE1	1:A:75:THR:HG23	2.38	0.58
1:B:338:THR:O	1:B:342:ILE:HD12	2.03	0.58
1:A:286:ILE:O	1:A:292:ARG:NH1	2.36	0.58
1:B:225:LYS:HD3	1:B:225:LYS:N	2.19	0.57
1:A:299:MET:HG2	1:A:313:LEU:HD23	1.86	0.57
1:A:75:THR:OG1	1:A:77:LYS:HG3	2.05	0.57
1:A:105:LYS:HG2	1:A:351:TYR:CE2	2.40	0.56
1:A:178:ALA:C	1:A:180:ASN:N	2.62	0.56
1:A:244:VAL:HG21	1:A:273:MET:HE2	1.87	0.56
1:B:339:ARG:HG2	1:B:339:ARG:NH1	2.19	0.56
1:B:177:LYS:HE3	1:B:180:ASN:OD1	2.05	0.56
1:B:288:ASN:C	1:B:288:ASN:HD22	2.14	0.56
1:B:297:GLN:O	1:B:298:ILE:C	2.50	0.55
1:B:147:MET:HG2	1:B:151:GLU:OE1	2.07	0.55
1:B:308:HIS:HB3	1:B:311:ASP:O	2.07	0.55
1:B:178:ALA:C	1:B:180:ASN:H	2.15	0.54
1:B:105:LYS:HG2	1:B:351:TYR:CE2	2.42	0.54
1:B:220:LEU:HB2	1:B:226:TYR:HE2	1.72	0.54
1:A:147:MET:HE2	1:A:152:ALA:CA	2.37	0.53
1:B:147:MET:HE2	1:B:152:ALA:CA	2.37	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:ALA:C	1:B:180:ASN:N	2.66	0.53
1:A:360:LEU:C	1:A:362:GLY:H	2.17	0.53
1:A:220:LEU:HB2	1:A:226:TYR:HE2	1.67	0.53
1:A:175:ASP:OD1	1:A:175:ASP:O	2.26	0.52
1:B:120:GLU:HG2	1:B:125:LEU:HD11	1.91	0.52
1:B:288:ASN:C	1:B:288:ASN:ND2	2.67	0.51
1:A:339:ARG:HD2	1:A:339:ARG:H	1.75	0.51
1:A:235:SER:O	1:A:239:ILE:HG13	2.11	0.51
1:A:221:PHE:CG	1:A:259:ARG:HG3	2.46	0.51
1:A:345:SER:HA	1:A:350:ARG:HG3	1.93	0.50
1:B:343:GLN:O	1:B:347:VAL:HG23	2.11	0.50
1:B:165:TYR:HA	1:B:168:GLN:HG3	1.94	0.49
1:A:297:GLN:O	1:A:298:ILE:C	2.54	0.49
1:A:177:LYS:HE3	1:A:180:ASN:OD1	2.11	0.49
1:A:136:GLU:OE1	1:A:179:GLU:HA	2.13	0.48
1:B:50:ILE:O	1:B:51:GLY:C	2.55	0.48
1:A:120:GLU:HG2	1:A:125:LEU:CD1	2.43	0.48
1:A:173:HIS:CG	1:A:176:LEU:HD13	2.48	0.48
1:A:254:ASN:HD21	1:A:257:GLU:HB2	1.78	0.48
1:A:212:SER:N	1:A:213:PRO:CD	2.77	0.47
1:B:151:GLU:O	1:B:152:ALA:C	2.57	0.47
1:B:254:ASN:HD21	1:B:257:GLU:HB2	1.79	0.47
1:A:339:ARG:HH11	1:A:339:ARG:HG2	1.80	0.47
1:B:77:LYS:CE	1:B:363:TYR:HB2	2.44	0.47
1:B:113:VAL:HG13	1:B:191:ILE:O	2.15	0.47
1:B:242:THR:CG2	1:B:248:LEU:HD23	2.44	0.47
1:B:119:ILE:HB	1:B:126:TYR:HB2	1.96	0.47
1:B:286:ILE:HB	1:B:292:ARG:HG2	1.95	0.47
1:B:328:ARG:O	1:B:332:MET:HG3	2.14	0.47
1:A:338:THR:O	1:A:342:ILE:HD12	2.15	0.47
1:B:137:VAL:O	1:B:138:PHE:C	2.58	0.47
1:A:284:PHE:CZ	1:A:298:ILE:HG21	2.49	0.47
1:A:151:GLU:O	1:A:152:ALA:C	2.54	0.46
1:A:253:GLN:O	1:A:254:ASN:HB3	2.15	0.46
1:A:163:VAL:O	1:A:166:CYS:HB2	2.14	0.46
1:B:52:ASN:ND2	1:B:74:LEU:HD11	2.30	0.46
1:B:172:VAL:HG23	1:B:172:VAL:O	2.15	0.46
1:B:49:HIS:CE1	1:B:73:ILE:CD1	2.90	0.46
1:B:235:SER:O	1:B:239:ILE:HG13	2.16	0.46
1:B:326:PRO:O	1:B:330:GLU:HB2	2.16	0.46
1:A:113:VAL:HG13	1:A:191:ILE:O	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:120:GLU:HG2	1:A:125:LEU:HD11	1.98	0.46
1:A:226:TYR:CE1	1:A:231:VAL:HG11	2.51	0.46
1:A:242:THR:HG22	1:A:248:LEU:HA	1.97	0.46
1:A:225:LYS:H	1:A:225:LYS:HD3	1.81	0.46
1:A:338:THR:O	1:A:341:GLU:HG2	2.16	0.46
1:B:48:PRO:HD2	1:B:54:ARG:NE	2.29	0.46
1:B:284:PHE:CZ	1:B:298:ILE:HG21	2.51	0.46
1:B:90:ASN:O	1:B:91:SER:C	2.59	0.46
1:B:244:VAL:HG21	1:B:273:MET:HE2	1.98	0.46
1:A:129:MET:HB3	1:A:129:MET:HE2	1.46	0.45
1:B:254:ASN:ND2	1:B:257:GLU:HB2	2.30	0.45
1:A:173:HIS:C	1:A:175:ASP:H	2.24	0.45
1:A:254:ASN:ND2	1:A:257:GLU:HB2	2.32	0.45
1:A:172:VAL:HG23	1:A:172:VAL:O	2.16	0.45
1:A:353:GLU:HG3	1:A:354:VAL:N	2.31	0.45
1:B:173:HIS:CG	1:B:176:LEU:HD13	2.52	0.45
1:A:117:GLU:HB2	1:A:356:ALA:HB2	1.98	0.45
1:A:360:LEU:C	1:A:362:GLY:N	2.75	0.45
1:B:338:THR:O	1:B:341:GLU:HG2	2.17	0.44
1:B:127:LEU:HB3	1:B:129:MET:HE1	1.99	0.44
1:A:139:ASP:O	1:A:140:TYR:C	2.60	0.44
1:B:221:PHE:CG	1:B:259:ARG:HG3	2.53	0.44
1:A:165:TYR:HA	1:A:168:GLN:HG3	1.98	0.44
1:B:129:MET:HB3	1:B:129:MET:HE2	1.37	0.44
1:A:261:ARG:HD3	1:A:261:ARG:HA	1.77	0.44
1:B:72:HIS:CE1	1:B:74:LEU:HD12	2.53	0.43
1:B:242:THR:HG21	1:B:248:LEU:HD23	1.99	0.43
1:A:286:ILE:HB	1:A:292:ARG:HG2	1.99	0.43
1:A:341:GLU:O	1:A:342:ILE:C	2.58	0.43
1:B:72:HIS:CE1	1:B:75:THR:HG23	2.52	0.43
1:B:181:LEU:HD11	1:B:239:ILE:HD13	1.99	0.43
1:B:77:LYS:HE2	1:B:363:TYR:CB	2.44	0.43
1:B:242:THR:HG22	1:B:247:SER:C	2.43	0.43
1:B:75:THR:OG1	1:B:77:LYS:HG3	2.19	0.43
1:A:181:LEU:HD11	1:A:239:ILE:HD13	1.99	0.43
1:A:308:HIS:O	1:A:309:GLU:C	2.62	0.43
1:A:280:LEU:HD13	1:A:301:ASP:CG	2.44	0.43
1:B:289:PRO:C	1:B:291:LYS:H	2.27	0.43
1:B:323:TYR:C	1:B:324:LYS:HG2	2.43	0.43
1:A:167:HIS:CE1	1:A:229:PRO:HB3	2.54	0.43
1:B:89:LEU:HA	1:B:89:LEU:HD23	1.80	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:299:MET:HG2	1:B:313:LEU:HD23	2.01	0.42
1:A:238:VAL:H	1:A:238:VAL:HG23	1.52	0.42
1:A:281:LEU:HA	1:A:281:LEU:HD23	1.75	0.42
1:B:255:LEU:HD12	1:B:255:LEU:HA	1.85	0.42
1:A:255:LEU:HD12	1:A:255:LEU:HA	1.85	0.42
1:A:359:LEU:HA	1:A:359:LEU:HD23	1.79	0.42
1:B:253:GLN:O	1:B:254:ASN:HB3	2.19	0.42
1:B:339:ARG:NH1	1:B:339:ARG:CG	2.83	0.42
1:A:74:LEU:H	1:A:74:LEU:HG	1.69	0.42
1:A:72:HIS:CE1	1:A:74:LEU:HD12	2.55	0.41
1:A:327:ARG:O	1:A:331:LEU:HG	2.19	0.41
1:A:353:GLU:O	1:A:354:VAL:C	2.60	0.41
1:B:107:LEU:HD13	1:B:112:ILE:HG21	2.02	0.41
1:A:184:ASP:OD2	1:A:188:ASN:HB2	2.20	0.41
1:A:230:GLU:H	1:A:230:GLU:CD	2.28	0.41
1:B:183:LEU:HA	1:B:188:ASN:O	2.20	0.41
1:B:359:LEU:HD23	1:B:359:LEU:HA	1.79	0.41
1:A:255:LEU:O	1:A:256:LYS:C	2.64	0.41
1:B:353:GLU:HG3	1:B:354:VAL:N	2.35	0.41
1:A:90:ASN:ND2	1:A:93:SER:OG	2.54	0.41
1:A:137:VAL:O	1:A:138:PHE:C	2.63	0.41
1:A:242:THR:HG22	1:A:247:SER:C	2.46	0.41
1:B:255:LEU:O	1:B:256:LYS:C	2.63	0.41
1:B:288:ASN:HA	1:B:289:PRO:HD3	1.93	0.41
1:B:332:MET:HE2	1:B:332:MET:HB3	1.98	0.41
1:B:159:ILE:HG13	1:B:189:ILE:HG13	2.03	0.41
1:B:308:HIS:O	1:B:309:GLU:C	2.64	0.41
1:A:348:GLY:O	1:A:349:GLN:HB2	2.22	0.40
1:B:120:GLU:HG2	1:B:125:LEU:HD12	2.01	0.40
1:A:52:ASN:ND2	1:A:74:LEU:HD11	2.36	0.40
1:A:77:LYS:CE	1:A:363:TYR:HB2	2.44	0.40
1:B:330:GLU:OE1	1:B:330:GLU:CA	2.59	0.40
1:A:99:ARG:HA	1:A:102:ARG:NH2	2.36	0.40
1:A:85:ASP:OD1	1:A:87:THR:HG23	2.21	0.40
1:A:328:ARG:HD3	1:A:361:LEU:O	2.22	0.40
1:B:302:ARG:O	1:B:303:TRP:C	2.65	0.40
1:B:328:ARG:O	1:B:329:THR:C	2.64	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:ARG:NH2	1:B:341:GLU:OE1[3_665]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/327 (88%)	256 (89%)	25 (9%)	6 (2%)	5	25
1	B	290/327 (89%)	258 (89%)	25 (9%)	7 (2%)	4	22
All	All	577/654 (88%)	514 (89%)	50 (9%)	13 (2%)	5	23

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	52	ASN
1	A	145	GLY
1	A	340	GLU
1	B	50	ILE
1	B	145	GLY
1	B	340	GLU
1	B	91	SER
1	B	138	PHE
1	A	179	GLU
1	A	309	GLU
1	A	174	ARG
1	B	51	GLY
1	B	142	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/289 (86%)	220 (89%)	27 (11%)	6	24
1	B	250/289 (86%)	219 (88%)	31 (12%)	4	19
All	All	497/578 (86%)	439 (88%)	58 (12%)	5	22

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	ARG
1	A	74	LEU
1	A	92	SER
1	A	93	SER
1	A	113	VAL
1	A	114	LYS
1	A	155	LYS
1	A	158	GLN
1	A	176	LEU
1	A	180	ASN
1	A	187	MET
1	A	212	SER
1	A	225	LYS
1	A	236	LEU
1	A	240	LEU
1	A	251	ASP
1	A	254	ASN
1	A	255	LEU
1	A	261	ARG
1	A	279	ASN
1	A	288	ASN
1	A	298	ILE
1	A	300	LYS
1	A	310	ASP
1	A	311	ASP
1	A	342	ILE
1	A	350	ARG
1	B	50	ILE
1	B	54	ARG
1	B	74	LEU
1	B	77	LYS
1	B	92	SER
1	B	93	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	99	ARG
1	B	113	VAL
1	B	114	LYS
1	B	124	THR
1	B	129	MET
1	B	155	LYS
1	B	158	GLN
1	B	176	LEU
1	B	180	ASN
1	B	187	MET
1	B	212	SER
1	B	225	LYS
1	B	236	LEU
1	B	240	LEU
1	B	251	ASP
1	B	254	ASN
1	B	255	LEU
1	B	257	GLU
1	B	261	ARG
1	B	288	ASN
1	B	291	LYS
1	B	298	ILE
1	B	310	ASP
1	B	311	ASP
1	B	350	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	ASN
1	A	88	GLN
1	A	90	ASN
1	A	188	ASN
1	A	253	GLN
1	A	254	ASN
1	B	52	ASN
1	B	88	GLN
1	B	90	ASN
1	B	253	GLN
1	B	254	ASN
1	B	288	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	293/327 (89%)	-0.01	1 (0%) 90 80	68, 68, 68, 68	0
1	B	296/327 (90%)	-0.08	3 (1%) 79 61	68, 68, 68, 68	0
All	All	589/654 (90%)	-0.04	4 (0%) 84 68	68, 68, 68, 68	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	192	ALA	3.3
1	B	65	ALA	3.0
1	B	192	ALA	2.7
1	B	98	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.