



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:20 AM UTC

PDB ID : 7ZN8 / pdb_00007zn8
Title : Crystal structure of the light-driven inward proton pump xenorhodopsin BcXeR in the ground state at pH 7.0 in the presence of sodium at 100K
Authors : Kovalev, K.; Tsybrov, F.; Alekseev, A.; Bourenkov, G.; Gordeliy, V.
Deposited on : 2022-04-20
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	229	
1	B	229	
1	C	229	

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 6387 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called xenorhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	224	Total	C	N	O	S	0	5	0
			1800	1223	272	298	7			
1	B	221	Total	C	N	O	S	0	5	0
			1782	1212	270	293	7			
1	C	222	Total	C	N	O	S	0	4	0
			1779	1212	267	293	7			

- Molecule 2 is EICOSANE (CCD ID: LFA) (formula: $C_{20}H_{42}$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C	0	0
			9	9		
2	A	1	Total	C	0	0
			9	9		
2	A	1	Total	C	0	0
			9	9		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 12 12	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C 6 6	0	0
2	A	1	Total C 3 3	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 3 3	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 13 13	0	0
2	A	1	Total C 13 13	0	0
2	A	1	Total C 17 17	0	0
2	A	1	Total C 11 11	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C 6 6	0	0
2	A	1	Total C 4 4	0	0
2	B	1	Total C 7 7	0	0
2	B	1	Total C 9 9	0	0
2	B	1	Total C 6 6	0	0
2	B	1	Total C 9 9	0	0
2	B	1	Total C 7 7	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C 5 5	0	0
2	B	1	Total C 6 6	0	0
2	B	1	Total C 15 15	0	0
2	B	1	Total C 8 8	0	0
2	B	1	Total C 11 11	0	0
2	B	1	Total C 10 10	0	0
2	B	1	Total C 9 9	0	0
2	B	1	Total C 14 14	0	0
2	B	1	Total C 4 4	0	0
2	B	1	Total C 11 11	0	0
2	B	1	Total C 9 9	0	0
2	C	1	Total C 10 10	0	0
2	C	1	Total C 16 16	0	0
2	C	1	Total C 8 8	0	0
2	C	1	Total C 9 9	0	0
2	C	1	Total C 6 6	0	0
2	C	1	Total C 6 6	0	0
2	C	1	Total C 12 12	0	0
2	C	1	Total C 10 10	0	0
2	C	1	Total C 8 8	0	0
2	C	1	Total C 7 7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total C 15 15	0	0
2	C	1	Total C 12 12	0	0
2	C	1	Total C 9 9	0	0
2	C	1	Total C 9 9	0	0
2	C	1	Total C 7 7	0	0

- Molecule 3 is OLEIC ACID (CCD ID: OLA) (formula: $C_{18}H_{34}O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 20 18 2	0	0
3	A	1	Total C O 14 12 2	0	0
3	A	1	Total C O 11 9 2	0	0
3	A	1	Total C O 14 12 2	0	0
3	B	1	Total C O 13 11 2	0	0
3	B	1	Total C O 16 14 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			12	10	2		
3	B	1	Total	C	O	0	0
			19	17	2		
3	B	1	Total	C	O	0	0
			16	14	2		
3	B	1	Total	C	O	0	0
			19	17	2		
3	B	1	Total	C	O	0	0
			19	17	2		
3	B	1	Total	C	O	0	0
			14	12	2		
3	C	1	Total	C	O	0	0
			16	14	2		
3	C	1	Total	C	O	0	0
			16	14	2		
3	C	1	Total	C	O	0	0
			15	13	2		
3	C	1	Total	C	O	0	0
			20	18	2		

- Molecule 4 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: $C_{21}H_{40}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			25	21	4		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Na 1 1	0	0
5	B	1	Total Na 1 1	0	0
5	C	1	Total Na 1 1	0	0

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total O P 5 4 1	0	0
6	C	1	Total O P 5 4 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	92	Total O 93 93	0	1
7	B	85	Total O 86 86	0	1
7	C	101	Total O 102 102	0	1


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: xenorhodopsin



- Molecule 1: xenorhodopsin



- Molecule 1: xenorhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.60Å 109.60Å 119.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 20.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	80.2 (20.00-2.20) 80.2 (20.00-2.20)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.198 , 0.238 0.205 , 0.243	Depositor DCC
R_{free} test set	1871 reflections (1.87%)	wwPDB-VP
Wilson B-factor (Å ²)	33.5	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 56.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6387	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FME, LYR, LFA, NA, OLA, PO4, OLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.95	0/1807	1.44	0/2469
1	B	0.94	0/1788	1.44	0/2441
1	C	0.94	0/1785	1.43	0/2438
All	All	0.94	0/5380	1.44	0/7348

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1800	0	1874	33	0
1	B	1782	0	1867	25	0
1	C	1779	0	1857	30	0
2	A	169	0	316	6	0
2	B	140	0	246	6	0
2	C	144	0	270	8	0
3	A	59	0	83	0	0
3	B	128	0	177	12	0
3	C	67	0	97	1	0
4	A	25	0	40	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
6	A	5	0	0	0	0
6	C	5	0	0	0	0
7	A	93	0	0	7	0
7	B	86	0	0	2	0
7	C	102	0	0	2	0
All	All	6387	0	6827	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:705:OLC:H24A	3:B:306:OLA:H31	1.52	0.91
1:B:190:ALA:CB	2:B:321:LFA:H192	2.22	0.70
1:C:148:ARG:O	1:C:152:LEU:HD23	1.94	0.68
4:A:705:OLC:H21A	3:B:306:OLA:H32	1.76	0.67
1:B:190:ALA:HB1	2:B:321:LFA:H192	1.77	0.66
1:A:95:LYS:HE2	4:A:705:OLC:H21	1.78	0.65
1:A:161:HIS:CE1	1:A:217:GLY:HA3	2.31	0.64
1:C:161:HIS:CE1	1:C:217:GLY:HA3	2.33	0.64
4:A:705:OLC:H24A	3:B:306:OLA:C3	2.29	0.61
1:A:190:ALA:CB	2:A:722:LFA:H72	2.31	0.61
1:B:207:LYR:H192	1:B:207:LYR:H9	1.82	0.61
1:B:161:HIS:CE1	1:B:217:GLY:HA3	2.35	0.61
1:A:222:HIS:CE1	7:A:802:HOH:O	2.54	0.60
1:C:164:ARG:HD3	2:C:718:LFA:H192	1.82	0.60
3:B:307:OLA:H72	2:B:323:LFA:C16	2.32	0.59
1:C:164:ARG:CD	2:C:718:LFA:H192	2.31	0.59
1:C:196:VAL:O	1:C:200:ILE:HG12	2.03	0.59
1:C:207:LYR:H183	1:C:207:LYR:H9	1.85	0.59
1:A:207:LYR:H9	1:A:207:LYR:H183	1.86	0.58
1:C:207:LYR:H9	1:C:207:LYR:H192	1.86	0.57
1:A:64:THR:HG21	7:A:813:HOH:O	2.04	0.56
1:B:78:THR:N	1:B:79:PRO:HD2	2.20	0.56
1:C:78:THR:N	1:C:79:PRO:HD2	2.21	0.56
1:B:165[B]:VAL:CG1	1:B:210:PHE:CE1	2.89	0.56
1:A:216:HIS:O	7:A:801:HOH:O	2.17	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:194:THR:HG23	2:C:707:LFA:H51	1.87	0.56
1:A:78:THR:N	1:A:79:PRO:HD2	2.21	0.55
1:A:207:LYR:H9	1:A:207:LYR:H192	1.88	0.55
1:A:196:VAL:O	1:A:200:ILE:HG12	2.07	0.55
1:B:196:VAL:O	1:B:200:ILE:HG12	2.07	0.55
1:B:207:LYR:H9	1:B:207:LYR:H183	1.89	0.55
1:A:33:SER:OG	4:A:705:OLC:H24	2.08	0.54
3:B:304:OLA:H10	3:B:304:OLA:C14	2.37	0.54
1:A:164:ARG:NH1	7:A:803:HOH:O	2.40	0.54
1:B:44:TRP:CE3	3:B:309:OLA:H152	2.43	0.54
1:A:95:LYS:HE2	4:A:705:OLC:C21	2.37	0.54
1:A:165[A]:VAL:HG13	1:A:210:PHE:CE1	2.43	0.53
3:B:304:OLA:C14	3:B:304:OLA:C10	2.87	0.53
1:C:99[B]:LEU:C	1:C:99[B]:LEU:HD23	2.34	0.52
1:B:154:ASN:ND2	7:B:405:HOH:O	2.42	0.52
1:A:181:LEU:HD23	2:A:720:LFA:H81	1.91	0.52
1:C:58:LEU:HD23	1:C:58:LEU:H	1.75	0.52
1:A:93:GLY:HA3	1:A:154:ASN:HD21	1.76	0.50
1:C:165[A]:VAL:HG13	1:C:210:PHE:CE1	2.47	0.50
1:A:95:LYS:HE2	4:A:705:OLC:C22	2.41	0.50
1:B:40:VAL:HG13	3:B:309:OLA:H132	1.94	0.50
1:A:165[A]:VAL:CG1	1:A:210:PHE:CE1	2.95	0.49
1:C:58:LEU:HD23	1:C:58:LEU:N	2.27	0.49
2:A:719:LFA:C13	2:A:720:LFA:H51	2.42	0.49
1:B:1:FME:CN	7:B:450:HOH:O	2.59	0.49
1:C:165[A]:VAL:CG1	1:C:210:PHE:CE1	2.95	0.49
1:B:207:LYR:H192	1:B:207:LYR:C9	2.41	0.49
1:C:207:LYR:H192	1:C:207:LYR:C9	2.43	0.49
1:B:99[B]:LEU:HD23	1:B:99[B]:LEU:C	2.37	0.49
1:C:164:ARG:HD3	2:C:718:LFA:C19	2.43	0.48
2:A:725:LFA:H201	2:C:716:LFA:H121	1.94	0.48
1:A:207:LYR:H192	1:A:207:LYR:C9	2.44	0.48
1:B:93:GLY:HA3	1:B:154:ASN:HD21	1.77	0.48
1:A:33:SER:CB	4:A:705:OLC:H24	2.43	0.48
3:B:309:OLA:H21	7:C:869:HOH:O	2.13	0.48
1:A:222:HIS:ND1	7:A:802:HOH:O	2.34	0.48
1:B:39[B]:MET:HE1	3:B:310:OLA:H111	1.97	0.47
1:C:207:LYR:HG2	1:C:207:LYR:H1	1.97	0.47
2:B:314:LFA:H13	2:B:324:LFA:H72	1.96	0.46
1:A:162:TYR:O	1:A:165[B]:VAL:HG22	2.16	0.46
1:B:162:TYR:O	1:B:165[A]:VAL:HG22	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:165[B]:VAL:HG13	1:B:210:PHE:CE1	2.50	0.46
1:C:115:PHE:CZ	2:C:712:LFA:H152	2.52	0.45
1:B:60:GLN:NE2	1:B:65:THR:OG1	2.50	0.44
1:B:109:PHE:O	1:B:113:THR:HG23	2.17	0.44
1:A:185:SER:HA	7:A:813:HOH:O	2.16	0.44
1:C:51:SER:HB2	3:C:703:OLA:H71	1.99	0.44
3:B:307:OLA:H131	2:B:320:LFA:C10	2.47	0.44
1:C:158:LEU:C	1:C:158:LEU:HD13	2.43	0.43
1:A:33:SER:HB3	4:A:705:OLC:H24	2.00	0.43
1:A:198:VAL:HG21	2:A:722:LFA:H62	2.01	0.42
1:A:190:ALA:HB3	2:A:722:LFA:H72	1.99	0.42
1:C:216:HIS:ND1	2:C:706:LFA:C10	2.82	0.42
1:B:202:LEU:N	1:B:203:PRO:HD2	2.34	0.42
1:C:109:PHE:O	1:C:113:THR:HG23	2.19	0.42
1:C:179:ALA:O	2:C:711:LFA:H13	2.19	0.42
1:C:202:LEU:HD23	1:C:202:LEU:HA	1.92	0.42
1:C:223:GLN:HE21	1:C:223:GLN:HA	1.84	0.42
1:A:158:LEU:C	1:A:158:LEU:HD13	2.44	0.42
1:B:179:ALA:O	2:B:321:LFA:C20	2.67	0.42
1:C:216:HIS:CD2	7:C:865:HOH:O	2.73	0.42
1:A:109:PHE:O	1:A:113:THR:HG23	2.20	0.41
1:B:207:LYR:HG2	1:B:207:LYR:H1	2.01	0.41
1:C:61:TYR:O	1:C:64:THR:HG22	2.20	0.41
1:C:89:ALA:HB2	1:C:162:TYR:CE1	2.56	0.41
1:A:63:ASP:HA	7:A:864:HOH:O	2.19	0.41
1:A:89:ALA:HB2	1:A:162:TYR:CE1	2.56	0.41
1:A:176:TYR:N	1:A:177:PRO:HD2	2.36	0.41
1:C:58:LEU:N	1:C:58:LEU:CD2	2.84	0.41
1:C:207:LYR:H10	1:C:207:LYR:H81	1.92	0.41
1:B:158:LEU:C	1:B:158:LEU:HD13	2.46	0.41
1:A:202:LEU:HD23	1:A:202:LEU:HA	1.92	0.40
1:A:202:LEU:N	1:A:203:PRO:HD2	2.37	0.40
1:B:36:LEU:HA	1:B:39[A]:MET:HE3	2.02	0.40
3:B:308:OLA:H10	3:B:308:OLA:H132	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/229 (99%)	223 (99%)	3 (1%)	0	100	100
1	B	221/229 (96%)	219 (99%)	2 (1%)	0	100	100
1	C	221/229 (96%)	220 (100%)	1 (0%)	0	100	100
All	All	668/687 (97%)	662 (99%)	6 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	183/189 (97%)	180 (98%)	3 (2%)	55	71
1	B	183/189 (97%)	183 (100%)	0	100	100
1	C	181/189 (96%)	179 (99%)	2 (1%)	65	79
All	All	547/567 (96%)	542 (99%)	5 (1%)	73	84

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18[A]	LEU
1	A	18[B]	LEU
1	A	65	THR
1	C	121	ILE
1	C	223	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	154	ASN
1	A	222	HIS
1	B	60	GLN
1	B	154	ASN
1	B	222	HIS
1	C	222	HIS
1	C	223	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	LYR	C	207	1	27,29,30	1.02	1 (3%)	30,37,39	1.23	3 (10%)
1	FME	A	1	1	8,9,10	0.48	0	8,9,11	0.66	0
1	LYR	A	207	1	27,29,30	1.08	2 (7%)	30,37,39	1.19	3 (10%)
1	FME	C	1	1	8,9,10	0.48	0	8,9,11	0.58	0
1	FME	B	1	1	8,9,10	0.51	0	8,9,11	0.66	0
1	LYR	B	207	1	27,29,30	1.07	2 (7%)	30,37,39	1.18	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LYR	C	207	1	-	3/22/40/42	0/1/1/1
1	FME	A	1	1	-	1/7/9/11	-
1	LYR	A	207	1	-	2/22/40/42	0/1/1/1
1	FME	C	1	1	-	1/7/9/11	-
1	FME	B	1	1	-	1/7/9/11	-
1	LYR	B	207	1	-	2/22/40/42	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	207	LYR	C9-C80	-2.44	1.40	1.46
1	A	207	LYR	C9-C80	-2.43	1.40	1.46
1	C	207	LYR	C9-C80	-2.31	1.41	1.46
1	A	207	LYR	C5-C3	-2.25	1.41	1.46
1	B	207	LYR	C4-C3	-2.02	1.46	1.50

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	207	LYR	C8-C80-C7	-3.83	116.61	122.82
1	B	207	LYR	C8-C80-C7	-3.56	117.06	122.82
1	A	207	LYR	C8-C80-C7	-3.50	117.15	122.82
1	C	207	LYR	C8-C80-C9	2.43	121.80	118.09
1	A	207	LYR	C8-C80-C9	2.40	121.75	118.09
1	B	207	LYR	C8-C80-C9	2.14	121.36	118.09
1	C	207	LYR	C5-C3-C2	-2.02	115.68	118.49
1	A	207	LYR	C16-C17-C11	2.01	113.35	110.44

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	207	LYR	C1-C2-C3-C5
1	A	1	FME	CA-CB-CG-SD
1	C	1	FME	CA-CB-CG-SD
1	B	1	FME	CA-CB-CG-SD
1	A	207	LYR	C1-C2-C3-C4
1	B	207	LYR	C1-C2-C3-C4
1	C	207	LYR	C1-C2-C3-C4
1	A	207	LYR	CD-CE-NZ-C1
1	B	207	LYR	CD-CE-NZ-C1
1	C	207	LYR	CD-CE-NZ-C1

There are no ring outliers.

4 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	207	LYR	5	0
1	A	207	LYR	3	0
1	B	1	FME	1	0
1	B	207	LYR	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 72 ligands modelled in this entry, 3 are monoatomic - leaving 69 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LFA	A	714	-	9,9,19	0.11	0	8,8,18	0.19	0
3	OLA	B	303	-	12,12,19	0.68	0	12,12,19	0.58	0
2	LFA	B	323	-	3,3,19	0.24	0	2,2,18	0.43	0
2	LFA	B	324	-	10,10,19	0.15	0	9,9,18	0.09	0
2	LFA	B	314	-	6,6,19	0.13	0	5,5,18	0.16	0
2	LFA	C	716	-	14,14,19	0.10	0	13,13,18	0.09	0
6	PO4	A	726	-	4,4,4	0.73	0	6,6,6	0.44	0
3	OLA	C	701	-	15,15,19	0.58	0	15,15,19	0.56	0
3	OLA	B	304	-	15,15,19	0.58	0	15,15,19	0.59	0
2	LFA	A	722	-	7,7,19	0.15	0	6,6,18	0.15	0
3	OLA	A	704	-	10,10,19	0.66	0	10,10,19	0.78	0
2	LFA	B	322	-	13,13,19	0.10	0	12,12,18	0.10	0
2	LFA	A	709	-	8,8,19	0.11	0	7,7,18	0.10	0
2	LFA	B	302	-	8,8,19	0.10	0	7,7,18	0.08	0
2	LFA	B	317	-	14,14,19	0.11	0	13,13,18	0.13	0
2	LFA	C	708	-	7,7,19	0.13	0	6,6,18	0.09	0
3	OLA	B	306	-	18,18,19	0.53	0	18,18,19	0.55	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LFA	A	723	-	7,7,19	0.13	0	6,6,18	0.13	0
2	LFA	B	301	-	6,6,19	0.16	0	5,5,18	0.13	0
2	LFA	A	720	-	16,16,19	0.14	0	15,15,18	0.10	0
2	LFA	B	319	-	10,10,19	0.08	0	9,9,18	0.07	0
3	OLA	C	703	-	14,14,19	0.57	0	14,14,19	0.59	0
2	LFA	A	717	-	9,9,19	0.10	0	8,8,18	0.09	0
2	LFA	A	711	-	7,7,19	0.13	0	6,6,18	0.18	0
3	OLA	B	309	-	18,18,19	0.54	0	18,18,19	0.52	0
4	OLC	A	705	-	24,24,24	0.25	0	25,25,25	0.25	0
2	LFA	B	312	-	5,5,19	0.12	0	4,4,18	0.11	0
2	LFA	B	315	-	4,4,19	0.18	0	3,3,18	0.24	0
2	LFA	B	313	-	8,8,19	0.14	0	7,7,18	0.14	0
2	LFA	A	725	-	3,3,19	0.22	0	2,2,18	0.45	0
2	LFA	B	325	-	8,8,19	0.12	0	7,7,18	0.17	0
2	LFA	A	701	-	8,8,19	0.13	0	7,7,18	0.15	0
2	LFA	C	712	-	11,11,19	0.10	0	10,10,18	0.13	0
2	LFA	C	719	-	8,8,19	0.11	0	7,7,18	0.09	0
3	OLA	A	706	-	13,13,19	0.69	0	13,13,19	0.52	0
6	PO4	C	721	-	4,4,4	0.69	0	6,6,6	0.46	0
2	LFA	C	715	-	6,6,19	0.13	0	5,5,18	0.12	0
2	LFA	B	320	-	9,9,19	0.12	0	8,8,18	0.17	0
2	LFA	A	710	-	11,11,19	0.09	0	10,10,18	0.07	0
3	OLA	A	703	-	13,13,19	0.60	0	13,13,19	0.56	0
2	LFA	C	707	-	15,15,19	0.11	0	14,14,18	0.13	0
3	OLA	B	308	-	18,18,19	0.54	0	18,18,19	0.53	0
3	OLA	B	305	-	11,11,19	0.70	0	11,11,19	0.60	0
3	OLA	C	702	-	15,15,19	0.62	0	15,15,19	0.53	0
2	LFA	A	708	-	8,8,19	0.10	0	7,7,18	0.09	0
2	LFA	A	719	-	12,12,19	0.11	0	11,11,18	0.07	0
3	OLA	B	310	-	13,13,19	0.68	0	13,13,19	0.49	0
2	LFA	A	715	-	2,2,19	0.12	0	1,1,18	0.13	0
2	LFA	A	724	-	5,5,19	0.14	0	4,4,18	0.11	0
2	LFA	C	710	-	5,5,19	0.13	0	4,4,18	0.18	0
3	OLA	B	307	-	15,15,19	0.58	0	15,15,19	0.52	0
2	LFA	C	717	-	11,11,19	0.09	0	10,10,18	0.07	0
2	LFA	C	711	-	5,5,19	0.14	0	4,4,18	0.12	0
2	LFA	A	712	-	5,5,19	0.14	0	4,4,18	0.18	0
2	LFA	C	713	-	9,9,19	0.11	0	8,8,18	0.17	0
2	LFA	C	720	-	6,6,19	0.13	0	5,5,18	0.14	0
3	OLA	A	702	-	19,19,19	0.53	0	19,19,19	0.51	0
2	LFA	B	321	-	8,8,19	0.18	0	7,7,18	0.11	0
2	LFA	C	718	-	8,8,19	0.10	0	7,7,18	0.11	0
2	LFA	A	716	-	9,9,19	0.10	0	8,8,18	0.06	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LFA	B	318	-	7,7,19	0.11	0	6,6,18	0.11	0
2	LFA	C	706	-	9,9,19	0.11	0	8,8,18	0.11	0
2	LFA	A	718	-	12,12,19	0.06	0	11,11,18	0.08	0
2	LFA	B	316	-	5,5,19	0.13	0	4,4,18	0.16	0
2	LFA	C	714	-	7,7,19	0.15	0	6,6,18	0.14	0
2	LFA	A	721	-	10,10,19	0.11	0	9,9,18	0.10	0
3	OLA	C	704	-	19,19,19	0.53	0	19,19,19	0.47	0
2	LFA	A	713	-	2,2,19	0.05	0	1,1,18	0.18	0
2	LFA	C	709	-	8,8,19	0.15	0	7,7,18	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	A	714	-	-	1/7/7/17	-
3	OLA	B	303	-	-	3/10/10/17	-
2	LFA	B	323	-	-	0/1/1/17	-
2	LFA	B	324	-	-	6/8/8/17	-
2	LFA	B	314	-	-	0/4/4/17	-
2	LFA	C	716	-	-	6/12/12/17	-
3	OLA	C	701	-	-	3/13/13/17	-
3	OLA	B	304	-	-	4/13/13/17	-
2	LFA	A	722	-	-	3/5/5/17	-
3	OLA	A	704	-	-	5/8/8/17	-
2	LFA	B	322	-	-	2/11/11/17	-
2	LFA	A	709	-	-	1/6/6/17	-
2	LFA	B	302	-	-	1/6/6/17	-
2	LFA	B	317	-	-	2/12/12/17	-
2	LFA	C	708	-	-	0/5/5/17	-
3	OLA	B	306	-	-	5/16/16/17	-
2	LFA	A	723	-	-	1/5/5/17	-
2	LFA	B	301	-	-	2/4/4/17	-
2	LFA	A	720	-	-	4/14/14/17	-
2	LFA	B	319	-	-	3/8/8/17	-
3	OLA	C	703	-	-	8/12/12/17	-
2	LFA	A	717	-	-	1/7/7/17	-
2	LFA	A	711	-	-	0/5/5/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OLA	B	309	-	-	12/16/16/17	-
4	OLC	A	705	-	-	15/24/24/24	-
2	LFA	B	312	-	-	0/3/3/17	-
2	LFA	B	315	-	-	0/2/2/17	-
2	LFA	B	313	-	-	0/6/6/17	-
2	LFA	A	725	-	-	0/1/1/17	-
2	LFA	B	325	-	-	1/6/6/17	-
2	LFA	A	701	-	-	4/6/6/17	-
2	LFA	C	712	-	-	0/9/9/17	-
2	LFA	C	719	-	-	1/6/6/17	-
3	OLA	A	706	-	-	6/11/11/17	-
2	LFA	C	715	-	-	0/4/4/17	-
2	LFA	B	320	-	-	2/7/7/17	-
2	LFA	A	710	-	-	2/9/9/17	-
3	OLA	A	703	-	-	3/11/11/17	-
2	LFA	C	707	-	-	0/13/13/17	-
3	OLA	B	308	-	-	8/16/16/17	-
3	OLA	B	305	-	-	4/9/9/17	-
3	OLA	C	702	-	-	7/13/13/17	-
2	LFA	A	708	-	-	2/6/6/17	-
2	LFA	A	719	-	-	5/10/10/17	-
3	OLA	B	310	-	-	5/11/11/17	-
2	LFA	A	724	-	-	2/3/3/17	-
2	LFA	C	710	-	-	0/3/3/17	-
3	OLA	B	307	-	-	5/13/13/17	-
2	LFA	C	717	-	-	1/9/9/17	-
2	LFA	C	711	-	-	0/3/3/17	-
2	LFA	A	712	-	-	0/3/3/17	-
2	LFA	C	713	-	-	0/7/7/17	-
2	LFA	C	720	-	-	0/4/4/17	-
3	OLA	A	702	-	-	6/17/17/17	-
2	LFA	B	321	-	-	1/6/6/17	-
2	LFA	C	718	-	-	0/6/6/17	-
2	LFA	A	716	-	-	1/7/7/17	-
2	LFA	B	318	-	-	0/5/5/17	-
2	LFA	C	706	-	-	3/7/7/17	-
2	LFA	A	718	-	-	3/10/10/17	-
2	LFA	B	316	-	-	0/3/3/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	C	714	-	-	1/5/5/17	-
2	LFA	A	721	-	-	2/8/8/17	-
3	OLA	C	704	-	-	3/17/17/17	-
2	LFA	C	709	-	-	0/6/6/17	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (166) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	303	OLA	C11-C10-C9-C8
4	A	705	OLC	C21-C22-C24-O25
4	A	705	OLC	O20-C21-C22-O23
3	B	307	OLA	C11-C10-C9-C8
3	C	701	OLA	C11-C10-C9-C8
3	B	304	OLA	C11-C10-C9-C8
3	C	703	OLA	C11-C10-C9-C8
3	A	706	OLA	C11-C10-C9-C8
3	B	309	OLA	C1-C2-C3-C4
3	B	308	OLA	C1-C2-C3-C4
4	A	705	OLC	C1-C2-C3-C4
3	B	304	OLA	C1-C2-C3-C4
3	A	706	OLA	C1-C2-C3-C4
4	A	705	OLC	O20-C21-C22-C24
3	B	310	OLA	C11-C10-C9-C8
2	A	722	LFA	C2-C3-C4-C5
3	A	704	OLA	C3-C4-C5-C6
3	B	309	OLA	C2-C3-C4-C5
3	B	309	OLA	C5-C6-C7-C8
3	A	704	OLA	C5-C6-C7-C8
3	C	702	OLA	C3-C4-C5-C6
4	A	705	OLC	O23-C22-C24-O25
3	A	704	OLA	C4-C5-C6-C7
2	B	322	LFA	C5-C6-C7-C8
3	B	309	OLA	C4-C5-C6-C7
4	A	705	OLC	C2-C3-C4-C5
2	A	719	LFA	C5-C6-C7-C8
3	C	702	OLA	C4-C5-C6-C7
3	A	703	OLA	C2-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	702	OLA	C6-C7-C8-C9
2	A	723	LFA	C3-C4-C5-C6
2	C	716	LFA	C6-C7-C8-C9
3	C	702	OLA	C5-C6-C7-C8
2	A	720	LFA	C4-C5-C6-C7
3	B	304	OLA	C11-C12-C13-C14
3	C	703	OLA	C5-C6-C7-C8
2	C	716	LFA	C5-C6-C7-C8
3	A	703	OLA	C9-C10-C11-C12
3	B	309	OLA	C6-C7-C8-C9
2	A	722	LFA	C3-C4-C5-C6
3	B	309	OLA	C11-C12-C13-C14
3	A	706	OLA	C6-C7-C8-C9
2	B	321	LFA	C14-C15-C16-C17
3	B	305	OLA	C4-C5-C6-C7
3	A	706	OLA	C2-C3-C4-C5
3	B	309	OLA	C12-C13-C14-C15
3	B	307	OLA	C2-C3-C4-C5
4	A	705	OLC	C6-C7-C8-C9
2	B	324	LFA	C4-C5-C6-C7
2	A	716	LFA	C15-C16-C17-C18
4	A	705	OLC	C2-C1-O20-C21
3	C	702	OLA	C1-C2-C3-C4
3	C	704	OLA	C11-C12-C13-C14
2	B	324	LFA	C2-C3-C4-C5
3	B	310	OLA	C2-C3-C4-C5
3	B	309	OLA	C13-C14-C15-C16
2	A	718	LFA	C13-C14-C15-C16
2	C	716	LFA	C11-C12-C13-C14
3	A	702	OLA	C14-C15-C16-C17
2	A	701	LFA	C2-C3-C4-C5
3	A	702	OLA	C10-C11-C12-C13
2	A	722	LFA	C5-C6-C7-C8
2	A	720	LFA	C9-C10-C11-C12
2	A	701	LFA	C6-C7-C8-C9
3	B	308	OLA	C13-C14-C15-C16
3	C	702	OLA	C11-C12-C13-C14
4	A	705	OLC	O19-C1-O20-C21
2	B	324	LFA	C3-C4-C5-C6
3	B	303	OLA	C2-C3-C4-C5
2	B	320	LFA	C11-C12-C13-C14
2	B	324	LFA	C11-C10-C9-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	307	OLA	C3-C4-C5-C6
2	B	324	LFA	C5-C6-C7-C8
2	A	721	LFA	C11-C10-C9-C8
2	A	724	LFA	C15-C16-C17-C18
2	A	710	LFA	C9-C10-C11-C12
2	A	719	LFA	C4-C5-C6-C7
2	B	301	LFA	C14-C15-C16-C17
2	A	719	LFA	C3-C4-C5-C6
2	B	320	LFA	C12-C13-C14-C15
2	B	317	LFA	C7-C8-C9-C10
2	C	716	LFA	C10-C11-C12-C13
3	A	706	OLA	C3-C4-C5-C6
2	C	706	LFA	C1-C2-C3-C4
3	B	309	OLA	C11-C10-C9-C8
4	A	705	OLC	C3-C4-C5-C6
3	B	303	OLA	C1-C2-C3-C4
3	B	309	OLA	C3-C4-C5-C6
2	A	720	LFA	C11-C12-C13-C14
2	C	714	LFA	C14-C15-C16-C17
3	C	703	OLA	C3-C4-C5-C6
4	A	705	OLC	C10-C11-C12-C13
2	A	709	LFA	C1-C2-C3-C4
4	A	705	OLC	C9-C10-C11-C12
2	C	719	LFA	C5-C6-C7-C8
2	C	716	LFA	C1-C2-C3-C4
2	C	717	LFA	C10-C11-C12-C13
2	A	708	LFA	C4-C5-C6-C7
3	B	307	OLA	C7-C8-C9-C10
2	A	719	LFA	C7-C8-C9-C10
2	B	319	LFA	C13-C14-C15-C16
2	A	708	LFA	C5-C6-C7-C8
2	B	301	LFA	C13-C14-C15-C16
3	B	304	OLA	C3-C4-C5-C6
2	A	719	LFA	C1-C2-C3-C4
3	B	305	OLA	C3-C4-C5-C6
3	B	306	OLA	C7-C8-C9-C10
2	C	706	LFA	C4-C5-C6-C7
2	B	325	LFA	C6-C7-C8-C9
3	C	703	OLA	O1-C1-C2-C3
4	A	705	OLC	C5-C6-C7-C8
2	A	720	LFA	C11-C10-C9-C8
2	A	718	LFA	C11-C10-C9-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	308	OLA	O1-C1-C2-C3
3	C	703	OLA	O2-C1-C2-C3
3	A	706	OLA	C7-C8-C9-C10
3	C	703	OLA	C2-C3-C4-C5
3	B	308	OLA	C11-C12-C13-C14
3	B	307	OLA	C11-C12-C13-C14
2	A	710	LFA	C4-C5-C6-C7
3	B	308	OLA	O2-C1-C2-C3
2	A	721	LFA	C4-C5-C6-C7
2	C	716	LFA	C12-C13-C14-C15
3	B	306	OLA	C11-C10-C9-C8
3	C	704	OLA	O2-C1-C2-C3
2	B	319	LFA	C17-C18-C19-C20
2	A	701	LFA	C4-C5-C6-C7
3	C	703	OLA	C6-C7-C8-C9
3	C	702	OLA	C7-C8-C9-C10
2	B	324	LFA	C7-C8-C9-C10
3	B	305	OLA	O2-C1-C2-C3
3	A	702	OLA	C6-C7-C8-C9
3	A	702	OLA	C2-C3-C4-C5
3	B	308	OLA	C7-C8-C9-C10
3	C	704	OLA	O1-C1-C2-C3
3	B	309	OLA	O2-C1-C2-C3
3	B	308	OLA	C9-C10-C11-C12
3	A	702	OLA	O2-C1-C2-C3
3	B	308	OLA	C2-C3-C4-C5
2	B	302	LFA	C1-C2-C3-C4
2	B	319	LFA	C14-C15-C16-C17
3	B	309	OLA	O1-C1-C2-C3
2	A	714	LFA	C2-C3-C4-C5
3	A	702	OLA	O1-C1-C2-C3
3	C	701	OLA	O2-C1-C2-C3
3	B	306	OLA	C14-C15-C16-C17
3	C	701	OLA	O1-C1-C2-C3
2	A	718	LFA	C12-C13-C14-C15
3	B	305	OLA	O1-C1-C2-C3
3	B	310	OLA	C5-C6-C7-C8
2	A	724	LFA	C17-C18-C19-C20
3	A	704	OLA	O1-C1-C2-C3
2	C	706	LFA	C3-C4-C5-C6
3	B	310	OLA	C1-C2-C3-C4
2	A	717	LFA	C12-C13-C14-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	317	LFA	C4-C5-C6-C7
3	A	704	OLA	O2-C1-C2-C3
4	A	705	OLC	C11-C12-C13-C14
3	C	703	OLA	C9-C10-C11-C12
3	B	306	OLA	C11-C12-C13-C14
2	A	701	LFA	C3-C4-C5-C6
3	B	310	OLA	C4-C5-C6-C7
3	B	306	OLA	O1-C1-C2-C3
4	A	705	OLC	C7-C8-C9-C10
2	B	322	LFA	C11-C10-C9-C8
3	A	703	OLA	O2-C1-C2-C3


There are no ring outliers.





23 monomers are involved in 36 short contacts:





Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	323	LFA	1	0
2	B	324	LFA	1	0
2	B	314	LFA	1	0
2	C	716	LFA	1	0
3	B	304	OLA	2	0
2	A	722	LFA	3	0
3	B	306	OLA	3	0
2	A	720	LFA	2	0
3	C	703	OLA	1	0
3	B	309	OLA	3	0
4	A	705	OLC	9	0
2	A	725	LFA	1	0
2	C	712	LFA	1	0
2	B	320	LFA	1	0
2	C	707	LFA	1	0
3	B	308	OLA	1	0
2	A	719	LFA	1	0
3	B	310	OLA	1	0
3	B	307	OLA	2	0
2	C	711	LFA	1	0
2	B	321	LFA	3	0
2	C	718	LFA	3	0
2	C	706	LFA	1	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	222/229 (96%)	-0.21	3 (1%) 73 71	13, 31, 50, 106	5 (2%)
1	B	219/229 (95%)	-0.17	1 (0%) 87 85	14, 33, 52, 83	5 (2%)
1	C	220/229 (96%)	-0.18	4 (1%) 67 64	12, 33, 52, 83	4 (1%)
All	All	661/687 (96%)	-0.19	8 (1%) 76 74	12, 33, 52, 106	14 (2%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	224	SER	3.7
1	C	61	TYR	2.5
1	B	64	THR	2.4
1	C	59	PHE	2.3
1	A	62	ASP	2.2
1	C	121	ILE	2.1
1	A	223	GLN	2.1
1	C	224	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	FME	B	1	10/11	0.80	0.12	45,56,70,86	0
1	FME	A	1	10/11	0.82	0.13	42,52,86,88	0
1	FME	C	1	10/11	0.89	0.11	42,51,85,91	0
1	LYR	B	207	29/30	0.90	0.10	23,26,34,43	0
1	LYR	C	207	29/30	0.91	0.09	24,29,38,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	LYR	A	207	29/30	0.92	0.09	22,26,32,50	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	LFA	C	718	9/20	0.53	0.15	59,68,74,76	0
3	OLA	B	310	14/20	0.66	0.16	51,60,68,69	0
2	LFA	A	711	8/20	0.68	0.17	52,58,69,75	0
2	LFA	C	706	10/20	0.69	0.17	51,62,65,72	0
2	LFA	B	323	4/20	0.70	0.16	40,45,49,49	0
2	LFA	B	315	5/20	0.70	0.19	48,51,53,54	0
2	LFA	C	709	9/20	0.72	0.18	54,60,62,62	0
3	OLA	B	305	12/20	0.74	0.20	57,66,88,110	0
3	OLA	C	701	16/20	0.74	0.13	42,48,52,56	0
2	LFA	C	720	7/20	0.75	0.19	70,72,74,79	0
2	LFA	A	722	8/20	0.76	0.18	44,54,58,61	0
2	LFA	A	716	10/20	0.76	0.18	55,59,63,69	0
2	LFA	C	716	15/20	0.77	0.18	52,68,94,95	0
2	LFA	A	723	8/20	0.77	0.13	48,55,61,63	0
2	LFA	B	316	6/20	0.78	0.11	63,70,77,77	0
2	LFA	A	717	10/20	0.78	0.15	57,66,75,77	0
3	OLA	A	702	20/20	0.79	0.12	37,51,59,60	0
3	OLA	A	704	11/20	0.79	0.15	45,63,73,75	0
2	LFA	C	707	16/20	0.79	0.19	58,65,90,95	0
2	LFA	C	708	8/20	0.79	0.14	47,51,51,53	0
2	LFA	A	724	6/20	0.79	0.19	49,52,53,54	0
3	OLA	B	307	16/20	0.80	0.14	57,74,80,90	0
2	LFA	C	717	12/20	0.80	0.13	53,60,68,71	0
2	LFA	B	324	11/20	0.80	0.20	60,67,74,75	0
6	PO4	C	721	5/5	0.80	0.10	104,106,115,119	5
2	LFA	C	712	12/20	0.81	0.15	60,67,73,76	0
2	LFA	A	714	10/20	0.81	0.17	44,61,69,71	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	LFA	B	312	6/20	0.81	0.14	53,54,56,60	0
2	LFA	C	710	6/20	0.81	0.15	36,40,47,49	0
2	LFA	C	714	8/20	0.82	0.15	52,55,59,59	0
2	LFA	A	718	13/20	0.82	0.14	53,61,70,70	0
3	OLA	B	306	19/20	0.82	0.13	42,51,69,71	0
2	LFA	A	710	12/20	0.82	0.14	44,53,61,63	0
2	LFA	A	725	4/20	0.82	0.19	62,63,74,77	0
2	LFA	C	711	6/20	0.82	0.12	46,50,52,54	0
2	LFA	B	318	8/20	0.82	0.11	37,46,59,62	0
2	LFA	B	314	7/20	0.83	0.12	48,54,57,58	0
2	LFA	B	321	9/20	0.83	0.17	46,51,66,68	0
2	LFA	A	708	9/20	0.83	0.11	61,63,65,66	0
2	LFA	B	313	9/20	0.83	0.14	58,71,73,75	0
2	LFA	B	325	9/20	0.83	0.12	53,60,64,68	0
4	OLC	A	705	25/25	0.84	0.11	39,55,76,81	0
3	OLA	C	702	16/20	0.84	0.12	47,55,68,72	0
3	OLA	B	303	13/20	0.85	0.11	40,54,67,70	0
2	LFA	B	320	10/20	0.86	0.14	53,58,60,64	0
2	LFA	A	719	13/20	0.86	0.12	54,58,63,64	0
2	LFA	B	322	14/20	0.86	0.13	44,56,61,64	0
3	OLA	B	309	19/20	0.86	0.15	44,53,78,98	0
2	LFA	C	719	9/20	0.86	0.13	55,63,68,69	0
2	LFA	A	720	17/20	0.86	0.13	43,56,73,79	0
2	LFA	A	701	9/20	0.86	0.11	40,42,47,48	0
2	LFA	A	712	6/20	0.86	0.11	36,49,53,53	0
2	LFA	B	319	11/20	0.86	0.12	50,58,83,83	0
2	LFA	A	709	9/20	0.87	0.11	43,47,55,55	0
3	OLA	A	706	14/20	0.87	0.10	40,52,56,67	0
2	LFA	B	301	7/20	0.88	0.09	39,40,45,46	0
3	OLA	B	308	19/20	0.88	0.11	37,45,63,85	0
2	LFA	A	715	3/20	0.88	0.21	51,51,56,56	0
6	PO4	A	726	5/5	0.88	0.10	53,55,63,65	5
2	LFA	B	317	15/20	0.88	0.13	43,51,66,68	0
3	OLA	B	304	16/20	0.89	0.14	45,58,67,74	0
2	LFA	A	721	11/20	0.89	0.10	42,53,65,66	0
2	LFA	B	302	9/20	0.89	0.09	52,55,65,73	0
2	LFA	C	715	7/20	0.89	0.12	54,56,62,66	0
3	OLA	C	704	20/20	0.90	0.09	41,50,63,67	0
2	LFA	C	713	10/20	0.90	0.08	49,50,56,57	0
3	OLA	A	703	14/20	0.90	0.11	44,55,77,80	0
3	OLA	C	703	15/20	0.90	0.12	46,54,73,77	0
2	LFA	A	713	3/20	0.92	0.19	47,47,53,55	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	NA	C	705	1/1	0.97	0.11	33,33,33,33	0
5	NA	B	311	1/1	0.98	0.07	37,37,37,37	0
5	NA	A	707	1/1	0.98	0.04	36,36,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LFA C 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA B 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA C 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 722:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 716:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA C 716:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 723:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 717:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 724:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA B 307:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA C 717:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 324:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 714:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA C 714:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 718:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around OLA B 306:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 710:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 321:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 708:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 325:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA C 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 320:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 719:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 322:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA B 309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA C 719:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 720:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 319:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 709:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around OLA A 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA B 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 317:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA B 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 721:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA C 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA C 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NA C 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NA B 311:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NA A 707:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.