



wwPDB EM Validation Summary Report ⓘ

Mar 20, 2026 – 10:07 AM UTC

PDB ID : 7ZNK / pdb_00007znk
EMDB ID : EMD-14804
Title : Structure of an endogenous human TREX complex bound to mRNA
Authors : Pacheco-Fiallos, F.B.; Vorlaender, M.K.; Plaschka, C.
Deposited on : 2022-04-21
Resolution : 3.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	8855 (3.40 - 4.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	3	
1	4	3	
2	A	657	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	657	
2	a	657	
2	i	657	
3	B	1593	
3	J	1593	
3	b	1593	
3	j	1593	
4	C	351	
4	K	351	
4	c	351	
4	k	351	
5	E	683	
5	M	683	
5	e	683	
5	m	683	
6	F	341	
6	N	341	
6	f	341	
6	n	341	
7	G	204	
7	O	204	
7	g	204	
7	o	204	
8	H	428	
8	P	428	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	h	428	9%32%8%60%
8	p	428	68%45%38%•14%
9	L	257	6%••94%
9	l	257	6%••94%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 88261 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	3	Total	C	N	O	P	0	0
			60	27	6	24	3		
1	4	3	Total	C	N	O	P	0	0
			60	27	6	24	3		

- Molecule 2 is a protein called THO complex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	356	Total	C	N	O	S	0	0
			2889	1864	481	531	13		
2	I	363	Total	C	N	O	S	0	0
			2935	1894	489	539	13		
2	a	356	Total	C	N	O	S	0	0
			2889	1864	481	531	13		
2	i	363	Total	C	N	O	S	0	0
			2936	1894	489	540	13		

- Molecule 3 is a protein called THO complex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	919	Total	C	N	O	S	0	0
			7012	4486	1206	1278	42		
3	J	914	Total	C	N	O	S	0	0
			6956	4452	1194	1268	42		
3	b	919	Total	C	N	O	S	0	0
			7012	4486	1206	1278	42		
3	j	914	Total	C	N	O	S	0	0
			6956	4452	1194	1268	42		

- Molecule 4 is a protein called THO complex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	309	Total	C	N	O	S	0	0
			2433	1538	423	457	15		
4	K	309	Total	C	N	O	S	0	0
			2433	1538	423	457	15		
4	c	309	Total	C	N	O	S	0	0
			2433	1538	423	457	15		
4	k	309	Total	C	N	O	S	0	0
			2433	1538	423	457	15		

- Molecule 5 is a protein called THO complex subunit 5 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	538	Total	C	N	O	S	0	0
			3765	2385	663	696	21		
5	M	549	Total	C	N	O	S	0	0
			4136	2636	725	752	23		
5	e	527	Total	C	N	O	S	0	0
			3676	2329	649	679	19		
5	m	549	Total	C	N	O	S	0	0
			4136	2636	725	752	23		

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	525	ILE	VAL	conflict	UNP Q13769
E	579	ILE	VAL	conflict	UNP Q13769
M	525	ILE	VAL	conflict	UNP Q13769
M	579	ILE	VAL	conflict	UNP Q13769
e	525	ILE	VAL	conflict	UNP Q13769
e	579	ILE	VAL	conflict	UNP Q13769
m	525	ILE	VAL	conflict	UNP Q13769
m	579	ILE	VAL	conflict	UNP Q13769

- Molecule 6 is a protein called THO complex subunit 6 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	337	Total	C	N	O	S	0	0
			2604	1647	459	483	15		
6	N	337	Total	C	N	O	S	0	0
			2604	1647	459	483	15		
6	f	329	Total	C	N	O	S	0	0
			2537	1604	448	470	15		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
6	n	337	Total	C	N	O	S	0	0
			2604	1647	459	483	15		

- Molecule 7 is a protein called THO complex subunit 7 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	161	Total	C	N	O		0	0
			800	478	161	161			
7	O	164	Total	C	N	O	S	0	0
			1129	696	210	216	7		
7	g	161	Total	C	N	O		0	0
			800	478	161	161			
7	o	164	Total	C	N	O	S	0	0
			1129	696	210	216	7		

- Molecule 8 is a protein called Spliceosome RNA helicase DDX39B.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	170	Total	C	N	O	S	0	0
			1398	888	245	261	4		
8	P	367	Total	C	N	O	S	0	0
			2974	1897	517	538	22		
8	h	170	Total	C	N	O	S	0	0
			1398	888	245	261	4		
8	p	367	Total	C	N	O	S	0	0
			2974	1897	517	538	22		

- Molecule 9 is a protein called THO complex subunit 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	L	16	Total	C	N	O	0	0
			80	48	16	16		
9	l	16	Total	C	N	O	0	0
			80	48	16	16		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RNA




- Molecule 1: RNA




- Molecule 2: THO complex subunit 1








• Molecule 2: THO complex subunit 1






• Molecule 2: THO complex subunit 1







• Molecule 3: THO complex subunit 2

















• Molecule 4: THO complex subunit 3




• Molecule 4: THO complex subunit 3





- Molecule 5: THO complex subunit 5 homolog





- Molecule 6: THO complex subunit 6 homolog





- Molecule 6: THO complex subunit 6 homolog




• Molecule 6: THO complex subunit 6 homolog




• Molecule 6: THO complex subunit 6 homolog






• Molecule 7: THO complex subunit 7 homolog

Chain G: 37% 78% 21%




• Molecule 7: THO complex subunit 7 homolog

Chain O: 17% 78% 20%




• Molecule 7: THO complex subunit 7 homolog


Chain g: 40% 78% 21%




- Molecule 7: THO complex subunit 7 homolog




- Molecule 8: Spliceosome RNA helicase DDX39B





- Molecule 8: Spliceosome RNA helicase DDX39B








• Molecule 8: Spliceosome RNA helicase DDX39B




• Molecule 8: Spliceosome RNA helicase DDX39B






• Molecule 9: THO complex subunit 4



• Molecule 9: THO complex subunit 4



E241	E242	L243	D244	A245	Q246	L247	D248	A249	Y250	N251	A252	R253	M254	D255	THR	SER
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	182534	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	11.951	Depositor
Minimum map value	0.000	Depositor
Average map value	0.014	Depositor
Map value standard deviation	0.146	Depositor
Recommended contour level	1	Depositor
Map size ($\text{\AA}$)	586.56, 586.56, 586.56	wwPDB
Map dimensions	416, 416, 416	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.41, 1.41, 1.41	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	2	0.12	0/65	0.29	0/98
1	4	0.11	0/65	0.28	0/98
2	A	0.17	0/2942	0.37	0/3969
2	I	0.23	0/2989	0.49	0/4034
2	a	0.17	0/2942	0.37	0/3969
2	i	0.22	0/2990	0.49	0/4035
3	B	0.20	0/7129	0.46	0/9633
3	J	0.22	1/7071 (0.0%)	0.47	1/9556 (0.0%)
3	b	0.20	0/7129	0.47	0/9633
3	j	0.22	1/7071 (0.0%)	0.47	1/9556 (0.0%)
4	C	0.26	0/2494	0.57	0/3384
4	K	0.27	0/2494	0.57	0/3384
4	c	0.27	0/2494	0.57	0/3384
4	k	0.26	0/2494	0.56	0/3384
5	E	0.38	1/3832 (0.0%)	0.50	0/5227
5	M	0.25	0/4217	0.52	0/5719
5	e	0.39	1/3739 (0.0%)	0.48	0/5100
5	m	0.25	0/4217	0.52	0/5719
6	F	0.28	0/2666	0.56	0/3623
6	N	0.29	0/2666	0.56	0/3623
6	f	0.29	0/2596	0.56	0/3524
6	n	0.29	0/2666	0.56	0/3623
7	G	0.17	0/796	0.23	0/1105
7	O	0.22	0/1138	0.36	0/1536
7	g	0.16	0/796	0.23	0/1105
7	o	0.22	0/1138	0.36	0/1536
8	H	0.14	0/1421	0.32	0/1915
8	P	0.93	1/3025 (0.0%)	1.16	15/4070 (0.4%)
8	h	0.14	0/1421	0.32	0/1915
8	p	0.93	1/3025 (0.0%)	1.16	15/4070 (0.4%)
9	L	2.39	6/79 (7.6%)	1.91	3/109 (2.8%)
9	l	2.38	6/79 (7.6%)	1.91	3/109 (2.8%)
All	All	0.35	18/89886 (0.0%)	0.56	38/121745 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	B	0	5
3	J	0	4
3	b	0	5
3	j	0	4
4	C	0	1
4	K	0	1
4	c	0	1
4	k	0	1
5	M	0	1
5	m	0	1
All	All	0	24

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	e	86	GLU	C-N	-18.06	1.10	1.33
5	E	86	GLU	C-N	-17.95	1.11	1.33
9	l	253	ARG	C-N	-9.64	1.20	1.33
9	L	253	ARG	C-N	-9.60	1.20	1.33
3	j	234	SER	C-N	-9.35	1.20	1.33

The worst 5 of 38 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	l	253	ARG	CA-C-N	9.88	134.32	120.29
9	l	253	ARG	C-N-CA	9.88	134.32	120.29
9	L	253	ARG	CA-C-N	9.86	134.29	120.29
9	L	253	ARG	C-N-CA	9.86	134.29	120.29
8	P	199	ASP	CA-CB-CG	-8.03	104.57	112.60

There are no chirality outliers.

5 of 24 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	B	1116	GLU	Peptide
3	B	163	ASN	Peptide
3	B	557	THR	Peptide
3	B	562	LYS	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	B	788	LEU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	60	0	31	4	0
1	4	60	0	31	4	0
2	A	2889	0	2791	72	0
2	I	2935	0	2820	61	0
2	a	2889	0	2791	70	0
2	i	2936	0	2823	64	0
3	B	7012	0	6687	169	0
3	J	6956	0	6627	165	0
3	b	7012	0	6687	166	0
3	j	6956	0	6627	166	0
4	C	2433	0	2346	51	0
4	K	2433	0	2346	54	0
4	c	2433	0	2346	52	0
4	k	2433	0	2346	51	0
5	E	3765	0	3277	28	0
5	M	4136	0	3888	26	0
5	e	3676	0	3196	21	0
5	m	4136	0	3888	27	0
6	F	2604	0	2588	24	0
6	N	2604	0	2588	26	0
6	f	2537	0	2521	24	0
6	n	2604	0	2588	25	0
7	G	800	0	344	1	0
7	O	1129	0	930	3	0
7	g	800	0	344	1	0
7	o	1129	0	930	3	0
8	H	1398	0	1394	22	0
8	P	2974	0	3026	242	0
8	h	1398	0	1394	24	0
8	p	2974	0	3026	238	0
9	L	80	0	42	0	0
9	l	80	0	42	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	88261	0	83305	1703	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 1703 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:219:GLU:HG2	3:B:269:VAL:HG21	1.26	1.18
8:p:116:VAL:HG23	8:p:192:HIS:HB2	1.23	1.17
2:i:387:ASN:CG	3:j:254:PHE:CZ	2.25	1.13
2:I:387:ASN:CG	3:J:254:PHE:CZ	2.25	1.13
8:P:116:VAL:HG23	8:P:192:HIS:HB2	1.23	1.12

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	330/657 (50%)	308 (93%)	20 (6%)	2 (1%)	21	55
2	I	335/657 (51%)	309 (92%)	23 (7%)	3 (1%)	14	47
2	a	330/657 (50%)	309 (94%)	19 (6%)	2 (1%)	21	55
2	i	335/657 (51%)	309 (92%)	23 (7%)	3 (1%)	14	47
3	B	871/1593 (55%)	805 (92%)	62 (7%)	4 (0%)	24	59
3	J	864/1593 (54%)	802 (93%)	59 (7%)	3 (0%)	36	69
3	b	871/1593 (55%)	804 (92%)	63 (7%)	4 (0%)	24	59
3	j	864/1593 (54%)	802 (93%)	59 (7%)	3 (0%)	36	69
4	C	305/351 (87%)	268 (88%)	36 (12%)	1 (0%)	36	69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	K	305/351 (87%)	268 (88%)	36 (12%)	1 (0%)	36	69
4	c	305/351 (87%)	267 (88%)	37 (12%)	1 (0%)	36	69
4	k	305/351 (87%)	269 (88%)	35 (12%)	1 (0%)	36	69
5	E	520/683 (76%)	494 (95%)	26 (5%)	0	100	100
5	M	529/683 (78%)	504 (95%)	25 (5%)	0	100	100
5	e	507/683 (74%)	484 (96%)	23 (4%)	0	100	100
5	m	529/683 (78%)	504 (95%)	25 (5%)	0	100	100
6	F	335/341 (98%)	305 (91%)	29 (9%)	1 (0%)	36	69
6	N	335/341 (98%)	306 (91%)	28 (8%)	1 (0%)	36	69
6	f	325/341 (95%)	297 (91%)	27 (8%)	1 (0%)	36	69
6	n	335/341 (98%)	305 (91%)	29 (9%)	1 (0%)	36	69
7	G	153/204 (75%)	153 (100%)	0	0	100	100
7	O	158/204 (78%)	158 (100%)	0	0	100	100
7	g	153/204 (75%)	153 (100%)	0	0	100	100
7	o	158/204 (78%)	158 (100%)	0	0	100	100
8	H	168/428 (39%)	162 (96%)	6 (4%)	0	100	100
8	P	361/428 (84%)	351 (97%)	10 (3%)	0	100	100
8	h	168/428 (39%)	162 (96%)	6 (4%)	0	100	100
8	p	361/428 (84%)	351 (97%)	10 (3%)	0	100	100
9	L	14/257 (5%)	14 (100%)	0	0	100	100
9	l	14/257 (5%)	14 (100%)	0	0	100	100
All	All	11143/17542 (64%)	10395 (93%)	716 (6%)	32 (0%)	37	69

5 of 32 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	B	789	SER
3	J	789	SER
3	b	789	SER
3	j	789	SER
3	B	557	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	310/601 (52%)	288 (93%)	22 (7%)	13	40
2	I	312/601 (52%)	307 (98%)	5 (2%)	55	69
2	a	310/601 (52%)	288 (93%)	22 (7%)	13	40
2	i	313/601 (52%)	308 (98%)	5 (2%)	55	69
3	B	704/1442 (49%)	622 (88%)	82 (12%)	5	22
3	J	697/1442 (48%)	623 (89%)	74 (11%)	6	25
3	b	704/1442 (49%)	622 (88%)	82 (12%)	5	22
3	j	697/1442 (48%)	623 (89%)	74 (11%)	6	25
4	C	268/300 (89%)	232 (87%)	36 (13%)	4	19
4	K	268/300 (89%)	232 (87%)	36 (13%)	4	19
4	c	268/300 (89%)	232 (87%)	36 (13%)	4	19
4	k	268/300 (89%)	232 (87%)	36 (13%)	4	19
5	E	322/615 (52%)	319 (99%)	3 (1%)	70	75
5	M	404/615 (66%)	404 (100%)	0	100	100
5	e	312/615 (51%)	312 (100%)	0	100	100
5	m	404/615 (66%)	404 (100%)	0	100	100
6	F	284/287 (99%)	284 (100%)	0	100	100
6	N	284/287 (99%)	284 (100%)	0	100	100
6	f	276/287 (96%)	276 (100%)	0	100	100
6	n	284/287 (99%)	284 (100%)	0	100	100
7	O	85/184 (46%)	85 (100%)	0	100	100
7	o	85/184 (46%)	85 (100%)	0	100	100
8	H	153/381 (40%)	153 (100%)	0	100	100
8	P	332/381 (87%)	331 (100%)	1 (0%)	86	85
8	h	153/381 (40%)	153 (100%)	0	100	100
8	p	332/381 (87%)	331 (100%)	1 (0%)	86	85

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	8829/14872 (59%)	8314 (94%)	515 (6%)	20	44

5 of 515 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	j	978	LEU
3	j	1129	LYS
3	j	956	LEU
3	J	740	LEU
3	J	678	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 206 such sidechains are listed below:

Mol	Chain	Res	Type
3	b	360	HIS
5	e	624	ASN
8	p	78	GLN
3	b	529	ASN
3	b	1005	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	2/3 (66%)	2 (100%)	0
1	4	2/3 (66%)	2 (100%)	0
All	All	4/6 (66%)	4 (100%)	0

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	2	U
1	2	3	U
1	4	2	U
1	4	3	U

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
5	E	1
5	e	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	E	86:GLU	C	87:ARG	N	1.11
1	e	86:GLU	C	87:ARG	N	1.11


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14804. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 208



Y Index: 208



Z Index: 208

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 238



Y Index: 211




Z Index: 205


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 851 nm^3 ; this corresponds to an approximate mass of 769 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-14804 and PDB model 7ZNK. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 55% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5510	 0.1390
2	 0.0000	 0.1170
4	 0.0000	 0.1060
A	 0.6300	 0.0940
B	 0.6630	 0.0970
C	 0.7160	 0.0890
E	 0.5820	 0.1990
F	 0.6410	 0.1890
G	 0.5260	 0.1400
H	 0.5800	 0.0650
I	 0.5770	 0.1800
J	 0.5570	 0.1640
K	 0.6040	 0.1680
L	 0.0000	 0.1580
M	 0.5890	 0.1970
N	 0.2390	 0.1190
O	 0.6620	 0.1580
P	 0.1700	 0.1360
a	 0.5910	 0.0700
b	 0.6640	 0.0920
c	 0.7210	 0.0870
e	 0.5510	 0.1750
f	 0.6460	 0.2010
g	 0.4810	 0.1270
h	 0.5980	 0.0750
i	 0.5580	 0.1560
j	 0.5330	 0.1430
k	 0.6170	 0.1690
l	 0.0000	 0.1380
m	 0.5570	 0.1810
n	 0.2150	 0.1160
o	 0.6300	 0.1380
p	 0.1760	 0.1210

