



Full wwPDB EM Validation Report ⓘ

Mar 30, 2026 – 07:56 AM UTC

PDB ID : 1ZO1 / pdb_00001zo1
EMDB ID : EMD-1249
Title : IF2, IF1, and tRNA fitted to cryo-EM data OF E. COLI 70S initiation complex
Authors : Allen, G.S.; Zavialov, A.; Gursky, R.; Ehrenberg, M.; Frank, J.
Deposited on : 2005-05-12
Resolution : 13.80 Å (reported)
Based on initial models : 1G7T, 1HRO

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 13.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	67 (13.30 - 14.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	F	76	78% 21%
2	I	501	5% 64% 26% 8%
3	W	71	62% 72% 24%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5992 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called P/I-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	F	76	Total	C	N	O	P	0	0
			1622	725	293	529	75		

- Molecule 2 is a protein called translation initiation factor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	I	501	Total	C	N	O	S	0	0
			3800	2382	667	736	15		

- Molecule 3 is a protein called translation Initiation Factor 1.


Mol	Chain	Residues	Atoms					AltConf	Trace
3	W	71	Total	C	N	O	S	0	0
			570	362	103	103	2		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: P/I-site tRNA


Chain F: 



• Molecule 2: translation initiation factor 2

Chain I: 





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	20283	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	DEFOCUS GROUPS 0.93-3.93 UM	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	Not provided	
Minimum defocus (nm)	-930.00	Depositor
Maximum defocus (nm)	-3930.00	Depositor
Magnification	39000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	142.331	Depositor
Minimum map value	-55.192	Depositor
Average map value	0.138	Depositor
Map value standard deviation	3.177	Depositor
Recommended contour level	7.4	Depositor
Map size ($\text{\AA}$)	366.6, 366.6, 366.6	wwPDB
Map dimensions	130, 130, 130	wwPDB
Map angles ($^\circ$)	90, 90, 90	wwPDB
Pixel spacing ($\text{\AA}$)	2.82, 2.82, 2.82	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	F	4.45	3/1814 (0.2%)	1.95	13/2827 (0.5%)
2	I	0.89	7/3848 (0.2%)	1.36	54/5200 (1.0%)
3	W	0.81	0/580	1.16	8/782 (1.0%)
All	All	2.51	10/6242 (0.2%)	1.56	75/8809 (0.9%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	39	U	C1'-N1	149.15	3.72	1.48
1	F	55	U	C1'-N1	92.04	2.86	1.48
1	F	75	C	O3'-P	23.96	1.97	1.61
2	I	522	VAL	CA-CB	5.63	1.62	1.54
2	I	614	VAL	CA-CB	5.49	1.61	1.54
2	I	580	VAL	CA-CB	5.25	1.60	1.53
2	I	528	VAL	CA-CB	5.21	1.60	1.54
2	I	630	ILE	CA-CB	5.20	1.61	1.54
2	I	699	ILE	CA-CB	5.07	1.60	1.53
2	I	460	ILE	CA-CB	5.07	1.60	1.54

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	55	U	C6-N1-C1'	-39.16	3.73	121.20
1	F	39	U	C6-N1-C1'	-34.38	18.07	121.20
2	I	524	GLU	N-CA-C	14.52	141.73	110.80
2	I	520	GLY	N-CA-C	12.14	131.17	112.60
1	F	39	U	O4'-C1'-N1	-11.41	91.39	108.50
2	I	488	GLU	N-CA-C	10.20	123.49	110.33
1	F	75	C	P-O3'-C3'	-10.06	105.11	120.20
2	I	518	THR	N-CA-C	-9.99	100.64	112.92
2	I	628	GLN	N-CA-C	9.24	122.45	110.53
2	I	495	GLY	N-CA-C	8.76	133.95	113.18
1	F	55	U	C5-C6-N1	-8.46	97.33	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	605	SER	N-CA-C	8.43	128.76	110.80
2	I	499	GLU	N-CA-C	-8.05	103.26	113.72
2	I	578	ILE	N-CA-C	7.93	120.03	108.53
2	I	227	ALA	N-CA-C	7.81	120.98	109.42
2	I	556	ILE	N-CA-C	7.64	118.67	107.37
2	I	535	GLY	N-CA-C	-7.58	106.33	114.67
2	I	329	VAL	N-CA-C	7.34	120.35	108.97
2	I	610	LEU	N-CA-C	7.29	119.02	111.14
2	I	268	HIS	N-CA-C	7.04	125.80	110.80
2	I	523	HIS	N-CA-C	6.89	125.47	110.80
2	I	525	VAL	N-CA-C	6.87	123.63	109.34
2	I	523	HIS	CA-C-N	6.75	134.43	121.54
2	I	523	HIS	C-N-CA	6.75	134.43	121.54
2	I	642	SER	CA-C-N	6.63	128.12	119.84
2	I	642	SER	C-N-CA	6.63	128.12	119.84
2	I	522	VAL	N-CA-C	-6.58	95.66	109.34
3	W	34	ALA	N-CA-C	6.52	124.68	110.80
2	I	577	ALA	N-CA-C	6.45	120.75	113.01
2	I	277	THR	N-CA-C	6.43	118.64	108.67
2	I	551	GLU	N-CA-C	6.20	119.58	109.59
2	I	269	VAL	N-CA-C	6.15	119.11	108.90
2	I	395	ALA	N-CA-C	6.14	121.45	111.37
2	I	283	GLY	N-CA-C	6.05	127.52	113.18
2	I	647	ALA	N-CA-C	6.04	123.67	110.80
1	F	68	U	C5'-C4'-C3'	-5.86	107.21	116.00
2	I	477	VAL	N-CA-C	5.84	117.09	108.45
1	F	55	U	C6-N1-C2	5.78	138.35	121.00
2	I	645	PHE	N-CA-C	-5.77	98.50	110.80
2	I	457	GLY	CA-C-N	5.76	126.09	119.92
2	I	457	GLY	C-N-CA	5.76	126.09	119.92
2	I	420	VAL	N-CA-C	5.72	118.19	108.86
2	I	560	GLY	N-CA-C	-5.70	99.67	113.18
2	I	286	ALA	N-CA-C	5.65	118.64	111.69
1	F	55	U	C2-N1-C1'	5.64	134.62	117.70
2	I	559	SER	N-CA-C	5.63	115.54	108.45
2	I	580	VAL	N-CA-CB	-5.59	106.63	112.06
1	F	75	C	O3'-P-O5'	-5.56	95.66	104.00
1	F	2	C	C5'-C4'-C3'	-5.54	107.68	116.00
3	W	10	GLU	N-CA-C	5.53	117.67	110.53
2	I	524	GLU	CA-C-N	5.50	131.88	121.97
2	I	524	GLU	C-N-CA	5.50	131.88	121.97
2	I	270	GLU	N-CA-C	5.48	122.47	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	317	GLU	N-CA-C	-5.45	106.13	112.89
2	I	716	PHE	N-CA-C	5.42	116.95	109.15
1	F	59	U	C5'-C4'-C3'	-5.42	107.88	116.00
2	I	334	ASN	N-CA-C	5.41	117.06	110.41
2	I	464	ILE	N-CA-C	5.40	115.61	110.42
2	I	398	LYS	N-CA-C	5.39	117.85	111.33
2	I	485	LYS	N-CA-C	5.37	117.21	111.36
2	I	418	ALA	N-CA-C	5.32	117.00	107.80
3	W	29	GLY	CA-C-N	5.32	126.49	119.84
3	W	29	GLY	C-N-CA	5.32	126.49	119.84
3	W	61	ASP	CA-C-N	5.31	124.82	119.19
3	W	61	ASP	C-N-CA	5.31	124.82	119.19
3	W	43	HIS	N-CA-C	-5.26	106.45	112.92
1	F	57	G	O3'-P-O5'	5.23	111.84	104.00
3	W	24	VAL	N-CA-C	5.21	120.19	109.34
2	I	527	ILE	N-CA-C	5.20	120.16	109.34
2	I	340	GLU	N-CA-C	5.17	117.84	110.24
2	I	643	PRO	N-CA-C	5.13	123.03	112.47
1	F	75	C	OP1-P-O3'	5.09	123.28	108.00
2	I	344	ASP	N-CA-C	5.09	116.91	108.20
2	I	396	VAL	N-CA-C	5.08	119.90	109.34
2	I	667	LEU	N-CA-C	5.04	117.03	110.43

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1622	0	821	149	0
2	I	3800	0	3868	103	0
3	W	570	0	599	1	0
All	All	5992	0	5288	250	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (250) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:75:C:O3'	1:F:76:A:P	1.97	1.23
1:F:36:A:H2'	1:F:37:G:H5''	1.15	1.09
1:F:74:C:H2'	1:F:75:C:C6	1.95	1.01
1:F:18:G:N2	1:F:57:G:H2'	1.78	0.99
2:I:432:ILE:HD12	2:I:445:MET:HG2	1.48	0.94
1:F:36:A:C2'	1:F:37:G:H5''	1.97	0.94
2:I:522:VAL:HG13	2:I:523:HIS:H	1.35	0.91
1:F:20:G:H21	1:F:22:G:H5'	1.35	0.90
1:F:20:G:H2'	1:F:21:A:H5''	1.54	0.87
1:F:32:C:H2'	1:F:33:U:C6	2.12	0.84
1:F:68:U:H2'	1:F:69:U:H6	1.44	0.82
2:I:405:VAL:HG12	2:I:406:ILE:H	1.43	0.82
2:I:405:VAL:O	2:I:406:ILE:HD12	1.81	0.81
1:F:63:C:H2'	1:F:64:A:H8	1.46	0.80
1:F:66:A:H2'	1:F:67:A:H8	1.46	0.80
1:F:47:U:H5''	1:F:47:U:C6	2.17	0.79
1:F:74:C:H2'	1:F:75:C:H6	1.47	0.78
1:F:20:G:N2	1:F:22:G:H5'	1.98	0.78
2:I:406:ILE:HD13	2:I:420:VAL:HA	1.65	0.77
1:F:14:A:H2'	1:F:15:G:H8	1.49	0.77
1:F:75:C:C3'	1:F:76:A:P	2.72	0.76
1:F:20:G:C2'	1:F:21:A:H5''	2.16	0.75
2:I:336:ILE:HD13	2:I:336:ILE:O	1.87	0.74
1:F:44:A:H2'	1:F:45:G:H8	1.53	0.73
1:F:75:C:H1'	2:I:708:ARG:HH11	1.53	0.72
1:F:16:U:H3	1:F:60:C:H1'	1.53	0.72
1:F:6:U:H2'	1:F:7:U:C6	2.25	0.72
1:F:32:C:H2'	1:F:33:U:H6	1.51	0.71
2:I:405:VAL:C	2:I:406:ILE:HD12	2.17	0.69
1:F:28:C:H2'	1:F:29:A:H8	1.56	0.69
1:F:44:A:H2'	1:F:45:G:C8	2.28	0.69
1:F:68:U:H2'	1:F:69:U:C6	2.27	0.69
2:I:522:VAL:HG13	2:I:523:HIS:N	2.05	0.69
1:F:14:A:H2'	1:F:15:G:C8	2.29	0.68
1:F:9:A:H61	1:F:22:G:H2'	1.59	0.68
1:F:34:G:H2'	1:F:35:A:O4'	1.94	0.68
1:F:6:U:H2'	1:F:7:U:H6	1.58	0.67
1:F:33:U:H3	1:F:35:A:H3'	1.59	0.67
1:F:37:G:H2'	1:F:38:A:H8	1.58	0.67
1:F:74:C:H2'	1:F:75:C:C5	2.29	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:406:ILE:HD13	2:I:420:VAL:CA	2.24	0.66
1:F:63:C:H2'	1:F:64:A:C8	2.30	0.66
2:I:406:ILE:HD11	2:I:421:LEU:HB2	1.76	0.66
1:F:47:U:N3	1:F:50:U:H5''	2.12	0.65
2:I:405:VAL:HG11	2:I:487:ARG:NH2	2.12	0.65
2:I:403:GLY:HA2	2:I:423:ARG:HE	1.62	0.65
2:I:443:ARG:H	2:I:443:ARG:HE	1.43	0.64
1:F:31:A:O2'	1:F:32:C:H5'	1.97	0.64
2:I:443:ARG:H	2:I:443:ARG:NE	1.96	0.63
2:I:718:ILE:HD12	2:I:718:ILE:H	1.64	0.63
1:F:10:G:H2'	1:F:11:C:C6	2.33	0.63
2:I:405:VAL:HG12	2:I:406:ILE:N	2.12	0.62
1:F:8:U:H5'	1:F:49:C:OP2	1.99	0.62
2:I:301:VAL:HB	2:I:329:VAL:HG12	1.82	0.62
1:F:16:U:N3	1:F:60:C:H1'	2.13	0.62
1:F:66:A:H2'	1:F:67:A:C8	2.33	0.62
1:F:25:C:O2'	1:F:26:G:H5'	2.00	0.61
1:F:39:U:H2'	1:F:40:C:C6	2.36	0.61
2:I:419:THR:HB	2:I:478:THR:HG22	1.82	0.61
1:F:72:C:H2'	1:F:73:A:H8	1.64	0.61
2:I:607:ILE:CD1	2:I:608:TYR:H	2.14	0.60
1:F:37:G:H2'	1:F:38:A:C8	2.35	0.60
1:F:54:U:O2'	1:F:55:U:H5'	2.01	0.60
1:F:10:G:O2'	1:F:11:C:H5'	2.02	0.60
1:F:68:U:H6	1:F:68:U:O5'	1.85	0.60
2:I:446:ARG:HH21	2:I:479:VAL:HG22	1.67	0.60
1:F:1:G:O2'	1:F:2:C:H5'	2.01	0.59
1:F:47:U:H5''	1:F:47:U:H6	1.67	0.59
2:I:269:VAL:HG13	2:I:273:ASN:HB3	1.83	0.59
1:F:8:U:H5'	1:F:49:C:P	2.42	0.59
1:F:19:G:H5''	1:F:60:C:H42	1.67	0.59
1:F:23:A:H2'	1:F:24:G:C8	2.37	0.59
2:I:575:SER:OG	2:I:611:ILE:HD12	2.03	0.59
1:F:3:G:H2'	1:F:4:G:H8	1.67	0.59
1:F:18:G:H1'	1:F:57:G:N2	2.17	0.58
1:F:75:C:H1'	2:I:708:ARG:NH1	2.19	0.58
1:F:76:A:H4'	2:I:711:ASP:OD1	2.03	0.58
1:F:8:U:H4'	1:F:48:C:H4'	1.84	0.58
1:F:33:U:N3	1:F:35:A:H3'	2.18	0.58
2:I:533:VAL:HG12	2:I:535:GLY:H	1.67	0.58
2:I:299:ASP:HB2	2:I:300:ILE:HD12	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:30:G:O2'	1:F:31:A:H5'	2.04	0.57
1:F:53:G:O2'	1:F:54:U:H5'	2.04	0.57
1:F:26:G:H2'	1:F:27:C:C6	2.38	0.57
1:F:56:C:O2'	1:F:57:G:H5'	2.04	0.57
1:F:64:A:H2'	1:F:65:G:H8	1.69	0.57
2:I:232:ILE:HD13	2:I:244:LEU:HD23	1.86	0.57
1:F:62:A:H2'	1:F:63:C:C6	2.39	0.57
1:F:11:C:H2'	1:F:12:U:C6	2.40	0.57
1:F:71:G:O2'	1:F:72:C:H5'	2.05	0.57
2:I:311:VAL:HG13	2:I:355:ILE:CD1	2.35	0.56
1:F:20:G:C3'	1:F:21:A:H5''	2.35	0.56
1:F:23:A:H2'	1:F:24:G:H8	1.70	0.56
2:I:406:ILE:HG13	2:I:533:VAL:HG13	1.87	0.56
2:I:276:ILE:C	2:I:276:ILE:HD13	2.30	0.56
1:F:40:C:O2'	1:F:41:U:H5'	2.06	0.56
1:F:43:G:H2'	1:F:44:A:C8	2.40	0.56
1:F:67:A:O2'	1:F:68:U:H5'	2.06	0.56
2:I:406:ILE:HD13	2:I:420:VAL:C	2.31	0.55
2:I:311:VAL:HG13	2:I:355:ILE:HD11	1.89	0.55
2:I:666:VAL:HG12	2:I:667:LEU:H	1.71	0.55
1:F:41:U:H2'	1:F:42:G:H8	1.72	0.55
2:I:485:LYS:H	2:I:485:LYS:HD3	1.71	0.55
2:I:433:VAL:HG11	2:I:493:ARG:HH21	1.71	0.55
2:I:300:ILE:HD12	2:I:300:ILE:N	2.22	0.54
1:F:51:G:H2'	1:F:52:U:C6	2.42	0.54
2:I:527:ILE:HG22	2:I:607:ILE:HG23	1.90	0.54
2:I:405:VAL:HG11	2:I:487:ARG:HH21	1.72	0.54
2:I:659:LYS:HG2	2:I:690:GLU:HG2	1.89	0.54
2:I:487:ARG:HE	2:I:491:LEU:HD21	1.73	0.54
1:F:18:G:H22	1:F:57:G:H2'	1.71	0.53
1:F:29:A:O2'	1:F:30:G:H5'	2.08	0.53
1:F:39:U:H2'	1:F:40:C:H6	1.73	0.53
1:F:27:C:H2'	1:F:28:C:C6	2.44	0.53
2:I:419:THR:HA	2:I:478:THR:HA	1.91	0.53
2:I:289:SER:C	2:I:291:ARG:H	2.17	0.53
1:F:2:C:H2'	1:F:3:G:C8	2.44	0.52
1:F:49:C:H2'	1:F:50:U:H6	1.74	0.52
1:F:47:U:C6	1:F:47:U:C5'	2.91	0.52
2:I:405:VAL:CG1	2:I:406:ILE:H	2.19	0.52
2:I:664:ILE:HG22	2:I:675:GLU:HB3	1.90	0.52
2:I:590:ALA:O	2:I:594:ILE:HG12	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:35:A:O2'	1:F:36:A:H5'	2.09	0.52
1:F:75:C:C2'	1:F:76:A:P	2.97	0.52
1:F:18:G:H1'	1:F:57:G:C2	2.45	0.52
1:F:52:U:O2'	1:F:53:G:H5'	2.10	0.52
1:F:38:A:O2'	1:F:39:U:H5'	2.09	0.52
1:F:47:U:H3	1:F:50:U:H5''	1.74	0.51
1:F:55:U:O4	1:F:57:G:H3'	2.10	0.51
1:F:73:A:O2'	1:F:74:C:H5'	2.10	0.51
2:I:406:ILE:CD1	2:I:421:LEU:N	2.74	0.51
2:I:718:ILE:HD12	2:I:718:ILE:N	2.24	0.51
1:F:14:A:C2	1:F:15:G:H1'	2.46	0.51
1:F:19:G:N2	1:F:57:G:H1'	2.25	0.51
2:I:575:SER:HA	2:I:610:LEU:HB3	1.92	0.50
2:I:513:MET:O	2:I:517:MET:HB2	2.11	0.50
1:F:24:G:O2'	1:F:25:C:H5'	2.11	0.50
3:W:33:LEU:HD23	3:W:63:THR:HG22	1.94	0.50
1:F:10:G:H2'	1:F:11:C:H6	1.77	0.50
2:I:436:GLY:H	2:I:491:LEU:HD13	1.76	0.50
1:F:58:A:H4'	1:F:59:U:OP1	2.12	0.49
2:I:634:ALA:HB1	2:I:658:VAL:HG22	1.93	0.49
1:F:58:A:H1'	1:F:60:C:OP2	2.11	0.49
1:F:18:G:H21	1:F:57:G:H2'	1.73	0.49
2:I:336:ILE:HG22	2:I:370:SER:HB2	1.94	0.49
2:I:229:VAL:HB	2:I:298:THR:HA	1.95	0.48
2:I:264:ILE:N	2:I:264:ILE:HD12	2.28	0.48
1:F:37:G:O2'	1:F:38:A:H5'	2.13	0.48
1:F:47:U:H6	1:F:47:U:C5'	2.25	0.48
1:F:64:A:O2'	1:F:65:G:H5'	2.14	0.48
1:F:20:G:H2'	1:F:21:A:C5'	2.35	0.48
2:I:692:ARG:HG2	2:I:693:ASN:H	1.78	0.48
1:F:3:G:C6	1:F:71:G:C6	3.02	0.48
1:F:33:U:H2'	1:F:35:A:OP2	2.14	0.47
2:I:271:THR:HG23	2:I:385:LEU:HD11	1.97	0.47
2:I:453:VAL:HG13	2:I:477:VAL:HG21	1.97	0.47
1:F:35:A:C4	1:F:36:A:C8	3.02	0.47
2:I:396:VAL:HG13	2:I:397:ARG:H	1.79	0.47
1:F:9:A:N6	1:F:22:G:H2'	2.26	0.47
1:F:4:G:C6	1:F:70:C:N3	2.83	0.47
1:F:44:A:H2'	1:F:45:G:O4'	2.14	0.47
2:I:447:ASN:HD22	2:I:480:VAL:HG12	1.80	0.47
1:F:4:G:H1	1:F:69:U:H3	1.62	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:17:U:O3'	1:F:18:G:H3'	2.15	0.47
2:I:279:LEU:HD13	2:I:290:MET:SD	2.54	0.47
2:I:329:VAL:HG23	2:I:364:SER:OG	2.15	0.47
2:I:432:ILE:HD12	2:I:445:MET:CG	2.32	0.46
2:I:488:GLU:O	2:I:491:LEU:HD23	2.15	0.46
1:F:5:A:H2'	1:F:6:U:C6	2.50	0.46
1:F:18:G:H3'	1:F:18:G:P	2.55	0.46
2:I:594:ILE:HG21	2:I:601:LEU:HD22	1.96	0.46
1:F:26:G:H2'	1:F:27:C:H6	1.80	0.46
2:I:406:ILE:HD11	2:I:421:LEU:N	2.30	0.46
2:I:527:ILE:HD12	2:I:527:ILE:C	2.41	0.46
2:I:228:PRO:O	2:I:230:VAL:HG23	2.15	0.46
1:F:51:G:C6	1:F:64:A:C6	3.04	0.46
2:I:232:ILE:HD13	2:I:244:LEU:CD2	2.45	0.46
2:I:607:ILE:HD13	2:I:608:TYR:H	1.79	0.46
1:F:65:G:O2'	1:F:66:A:H5'	2.16	0.45
1:F:67:A:H2'	1:F:68:U:C6	2.50	0.45
2:I:283:GLY:HA3	2:I:540:ILE:HD11	1.97	0.45
1:F:38:A:H2'	1:F:39:U:H6	1.81	0.45
2:I:369:VAL:HG21	2:I:380:LEU:HD22	1.99	0.45
2:I:405:VAL:O	2:I:534:GLN:HB2	2.16	0.45
1:F:72:C:O2'	1:F:73:A:H5'	2.16	0.45
2:I:269:VAL:HG13	2:I:274:GLY:H	1.81	0.45
2:I:481:ARG:HB2	2:I:484:LYS:HE2	1.99	0.45
1:F:20:G:H3'	1:F:21:A:H5''	1.98	0.45
1:F:5:A:O2'	1:F:6:U:H5'	2.18	0.44
2:I:557:ILE:HG13	2:I:558:GLY:H	1.82	0.44
2:I:580:VAL:HG23	2:I:605:SER:OG	2.17	0.44
2:I:490:ALA:H	2:I:534:GLN:NE2	2.15	0.44
1:F:13:C:O2'	1:F:14:A:H5'	2.17	0.44
2:I:607:ILE:CD1	2:I:608:TYR:N	2.80	0.44
1:F:4:G:C2	1:F:5:A:C4	3.05	0.44
1:F:62:A:O2'	1:F:63:C:H5'	2.18	0.44
2:I:432:ILE:CD1	2:I:445:MET:HG2	2.33	0.44
2:I:227:ALA:HA	2:I:228:PRO:HD3	1.88	0.44
2:I:637:ARG:HH21	2:I:652:MET:HE2	1.82	0.44
1:F:36:A:H2'	1:F:37:G:C5'	2.11	0.44
1:F:18:G:C6	1:F:58:A:C5	3.06	0.43
1:F:35:A:H2'	1:F:36:A:H8	1.83	0.43
2:I:573:ALA:C	2:I:575:SER:H	2.26	0.43
2:I:458:PRO:O	2:I:460:ILE:N	2.50	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:2:C:H2'	1:F:3:G:H8	1.81	0.43
1:F:14:A:O2'	1:F:15:G:H5'	2.17	0.43
1:F:29:A:C6	1:F:42:G:C6	3.06	0.43
1:F:41:U:H2'	1:F:42:G:C8	2.51	0.43
2:I:396:VAL:HG13	2:I:397:ARG:N	2.33	0.43
2:I:421:LEU:HD13	2:I:533:VAL:HG11	2.01	0.43
2:I:533:VAL:O	2:I:537:VAL:HG23	2.19	0.43
1:F:33:U:C6	1:F:35:A:OP2	2.71	0.43
2:I:409:PHE:HE2	2:I:419:THR:HG22	1.83	0.43
2:I:522:VAL:CG1	2:I:523:HIS:N	2.75	0.43
2:I:268:HIS:HB3	2:I:269:VAL:H	1.64	0.43
1:F:14:A:H2'	1:F:15:G:O4'	2.19	0.42
1:F:57:G:O2'	1:F:58:A:H5'	2.18	0.42
1:F:68:U:O2'	1:F:69:U:H5'	2.19	0.42
2:I:432:ILE:HD11	2:I:445:MET:CE	2.49	0.42
2:I:642:SER:HA	2:I:643:PRO:HD2	1.80	0.42
1:F:8:U:H2'	1:F:46:G:N2	2.35	0.42
1:F:49:C:O2'	1:F:50:U:H5'	2.19	0.42
2:I:531:ALA:HB3	2:I:537:VAL:HG22	2.02	0.42
1:F:51:G:C5	1:F:52:U:C4	3.07	0.42
1:F:55:U:H2'	1:F:56:C:H3'	2.02	0.42
1:F:19:G:H5''	1:F:60:C:N4	2.33	0.42
1:F:30:G:C6	1:F:31:A:C5	3.07	0.42
2:I:420:VAL:HG11	2:I:493:ARG:NH1	2.35	0.42
2:I:432:ILE:HD11	2:I:445:MET:HE2	2.02	0.42
2:I:484:LYS:HB2	2:I:487:ARG:HH11	1.85	0.41
1:F:33:U:C2	1:F:35:A:H3'	2.55	0.41
2:I:299:ASP:CB	2:I:300:ILE:HD12	2.50	0.41
2:I:442:VAL:HG13	2:I:443:ARG:HH21	1.85	0.41
1:F:11:C:H2'	1:F:12:U:H6	1.84	0.41
1:F:18:G:H4'	1:F:19:G:OP1	2.20	0.41
2:I:403:GLY:HA2	2:I:423:ARG:NE	2.31	0.41
1:F:42:G:H2'	1:F:43:G:H8	1.86	0.41
1:F:51:G:O2'	1:F:52:U:H5'	2.21	0.41
1:F:11:C:H6	1:F:11:C:O5'	2.04	0.41
1:F:25:C:H2'	1:F:26:G:O4'	2.21	0.41
1:F:42:G:O2'	1:F:43:G:H5'	2.21	0.41
2:I:270:GLU:HB3	2:I:271:THR:H	1.67	0.40
1:F:14:A:C4	1:F:15:G:C8	3.09	0.40
1:F:39:U:O2'	1:F:40:C:H5'	2.20	0.40
1:F:18:G:H2'	1:F:18:G:OP1	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:452:GLU:HG2	2:I:453:VAL:N	2.36	0.40
2:I:692:ARG:HG2	2:I:693:ASN:N	2.37	0.40
1:F:8:U:O2	1:F:21:A:H2	2.04	0.40
1:F:32:C:O2'	1:F:33:U:H5'	2.20	0.40
2:I:369:VAL:HG12	2:I:370:SER:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	I	499/501 (100%)	399 (80%)	60 (12%)	40 (8%)	1	9
3	W	69/71 (97%)	57 (83%)	6 (9%)	6 (9%)	0	9
All	All	568/572 (99%)	456 (80%)	66 (12%)	46 (8%)	1	9

All (46) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	I	270	GLU
2	I	283	GLY
2	I	287	PHE
2	I	396	VAL
2	I	459	SER
2	I	490	ALA
2	I	495	GLY
2	I	522	VAL
2	I	524	GLU
2	I	583	ASN
2	I	606	VAL
2	I	645	PHE
2	I	720	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	W	24	VAL
3	W	45	ILE
2	I	462	VAL
2	I	523	HIS
2	I	527	ILE
2	I	557	ILE
2	I	607	ILE
2	I	608	TYR
3	W	2	LYS
3	W	34	ALA
2	I	273	ASN
2	I	482	ASP
2	I	496	LYS
2	I	526	ASN
2	I	609	ASN
2	I	630	ILE
2	I	684	PHE
2	I	693	ASN
2	I	627	LYS
2	I	643	PRO
2	I	647	ALA
3	W	44	TYR
2	I	447	ASN
2	I	605	SER
2	I	274	GLY
2	I	280	ASP
2	I	276	ILE
2	I	281	THR
2	I	719	ILE
3	W	30	PRO
2	I	631	ILE
2	I	354	GLY
2	I	405	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	I	406/406 (100%)	357 (88%)	49 (12%)	5	17
3	W	62/62 (100%)	53 (86%)	9 (14%)	3	13
All	All	468/468 (100%)	410 (88%)	58 (12%)	7	17

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	I	226	ARG
2	I	229	VAL
2	I	232	ILE
2	I	269	VAL
2	I	276	ILE
2	I	282	PRO
2	I	303	LEU
2	I	333	VAL
2	I	336	ILE
2	I	356	LEU
2	I	377	ILE
2	I	379	GLU
2	I	387	GLN
2	I	419	THR
2	I	427	LEU
2	I	443	ARG
2	I	451	GLN
2	I	462	VAL
2	I	485	LYS
2	I	491	LEU
2	I	494	GLN
2	I	496	LYS
2	I	497	PHE
2	I	498	ARG
2	I	499	GLU
2	I	510	LEU
2	I	517	MET
2	I	519	GLU
2	I	521	GLU
2	I	527	ILE
2	I	529	LEU
2	I	552	VAL
2	I	554	VAL
2	I	556	ILE
2	I	576	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	I	579	LEU
2	I	580	VAL
2	I	599	LEU
2	I	604	TYR
2	I	606	VAL
2	I	607	ILE
2	I	614	VAL
2	I	618	MET
2	I	629	GLN
2	I	630	ILE
2	I	639	VAL
2	I	688	VAL
2	I	708	ARG
2	I	720	GLU
3	W	5	ASP
3	W	23	ARG
3	W	31	GLU
3	W	32	ILE
3	W	52	ARG
3	W	57	ILE
3	W	63	THR
3	W	68	VAL
3	W	71	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
2	I	263	HIS
2	I	334	ASN
2	I	368	HIS
2	I	387	GLN
2	I	447	ASN
2	I	523	HIS
2	I	534	GLN
2	I	583	ASN
2	I	689	ASN
2	I	693	ASN
2	I	705	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	F	75/76 (98%)	9 (12%)	4 (5%)

All (9) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	F	16	U
1	F	17	U
1	F	18	G
1	F	21	A
1	F	37	G
1	F	46	G
1	F	47	U
1	F	48	C
1	F	76	A

All (4) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	F	16	U
1	F	17	U
1	F	46	G
1	F	47	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	F	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	F	75:C	O3'	76:A	P	1.97

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1249. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 65



Y Index: 65



Z Index: 65

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 54



Y Index: 59




Z Index: 68

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 7.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 280 nm^3 ; this corresponds to an approximate mass of 253 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.072 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-1249 and PDB model 1ZO1. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 7.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (7.4).

9.4 Atom inclusion ⓘ



At the recommended contour level, 91% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (7.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8920	0.0710
F	0.9740	0.0920
I	0.9270	0.0670
W	0.4070	0.0330

