



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:40 PM UTC

PDB ID : 6ZOH / pdb_00006zoh
Title : 3-Formylrifamycin SV binding to the access pocket of AcrB-G619P_G621P L and T protomers
Authors : Tam, H.K.; Foong, W.E.; Pos, K.M.
Deposited on : 2020-07-07
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1057	6% 91% 7%
1	B	1057	5% 93% 5%
1	C	1057	% 93% 5%
2	D	169	2% 91% 9%
2	E	169	7% 91% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	D12	A	1208	-	-	-	X
7	DDQ	A	1206	-	-	-	X

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 26785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multidrug efflux pump subunit AcrB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1034	Total	C	N	O	S	0	2	0
			7875	5070	1299	1462	44			
1	B	1034	Total	C	N	O	S	0	1	0
			7866	5065	1296	1460	45			
1	C	1033	Total	C	N	O	S	0	0	0
			7855	5058	1295	1458	44			

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	619	PRO	GLY	engineered mutation	UNP P31224
A	621	PRO	GLY	engineered mutation	UNP P31224
A	1050	LEU	-	expression tag	UNP P31224
A	1051	GLU	-	expression tag	UNP P31224
A	1052	HIS	-	expression tag	UNP P31224
A	1053	HIS	-	expression tag	UNP P31224
A	1054	HIS	-	expression tag	UNP P31224
A	1055	HIS	-	expression tag	UNP P31224
A	1056	HIS	-	expression tag	UNP P31224
A	1057	HIS	-	expression tag	UNP P31224
B	619	PRO	GLY	engineered mutation	UNP P31224
B	621	PRO	GLY	engineered mutation	UNP P31224
B	1050	LEU	-	expression tag	UNP P31224
B	1051	GLU	-	expression tag	UNP P31224
B	1052	HIS	-	expression tag	UNP P31224
B	1053	HIS	-	expression tag	UNP P31224
B	1054	HIS	-	expression tag	UNP P31224
B	1055	HIS	-	expression tag	UNP P31224
B	1056	HIS	-	expression tag	UNP P31224
B	1057	HIS	-	expression tag	UNP P31224
C	619	PRO	GLY	engineered mutation	UNP P31224
C	621	PRO	GLY	engineered mutation	UNP P31224
C	1050	LEU	-	expression tag	UNP P31224

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1051	GLU	-	expression tag	UNP P31224
C	1052	HIS	-	expression tag	UNP P31224
C	1053	HIS	-	expression tag	UNP P31224
C	1054	HIS	-	expression tag	UNP P31224
C	1055	HIS	-	expression tag	UNP P31224
C	1056	HIS	-	expression tag	UNP P31224
C	1057	HIS	-	expression tag	UNP P31224

- Molecule 2 is a protein called DARPIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	154	Total	C	N	O	S	0	0	0
			1167	736	204	226	1			
2	E	153	Total	C	N	O	S	0	0	0
			1159	732	203	223	1			

- Molecule 3 is DODECYL-BETA-D-MALTOSIDE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		
3	B	1	Total	C	O	0	0
			35	24	11		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			35	24	11		
3	C	1	Total	C	O	0	0
			35	24	11		
3	C	1	Total	C	O	0	0
			35	24	11		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is DODECANE (CCD ID: D12) (formula: $C_{12}H_{26}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C 12 12	0	0
6	A	1	Total C 12 12	0	0
6	C	1	Total C 12 12	0	0
6	C	1	Total C 12 12	0	0

- Molecule 7 is DECYLAMINE-N,N-DIMETHYL-N-OXIDE (CCD ID: DDQ) (formula: $C_{12}H_{27}NO$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	12	1	1		
7	B	1	Total	C	N	O	0	0
			14	12	1	1		

- Molecule 8 is (2S,12Z,14E,16S,17S,18R,19R,20R,21S,22R,23S,24E)-8-formyl-5,6,9,17,19-pentahydroxy-23-methoxy-2,4,12,16,18,20,22-heptamethyl-1,11-dioxo-1,2-dihydro-2,7-(epoxypentadeca[1,11,13]trienoimino)naphtho[2,1-b]furan-21-yl acetate (CCD ID: 3YI) (formula: $C_{38}H_{47}NO_{13}$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			52	38	1	13		
8	B	1	Total	C	N	O	0	0
			52	38	1	13		

- Molecule 9 is (2S)-3-hydroxypropane-1,2-diyl didecanoate (CCD ID: DDR) (formula: $C_{23}H_{44}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			28	23	5		

- Molecule 10 is PHOSPHATIDYLETHANOLAMINE (CCD ID: PTY) (formula: C₄₀H₈₀NO₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	C	1	Total	C	N	O	P	0	0
			50	40	1	8	1		

- Molecule 11 is DECANE (CCD ID: D10) (formula: C₁₀H₂₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	C	1	Total	C			0	0
			10	10				

- Molecule 12 is (2S)-3-{[(R)-(2-aminoethoxy)(hydroxy)phosphoryl]oxy}-2-hydroxypropyl hexadecanoate (CCD ID: LPX) (formula: C₂₁H₄₄NO₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	C	1	Total	C	N	O	P	0	0
			30	21	1	7	1		

- Molecule 13 is HEXANE (CCD ID: HEX) (formula: C₆H₁₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	C	1	Total C 6 6	0	0
13	C	1	Total C 6 6	0	0


- Molecule 14 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	A	78	Total O 78 78	0	0
14	B	67	Total O 69 69	0	2
14	C	68	Total O 69 69	0	1
14	D	17	Total O 18 18	0	1
14	E	8	Total O 10 10	0	2


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Multidrug efflux pump subunit AcrB




• Molecule 1: Multidrug efflux pump subunit AcrB




• Molecule 1: Multidrug efflux pump subunit AcrB



• Molecule 2: DARPIN



• Molecule 2: DARPIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	145.14Å 160.13Å 243.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.19 – 2.80 49.19 – 2.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.19-2.80) 100.0 (49.19-2.80)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.45 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.223 , 0.245 (Not available) , 0.215	Depositor DCC
R_{free} test set	6765 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	57.5	Xtriage
Anisotropy	0.022	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	26785	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LPX, HEX, 3YI, GOL, PTY, D10, DDR, LMT, EDO, D12, DDQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.03	0/8033	1.56	3/10911 (0.0%)
1	B	1.03	0/8021	1.56	5/10895 (0.0%)
1	C	1.02	0/8007	1.55	5/10877 (0.0%)
2	D	1.02	0/1186	1.57	0/1613
2	E	1.03	0/1178	1.58	0/1602
All	All	1.02	0/26425	1.56	13/35898 (0.0%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	896	SER	CA-C-N	7.30	124.84	120.24
1	A	896	SER	C-N-CA	7.30	124.84	120.24
1	A	691	GLY	CA-C-O	-5.81	118.26	122.45
1	C	691	GLY	CA-C-O	-5.81	118.27	122.45
1	B	691	GLY	CA-C-O	-5.60	118.28	122.37
1	C	896	SER	CA-C-N	5.49	124.72	120.33
1	C	896	SER	C-N-CA	5.49	124.72	120.33
1	C	366	LEU	CA-C-N	5.38	124.64	120.33
1	C	366	LEU	C-N-CA	5.38	124.64	120.33
1	B	896	SER	CA-C-N	5.30	124.57	120.33
1	B	896	SER	C-N-CA	5.30	124.57	120.33
1	B	678	THR	CA-C-N	5.23	124.94	119.92
1	B	678	THR	C-N-CA	5.23	124.94	119.92

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7875	0	8033	42	0
1	B	7866	0	8023	28	0
1	C	7855	0	8009	26	0
2	D	1167	0	1151	0	0
2	E	1159	0	1147	0	0
3	A	105	0	138	0	0
3	B	35	0	46	0	0
3	C	105	0	138	0	0
4	A	16	0	24	0	0
4	B	8	0	12	0	0
4	C	16	0	24	0	0
5	A	6	0	8	0	0
5	B	6	0	8	0	0
5	C	12	0	16	0	0
6	A	24	0	52	0	0
6	C	24	0	52	0	0
7	A	14	0	27	1	0
7	B	14	0	27	0	0
8	A	52	0	0	1	0
8	B	52	0	0	1	0
9	B	28	0	44	0	0
10	C	50	0	79	0	0
11	C	10	0	22	0	0
12	C	30	0	43	0	0
13	C	12	0	28	0	0
14	A	78	0	0	0	0
14	B	69	0	0	0	0
14	C	69	0	0	0	0
14	D	18	0	0	0	0
14	E	10	0	0	0	0
All	All	26785	0	27151	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:ALA:HB1	1:B:743:ILE:HG21	1.71	0.72
1:A:968:VAL:HG11	1:A:1023:PRO:HG3	1.73	0.71
1:A:85:THR:HG21	1:A:621:PRO:HD2	1.80	0.64
1:C:372:VAL:HB	1:C:373:PRO:HD3	1.81	0.62
1:C:979:SER:HA	1:C:1011:MET:HE3	1.81	0.62
1:B:395[A]:MET:HA	1:B:395[A]:MET:HE2	1.80	0.61
1:A:575:MET:HE1	1:A:616:GLY:CA	2.31	0.59
1:C:901:VAL:O	1:C:904:VAL:HG12	2.04	0.57
1:B:535:LEU:HD22	1:B:1027:VAL:HG21	1.85	0.56
1:A:38:ILE:HD11	1:A:671:ILE:HD13	1.87	0.56
1:A:367:ILE:HB	1:A:368:PRO:HD3	1.86	0.56
1:A:372:VAL:HB	1:A:373:PRO:HD3	1.88	0.54
1:A:375:VAL:HG11	1:A:405:LEU:HD22	1.90	0.54
1:C:404:LEU:HD21	1:C:937:LEU:HD21	1.90	0.54
1:A:247:GLY:HA2	1:A:268:ILE:HD13	1.91	0.53
7:A:1206:DDQ:HM21	7:A:1206:DDQ:H32	1.91	0.52
1:B:1022:VAL:N	1:B:1023:PRO:HD2	2.25	0.52
1:C:445:ILE:HD11	1:C:944:LEU:HD21	1.93	0.51
1:A:399:VAL:HG11	1:A:989:LEU:HD11	1.95	0.49
1:C:358:PHE:O	1:C:973:ARG:NH2	2.46	0.49
1:C:454:VAL:HB	1:C:455:PRO:HD3	1.95	0.49
1:A:412:VAL:O	1:A:416:VAL:HG23	2.12	0.48
1:A:905:VAL:HB	1:A:906:PRO:HD3	1.94	0.48
1:B:682:PHE:CZ	1:B:857:TYR:HB2	2.49	0.48
1:A:446:ALA:HB2	1:A:482:VAL:HG21	1.95	0.48
1:A:897:ILE:N	1:A:898:PRO:CD	2.77	0.48
1:B:372:VAL:HB	1:B:373:PRO:HD3	1.95	0.47
1:C:1:MET:HB3	1:C:2:PRO:HD3	1.95	0.47
1:B:223:PRO:HD3	1:C:275:TYR:CD1	2.50	0.46
1:B:456:MET:HG2	1:B:467:TYR:HB3	1.97	0.46
1:B:873:ALA:HB3	1:B:874:PRO:HD3	1.97	0.46
1:B:905:VAL:HB	1:B:906:PRO:HD3	1.97	0.46
1:A:127:VAL:O	1:B:113:LEU:HD13	2.14	0.46
1:A:303:ALA:HB2	1:A:330:THR:HG21	1.97	0.46
1:C:463:THR:HG22	1:C:467:TYR:CZ	2.51	0.46
1:B:340:VAL:HG21	1:B:395[B]:MET:HB3	1.97	0.46
1:A:176:GLN:HG2	1:A:615:PHE:CE2	2.50	0.45
1:B:330:THR:HB	1:B:331:PRO:HD3	1.98	0.45
1:B:637:ARG:HB2	1:B:642:ASN:HB3	1.98	0.45
1:C:876:LEU:HD21	1:C:932:LEU:HD11	1.98	0.45
1:B:367:ILE:HB	1:B:368:PRO:HD3	1.98	0.45
1:B:634:TRP:CE3	1:B:995:ALA:HB2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:416:VAL:HG22	1:C:431:THR:HA	1.99	0.45
1:A:777:ALA:O	1:A:781:MET:HG2	2.17	0.45
1:A:973:ARG:N	1:A:974:PRO:HD2	2.32	0.45
1:B:115:MET:N	1:B:116:PRO:CD	2.80	0.45
1:A:568:ASP:CG	1:A:644:VAL:HG23	2.42	0.44
1:B:395[A]:MET:HA	1:B:395[A]:MET:CE	2.46	0.44
1:B:897:ILE:N	1:B:898:PRO:HD2	2.31	0.44
1:B:987:MET:N	1:B:988:PRO:CD	2.81	0.44
1:A:448:VAL:HG22	1:A:887:CYS:HB3	2.00	0.44
1:A:470:PHE:CE1	1:A:929:VAL:HG21	2.52	0.44
1:A:309:GLU:HG3	1:A:313:MET:HE3	1.99	0.43
1:B:973:ARG:N	1:B:974:PRO:HD2	2.34	0.43
1:A:330:THR:OG1	1:A:331:PRO:HD3	2.18	0.43
1:C:897:ILE:HB	1:C:898:PRO:HD3	2.01	0.43
1:A:493:CYS:O	1:A:497:LEU:HB2	2.19	0.43
1:B:340:VAL:HG21	1:B:395[A]:MET:HB3	2.01	0.43
1:A:350:LEU:HD22	1:A:984:LEU:HG	2.00	0.43
1:C:905:VAL:HB	1:C:906:PRO:HD3	2.00	0.43
1:A:1:MET:HB3	1:A:2:PRO:HD3	2.01	0.42
1:A:763:ILE:HD11	1:B:59:ASP:HB3	2.00	0.42
1:C:240:LEU:HB2	1:C:246:PHE:CE1	2.53	0.42
1:C:489:THR:HB	1:C:490:PRO:HD3	2.01	0.42
1:C:1022:VAL:HB	1:C:1023:PRO:HD3	2.01	0.42
1:A:631:LEU:HD11	1:A:644:VAL:HG22	2.01	0.42
1:A:33:ALA:O	1:A:391:ASN:HA	2.20	0.42
1:A:59:ASP:HB3	1:C:763:ILE:HD11	2.02	0.42
1:A:1022:VAL:HB	1:A:1023:PRO:HD3	2.02	0.42
1:A:178:PHE:HA	1:A:277:ILE:HG21	2.01	0.42
1:C:40:PRO:HB2	1:C:94:PHE:O	2.20	0.42
8:B:1107:3YI:O12	8:B:1107:3YI:O4	2.37	0.42
1:A:210:GLN:HA	1:A:237:GLN:HE22	1.85	0.42
1:B:355:MET:HE1	1:B:413:VAL:HG11	2.02	0.42
1:A:330:THR:N	1:A:331:PRO:CD	2.83	0.41
1:C:309:GLU:HG3	1:C:313:MET:HE3	2.02	0.41
1:B:314:GLU:HB2	1:B:315:PRO:HD3	2.02	0.41
1:B:655:PHE:HB3	1:B:663:VAL:HB	2.01	0.41
8:A:1210:3YI:O12	8:A:1210:3YI:O4	2.38	0.41
1:C:362:PHE:O	1:C:366:LEU:HB2	2.21	0.41
1:C:987:MET:N	1:C:988:PRO:CD	2.83	0.41
1:B:454:VAL:N	1:B:455:PRO:CD	2.84	0.41
1:A:416:VAL:HG22	1:A:434:SER:HB3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:699:ARG:HG3	1:A:827:ILE:HD11	2.01	0.41
1:B:897:ILE:O	1:B:898:PRO:C	2.64	0.41
1:A:275:TYR:CD1	1:C:223:PRO:HD3	2.56	0.41
1:A:987:MET:N	1:A:988:PRO:CD	2.84	0.41
1:C:68:ASN:O	1:C:110:LYS:HE2	2.21	0.41
1:A:897:ILE:N	1:A:898:PRO:HD2	2.36	0.40
1:C:705:GLU:HB3	1:C:847:LEU:HD22	2.02	0.40
1:A:184:MET:HG2	1:A:246:PHE:CD2	2.56	0.40
1:C:407:ASP:HA	1:C:978:THR:HG22	2.04	0.40
1:A:339:GLU:HB3	1:A:1000:GLN:HE22	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1034/1057 (98%)	998 (96%)	33 (3%)	3 (0%)	36	66
1	B	1033/1057 (98%)	1005 (97%)	28 (3%)	0	100	100
1	C	1031/1057 (98%)	1007 (98%)	24 (2%)	0	100	100
2	D	152/169 (90%)	150 (99%)	2 (1%)	0	100	100
2	E	151/169 (89%)	147 (97%)	4 (3%)	0	100	100
All	All	3401/3509 (97%)	3307 (97%)	91 (3%)	3 (0%)	48	77

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	622	GLN
1	A	621	PRO
1	A	126	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	844/865 (98%)	842 (100%)	2 (0%)	87	96
1	B	843/865 (98%)	837 (99%)	6 (1%)	76	91
1	C	841/865 (97%)	838 (100%)	3 (0%)	84	94
2	D	119/132 (90%)	119 (100%)	0	100	100
2	E	118/132 (89%)	118 (100%)	0	100	100
All	All	2765/2859 (97%)	2754 (100%)	11 (0%)	84	94

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	649	MET
1	A	664	PHE
1	B	83	ASP
1	B	321	LEU
1	B	556	PHE
1	B	668	LEU
1	B	784	ASP
1	B	801	PHE
1	C	110	LYS
1	C	463	THR
1	C	984	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	ASN
1	A	81	ASN
1	A	109	ASN
1	A	112	GLN
1	A	194	ASN
1	A	237	GLN
1	A	437	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	737	GLN
1	B	194	ASN
1	B	284	GLN
1	B	744	ASN
1	B	747	ASN
1	B	1001	ASN
1	C	3	ASN
1	C	58	GLN
1	C	74	ASN
1	C	81	ASN
1	C	120	GLN
1	C	194	ASN
1	C	361	ASN
1	C	505	HIS
1	C	928	GLN
1	C	1001	ASN
2	D	89	HIS
2	D	92	HIS
2	D	125	HIS
2	E	59	HIS
2	E	155	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

35 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	B	1103	-	5,5,5	0.09	0	5,5,5	0.24	0
5	GOL	C	1116	-	5,5,5	0.10	0	5,5,5	0.29	0
6	D12	C	1104	-	11,11,11	0.09	0	10,10,10	0.06	0
4	EDO	C	1108	-	3,3,3	0.05	0	2,2,2	0.07	0
6	D12	A	1205	-	11,11,11	0.08	0	10,10,10	0.09	0
11	D10	C	1105	-	9,9,9	0.08	0	8,8,8	0.06	0
12	LPX	C	1106	-	29,29,29	0.29	0	31,33,33	0.36	0
4	EDO	B	1104	-	3,3,3	0.07	0	2,2,2	0.11	0
4	EDO	A	1203	-	3,3,3	0.06	0	2,2,2	0.08	0
3	LMT	A	1201	-	36,36,36	0.46	0	47,47,47	0.58	0
9	DDR	B	1105	-	27,27,27	0.25	0	29,29,29	0.24	0
6	D12	A	1208	-	11,11,11	0.08	0	10,10,10	0.09	0
4	EDO	A	1207	-	3,3,3	0.06	0	2,2,2	0.11	0
7	DDQ	B	1106	-	11,13,13	0.12	0	12,15,15	0.30	0
10	PTY	C	1101	-	49,49,49	0.26	0	52,54,54	0.33	0
13	HEX	C	1115	-	5,5,5	0.13	0	4,4,4	0.08	0
3	LMT	B	1101	-	36,36,36	0.49	1 (2%)	47,47,47	0.73	1 (2%)
6	D12	C	1103	-	11,11,11	0.08	0	10,10,10	0.07	0
3	LMT	C	1114	-	36,36,36	0.51	1 (2%)	47,47,47	0.77	1 (2%)
4	EDO	A	1212	-	3,3,3	0.06	0	2,2,2	0.13	0
5	GOL	C	1112	-	5,5,5	0.09	0	5,5,5	0.29	0
7	DDQ	A	1206	-	11,13,13	0.14	0	12,15,15	0.42	0
3	LMT	A	1202	-	36,36,36	0.52	1 (2%)	47,47,47	0.75	0
3	LMT	C	1113	-	36,36,36	0.54	1 (2%)	47,47,47	0.75	2 (4%)
4	EDO	C	1107	-	3,3,3	0.07	0	2,2,2	0.07	0
4	EDO	C	1109	-	3,3,3	0.07	0	2,2,2	0.12	0
13	HEX	C	1111	-	5,5,5	0.13	0	4,4,4	0.10	0
8	3YI	A	1210	-	55,55,55	0.99	2 (3%)	82,83,83	1.46	9 (10%)
8	3YI	B	1107	-	55,55,55	0.99	2 (3%)	82,83,83	1.50	9 (10%)
4	EDO	C	1110	-	3,3,3	0.07	0	2,2,2	0.11	0
3	LMT	A	1211	-	36,36,36	0.49	0	47,47,47	0.65	1 (2%)
4	EDO	A	1209	-	3,3,3	0.07	0	2,2,2	0.14	0
5	GOL	A	1204	-	5,5,5	0.08	0	5,5,5	0.26	0
3	LMT	C	1102	-	36,36,36	0.45	0	47,47,47	0.73	1 (2%)
4	EDO	B	1102	-	3,3,3	0.07	0	2,2,2	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	B	1103	-	-	1/4/4/4	-
5	GOL	C	1116	-	-	0/4/4/4	-
6	D12	C	1104	-	-	2/9/9/9	-
4	EDO	C	1108	-	-	1/1/1/1	-
6	D12	A	1205	-	-	6/9/9/9	-
11	D10	C	1105	-	-	2/7/7/7	-
12	LPX	C	1106	-	-	11/31/31/31	-
4	EDO	B	1104	-	-	0/1/1/1	-
4	EDO	A	1203	-	-	0/1/1/1	-
3	LMT	A	1201	-	-	7/21/61/61	0/2/2/2
9	DDR	B	1105	-	-	12/29/29/29	-
6	D12	A	1208	-	-	2/9/9/9	-
4	EDO	A	1207	-	-	1/1/1/1	-
7	DDQ	B	1106	-	-	5/11/11/11	-
10	PTY	C	1101	-	-	29/53/53/53	-
13	HEX	C	1115	-	-	1/3/3/3	-
3	LMT	B	1101	-	-	7/21/61/61	0/2/2/2
6	D12	C	1103	-	-	5/9/9/9	-
3	LMT	C	1114	-	-	14/21/61/61	0/2/2/2
4	EDO	A	1212	-	-	0/1/1/1	-
5	GOL	C	1112	-	-	1/4/4/4	-
7	DDQ	A	1206	-	-	7/11/11/11	-
3	LMT	A	1202	-	-	9/21/61/61	0/2/2/2
3	LMT	C	1113	-	-	12/21/61/61	0/2/2/2
4	EDO	C	1107	-	-	1/1/1/1	-
4	EDO	C	1109	-	-	1/1/1/1	-
13	HEX	C	1111	-	-	0/3/3/3	-
8	3YI	A	1210	-	-	14/57/72/72	0/4/4/4
8	3YI	B	1107	-	-	14/57/72/72	0/4/4/4
4	EDO	C	1110	-	-	1/1/1/1	-
3	LMT	A	1211	-	-	12/21/61/61	0/2/2/2
4	EDO	A	1209	-	-	1/1/1/1	-
5	GOL	A	1204	-	-	4/4/4/4	-
3	LMT	C	1102	-	-	12/21/61/61	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	1102	-	-	1/1/1/1	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	1107	3YI	C15-N1	4.35	1.44	1.35
8	A	1210	3YI	C15-N1	4.11	1.44	1.35
3	C	1113	LMT	O1'-C1'	2.31	1.44	1.40
3	A	1202	LMT	O1'-C1'	2.19	1.43	1.40
8	B	1107	3YI	C14-C7	-2.18	1.47	1.51
8	A	1210	3YI	C14-C7	-2.17	1.47	1.51
3	B	1101	LMT	O1'-C1'	2.15	1.43	1.40
3	C	1114	LMT	O1'-C1'	2.03	1.43	1.40

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	1107	3YI	C2-C3-C4	6.27	123.17	119.19
8	A	1210	3YI	C2-C3-C4	6.01	123.00	119.19
8	B	1107	3YI	C4-C3-C38	-5.14	112.78	119.83
8	A	1210	3YI	C4-C3-C38	-4.73	113.35	119.83
8	B	1107	3YI	C3-C2-C1	-4.03	117.82	120.68
8	A	1210	3YI	C3-C2-C1	-3.69	118.06	120.68
8	B	1107	3YI	O7-C35-C36	2.90	116.26	111.09
8	A	1210	3YI	O7-C35-C36	2.83	116.14	111.09
3	C	1113	LMT	O1B-C4'-C3'	2.54	113.70	107.23
8	A	1210	3YI	C3-C4-C10	-2.53	119.14	121.19
8	B	1107	3YI	C3-C4-C10	-2.36	119.27	121.19
3	B	1101	LMT	C1-O1'-C1'	2.32	117.64	113.68
8	A	1210	3YI	C30-C16-C17	-2.27	118.15	123.67
8	A	1210	3YI	O5-C12-C13	2.25	112.80	106.98
8	B	1107	3YI	O4-C11-C12	2.24	125.08	120.56
3	C	1113	LMT	C1-O1'-C1'	2.24	117.50	113.68
3	C	1102	LMT	O5B-C5B-C4B	2.14	113.55	109.70
8	A	1210	3YI	O4-C11-C12	2.13	124.85	120.56
8	A	1210	3YI	C20-C21-C22	-2.09	110.73	114.97
8	B	1107	3YI	C20-C21-C22	-2.08	110.75	114.97
8	B	1107	3YI	C30-C16-C17	-2.07	118.65	123.67
3	C	1114	LMT	O1B-C4'-C3'	2.03	112.40	107.23
3	A	1211	LMT	O1B-C4'-C5'	2.01	114.74	109.48
8	B	1107	3YI	C20-C19-C18	-2.01	121.97	126.11

There are no chirality outliers.

All (196) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1202	LMT	O5'-C1'-O1'-C1
3	A	1211	LMT	O5'-C1'-O1'-C1
3	B	1101	LMT	O5'-C1'-O1'-C1
3	C	1102	LMT	C2'-C1'-O1'-C1
3	C	1102	LMT	C2-C1-O1'-C1'
3	C	1113	LMT	O5'-C1'-O1'-C1
3	C	1114	LMT	C2'-C1'-O1'-C1
3	C	1114	LMT	O5'-C1'-O1'-C1
7	A	1206	DDQ	C2-C1-N1-O1
7	A	1206	DDQ	C2-C1-N1-CM1
7	A	1206	DDQ	C2-C1-N1-CM2
7	B	1106	DDQ	C2-C1-N1-O1
7	B	1106	DDQ	C2-C1-N1-CM1
8	A	1210	3YI	C4-C3-C38-O13
8	A	1210	3YI	C26-C27-O6-C37
8	A	1210	3YI	C28-C27-O6-C37
8	A	1210	3YI	C16-C17-C18-C19
8	B	1107	3YI	C4-C3-C38-O13
8	B	1107	3YI	C34-C26-C27-O6
8	B	1107	3YI	C34-C26-C27-C28
10	C	1101	PTY	N1-C2-C3-O11
10	C	1101	PTY	C2-C3-O11-P1
10	C	1101	PTY	C11-C8-O7-C6
10	C	1101	PTY	C3-O11-P1-O14
10	C	1101	PTY	C5-O14-P1-O11
10	C	1101	PTY	C5-O14-P1-O12
10	C	1101	PTY	C5-O14-P1-O13
12	C	1106	LPX	C3-O1-P1-O3
12	C	1106	LPX	C3-O1-P1-O4
12	C	1106	LPX	C1-O2-P1-O1
3	C	1114	LMT	O5B-C1B-O1B-C4'
10	C	1101	PTY	O10-C8-O7-C6
3	C	1113	LMT	C3'-C4'-O1B-C1B
8	A	1210	3YI	C36-C35-O7-C25
9	B	1105	DDR	O21-C21-O52-C52
3	A	1211	LMT	C5'-C4'-O1B-C1B
9	B	1105	DDR	C22-C21-O52-C52
3	A	1201	LMT	O5'-C1'-O1'-C1
3	C	1102	LMT	O5'-C1'-O1'-C1
9	B	1105	DDR	C2-C1-O51-C51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	B	1105	DDR	O1-C1-O51-C51
12	C	1106	LPX	O1-C3-C4-C5
3	A	1201	LMT	C2'-C1'-O1'-C1
3	A	1211	LMT	C2'-C1'-O1'-C1
3	C	1113	LMT	C2'-C1'-O1'-C1
8	B	1107	3YI	C36-C35-O7-C25
3	C	1102	LMT	O5'-C5'-C6'-O6'
3	C	1113	LMT	O1'-C1-C2-C3
7	A	1206	DDQ	C6-C7-C8-C9
12	C	1106	LPX	O1-C3-C4-O5
3	A	1202	LMT	O5'-C5'-C6'-O6'
5	A	1204	GOL	O1-C1-C2-C3
5	A	1204	GOL	C1-C2-C3-O3
8	B	1107	3YI	C28-C27-O6-C37
3	C	1114	LMT	O1'-C1-C2-C3
3	C	1102	LMT	O1'-C1-C2-C3
8	A	1210	3YI	C18-C19-C20-C31
8	A	1210	3YI	O8-C35-O7-C25
3	A	1201	LMT	C11-C10-C9-C8
3	A	1202	LMT	C11-C10-C9-C8
3	B	1101	LMT	C5-C6-C7-C8
10	C	1101	PTY	C22-C23-C24-C25
3	A	1211	LMT	C7-C8-C9-C10
9	B	1105	DDR	C22-C23-C24-C25
3	C	1114	LMT	C2-C1-O1'-C1'
10	C	1101	PTY	C25-C26-C27-C28
3	A	1201	LMT	C6-C7-C8-C9
9	B	1105	DDR	C2-C3-C4-C5
10	C	1101	PTY	C12-C13-C14-C15
10	C	1101	PTY	C32-C33-C34-C35
7	B	1106	DDQ	C5-C6-C7-C8
4	C	1109	EDO	O1-C1-C2-O2
6	A	1205	D12	C11-C10-C9-C8
10	C	1101	PTY	C11-C12-C13-C14
8	B	1107	3YI	C18-C19-C20-C31
3	A	1211	LMT	C6-C7-C8-C9
7	A	1206	DDQ	C1-C2-C3-C4
3	C	1102	LMT	C6-C7-C8-C9
3	C	1114	LMT	C7-C8-C9-C10
3	B	1101	LMT	C1-C2-C3-C4
12	C	1106	LPX	C15-C16-C17-C18
3	A	1202	LMT	C2'-C1'-O1'-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1206	DDQ	C2-C3-C4-C5
10	C	1101	PTY	C30-C31-C32-C33
3	A	1211	LMT	C4-C5-C6-C7
6	C	1103	D12	C11-C10-C9-C8
3	C	1113	LMT	C1-C2-C3-C4
3	C	1113	LMT	C5-C6-C7-C8
3	A	1211	LMT	O5B-C5B-C6B-O6B
3	C	1114	LMT	C5-C6-C7-C8
3	C	1114	LMT	C1-C2-C3-C4
8	B	1107	3YI	O8-C35-O7-C25
9	B	1105	DDR	C5-C6-C7-C8
8	A	1210	3YI	C34-C26-C27-O6
6	A	1208	D12	C5-C6-C7-C8
6	A	1208	D12	C7-C8-C9-C10
8	B	1107	3YI	C25-C26-C27-O6
8	B	1107	3YI	C25-C26-C27-C28
3	C	1113	LMT	O5'-C5'-C6'-O6'
6	A	1205	D12	C5-C6-C7-C8
11	C	1105	D10	C4-C5-C6-C7
9	B	1105	DDR	C23-C24-C25-C26
3	C	1114	LMT	C4-C5-C6-C7
3	C	1102	LMT	C4'-C5'-C6'-O6'
10	C	1101	PTY	C15-C16-C17-C18
3	A	1211	LMT	C5-C6-C7-C8
12	C	1106	LPX	C12-C13-C14-C15
3	C	1102	LMT	O5B-C5B-C6B-O6B
3	A	1202	LMT	O5B-C5B-C6B-O6B
3	C	1114	LMT	C5'-C4'-O1B-C1B
10	C	1101	PTY	O4-C1-C6-C5
3	C	1114	LMT	O5B-C5B-C6B-O6B
4	A	1209	EDO	O1-C1-C2-O2
4	C	1110	EDO	O1-C1-C2-O2
3	A	1211	LMT	C2-C3-C4-C5
10	C	1101	PTY	C20-C21-C22-C23
9	B	1105	DDR	C4-C5-C6-C7
3	C	1113	LMT	C7-C8-C9-C10
3	A	1202	LMT	C2B-C1B-O1B-C4'
3	C	1114	LMT	C3'-C4'-O1B-C1B
3	C	1102	LMT	C2-C3-C4-C5
3	A	1202	LMT	O5B-C1B-O1B-C4'
3	B	1101	LMT	C7-C8-C9-C10
5	A	1204	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	1101	LMT	O5'-C5'-C6'-O6'
3	A	1211	LMT	C3'-C4'-O1B-C1B
8	B	1107	3YI	C16-C17-C18-C19
6	A	1205	D12	C3-C4-C5-C6
6	C	1103	D12	C5-C6-C7-C8
4	A	1207	EDO	O1-C1-C2-O2
6	C	1104	D12	C3-C4-C5-C6
6	C	1104	D12	C5-C6-C7-C8
10	C	1101	PTY	C23-C24-C25-C26
10	C	1101	PTY	O4-C1-C6-O7
11	C	1105	D10	C2-C3-C4-C5
13	C	1115	HEX	C2-C3-C4-C5
5	B	1103	GOL	O2-C2-C3-O3
10	C	1101	PTY	C17-C18-C19-C20
6	A	1205	D12	C7-C8-C9-C10
3	B	1101	LMT	C9-C10-C11-C12
5	C	1112	GOL	O1-C1-C2-C3
9	B	1105	DDR	O51-C51-C52-C53
6	C	1103	D12	C7-C8-C9-C10
9	B	1105	DDR	O51-C51-C52-O52
8	A	1210	3YI	C34-C26-C27-C28
7	B	1106	DDQ	C2-C1-N1-CM2
3	C	1114	LMT	C2-C3-C4-C5
3	C	1114	LMT	C6-C7-C8-C9
7	B	1106	DDQ	C2-C3-C4-C5
8	B	1107	3YI	C26-C27-O6-C37
10	C	1101	PTY	C19-C20-C21-C22
8	A	1210	3YI	C2-C3-C38-O13
8	A	1210	3YI	O6-C27-C28-C29
8	B	1107	3YI	C2-C3-C38-O13
10	C	1101	PTY	C31-C32-C33-C34
12	C	1106	LPX	C17-C18-C19-C20
3	A	1201	LMT	O5'-C5'-C6'-O6'
12	C	1106	LPX	C13-C14-C15-C16
4	C	1107	EDO	O1-C1-C2-O2
6	A	1205	D12	C2-C3-C4-C5
10	C	1101	PTY	C3-O11-P1-O13
12	C	1106	LPX	C3-O1-P1-O2
12	C	1106	LPX	C1-O2-P1-O4
3	A	1201	LMT	C5-C6-C7-C8
10	C	1101	PTY	C6-C5-O14-P1
3	A	1211	LMT	C1-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	1204	GOL	O1-C1-C2-O2
9	B	1105	DDR	C26-C27-C28-C29
8	A	1210	3YI	C18-C19-C20-C21
3	C	1113	LMT	C5'-C4'-O1B-C1B
10	C	1101	PTY	C40-C41-C42-C43
3	B	1101	LMT	C2-C1-O1'-C1'
3	C	1113	LMT	C2-C1-O1'-C1'
7	A	1206	DDQ	C4-C5-C6-C7
3	C	1102	LMT	C4-C5-C6-C7
3	C	1113	LMT	C4-C5-C6-C7
3	C	1102	LMT	C5-C6-C7-C8
8	A	1210	3YI	C25-C26-C27-O6
8	A	1210	3YI	C25-C26-C27-C28
8	B	1107	3YI	C18-C19-C20-C21
3	A	1202	LMT	C5-C6-C7-C8
3	C	1102	LMT	C7-C8-C9-C10
8	B	1107	3YI	O6-C27-C28-C29
6	A	1205	D12	C4-C5-C6-C7
3	C	1113	LMT	C2-C3-C4-C5
10	C	1101	PTY	C18-C19-C20-C21
3	A	1201	LMT	C4-C5-C6-C7
4	C	1108	EDO	O1-C1-C2-O2
3	A	1211	LMT	O1'-C1-C2-C3
10	C	1101	PTY	C37-C38-C39-C40
3	A	1202	LMT	C4-C5-C6-C7
4	B	1102	EDO	O1-C1-C2-O2
10	C	1101	PTY	C13-C14-C15-C16
6	C	1103	D12	C6-C7-C8-C9
10	C	1101	PTY	C21-C22-C23-C24
6	C	1103	D12	C3-C4-C5-C6


There are no ring outliers.




3 monomers are involved in 3 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	1206	DDQ	1	0
8	A	1210	3YI	1	0
8	B	1107	3YI	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will



also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	1034/1057 (97%)	0.46	60 (5%)	29	22	28, 64, 103, 127	9 (0%)
1	B	1034/1057 (97%)	0.46	52 (5%)	34	26	36, 62, 94, 111	6 (0%)
1	C	1033/1057 (97%)	0.11	15 (1%)	72	63	37, 54, 79, 101	0
2	D	154/169 (91%)	0.31	4 (2%)	57	47	50, 62, 84, 93	0
2	E	153/169 (90%)	0.79	12 (7%)	19	14	60, 78, 100, 109	0
All	All	3408/3509 (97%)	0.36	143 (4%)	40	32	28, 60, 96, 127	15 (0%)

All (143) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	868	LEU	6.2
1	B	566	ASP	4.9
1	A	668	LEU	4.8
1	B	617	PHE	4.5
2	E	14	LEU	4.4
1	B	616	GLY	4.4
1	C	811	TYR	4.4
1	B	563	PHE	4.3
1	B	675	GLY	4.3
1	B	664	PHE	4.3
1	A	869	SER	4.3
1	B	662	MET	4.2
1	B	678	THR	4.2
1	B	577	GLN	3.9
1	B	112	GLN	3.8
1	A	867	ARG	3.8
1	A	670	ALA	3.8
1	A	37	THR	3.7
1	A	112	GLN	3.7
1	B	660	ASP	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	134	SER	3.6
1	B	674	LEU	3.6
1	B	628	PHE	3.6
1	A	955	LYS	3.5
1	A	672	VAL	3.4
2	E	146	GLY	3.4
1	A	509	LYS	3.4
1	B	575	MET	3.4
1	B	666	PHE	3.3
1	B	669	PRO	3.3
1	B	332	PHE	3.3
1	B	366	LEU	3.3
1	A	981	ALA	3.2
1	A	674	LEU	3.2
1	A	423	GLU	3.2
2	E	68	LYS	3.2
1	B	508	GLY	3.1
1	B	569	GLN	3.1
1	B	614	GLY	3.1
1	C	151	GLN	3.1
1	B	987	MET	3.0
1	B	627	ALA	3.0
1	B	615	PHE	3.0
1	A	403	GLY	3.0
1	A	406	VAL	2.9
1	A	620	ARG	2.9
1	B	868	LEU	2.9
1	A	956	GLU	2.9
1	A	148	THR	2.9
1	A	678	THR	2.9
1	A	870	GLY	2.8
1	A	669	PRO	2.8
1	B	1034	SER	2.8
1	A	865	GLN	2.8
1	B	659	LYS	2.7
1	A	866	GLU	2.7
1	B	557	VAL	2.7
1	A	362	PHE	2.7
1	B	634	TRP	2.7
1	A	1	MET	2.7
1	A	1034	SER	2.7
1	A	512	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	538	THR	2.6
1	B	178	PHE	2.6
1	B	918	PHE	2.6
1	B	319	SER	2.6
1	A	498	LYS	2.5
1	A	426	PRO	2.5
1	A	542	LEU	2.5
1	B	677	ALA	2.5
1	B	629	VAL	2.5
1	B	574	THR	2.5
1	B	670	ALA	2.5
1	A	497	LEU	2.5
2	E	34	MET	2.5
1	A	676	THR	2.5
1	B	338	HIS	2.5
1	A	565	PRO	2.4
1	A	510	LYS	2.4
1	C	850	LYS	2.4
1	A	338	HIS	2.4
2	D	13	ASP	2.4
1	A	677	ALA	2.4
1	A	980	LEU	2.4
2	D	25	GLY	2.3
1	A	640	GLU	2.3
1	A	918	PHE	2.3
1	C	723	ASP	2.3
1	C	580	ALA	2.3
1	B	573	MET	2.3
1	B	663	VAL	2.3
1	C	130	GLU	2.3
2	E	35	ALA	2.3
2	E	145	PHE	2.3
1	A	972	LEU	2.3
1	C	733	GLN	2.3
1	A	38	ILE	2.3
1	A	545	TYR	2.3
1	B	576	VAL	2.3
2	E	131	VAL	2.3
1	C	1033	PHE	2.2
1	A	96	SER	2.2
1	A	715	SER	2.2
1	A	659	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	561	SER	2.2
1	C	693	GLU	2.2
1	A	298	ASN	2.2
1	C	697	GLN	2.2
1	C	730	ASP	2.2
1	B	136	PHE	2.2
1	B	386	PHE	2.2
1	A	463	THR	2.2
1	A	462	SER	2.2
1	A	982	PHE	2.2
1	A	429	GLU	2.2
1	A	547	ILE	2.1
2	D	166	GLN	2.1
1	C	700	ASN	2.1
1	C	662	MET	2.1
1	B	676	THR	2.1
1	A	113	LEU	2.1
1	B	618	ALA	2.1
2	D	24	ALA	2.1
1	A	673	GLU	2.1
1	A	664	PHE	2.1
1	A	833	PRO	2.1
2	E	143	ASP	2.1
1	C	692	HIS	2.1
1	A	511	GLY	2.1
1	B	362	PHE	2.1
2	E	28	ASP	2.1
2	E	31	ARG	2.1
1	B	501	ALA	2.1
1	B	626	ILE	2.1
1	B	478	MET	2.0
2	E	142	GLN	2.0
1	B	330	THR	2.0
1	A	501	ALA	2.0
1	C	519	MET	2.0
1	A	386	PHE	2.0
1	B	982	PHE	2.0
1	A	348	ILE	2.0
2	E	45	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	C	1110	4/4	0.49	0.34	88,89,89,90	0
3	LMT	C	1114	35/35	0.64	0.23	122,126,138,139	0
5	GOL	C	1116	6/6	0.68	0.33	84,86,86,86	0
7	DDQ	A	1206	14/14	0.68	0.40	110,115,121,121	0
6	D12	A	1208	12/12	0.75	0.40	79,83,84,85	0
4	EDO	A	1207	4/4	0.75	0.23	76,77,78,80	0
3	LMT	A	1201	35/35	0.77	0.19	104,110,119,119	0
6	D12	C	1104	12/12	0.78	0.35	73,74,75,75	0
7	DDQ	B	1106	14/14	0.78	0.30	74,86,97,97	0
4	EDO	A	1212	4/4	0.79	0.28	71,71,72,72	0
4	EDO	B	1102	4/4	0.79	0.30	82,83,83,83	0
13	HEX	C	1111	6/6	0.80	0.32	69,69,70,70	0
13	HEX	C	1115	6/6	0.81	0.31	61,62,62,62	0
10	PTY	C	1101	50/50	0.82	0.26	84,91,118,122	0
3	LMT	C	1113	35/35	0.82	0.24	116,128,132,133	0
4	EDO	A	1209	4/4	0.82	0.21	67,67,68,68	0
6	D12	C	1103	12/12	0.83	0.28	66,68,71,72	0
3	LMT	A	1211	35/35	0.84	0.20	87,103,116,117	0
3	LMT	B	1101	35/35	0.84	0.20	94,96,106,107	0
4	EDO	C	1107	4/4	0.85	0.24	56,57,57,57	0
3	LMT	A	1202	35/35	0.86	0.19	90,116,132,132	0
12	LPX	C	1106	30/30	0.86	0.22	88,93,96,97	0
6	D12	A	1205	12/12	0.87	0.35	93,97,97,98	0
4	EDO	A	1203	4/4	0.88	0.15	66,67,67,68	0
5	GOL	A	1204	6/6	0.90	0.18	70,70,71,71	0
8	3YI	A	1210	52/52	0.90	0.16	80,86,90,90	0
4	EDO	C	1108	4/4	0.91	0.26	71,71,72,73	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	DDR	B	1105	28/28	0.91	0.22	93,104,111,112	0
3	LMT	C	1102	35/35	0.91	0.12	72,74,76,76	0
11	D10	C	1105	10/10	0.92	0.19	66,67,68,68	0
8	3YI	B	1107	52/52	0.92	0.14	70,77,79,80	0
4	EDO	C	1109	4/4	0.93	0.15	52,53,53,54	0
4	EDO	B	1104	4/4	0.93	0.16	59,60,60,60	0
5	GOL	C	1112	6/6	0.94	0.12	58,59,59,60	0
5	GOL	B	1103	6/6	0.94	0.12	62,63,64,65	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around LMT C 1114:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT A 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PTY C 1101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT C 1113:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT A 1211:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT B 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT A 1202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around LPX C 1106:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3YI A 1210:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DDR B 1105:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LMT C 1102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.