



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:37 PM UTC

PDB ID : 1ZPE / pdb_00001zpe
Title : Arginase I covalently modified with butylamine at Q19C
Authors : Colletuori, D.M.; Reczkowski, R.S.; Emig, F.A.; Cama, E.; Cox, J.D.; Scolnick, L.R.; Compher, K.; Jude, K.; Han, S.; Viola, R.E.; Christianson, D.W.; Ash, D.E.
Deposited on : 2005-05-16
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	 80% 18% .
1	B	314	 78% 20% .
1	C	314	 80% 19% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7666 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Arginase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	314	Total	C	N	O	S	0	0	0
			2391	1527	403	456	5			
1	B	314	Total	C	N	O	S	0	0	0
			2391	1527	403	456	5			
1	C	314	Total	C	N	O	S	0	0	0
			2391	1527	403	456	5			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	BBC	GLN	modified residue	UNP P07824
A	119	ALA	CYS	engineered mutation	UNP P07824
A	141	ALA	HIS	engineered mutation	UNP P07824
A	168	ALA	CYS	engineered mutation	UNP P07824
A	303	ALA	CYS	engineered mutation	UNP P07824
B	19	BBC	GLN	modified residue	UNP P07824
B	119	ALA	CYS	engineered mutation	UNP P07824
B	141	ALA	HIS	engineered mutation	UNP P07824
B	168	ALA	CYS	engineered mutation	UNP P07824
B	303	ALA	CYS	engineered mutation	UNP P07824
C	19	BBC	GLN	modified residue	UNP P07824
C	119	ALA	CYS	engineered mutation	UNP P07824
C	141	ALA	HIS	engineered mutation	UNP P07824
C	168	ALA	CYS	engineered mutation	UNP P07824
C	303	ALA	CYS	engineered mutation	UNP P07824

- Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mn	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Mn	0	0
			2	2		
2	C	2	Total	Mn	0	0
			2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	152	Total	O	0	0
			152	152		
3	B	166	Total	O	0	0
			166	166		
3	C	169	Total	O	0	0
			169	169		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Arginase 1



• Molecule 1: Arginase 1



• Molecule 1: Arginase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	88.08Å 88.08Å 106.34Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	28.83 – 1.70 28.83 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.9 (28.83-1.70) 98.9 (28.83-1.70)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.31 (at 1.70Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.206 , 0.233 0.205 , 0.233	Depositor DCC
R_{free} test set	5120 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	17.8	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 29.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.047 for -h,-k,l 0.146 for h,-h-k,-l 0.049 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7666	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BBC, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/2430	0.93	12/3298 (0.4%)
1	B	0.38	0/2430	0.93	7/3298 (0.2%)
1	C	0.38	0/2430	0.94	11/3298 (0.3%)
All	All	0.38	0/7290	0.93	30/9894 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	207	GLY	N-CA-C	-7.78	103.06	112.48
1	C	207	GLY	N-CA-C	-7.67	103.20	112.48
1	B	245	GLY	N-CA-C	7.06	121.21	112.73
1	A	305	GLY	N-CA-C	6.88	123.04	114.37
1	A	125	ALA	N-CA-C	-6.66	104.63	112.89
1	C	276	MET	N-CA-C	6.61	120.39	110.14
1	A	245	GLY	N-CA-C	6.60	121.21	112.77
1	B	125	ALA	N-CA-C	-6.47	105.35	113.18
1	C	305	GLY	N-CA-C	6.41	122.45	114.37
1	C	245	GLY	N-CA-C	6.28	120.27	112.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	305	GLY	N-CA-C	6.15	122.12	114.37
1	B	276	MET	N-CA-C	6.13	119.19	109.81
1	A	207	GLY	N-CA-C	-6.13	105.06	112.48
1	C	47	VAL	N-CA-C	5.97	116.47	108.11
1	A	276	MET	N-CA-C	5.94	118.90	109.81
1	A	277	GLU	N-CA-C	5.73	120.22	113.23
1	A	168	ALA	N-CA-C	5.66	117.25	111.14
1	C	206	LEU	N-CA-C	5.60	119.28	112.23
1	C	279	ASN	CA-C-N	5.58	125.29	119.82
1	C	279	ASN	C-N-CA	5.58	125.29	119.82
1	B	47	VAL	N-CA-C	5.51	115.83	108.11
1	A	100	ASP	N-CA-C	5.51	117.80	110.53
1	A	279	ASN	CA-C-N	5.48	125.31	119.28
1	A	279	ASN	C-N-CA	5.48	125.31	119.28
1	B	235	GLY	N-CA-C	-5.30	106.26	113.37
1	C	125	ALA	N-CA-C	-5.29	106.33	112.89
1	A	235	GLY	N-CA-C	-5.22	106.38	113.37
1	A	47	VAL	N-CA-C	5.21	115.98	108.48
1	C	168	ALA	N-CA-C	5.07	117.59	111.40
1	C	277	GLU	N-CA-C	5.06	119.40	113.23

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	98	GLY	Peptide
1	B	98	GLY	Peptide
1	C	98	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2391	0	2422	47	0
1	B	2391	0	2422	47	0
1	C	2391	0	2422	42	0
2	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	2	0	0	0	0
2	C	2	0	0	0	0
3	A	152	0	0	3	0
3	B	166	0	0	2	0
3	C	169	0	0	4	0
All	All	7666	0	7266	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:307:LYS:H	1:C:311:ASN:HD21	1.11	0.97
1:A:307:LYS:H	1:A:311:ASN:HD21	1.14	0.96
1:B:307:LYS:H	1:B:311:ASN:HD21	1.21	0.87
1:A:169:ILE:HD13	1:A:169:ILE:H	1.47	0.79
1:B:15:PHE:CZ	1:B:17:LYS:HB2	2.17	0.78
1:B:169:ILE:H	1:B:169:ILE:HD13	1.47	0.77
1:C:15:PHE:CZ	1:C:17:LYS:HB2	2.24	0.72
1:C:169:ILE:H	1:C:169:ILE:HD13	1.54	0.72
1:C:143:GLN:N	1:C:144:PRO:HD3	2.06	0.71
1:A:233:VAL:HG22	1:A:241:THR:HB	1.73	0.70
1:A:143:GLN:N	1:A:144:PRO:HD3	2.09	0.67
1:A:128:ASP:HB3	1:A:144:PRO:HD2	1.76	0.67
1:A:15:PHE:CZ	1:A:17:LYS:HB2	2.29	0.67
1:B:143:GLN:N	1:B:144:PRO:HD3	2.09	0.66
1:A:102:SER:HA	1:A:144:PRO:HG3	1.80	0.64
1:B:143:GLN:H	1:B:144:PRO:HD3	1.64	0.63
1:B:128:ASP:HB3	1:B:144:PRO:HD2	1.79	0.62
1:A:21:ARG:HB3	3:A:635:HOH:O	1.98	0.62
1:B:10:ILE:N	1:B:10:ILE:HD12	2.14	0.62
1:B:102:SER:HA	1:B:144:PRO:HG3	1.80	0.62
1:C:143:GLN:H	1:C:144:PRO:HD3	1.63	0.62
1:B:318:TYR:HB2	1:C:188:TYR:CD2	2.34	0.61
1:C:233:VAL:HG22	1:C:241:THR:HB	1.82	0.61
1:B:8:ILE:HD13	1:B:93:ILE:HB	1.84	0.60
1:A:89:LYS:HD2	3:A:650:HOH:O	2.03	0.59
1:C:143:GLN:N	1:C:144:PRO:CD	2.65	0.58
1:A:143:GLN:H	1:A:144:PRO:HD3	1.68	0.58
1:C:65:GLN:HE22	1:C:157:PRO:HG3	1.68	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:GLN:N	1:A:144:PRO:CD	2.67	0.58
1:A:8:ILE:CD1	1:A:93:ILE:HB	2.34	0.57
1:C:102:SER:HA	1:C:144:PRO:HG3	1.85	0.57
1:B:143:GLN:N	1:B:144:PRO:CD	2.67	0.57
1:B:233:VAL:CG2	1:B:241:THR:HG21	2.35	0.57
1:B:233:VAL:HG22	1:B:241:THR:HB	1.86	0.57
1:A:118:LEU:C	1:A:118:LEU:HD12	2.30	0.57
1:B:8:ILE:CD1	1:B:93:ILE:HB	2.34	0.57
1:C:233:VAL:HG22	1:C:241:THR:CB	2.34	0.57
1:A:24:VAL:HG22	1:A:99:GLY:HA2	1.86	0.57
1:A:65:GLN:HE22	1:A:157:PRO:HG3	1.68	0.56
1:B:68:LYS:NZ	1:B:137:SER:O	2.38	0.56
1:C:10:ILE:HD12	1:C:10:ILE:N	2.20	0.56
1:A:233:VAL:HG22	1:A:241:THR:CB	2.35	0.56
1:B:118:LEU:C	1:B:118:LEU:HD12	2.30	0.56
1:A:233:VAL:HG23	1:A:241:THR:HG21	1.88	0.56
1:C:128:ASP:HB3	1:C:144:PRO:HD2	1.88	0.56
1:C:233:VAL:CG2	1:C:241:THR:HG21	2.36	0.55
1:A:10:ILE:HD12	1:A:10:ILE:N	2.22	0.55
1:C:9:GLU:OE1	1:C:87:THR:HG22	2.06	0.55
1:A:307:LYS:H	1:A:311:ASN:ND2	1.96	0.54
1:B:6:LYS:HE2	1:B:91:GLY:O	2.09	0.53
1:C:118:LEU:HD12	1:C:118:LEU:C	2.34	0.53
1:A:8:ILE:HD13	1:A:93:ILE:HB	1.89	0.53
1:A:233:VAL:CG2	1:A:241:THR:HB	2.39	0.52
1:B:233:VAL:HG22	1:B:241:THR:CB	2.39	0.52
1:C:63:PRO:HG3	3:C:612:HOH:O	2.10	0.52
1:C:115:HIS:HD2	3:C:586:HOH:O	1.92	0.52
1:B:12:GLY:HA3	1:B:52:ASP:OD1	2.10	0.52
1:B:65:GLN:HE22	1:B:157:PRO:HG3	1.74	0.52
1:C:8:ILE:CD1	1:C:93:ILE:HB	2.39	0.52
1:B:20:PRO:HD3	1:B:139:ASN:CG	2.34	0.51
1:C:223:LYS:HD3	3:C:590:HOH:O	2.09	0.51
1:B:19:BBC:HB1	1:B:20:PRO:HD2	1.93	0.51
1:C:230:SER:HA	1:C:274:ASP:HB2	1.93	0.51
1:C:258:LEU:O	1:C:262:GLU:HG3	2.11	0.51
1:A:115:HIS:HE1	3:A:541:HOH:O	1.95	0.50
1:B:187:HIS:O	1:B:191:LYS:HG2	2.11	0.50
1:B:273:LEU:HD22	1:B:274:ASP:N	2.26	0.49
1:C:210:LYS:HE3	1:C:214:GLU:OE2	2.12	0.49
1:B:56:VAL:O	1:B:56:VAL:HG23	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:20:PRO:HD3	1:C:139:ASN:CG	2.37	0.49
1:A:233:VAL:CG2	1:A:241:THR:HG21	2.42	0.49
1:A:12:GLY:HA3	1:A:52:ASP:OD1	2.13	0.49
1:C:19:BBC:HB1	1:C:20:PRO:HD2	1.95	0.48
1:A:19:BBC:HB1	1:A:20:PRO:HD2	1.95	0.47
1:B:89:LYS:HE2	3:B:588:HOH:O	2.13	0.47
1:C:8:ILE:HD13	1:C:93:ILE:HB	1.96	0.47
1:B:40:LEU:HD23	1:B:301:LEU:HD23	1.95	0.47
1:C:8:ILE:HD11	1:C:93:ILE:HD12	1.97	0.47
1:B:117:ASP:O	1:B:225:ARG:HG3	2.15	0.47
1:C:187:HIS:O	1:C:191:LYS:HG2	2.15	0.46
1:B:258:LEU:O	1:B:262:GLU:HG3	2.14	0.46
1:A:56:VAL:HG23	1:A:56:VAL:O	2.16	0.46
1:B:10:ILE:N	1:B:10:ILE:CD1	2.78	0.46
1:B:20:PRO:HD3	1:B:139:ASN:OD1	2.15	0.46
1:A:118:LEU:HD12	1:A:118:LEU:O	2.17	0.45
1:A:307:LYS:N	1:A:311:ASN:HD21	1.96	0.45
1:B:7:PRO:HB2	1:B:92:THR:HG22	1.98	0.45
1:C:10:ILE:N	1:C:10:ILE:CD1	2.79	0.45
1:C:56:VAL:O	1:C:56:VAL:HG23	2.17	0.45
1:A:7:PRO:HB2	1:A:92:THR:HG22	1.99	0.45
1:A:233:VAL:CG2	1:A:241:THR:CG2	2.95	0.45
1:C:12:GLY:HA3	1:C:52:ASP:OD1	2.16	0.45
1:C:313:LYS:HA	1:C:314:PRO:HD3	1.82	0.45
1:A:273:LEU:HD22	1:A:274:ASP:N	2.32	0.44
1:B:169:ILE:HD13	1:B:169:ILE:N	2.22	0.44
1:C:233:VAL:CG2	1:C:241:THR:CG2	2.95	0.44
1:A:184:PRO:HA	1:C:311:ASN:O	2.17	0.44
1:A:169:ILE:HD13	1:A:169:ILE:N	2.21	0.44
1:C:19:BBC:H051	3:C:662:HOH:O	2.18	0.44
1:B:169:ILE:H	1:B:169:ILE:CD1	2.23	0.43
1:A:229:LEU:O	1:A:273:LEU:HD23	2.18	0.43
1:C:8:ILE:HG12	1:C:45:TYR:HB3	1.99	0.43
1:A:64:PHE:O	1:A:65:GLN:HB2	2.18	0.43
1:B:132:PRO:HD2	1:B:156:PHE:CG	2.54	0.43
1:A:265:TYR:CE2	1:A:307:LYS:NZ	2.87	0.43
1:B:240:PHE:CE2	1:B:253:SER:HA	2.53	0.43
1:B:77:ASN:OD1	1:B:103:MET:HA	2.19	0.43
1:A:6:LYS:HA	1:A:7:PRO:HD3	1.83	0.43
1:A:225:ARG:HB2	1:A:226:PRO:CD	2.49	0.43
1:A:313:LYS:HA	1:A:314:PRO:HD3	1.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:233:VAL:CG2	1:B:241:THR:CG2	2.96	0.42
1:A:169:ILE:N	1:A:169:ILE:CD1	2.82	0.42
1:B:9:GLU:OE1	1:B:87:THR:HG22	2.19	0.42
1:B:233:VAL:HG23	1:B:241:THR:HG21	1.99	0.42
1:A:10:ILE:N	1:A:10:ILE:CD1	2.82	0.42
1:B:115:HIS:HE1	3:B:548:HOH:O	2.02	0.42
1:C:118:LEU:HD12	1:C:118:LEU:O	2.19	0.42
1:A:169:ILE:H	1:A:169:ILE:CD1	2.24	0.42
1:B:83:VAL:O	1:B:87:THR:HG23	2.19	0.42
1:C:19:BBC:H101	1:C:141:ALA:HB3	2.01	0.42
1:A:68:LYS:NZ	1:A:137:SER:O	2.52	0.42
1:A:187:HIS:O	1:A:191:LYS:HG2	2.20	0.42
1:B:210:LYS:HE3	1:B:214:GLU:OE2	2.20	0.42
1:A:15:PHE:O	1:A:99:GLY:HA3	2.19	0.41
1:B:62:SER:HA	1:B:63:PRO:HD3	1.91	0.41
1:B:118:LEU:HD12	1:B:118:LEU:O	2.18	0.41
1:C:77:ASN:OD1	1:C:103:MET:HA	2.21	0.41
1:A:148:LEU:O	1:A:169:ILE:HD13	2.20	0.41
1:B:307:LYS:N	1:B:311:ASN:HD21	2.03	0.41
1:C:8:ILE:CD1	1:C:93:ILE:HD12	2.51	0.41
1:C:233:VAL:HG23	1:C:241:THR:HG21	2.02	0.41
1:C:58:VAL:O	1:C:61:ASP:HB2	2.21	0.41
1:A:9:GLU:OE1	1:A:87:THR:HG22	2.20	0.40
1:B:230:SER:HA	1:B:274:ASP:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	311/314 (99%)	304 (98%)	4 (1%)	3 (1%)	12 3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	311/314 (99%)	302 (97%)	6 (2%)	3 (1%)	12	3
1	C	311/314 (99%)	300 (96%)	8 (3%)	3 (1%)	12	3
All	All	933/942 (99%)	906 (97%)	18 (2%)	9 (1%)	12	3

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	99	GLY
1	B	99	GLY
1	C	99	GLY
1	B	180	ARG
1	A	143	GLN
1	B	143	GLN
1	C	143	GLN
1	C	180	ARG
1	A	167	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	259/259 (100%)	254 (98%)	5 (2%)	50	34
1	B	259/259 (100%)	252 (97%)	7 (3%)	39	23
1	C	259/259 (100%)	254 (98%)	5 (2%)	50	34
All	All	777/777 (100%)	760 (98%)	17 (2%)	45	29

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	ILE
1	A	101	HIS
1	A	169	ILE
1	A	225	ARG
1	A	273	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	10	ILE
1	B	66	ILE
1	B	101	HIS
1	B	169	ILE
1	B	225	ARG
1	B	273	LEU
1	B	287	GLU
1	C	66	ILE
1	C	101	HIS
1	C	169	ILE
1	C	273	LEU
1	C	287	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	GLN
1	A	88	GLN
1	A	115	HIS
1	A	139	ASN
1	A	311	ASN
1	B	65	GLN
1	B	90	ASN
1	B	115	HIS
1	B	311	ASN
1	C	65	GLN
1	C	115	HIS
1	C	311	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	BBC	B	19	1	9,11,11	3.26	2 (22%)	7,12,12	1.45	1 (14%)
1	BBC	A	19	1	9,11,11	3.26	2 (22%)	7,12,12	1.43	1 (14%)
1	BBC	C	19	1	9,11,11	3.24	2 (22%)	7,12,12	1.48	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	BBC	B	19	1	-	7/8/11/11	-
1	BBC	A	19	1	-	7/8/11/11	-
1	BBC	C	19	1	-	7/8/11/11	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	19	BBC	CA-N	7.82	1.46	1.27
1	A	19	BBC	CA-N	7.81	1.46	1.27
1	C	19	BBC	CA-N	7.72	1.46	1.27
1	C	19	BBC	O-C	-5.79	1.23	1.41
1	A	19	BBC	O-C	-5.75	1.23	1.41
1	B	19	BBC	O-C	-5.72	1.23	1.41

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	19	BBC	O-C-CA	3.50	121.22	112.24
1	A	19	BBC	O-C-CA	3.41	120.99	112.24
1	C	19	BBC	O-C-CA	3.39	120.95	112.24

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	19	BBC	O-C-CA-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A	19	BBC	CA-CB-SG-C05
1	A	19	BBC	C08-C05-SG-CB
1	A	19	BBC	C08-C05-SG-O12
1	A	19	BBC	C05-C08-C09-C10
1	B	19	BBC	O-C-CA-CB
1	B	19	BBC	CA-CB-SG-C05
1	B	19	BBC	C08-C05-SG-CB
1	B	19	BBC	C08-C05-SG-O12
1	B	19	BBC	C05-C08-C09-C10
1	C	19	BBC	O-C-CA-CB
1	C	19	BBC	CA-CB-SG-C05
1	C	19	BBC	C08-C05-SG-CB
1	C	19	BBC	C08-C05-SG-O12
1	C	19	BBC	C05-C08-C09-C10
1	A	19	BBC	SG-C05-C08-C09
1	B	19	BBC	SG-C05-C08-C09
1	A	19	BBC	CA-CB-SG-O12
1	B	19	BBC	CA-CB-SG-O12
1	C	19	BBC	CA-CB-SG-O12
1	C	19	BBC	SG-C05-C08-C09

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	19	BBC	1	0
1	A	19	BBC	1	0
1	C	19	BBC	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/314 (99%)	-1.18	0 100 100	10, 20, 39, 51	0
1	B	313/314 (99%)	-1.22	0 100 100	11, 18, 38, 51	0
1	C	313/314 (99%)	-1.21	0 100 100	10, 19, 38, 52	0
All	All	939/942 (99%)	-1.20	0 100 100	10, 19, 38, 52	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	BBC	A	19	12/12	0.97	0.07	30,38,40,40	0
1	BBC	B	19	12/12	0.98	0.07	30,38,42,44	0
1	BBC	C	19	12/12	0.98	0.07	28,39,40,40	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MN	A	501	1/1	1.00	0.01	15,15,15,15	0
2	MN	A	502	1/1	1.00	0.01	14,14,14,14	0
2	MN	B	503	1/1	1.00	0.01	12,12,12,12	0
2	MN	B	504	1/1	1.00	0.02	12,12,12,12	0
2	MN	C	505	1/1	1.00	0.01	12,12,12,12	0
2	MN	C	506	1/1	1.00	0.01	13,13,13,13	0

6.5 Other polymers [i](#)

There are no such residues in this entry.