



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:44 PM UTC

PDB ID : 3ZPR / pdb_00003zpr
Title : Thermostabilised turkey beta1 adrenergic receptor with 4-methyl-2-(piperazin-1-yl) quinoline bound
Authors : Christopher, J.A.; Congreve, M.; Dore, A.S.; Marshall, F.H.; Myszk, D.G.; Brown, J.; Koglin, M.; Tehan, B.; Errey, J.C.; Tate, C.G.; Warne, T.
Deposited on : 2013-03-01
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	13% 80% 9% 10%
1	B	315	12% 88% 7% 5%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-1 ADRENERGIC RECEPTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	0	0
			2244	1483	366	375	20			
1	B	298	Total	C	N	O	S	0	0	0
			2370	1559	396	395	20			

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	31	MET	-	expression tag	UNP P07700
A	32	GLY	-	expression tag	UNP P07700
A	369	HIS	-	expression tag	UNP P07700
A	370	HIS	-	expression tag	UNP P07700
A	371	HIS	-	expression tag	UNP P07700
A	372	HIS	-	expression tag	UNP P07700
A	373	HIS	-	expression tag	UNP P07700
A	68	SER	ARG	engineered mutation	UNP P07700
A	90	VAL	MET	engineered mutation	UNP P07700
A	116	LEU	CYS	engineered mutation	UNP P07700
A	227	ALA	TYR	engineered mutation	UNP P07700
A	282	LEU	ALA	engineered mutation	UNP P07700
A	327	ALA	PHE	engineered mutation	UNP P07700
A	338	MET	PHE	engineered mutation	UNP P07700
A	358	ALA	CYS	engineered mutation	UNP P07700
B	31	MET	-	expression tag	UNP P07700
B	32	GLY	-	expression tag	UNP P07700
B	369	HIS	-	expression tag	UNP P07700
B	370	HIS	-	expression tag	UNP P07700
B	371	HIS	-	expression tag	UNP P07700
B	372	HIS	-	expression tag	UNP P07700
B	373	HIS	-	expression tag	UNP P07700
B	68	SER	ARG	engineered mutation	UNP P07700
B	90	VAL	MET	engineered mutation	UNP P07700
B	116	LEU	CYS	engineered mutation	UNP P07700

Continued on next page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	227	ALA	TYR	engineered mutation	UNP P07700
B	282	LEU	ALA	engineered mutation	UNP P07700
B	327	ALA	PHE	engineered mutation	UNP P07700
B	338	MET	PHE	engineered mutation	UNP P07700
B	358	ALA	CYS	engineered mutation	UNP P07700

- | Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|-----------------|---------|---------|
| 2 | A | 2 | Total Na
2 2 | 0 | 0 |
| 2 | B | 2 | Total Na
2 2 | 0 | 0 |

- Y01


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 35	C 31	O 4	0	0
3	A	1	Total 35	C 31	O 4	0	0
3	B	1	Total 35	C 31	O 4	0	0
3	B	1	Total 35	C 31	O 4	0	0

- Molecule 4 is 4-METHYL-2-(PIPERAZIN-1-YL) QUINOLINE (CCD ID: 3WC) (formula: $C_{14}H_{17}N_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			17	14	3		
4	B	1	Total	C	N	0	0
			17	14	3		

- Molecule 5 is HEGA-10 (CCD ID: 2CV) (formula: $C_{18}H_{37}NO_7$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C N O 14 12 1 1	0	0
5	A	1	Total C 7 7	0	0
5	A	1	Total C N O 21 16 1 4	0	0
5	B	1	Total C N O 26 18 1 7	0	0
5	B	1	Total C N O 14 12 1 1	0	0
5	B	1	Total C N O 12 10 1 1	0	0
5	B	1	Total C N O 17 14 1 2	0	0
5	B	1	Total C N O 14 12 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	18	Total O 18 18	0	0
6	B	17	Total O 17 17	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BETA-1 ADRENERGIC RECEPTOR



• Molecule 1: BETA-1 ADRENERGIC RECEPTOR



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.97Å 60.81Å 101.18Å 90.00° 109.20° 90.00°	Depositor
Resolution (Å)	95.55 – 2.70 95.55 – 2.70	Depositor EDS
% Data completeness (in resolution range)	95.7 (95.55-2.70) 95.8 (95.55-2.70)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.224 , 0.266 0.220 , 0.270	Depositor DCC
R_{free} test set	1416 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	58.1	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 24.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4952	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 2CV, NA, Y01, 3WC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.80	0/2298	0.92	0/3133
1	B	0.78	0/2425	0.89	0/3301
All	All	0.79	0/4723	0.90	0/6434

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2244	0	2319	29	0
1	B	2370	0	2468	20	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	70	0	98	6	0
3	B	70	0	98	6	0
4	A	17	0	17	1	0
4	B	17	0	17	0	0
5	A	42	0	59	2	0
5	B	83	0	117	13	0
6	A	18	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	17	0	0	0	0
All	All	4952	0	5193	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:501:2CV:C27	5:B:501:2CV:H601	1.84	1.08
1:A:159:LYS:HE2	3:A:402:Y01:HAL2	1.36	1.08
3:B:402:Y01:HAE2	3:B:402:Y01:HAC1	1.18	1.07
1:A:205:ARG:NH1	5:B:505:2CV:H361	1.72	1.04
1:A:175:LEU:HD13	1:B:175:LEU:HD22	1.50	0.93
5:B:501:2CV:H601	5:B:501:2CV:H271	1.53	0.88
5:B:501:2CV:H601	5:B:501:2CV:H272	1.53	0.88
1:A:171:LEU:HD12	1:B:175:LEU:HD23	1.59	0.83
1:A:205:ARG:HH12	5:B:505:2CV:H361	1.44	0.78
1:A:175:LEU:CD1	1:B:175:LEU:HD22	2.14	0.78
1:A:175:LEU:HD22	1:B:171:LEU:HD12	1.66	0.77
1:A:175:LEU:HD22	1:B:171:LEU:CD1	2.16	0.76
5:B:501:2CV:H271	5:B:501:2CV:C60	2.16	0.75
3:B:402:Y01:HAC1	3:B:402:Y01:CAE	2.03	0.75
3:B:402:Y01:HAE2	3:B:402:Y01:CAC	2.08	0.73
5:A:503:2CV:H602	5:A:503:2CV:H271	1.73	0.71
5:A:503:2CV:H271	5:A:503:2CV:C60	2.24	0.68
1:A:205:ARG:HH11	5:B:505:2CV:H361	1.57	0.67
1:A:319:LEU:HD12	1:A:319:LEU:O	1.96	0.66
1:A:171:LEU:CD1	1:B:175:LEU:HD23	2.30	0.61
1:A:44:MET:HE1	1:A:48:MET:HE2	1.83	0.60
3:A:402:Y01:HAV1	3:A:402:Y01:OAG	2.02	0.59
1:A:44:MET:CE	1:A:48:MET:HE2	2.32	0.59
1:B:234:ALA:HB1	1:B:286:HIS:CE1	2.38	0.59
1:A:234:ALA:HB1	1:A:286:HIS:CE1	2.39	0.57
1:A:75:LEU:HD13	1:A:153:MET:HG3	1.88	0.56
3:A:402:Y01:HAC1	3:A:402:Y01:HAE2	1.87	0.55
1:B:129:ILE:HG13	1:B:219:PRO:HB2	1.88	0.55
3:A:401:Y01:HAL2	5:B:505:2CV:H212	1.89	0.55
1:B:139:ARG:NH1	5:B:503:2CV:H151	2.21	0.54
1:B:209:ILE:HD11	1:B:314:VAL:HG11	1.89	0.54
3:A:401:Y01:OAG	3:A:401:Y01:CAV	2.52	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:LEU:HD13	1:B:153:MET:HG3	1.92	0.51
1:A:133:CYS:SG	1:A:222:ILE:HG22	2.51	0.50
1:A:157:ARG:HG2	3:B:401:Y01:HAL2	1.94	0.49
1:A:209:ILE:HD11	1:A:314:VAL:HG11	1.95	0.49
1:B:142:ALA:HB1	5:B:503:2CV:H242	1.94	0.49
1:B:80:ILE:HD12	1:B:343:TYR:OH	2.13	0.48
1:A:303:TRP:CH2	4:A:500:3WC:H132	2.50	0.47
3:A:402:Y01:OAG	3:A:402:Y01:CAV	2.63	0.46
1:A:129:ILE:HG13	1:A:219:PRO:HB2	1.98	0.45
1:B:185:GLU:HG3	5:B:501:2CV:O47	2.17	0.45
1:A:44:MET:HE2	1:A:102:VAL:CG1	2.46	0.45
1:A:80:ILE:HD12	1:A:343:TYR:OH	2.16	0.45
1:A:309:VAL:CG1	1:A:325:PHE:CD1	3.00	0.45
3:B:402:Y01:HAJ1	3:B:402:Y01:CAP	2.47	0.44
1:B:234:ALA:HB1	1:B:286:HIS:HE1	1.82	0.44
1:A:133:CYS:SG	1:A:222:ILE:CG2	3.05	0.44
1:A:182:TRP:CD1	1:A:182:TRP:H	2.35	0.43
1:A:205:ARG:HG2	1:A:314:VAL:HG13	2.00	0.42
5:B:502:2CV:H212	5:B:502:2CV:H121	1.81	0.42
1:B:139:ARG:NE	1:B:139:ARG:HA	2.34	0.42
1:A:313:ASN:O	1:A:317:ARG:HD3	2.20	0.41
1:B:241:ILE:HG23	1:B:279:ARG:NH1	2.35	0.41
1:A:160:VAL:HG11	3:B:401:Y01:HAM2	2.02	0.41
1:B:182:TRP:CD1	1:B:182:TRP:H	2.38	0.41
1:B:231:TYR:HD1	5:B:502:2CV:H181	1.85	0.41
1:A:145:SER:OG	1:A:148:ARG:HB2	2.21	0.40
1:B:241:ILE:HD13	1:B:282:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	279/315 (89%)	272 (98%)	7 (2%)	0	100	100
1	B	296/315 (94%)	288 (97%)	8 (3%)	0	100	100
All	All	575/630 (91%)	560 (97%)	15 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/273 (89%)	240 (98%)	4 (2%)	55	80
1	B	258/273 (94%)	255 (99%)	3 (1%)	63	84
All	All	502/546 (92%)	495 (99%)	7 (1%)	59	82

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	LEU
1	A	159	LYS
1	A	313	ASN
1	A	319	LEU
1	B	70	GLN
1	B	159	LYS
1	B	241	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	ASN
1	A	329	ASN
1	B	286	HIS
1	B	313	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 18 ligands modelled in this entry, 4 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	Y01	B	401	-	38,38,38	1.22	3 (7%)	57,57,57	2.01	13 (22%)
4	3WC	B	500	-	19,19,19	1.78	4 (21%)	26,26,26	1.91	7 (26%)
3	Y01	B	402	-	38,38,38	1.21	2 (5%)	57,57,57	1.49	8 (14%)
5	2CV	B	503	-	11,11,25	0.67	0	11,11,30	0.41	0
5	2CV	B	505	-	16,16,25	0.93	1 (6%)	17,18,30	0.53	0
5	2CV	B	502	-	13,13,25	0.70	0	14,14,30	0.63	0
5	2CV	A	503	-	20,20,25	0.70	0	22,23,30	0.87	1 (4%)
3	Y01	A	402	-	38,38,38	1.34	2 (5%)	57,57,57	1.46	7 (12%)
5	2CV	A	502	-	6,6,25	0.55	0	5,5,30	0.27	0
5	2CV	B	501	-	25,25,25	0.57	0	29,30,30	1.13	3 (10%)
5	2CV	A	501	-	13,13,25	0.83	1 (7%)	14,14,30	0.62	0
3	Y01	A	401	-	38,38,38	1.30	4 (10%)	57,57,57	2.48	14 (24%)
5	2CV	B	506	-	13,13,25	0.76	0	14,14,30	0.74	1 (7%)
4	3WC	A	500	-	19,19,19	1.86	4 (21%)	26,26,26	1.54	5 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	Y01	B	401	-	-	12/19/77/77	0/4/4/4
4	3WC	B	500	-	-	0/4/12/12	0/3/3/3
3	Y01	B	402	-	-	16/19/77/77	0/4/4/4
5	2CV	B	503	-	-	4/9/9/34	-
5	2CV	B	505	-	-	7/17/17/34	-
5	2CV	B	502	-	-	3/13/13/34	-
5	2CV	A	503	-	-	10/24/24/34	-
3	Y01	A	402	-	-	10/19/77/77	0/4/4/4
5	2CV	A	502	-	-	2/4/4/34	-
5	2CV	B	501	-	-	19/34/34/34	-
5	2CV	A	501	-	-	3/13/13/34	-
3	Y01	A	401	-	-	11/19/77/77	0/4/4/4
5	2CV	B	506	-	-	3/13/13/34	-
4	3WC	A	500	-	-	0/4/12/12	0/3/3/3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	500	3WC	C6-C5	-5.44	1.40	1.51
3	B	402	Y01	CAK-CAI	-5.27	1.39	1.50
3	A	402	Y01	CAK-CAI	-4.82	1.40	1.50
3	B	401	Y01	CAK-CAI	-4.68	1.40	1.50
3	A	401	Y01	CAK-CAI	-4.54	1.40	1.50
4	B	500	3WC	C6-C5	-4.31	1.42	1.51
3	A	402	Y01	CAI-CAZ	3.81	1.40	1.33
3	A	401	Y01	CAI-CAZ	3.47	1.40	1.33
3	B	402	Y01	CAI-CAZ	3.24	1.39	1.33
3	B	401	Y01	CAI-CAZ	3.06	1.39	1.33
4	B	500	3WC	C8-N10	2.88	1.51	1.46
4	A	500	3WC	C22-N11	-2.72	1.33	1.37
4	A	500	3WC	C11-N11	2.51	1.35	1.32
4	B	500	3WC	C11-N11	2.36	1.35	1.32
3	A	401	Y01	CAK-CBD	2.26	1.56	1.53
4	B	500	3WC	C22-N11	-2.25	1.34	1.37
5	B	505	2CV	C36-N33	2.21	1.48	1.46
4	A	500	3WC	C28-C20	2.20	1.41	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	Y01	CAV-CAZ	2.16	1.56	1.51
5	A	501	2CV	C27-C30	2.12	1.55	1.51
3	A	401	Y01	CBH-CBF	-2.03	1.52	1.56

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	Y01	OAW-CBC-CAV	10.79	130.26	108.04
3	B	401	Y01	OAW-CBC-CAV	8.53	125.61	108.04
3	A	401	Y01	CAR-CBC-CAV	-8.52	99.12	110.97
4	B	500	3WC	C11-N11-C22	5.71	123.76	117.54
3	A	401	Y01	CBC-CAV-CAZ	-5.32	103.59	111.45
3	B	401	Y01	CAR-CBC-CAV	-4.94	104.11	110.97
3	B	402	Y01	CAR-CBC-CAV	-4.63	104.54	110.97
3	A	402	Y01	OAW-CBC-CAV	4.51	117.32	108.04
3	A	401	Y01	OAW-CAY-CAM	3.85	119.81	111.48
3	A	402	Y01	OAW-CAY-CAM	3.84	119.80	111.48
3	B	402	Y01	OAW-CAY-CAM	3.66	119.41	111.48
3	A	401	Y01	CBI-CBE-CBB	-3.62	113.91	119.50
3	B	401	Y01	OAW-CAY-CAM	3.53	119.13	111.48
3	B	402	Y01	OAW-CBC-CAV	3.49	115.22	108.04
4	A	500	3WC	C15-N10-C8	3.28	118.95	111.57
4	A	500	3WC	C5-C2-C22	3.28	120.00	118.00
3	B	401	Y01	CAV-CAZ-CBH	3.24	120.57	116.42
3	B	401	Y01	CBH-CAZ-CAI	-3.23	118.22	122.93
3	A	402	Y01	CAR-CBC-CAV	-3.15	106.60	110.97
3	B	401	Y01	CBC-CAV-CAZ	-3.13	106.83	111.45
3	A	402	Y01	CAK-CBD-CBF	3.09	113.29	109.72
4	B	500	3WC	C4-C11-N11	-3.05	118.00	123.95
3	A	401	Y01	CAQ-CBG-CBD	-3.03	114.26	119.10
3	B	401	Y01	CAQ-CBG-CBI	-3.01	100.30	103.84
4	A	500	3WC	C11-N11-C22	2.96	120.77	117.54
4	B	500	3WC	C2-C22-N11	-2.87	119.76	122.80
4	B	500	3WC	C15-N10-C8	2.81	117.89	111.57
3	A	401	Y01	CBH-CAZ-CAI	-2.76	118.90	122.93
3	B	401	Y01	CAO-CBB-CBE	2.68	115.89	110.33
5	A	503	2CV	C27-C30-N33	-2.67	114.05	118.09
3	A	401	Y01	CBH-CBF-CBD	-2.60	108.91	112.71
4	B	500	3WC	C24-C22-C2	2.59	121.93	119.13
3	A	402	Y01	CAQ-CBG-CBD	-2.57	115.00	119.10
4	B	500	3WC	C15-C13-N12	-2.57	104.35	110.90
3	A	401	Y01	OAW-CAY-OAG	-2.54	117.77	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	501	2CV	C37-C40-C41	-2.50	108.63	112.48
4	A	500	3WC	C10-C8-N10	-2.49	104.97	110.38
5	B	501	2CV	O49-C40-C41	2.47	115.23	109.46
3	B	401	Y01	CAC-CBB-CBE	-2.45	109.21	112.88
3	B	402	Y01	CBI-CBE-CBB	-2.45	115.72	119.50
3	B	402	Y01	CAV-CAZ-CBH	2.44	119.55	116.42
3	A	401	Y01	CAQ-CBG-CBI	-2.43	100.98	103.84
4	A	500	3WC	C2-C22-N11	-2.42	120.23	122.80
3	B	402	Y01	CAO-CBB-CBE	2.42	115.35	110.33
3	A	402	Y01	CAV-CAZ-CBH	2.39	119.48	116.42
5	B	501	2CV	C60-C35-N33	2.36	118.17	112.66
3	B	401	Y01	CAT-CAR-CBC	-2.36	106.48	110.33
3	A	402	Y01	CAQ-CBG-CBI	-2.36	101.06	103.84
3	B	402	Y01	CAQ-CBG-CBD	-2.33	115.39	119.10
3	A	401	Y01	CBI-CBG-CBD	-2.31	111.14	114.41
3	B	401	Y01	OAF-CAX-CAL	-2.29	115.82	123.09
3	B	401	Y01	OAW-CAY-OAG	-2.25	118.45	123.70
4	B	500	3WC	C28-C20-C2	-2.19	117.95	120.91
3	A	401	Y01	CAT-CAR-CBC	-2.15	106.82	110.33
3	B	401	Y01	CBG-CBI-CBE	-2.10	97.69	100.10
3	B	402	Y01	OAF-CAX-CAL	-2.10	116.42	123.09
3	A	401	Y01	CAO-CBB-CBE	2.04	114.55	110.33
5	B	506	2CV	C27-C30-N33	-2.03	115.10	118.03
3	A	401	Y01	OAF-CAX-CAL	-2.00	116.74	123.09

There are no chirality outliers.

All (100) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	Y01	CAV-CBC-OAW-CAY
3	B	402	Y01	CAC-CBB-CBE-CBI
5	A	503	2CV	N33-C36-C37-O47
5	A	503	2CV	C36-C37-C40-C41
5	A	503	2CV	C36-C37-C40-O49
5	A	503	2CV	O47-C37-C40-C41
5	B	501	2CV	C60-C35-N33-C30
5	B	501	2CV	N33-C36-C37-C40
5	B	501	2CV	N33-C36-C37-O47
5	B	501	2CV	C36-C37-C40-C41
5	B	501	2CV	C36-C37-C40-O49
5	B	501	2CV	O47-C37-C40-O49
5	B	501	2CV	C37-C40-C41-C42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	501	2CV	C37-C40-C41-O51
5	B	501	2CV	O49-C40-C41-C42
5	B	501	2CV	O49-C40-C41-O51
5	B	501	2CV	O53-C42-C43-O44
5	B	505	2CV	N33-C36-C37-C40
5	B	505	2CV	N33-C36-C37-O47
3	A	402	Y01	CAV-CBC-OAW-CAY
3	B	402	Y01	CAR-CBC-OAW-CAY
3	B	402	Y01	CAO-CBB-CBE-CAP
5	B	501	2CV	N33-C35-C60-O63
3	B	402	Y01	CAC-CBB-CBE-CAP
3	A	401	Y01	CAX-CAL-CAM-CAY
5	B	501	2CV	C41-C42-C43-O44
5	B	501	2CV	O47-C37-C40-C41
5	B	505	2CV	C21-C24-C27-C30
5	B	506	2CV	C21-C24-C27-C30
3	B	401	Y01	CAR-CBC-OAW-CAY
3	A	401	Y01	CAC-CBB-CBE-CAP
5	A	501	2CV	C21-C24-C27-C30
3	B	401	Y01	CAX-CAL-CAM-CAY
3	A	401	Y01	CAN-CAJ-CAO-CBB
3	A	401	Y01	CAO-CBB-CBE-CAP
3	A	402	Y01	CAX-CAL-CAM-CAY
3	A	401	Y01	CAC-CBB-CBE-CBI
3	A	401	Y01	CAO-CBB-CBE-CBI
3	B	401	Y01	CAO-CBB-CBE-CBI
3	B	401	Y01	CAC-CBB-CBE-CBI
5	A	503	2CV	N33-C35-C60-O63
3	B	401	Y01	CAN-CAJ-CAO-CBB
3	B	402	Y01	CAN-CAJ-CAO-CBB
5	A	503	2CV	O47-C37-C40-O49
3	B	401	Y01	CAC-CBB-CBE-CAP
3	A	401	Y01	CAJ-CAN-CBA-CAA
3	B	402	Y01	CAM-CAY-OAW-CBC
5	B	501	2CV	C37-C36-N33-C35
3	A	402	Y01	CAO-CBB-CBE-CAP
5	A	501	2CV	C12-C15-C18-C21
5	B	505	2CV	C9-C12-C15-C18
3	B	402	Y01	OAG-CAY-OAW-CBC
3	A	401	Y01	CAJ-CAN-CBA-CAB
3	B	402	Y01	CAJ-CAN-CBA-CAB
5	B	501	2CV	C37-C36-N33-C30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	502	2CV	C15-C18-C21-C24
5	A	501	2CV	C15-C18-C21-C24
5	B	503	2CV	C15-C12-C9-C1
5	B	506	2CV	C12-C15-C18-C21
5	B	505	2CV	C18-C21-C24-C27
5	B	501	2CV	C60-C35-N33-C36
5	B	502	2CV	C12-C15-C18-C21
3	B	402	Y01	CAO-CBB-CBE-CBI
3	B	402	Y01	CAJ-CAN-CBA-CAA
5	A	502	2CV	C12-C15-C18-C21
5	B	506	2CV	C15-C18-C21-C24
3	B	402	Y01	CAJ-CAO-CBB-CBE
3	A	402	Y01	CAC-CBB-CBE-CAP
5	B	501	2CV	C18-C21-C24-C27
3	B	401	Y01	CAJ-CAN-CBA-CAB
5	B	505	2CV	C15-C12-C9-C1
3	B	401	Y01	OAG-CAY-OAW-CBC
3	B	401	Y01	CAJ-CAN-CBA-CAA
3	A	402	Y01	CAJ-CAN-CBA-CAA
3	B	401	Y01	CAM-CAY-OAW-CBC
3	A	402	Y01	CAJ-CAN-CBA-CAB
3	B	402	Y01	CAO-CAJ-CAN-CBA
5	B	503	2CV	C0-C1-C9-C12
5	A	503	2CV	N33-C36-C37-C40
3	A	402	Y01	CAC-CBB-CBE-CBI
3	B	401	Y01	CAO-CBB-CBE-CAP
5	B	503	2CV	C18-C21-C24-C27
5	B	502	2CV	C0-C1-C9-C12
3	B	402	Y01	CAV-CBC-OAW-CAY
5	A	503	2CV	C18-C21-C24-C27
5	B	505	2CV	C15-C18-C21-C24
3	B	402	Y01	CAJ-CAO-CBB-CAC
3	B	402	Y01	CAM-CAL-CAX-OAH
3	A	402	Y01	CAJ-CAO-CBB-CBE
3	A	402	Y01	OAG-CAY-OAW-CBC
3	A	401	Y01	CAM-CAL-CAX-OAF
3	A	401	Y01	CAM-CAL-CAX-OAH
3	B	402	Y01	CAM-CAL-CAX-OAF
5	A	503	2CV	C37-C36-N33-C35
5	A	503	2CV	C15-C18-C21-C24
3	A	402	Y01	CAM-CAY-OAW-CBC
5	B	501	2CV	C15-C12-C9-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	502	2CV	C9-C12-C15-C18
5	B	503	2CV	C9-C12-C15-C18
3	B	401	Y01	CAM-CAL-CAX-OAH


There are no ring outliers.

10 monomers are involved in 27 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	401	Y01	2	0
3	B	402	Y01	4	0
5	B	503	2CV	2	0
5	B	505	2CV	4	0
5	B	502	2CV	2	0
5	A	503	2CV	2	0
3	A	402	Y01	4	0
5	B	501	2CV	5	0
3	A	401	Y01	2	0
4	A	500	3WC	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand Y01 B 401







Ligand Y01 B 402














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	283/315 (89%)	0.87	41 (14%) 6 5	33, 53, 96, 144	0
1	B	298/315 (94%)	0.75	38 (12%) 7 6	33, 52, 84, 105	0
All	All	581/630 (92%)	0.81	79 (13%) 7 6	33, 53, 90, 144	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	282	LEU	8.1
1	A	318	ASP	7.7
1	A	142	ALA	7.3
1	A	141	LEU	6.6
1	B	236	GLU	6.3
1	A	71	ARG	6.1
1	A	281	MET	5.9
1	B	242	ASP	5.7
1	B	280	VAL	5.5
1	A	284	ARG	5.5
1	A	150	GLN	5.4
1	B	322	ASP	5.3
1	B	277	THR	5.0
1	A	355	ARG	4.9
1	B	239	ARG	4.8
1	B	284	ARG	4.8
1	A	144	THR	4.6
1	A	143	ILE	4.6
1	A	283	MET	4.6
1	A	285	GLU	4.4
1	A	348	ASP	4.4
1	A	146	PRO	4.1
1	B	348	ASP	4.0
1	A	286	HIS	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	354	LYS	3.7
1	A	149	TYR	3.6
1	B	325	PHE	3.6
1	B	217	TYR	3.6
1	B	357	LEU	3.6
1	A	147	PHE	3.6
1	B	323	TRP	3.5
1	B	351	LYS	3.5
1	A	36	LEU	3.5
1	B	281	MET	3.5
1	A	194	GLN	3.4
1	B	213	ILE	3.4
1	B	278	SER	3.4
1	B	238	ILE	3.3
1	B	315	PHE	3.2
1	B	279	ARG	3.2
1	B	194	GLN	3.1
1	A	153	MET	3.1
1	A	317	ARG	3.0
1	B	282	LEU	2.9
1	B	311	ILE	2.9
1	B	327	ALA	2.8
1	A	137	ILE	2.8
1	B	71	ARG	2.8
1	A	323	TRP	2.8
1	B	347	PRO	2.7
1	A	188	GLN	2.6
1	A	152	LEU	2.6
1	B	326	VAL	2.6
1	B	349	PHE	2.6
1	B	42	ALA	2.5
1	A	322	ASP	2.5
1	B	46	LEU	2.5
1	A	237	GLN	2.5
1	B	70	GLN	2.5
1	B	308	LEU	2.5
1	A	140	TYR	2.5
1	B	283	MET	2.4
1	A	357	LEU	2.4
1	A	83	LEU	2.3
1	A	218	ILE	2.3
1	A	191	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	320	VAL	2.2
1	B	72	LEU	2.2
1	A	103	VAL	2.2
1	A	353	PHE	2.2
1	A	35	LEU	2.1
1	A	356	LEU	2.1
1	B	276	LYS	2.1
1	A	138	ASP	2.1
1	B	183	ARG	2.1
1	A	196	PRO	2.1
1	B	228	LEU	2.1
1	B	43	GLY	2.1
1	B	353	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	2CV	A	501	14/26	0.74	0.29	90,102,117,120	0
5	2CV	B	505	17/26	0.82	0.24	67,79,102,103	0
5	2CV	B	506	14/26	0.82	0.20	51,72,84,86	0
2	NA	B	2	1/1	0.85	0.09	57,57,57,57	0
5	2CV	B	503	12/26	0.86	0.18	59,72,90,95	0
5	2CV	B	502	14/26	0.87	0.23	52,79,95,101	0
3	Y01	A	402	35/35	0.89	0.18	67,85,107,108	0
5	2CV	A	502	7/26	0.89	0.21	57,64,76,76	0
3	Y01	B	401	35/35	0.90	0.15	45,52,83,89	0
3	Y01	B	402	35/35	0.90	0.14	65,71,114,121	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NA	A	2	1/1	0.91	0.07	57,57,57,57	0
5	2CV	B	501	26/26	0.91	0.13	47,69,87,92	0
5	2CV	A	503	21/26	0.93	0.12	35,60,69,72	0
3	Y01	A	401	35/35	0.93	0.13	43,50,63,70	0
4	3WC	B	500	17/17	0.93	0.10	35,38,40,41	0
4	3WC	A	500	17/17	0.96	0.10	43,47,50,52	0
2	NA	B	1	1/1	0.97	0.06	52,52,52,52	0
2	NA	A	1	1/1	0.97	0.04	53,53,53,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 2CV A 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 2CV B 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2CV B 506:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2CV B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2CV B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Y01 A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2CV A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Y01 B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Y01 B 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 2CV B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2CV A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Y01 A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.