



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:34 PM UTC

PDB ID : 6ZQ6 / pdb_00006zq6
Title : Crystal structure of Chaetomium thermophilum Glycerol Kinase in complex with glycerol in P21212 space group
Authors : Wilk, P.; Wator, E.; Grudnik, P.
Deposited on : 2020-07-09
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	526	
1	B	526	
1	C	526	
1	D	526	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 31410 atoms, of which 15389 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycerol kinase-like protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	510	Total	C	H	N	O	S	0	0	0
			7738	2465	3846	671	740	16			
1	B	510	Total	C	H	N	O	S	0	0	0
			7728	2467	3831	674	740	16			
1	C	509	Total	C	H	N	O	S	0	2	0
			7730	2470	3831	673	740	16			
1	D	509	Total	C	H	N	O	S	0	1	0
			7726	2463	3838	669	739	17			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	65	GLY	-	expression tag	UNP G0SAG9
A	66	SER	-	expression tag	UNP G0SAG9
B	65	GLY	-	expression tag	UNP G0SAG9
B	66	SER	-	expression tag	UNP G0SAG9
C	65	GLY	-	expression tag	UNP G0SAG9
C	66	SER	-	expression tag	UNP G0SAG9
D	65	GLY	-	expression tag	UNP G0SAG9
D	66	SER	-	expression tag	UNP G0SAG9

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	B	1	Total	C	H	O	0	0
			14	3	8	3		
2	C	1	Total	C	H	O	0	0
			14	3	8	3		
2	D	1	Total	C	H	O	0	0
			14	3	8	3		
2	D	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	H	O	0	0
			7	2	3	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	80	Total	O	0	0
			80	80		
4	B	87	Total	O	0	0
			87	87		
4	C	132	Total	O	0	0
			132	132		
4	D	112	Total	O	0	0
			112	112		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Glycerol kinase-like protein





• Molecule 1: Glycerol kinase-like protein



• Molecule 1: Glycerol kinase-like protein



● Molecule 1: Glycerol kinase-like protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	170.73Å 222.03Å 61.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.60 – 2.30 48.60 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.5 (48.60-2.30) 98.5 (48.60-2.30)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.11 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.214 , 0.249 0.216 , 0.249	Depositor DCC
R_{free} test set	2101 reflections (2.04%)	wwPDB-VP
Wilson B-factor (Å ²)	41.3	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.43 , 46.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	31410	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.80 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.8572e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	2/3974 (0.1%)	0.48	2/5388 (0.0%)
1	B	0.40	6/3979 (0.2%)	0.66	6/5393 (0.1%)
1	C	0.34	3/3987 (0.1%)	0.50	7/5405 (0.1%)
1	D	0.38	2/3973 (0.1%)	0.49	7/5387 (0.1%)
All	All	0.38	13/15913 (0.1%)	0.54	22/21573 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	350	GLU	C-N	14.59	1.52	1.33
1	B	425	LEU	C-N	-10.07	1.16	1.33
1	A	427	ALA	C-N	9.96	1.53	1.34
1	A	561	LYS	CE-NZ	-8.64	1.23	1.49
1	B	486	LEU	C-O	-6.69	1.15	1.24
1	B	484	GLY	C-O	-6.19	1.15	1.23
1	C	505	ASP	C-O	-6.13	1.16	1.24
1	D	484	GLY	C-O	-6.12	1.16	1.23
1	B	552	GLU	C-O	-6.11	1.15	1.24
1	B	65	GLY	C-O	-5.45	1.12	1.23
1	C	428	PRO	C-O	-5.26	1.12	1.23
1	B	572	GLN	C-O	-5.26	1.18	1.24
1	C	429	TYR	C-O	-5.14	1.18	1.24

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	425	LEU	CA-C-N	20.10	161.33	122.73
1	B	425	LEU	C-N-CA	20.10	161.33	122.73
1	B	425	LEU	O-C-N	-15.69	103.29	123.21
1	A	561	LYS	CD-CE-NZ	-7.98	86.35	111.90
1	C	428	PRO	CA-C-N	7.93	131.82	120.79
1	C	428	PRO	C-N-CA	7.93	131.82	120.79
1	D	350	GLU	CA-C-N	7.69	127.61	119.85
1	D	350	GLU	C-N-CA	7.69	127.61	119.85
1	A	103	LYS	CD-CE-NZ	-6.37	91.50	111.90
1	C	429	TYR	CA-C-O	-6.19	114.26	121.07
1	D	528	TRP	O-C-N	-5.76	116.16	123.24
1	C	539	ALA	CA-C-N	5.68	131.93	121.70
1	C	539	ALA	C-N-CA	5.68	131.93	121.70
1	D	366	PHE	CA-CB-CG	5.63	119.43	113.80
1	B	484	GLY	CA-C-O	-5.61	117.36	122.24
1	C	429	TYR	N-CA-C	5.57	117.82	111.02
1	B	571	GLU	CA-C-N	5.52	128.14	120.63
1	B	571	GLU	C-N-CA	5.52	128.14	120.63
1	C	565	ARG	CB-CA-C	5.42	119.39	110.88
1	D	484	GLY	CA-C-O	-5.34	117.66	122.57
1	D	367	GLY	CA-C-N	5.33	131.72	121.54
1	D	367	GLY	C-N-CA	5.33	131.72	121.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	426	PHE	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3892	3846	3846	36	0
1	B	3897	3831	3854	32	0
1	C	3899	3831	3861	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	3888	3838	3839	34	0
2	A	6	8	8	0	0
2	B	6	8	8	1	0
2	C	6	8	8	0	0
2	D	12	16	16	1	0
3	C	4	3	3	0	0
4	A	80	0	0	3	0
4	B	87	0	0	1	0
4	C	132	0	0	3	0
4	D	112	0	0	4	0
All	All	16021	15389	15443	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:482:VAL:HG21	1:D:493:MET:CE	1.77	1.14
1:D:482:VAL:HG21	1:D:493:MET:HE2	1.31	1.05
1:C:552:GLU:OE1	4:C:701:HOH:O	1.90	0.88
1:D:482:VAL:HG11	1:D:493:MET:HE1	1.54	0.88
1:D:482:VAL:CG2	1:D:493:MET:HE2	2.09	0.82
1:B:583:GLU:OE1	4:B:701:HOH:O	1.99	0.79
1:D:575:GLU:OE2	4:D:701:HOH:O	2.03	0.75
1:D:482:VAL:CG2	1:D:493:MET:CE	2.62	0.75
1:C:538:ILE:C	1:C:538:ILE:HD12	2.12	0.74
1:B:498:ASP:O	1:B:560:ARG:NH2	2.21	0.73
1:D:572:GLN:HG2	1:D:576[B]:MET:HE3	1.73	0.70
1:A:155:ASP:OD1	1:A:157:VAL:HG22	1.93	0.69
1:C:559:ASP:OD1	4:C:702:HOH:O	2.13	0.67
1:A:151:THR:HG23	1:A:227:PHE:HE1	1.59	0.67
1:D:252:ASP:OD2	1:D:254:THR:OG1	2.11	0.65
1:A:368:ARG:NH2	1:B:270:ASP:OD1	2.30	0.64
1:D:482:VAL:HG21	1:D:493:MET:HE3	1.74	0.64
1:D:178:ARG:NH2	4:D:705:HOH:O	2.30	0.63
1:A:151:THR:HG23	1:A:227:PHE:CE1	2.33	0.63
1:C:370:ARG:NH1	4:C:704:HOH:O	2.31	0.62
1:D:482:VAL:HG11	1:D:493:MET:CE	2.29	0.62
1:A:538:ILE:N	1:A:538:ILE:HD13	2.15	0.61
1:D:482:VAL:CG1	1:D:493:MET:HE1	2.30	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:LYS:HD2	1:A:106:TRP:CE2	2.39	0.57
1:B:317:ASP:OD2	2:B:601:GOL:O3	2.22	0.57
1:C:259:THR:O	1:C:260:MET:HB2	2.06	0.56
1:B:233:TRP:CH2	1:B:237:LYS:HE3	2.40	0.56
1:C:477:LEU:HG	1:C:502:ILE:HD13	1.88	0.55
1:B:259:THR:O	1:B:260:MET:HB2	2.06	0.55
1:A:240:GLY:HA3	1:A:244:ALA:HB2	1.88	0.55
1:A:262:MET:HE3	1:A:267:LEU:HD23	1.88	0.55
1:B:502:ILE:HG13	1:B:503:PRO:HD2	1.88	0.55
1:A:387:ILE:HG22	1:A:391:MET:HE2	1.89	0.54
1:A:506:ARG:HH21	1:A:551:ARG:H	1.55	0.54
1:D:552:GLU:O	1:D:552:GLU:HG3	2.07	0.53
1:B:575:GLU:OE2	1:C:356:TYR:OH	2.23	0.52
1:A:187:ASP:OD1	1:A:187:ASP:N	2.43	0.51
1:C:438:LEU:HD23	1:C:441:ILE:HD11	1.92	0.51
1:D:86:GLU:O	4:D:703:HOH:O	2.18	0.51
1:B:317:ASP:OD1	1:B:318:GLN:N	2.44	0.51
1:A:103:LYS:HD2	1:A:106:TRP:CD2	2.46	0.50
1:A:183:ARG:NH2	4:A:706:HOH:O	2.44	0.50
1:A:318:GLN:OE1	1:A:334:LYS:NZ	2.40	0.49
1:C:538:ILE:C	1:C:538:ILE:CD1	2.85	0.49
1:C:582:ARG:O	1:C:583:GLU:HB2	2.12	0.49
1:A:368:ARG:HH22	1:B:270:ASP:CG	2.21	0.48
1:A:540:GLY:HA2	4:A:769:HOH:O	2.13	0.48
1:D:406:LEU:O	1:D:409:SER:HB3	2.13	0.48
1:A:530:GLU:HG2	1:A:533:HIS:H	1.79	0.48
1:B:582:ARG:O	1:B:583:GLU:CB	2.61	0.48
1:B:145:THR:HA	1:B:315:LEU:O	2.13	0.48
1:B:292:SER:N	1:B:365:ASP:O	2.46	0.48
1:B:582:ARG:O	1:B:583:GLU:HB2	2.13	0.48
1:D:168:TRP:CG	1:D:169:PRO:HD3	2.49	0.48
1:D:502:ILE:HG13	1:D:503:PRO:HD2	1.96	0.48
1:C:317:ASP:OD1	1:C:318:GLN:N	2.47	0.47
1:D:318:GLN:OE1	1:D:334:LYS:NZ	2.45	0.47
1:C:168:TRP:CG	1:C:169:PRO:HD3	2.49	0.47
1:A:168:TRP:CG	1:A:169:PRO:HD3	2.50	0.47
1:D:551:ARG:HH11	1:D:551:ARG:HG3	1.79	0.47
1:B:337:TYR:CZ	1:B:493:MET:HE1	2.49	0.46
1:B:477:LEU:HG	1:B:502:ILE:HD13	1.96	0.46
1:A:220:TYR:HH	1:A:280:ASP:H	1.63	0.46
1:D:381:ALA:HB2	1:D:426:PHE:HE2	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:ASP:OD2	1:A:79:ARG:NH2	2.49	0.46
1:D:318:GLN:HE21	2:D:601:GOL:H12	1.81	0.46
1:C:325:GLN:HG2	1:C:512:THR:HG21	1.98	0.46
1:B:220:TYR:O	1:B:283:LYS:HG2	2.16	0.45
1:D:270:ASP:HB3	1:D:273:LEU:HD12	1.98	0.45
1:A:173:THR:O	1:A:177:VAL:HG23	2.17	0.45
1:B:355:LYS:HZ1	1:C:349:THR:HG23	1.80	0.45
1:C:387:ILE:HD12	1:C:403:ILE:HG21	1.98	0.45
1:D:381:ALA:HB2	1:D:426:PHE:CE2	2.52	0.45
1:A:363:ALA:HB2	1:A:375:ALA:HB2	1.98	0.45
1:B:168:TRP:CG	1:B:169:PRO:HD3	2.51	0.45
1:B:155:ASP:HB3	1:B:158:THR:OG1	2.16	0.44
1:C:581:VAL:C	1:C:582:ARG:HG3	2.42	0.44
1:C:345:TYR:HE2	1:C:477:LEU:HD13	1.83	0.44
1:C:476:LYS:NZ	1:C:478:GLU:OE2	2.44	0.44
1:D:551:ARG:HG3	1:D:551:ARG:NH1	2.32	0.44
1:A:220:TYR:CE1	1:A:284:ILE:HB	2.52	0.44
1:B:116:ASN:HA	1:B:119:GLN:OE1	2.18	0.44
1:D:325:GLN:HG2	1:D:512:THR:HG21	1.99	0.44
1:A:220:TYR:CZ	1:A:283:LYS:HD2	2.52	0.44
1:B:274:LEU:HD13	1:B:281:ARG:HG2	2.00	0.44
1:B:526:GLY:HA3	1:D:529:ARG:HB3	2.00	0.44
1:D:560:ARG:HA	1:D:560:ARG:HD2	1.89	0.44
1:A:216:VAL:HG13	1:A:225:LEU:HD13	1.99	0.43
1:A:325:GLN:HG2	1:A:512:THR:HG21	2.00	0.43
1:C:145:THR:OG1	1:C:317:ASP:HA	2.18	0.43
1:B:502:ILE:HG13	1:B:503:PRO:CD	2.49	0.43
1:A:569:LYS:HD2	1:A:569:LYS:HA	1.83	0.43
1:A:317:ASP:OD1	1:A:318:GLN:N	2.52	0.42
1:C:300:LYS:HB3	1:C:310:PRO:HA	1.99	0.42
1:A:155:ASP:HB3	1:A:158:THR:CG2	2.49	0.42
1:C:582:ARG:O	1:C:583:GLU:CB	2.68	0.42
1:D:459:CYS:HA	1:D:496:GLN:OE1	2.19	0.42
1:D:482:VAL:CB	1:D:493:MET:CE	2.96	0.42
1:A:68:VAL:CG2	1:A:527:VAL:HG21	2.50	0.42
1:B:534:VAL:O	1:B:538:ILE:HG12	2.20	0.42
1:B:498:ASP:HB3	1:B:558:MET:HB3	2.02	0.42
1:D:317:ASP:OD1	1:D:318:GLN:N	2.53	0.42
1:C:200:TYR:HB2	1:C:201:PRO:HD3	2.01	0.41
1:B:73:GLN:CD	1:B:114:LEU:HD22	2.45	0.41
1:C:359:LEU:HB2	1:C:377:GLU:HB3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:493:MET:HE3	1:D:504:VAL:HG11	2.01	0.41
1:B:148:ARG:O	1:B:149:GLU:HB2	2.21	0.41
1:B:81:LEU:HG	1:B:92:SER:HB2	2.03	0.41
1:C:145:THR:HA	1:C:315:LEU:O	2.20	0.41
1:A:281:ARG:NH1	4:A:701:HOH:O	1.88	0.41
1:B:349:THR:HB	1:B:371:LYS:HE3	2.02	0.41
1:A:145:THR:OG1	1:A:317:ASP:HA	2.20	0.41
1:B:184:GLN:O	1:B:185:SER:HB2	2.20	0.41
1:C:153:VAL:HB	1:C:225:LEU:HD11	2.02	0.41
1:A:103:LYS:HB2	1:A:106:TRP:CG	2.56	0.40
1:A:148:ARG:O	1:A:149:GLU:HB2	2.21	0.40
1:D:569:LYS:NZ	4:D:716:HOH:O	2.52	0.40
1:A:243:GLN:OE1	1:A:243:GLN:CA	2.69	0.40
1:C:467:ASP:O	1:C:471:LYS:HG3	2.21	0.40
1:A:180:LEU:HD23	1:A:183:ARG:HD2	2.03	0.40
1:C:363:ALA:HB2	1:C:375:ALA:HB2	2.03	0.40
1:D:200:TYR:HB2	1:D:201:PRO:HD3	2.04	0.40
1:D:529:ARG:HG2	1:D:529:ARG:HH11	1.87	0.40
1:B:97:PHE:HB2	1:B:113:GLU:HG3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	506/526 (96%)	488 (96%)	17 (3%)	1 (0%)	43	55
1	B	506/526 (96%)	490 (97%)	14 (3%)	2 (0%)	30	38
1	C	507/526 (96%)	487 (96%)	20 (4%)	0	100	100
1	D	506/526 (96%)	492 (97%)	11 (2%)	3 (1%)	21	27
All	All	2025/2104 (96%)	1957 (97%)	62 (3%)	6 (0%)	36	46

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	368	ARG
1	A	485	GLY
1	B	485	GLY
1	D	367	GLY
1	D	485	GLY
1	B	241	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	408/420 (97%)	406 (100%)	2 (0%)	81	90
1	B	409/420 (97%)	406 (99%)	3 (1%)	76	87
1	C	410/420 (98%)	407 (99%)	3 (1%)	76	87
1	D	408/420 (97%)	405 (99%)	3 (1%)	76	87
All	All	1635/1680 (97%)	1624 (99%)	11 (1%)	76	87

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	243	GLN
1	A	538	ILE
1	B	443	GLN
1	B	551	ARG
1	B	552	GLU
1	C	538	ILE
1	C	552	GLU
1	C	565	ARG
1	D	529	ARG
1	D	551	ARG
1	D	552	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	120	GLN
1	A	211	GLN
1	A	475	HIS
1	A	572	GLN
1	B	88	ASN
1	B	94	GLN
1	B	120	GLN
1	C	88	ASN
1	D	392	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	601	-	5,5,5	0.80	0	5,5,5	1.07	0
2	GOL	C	601	-	5,5,5	0.48	0	5,5,5	0.73	0
2	GOL	D	601	-	5,5,5	0.73	0	5,5,5	0.91	0
2	GOL	D	602	-	5,5,5	0.86	0	5,5,5	1.05	0
3	ACT	C	602	-	3,3,3	1.08	0	3,3,3	1.35	0
2	GOL	B	601	-	5,5,5	0.85	0	5,5,5	1.21	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	601	-	-	2/4/4/4	-
2	GOL	C	601	-	-	2/4/4/4	-
2	GOL	D	601	-	-	4/4/4/4	-
2	GOL	D	602	-	-	1/4/4/4	-
2	GOL	B	601	-	-	0/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	GOL	C3-C2-C1	-2.14	103.95	111.80

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	GOL	C1-C2-C3-O3
2	C	601	GOL	O1-C1-C2-C3
2	D	601	GOL	O1-C1-C2-C3
2	D	601	GOL	C1-C2-C3-O3
2	A	601	GOL	O2-C2-C3-O3
2	C	601	GOL	O1-C1-C2-O2
2	D	601	GOL	O1-C1-C2-O2
2	D	601	GOL	O2-C2-C3-O3
2	D	602	GOL	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	601	GOL	1	0
2	B	601	GOL	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	425:LEU	C	426:PHE	N	1.16

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	510/526 (96%)	0.53	14 (2%) 56 58	37, 59, 91, 127	0
1	B	510/526 (96%)	0.41	12 (2%) 59 62	37, 55, 84, 118	0
1	C	509/526 (96%)	0.19	8 (1%) 70 72	30, 46, 71, 107	2 (0%)
1	D	509/526 (96%)	0.35	10 (1%) 65 66	28, 51, 80, 148	1 (0%)
All	All	2038/2104 (96%)	0.37	44 (2%) 62 64	28, 53, 84, 148	3 (0%)

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	540	GLY	6.4
1	A	550	ALA	6.0
1	D	539	ALA	5.6
1	B	541	GLY	4.8
1	D	540	GLY	4.8
1	C	539	ALA	4.6
1	A	540	GLY	4.5
1	C	65	GLY	3.8
1	B	244	ALA	3.4
1	B	510	ARG	3.4
1	D	243	GLN	3.2
1	C	551	ARG	3.1
1	D	65	GLY	3.1
1	B	539	ALA	3.1
1	B	65	GLY	3.0
1	D	368	ARG	2.9
1	B	551	ARG	2.9
1	A	180	LEU	2.8
1	A	216	VAL	2.7
1	B	134	TYR	2.7
1	C	538	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	504	VAL	2.6
1	A	303	THR	2.6
1	B	540	GLY	2.6
1	A	238	LEU	2.5
1	B	133	GLY	2.4
1	C	242	ALA	2.4
1	D	244	ALA	2.4
1	D	563	ALA	2.4
1	A	583	GLU	2.3
1	A	133	GLY	2.3
1	A	242	ALA	2.3
1	B	475	HIS	2.3
1	D	214	ASP	2.3
1	A	158	THR	2.3
1	A	539	ALA	2.2
1	A	551	ARG	2.2
1	A	582	ARG	2.2
1	B	538	ILE	2.1
1	D	300	LYS	2.1
1	C	560[A]	ARG	2.1
1	A	302	ALA	2.0
1	B	130	ALA	2.0
1	C	582	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
-----	------	-------	-----	-------	------	-----	-----------------------------	-------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ACT	C	602	4/4	0.71	0.22	57,60,68,68	0
2	GOL	D	602	6/6	0.84	0.19	73,88,93,96	0
2	GOL	C	601	6/6	0.90	0.11	37,44,49,50	0
2	GOL	D	601	6/6	0.94	0.10	39,48,57,58	0
2	GOL	A	601	6/6	0.95	0.10	37,44,53,53	0
2	GOL	B	601	6/6	0.95	0.08	42,50,55,58	0

6.5 Other polymers [i](#)

There are no such residues in this entry.