



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:54 PM UTC

PDB ID : 6ZQ8 / pdb_00006zq8
Title : Crystal structure of Chaetomium thermophilum Glycerol Kinase in P3221 space group
Authors : Wilk, P.; Wator, E.; Malecki, P.; Tokarz, P.; Grudnik, P.
Deposited on : 2020-07-09
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	526	17% 74% 23% .
1	B	526	7% 79% 18% .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 15608 atoms, of which 7725 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycerol kinase-like protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	B	512	Total	C	H	N	O	S	0	0	0
			7776	2474	3866	677	743	16			
1	A	509	Total	C	H	N	O	S	0	1	0
			7758	2470	3859	675	738	16			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	65	GLY	-	expression tag	UNP G0SAG9
B	66	SER	-	expression tag	UNP G0SAG9
A	65	GLY	-	expression tag	UNP G0SAG9
A	66	SER	-	expression tag	UNP G0SAG9


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	41	Total	O	0	0
			41	41		
2	A	33	Total	O	0	0
			33	33		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glycerol kinase-like protein



• Molecule 1: Glycerol kinase-like protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	92.14Å 92.14Å 232.95Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.04 – 2.38 47.04 – 2.38	Depositor EDS
% Data completeness (in resolution range)	98.8 (47.04-2.38) 98.7 (47.04-2.38)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.17.1	Depositor
R, R_{free}	0.244 , 0.284 0.250 , 0.292	Depositor DCC
R_{free} test set	2100 reflections (4.55%)	wwPDB-VP
Wilson B-factor (Å ²)	59.1	Xtriage
Anisotropy	0.193	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	15608	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/3985	0.43	1/5402 (0.0%)
1	B	0.13	0/3992	0.36	0/5411
All	All	0.19	0/7977	0.39	1/10813 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	102	PRO	CA-C-O	-6.18	111.44	118.98

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3899	3859	3859	83	0
1	B	3910	3866	3866	62	0
2	A	33	0	0	0	0
2	B	41	0	0	2	0
All	All	7883	7725	7725	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:MET:HE2	1:B:267:LEU:HA	1.55	0.88
1:B:432:ASP:OD2	2:B:601:HOH:O	1.92	0.88
1:A:102:PRO:O	1:A:103:LYS:HG3	1.84	0.77
1:A:482:VAL:HG21	1:A:493:MET:SD	2.26	0.76
1:A:465:ILE:HG22	1:A:469:MET:HE2	1.68	0.75
1:B:258:ARG:HH11	1:B:361:THR:HG21	1.52	0.74
1:A:151:THR:HG23	1:A:227:PHE:HE1	1.51	0.74
1:A:151:THR:HG23	1:A:227:PHE:CE1	2.25	0.72
1:A:366:PHE:HE2	1:A:531:LEU:HD21	1.55	0.70
1:B:490:ASP:OD1	1:B:506:ARG:NH2	2.26	0.66
1:A:406:LEU:O	1:A:409:SER:HB3	1.94	0.66
1:B:258:ARG:NH1	1:B:361:THR:HG21	2.11	0.65
1:A:73:GLN:NE2	1:A:74:GLY:O	2.30	0.65
1:A:198:SER:OG	1:A:199:THR:N	2.31	0.62
1:A:387:ILE:HG22	1:A:391:MET:HE2	1.82	0.62
1:A:502:ILE:HG13	1:A:503:PRO:HD2	1.81	0.62
1:A:366:PHE:CE2	1:A:531:LEU:HD21	2.35	0.61
1:A:216:VAL:HG22	1:A:219:ALA:HB3	1.82	0.61
1:A:199:THR:O	1:A:205:LYS:NZ	2.33	0.61
1:A:391:MET:HE1	1:A:400:PRO:HG3	1.81	0.61
1:A:335:ASN:HB3	1:A:482:VAL:HG12	1.83	0.60
1:A:79:ARG:NH2	1:A:94:GLN:OE1	2.33	0.60
1:A:229:THR:HG22	1:A:230:VAL:H	1.66	0.60
1:A:208:TRP:HE3	1:A:209:LEU:HD12	1.67	0.59
1:B:81:LEU:HD21	1:B:511:GLU:HG3	1.84	0.59
1:B:368:ARG:NH2	1:B:529:ARG:O	2.35	0.59
1:B:387:ILE:HG13	1:B:486:LEU:HD11	1.83	0.59
1:B:247:PRO:O	1:B:248:ILE:HD13	2.03	0.58
1:B:103:LYS:HD3	1:B:106:TRP:CD2	2.39	0.58
1:A:114:LEU:HD12	1:A:115:LEU:N	2.19	0.57
1:B:173:THR:O	1:B:177:VAL:HG23	2.04	0.57
1:A:162:LEU:HD13	1:A:216:VAL:HG23	1.88	0.55
1:A:205:LYS:O	1:A:209:LEU:HD13	2.06	0.55
1:B:558:MET:HE2	1:B:562:LYS:HE2	1.88	0.55
1:A:81:LEU:HD12	1:A:81:LEU:N	2.22	0.55
1:B:180:LEU:HD22	1:B:276:PHE:CE1	2.41	0.55
1:B:155:ASP:OD2	1:B:224:ARG:NH2	2.40	0.55
1:A:218:GLN:O	1:A:222:GLU:N	2.35	0.55
1:A:532:ASP:O	1:A:536:GLU:HG3	2.06	0.55
1:A:68:VAL:HG12	1:A:69:GLY:H	1.70	0.54
1:B:263:ASN:CG	1:B:266:THR:HG23	2.33	0.54
1:B:478:GLU:C	1:B:502:ILE:HD11	2.33	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:ASP:OD2	1:B:254:THR:OG1	2.16	0.54
1:A:173:THR:O	1:A:177:VAL:HG23	2.09	0.53
1:A:229:THR:HG22	1:A:230:VAL:N	2.23	0.53
1:A:438:LEU:HD23	1:A:441:ILE:HD11	1.90	0.52
1:A:406:LEU:O	1:A:448:GLY:HA2	2.10	0.52
1:A:162:LEU:HD13	1:A:216:VAL:CG2	2.40	0.52
1:B:103:LYS:HD3	1:B:106:TRP:CE2	2.45	0.52
1:A:147:GLN:OE1	1:A:150:THR:OG1	2.15	0.51
1:B:80:PHE:C	1:B:81:LEU:HD12	2.36	0.51
1:B:343:LEU:HD21	1:B:462:THR:HG23	1.93	0.51
1:A:96:GLU:N	1:A:96:GLU:OE1	2.44	0.51
1:A:258:ARG:NH1	1:A:361:THR:HG21	2.26	0.50
1:B:270:ASP:HB3	1:B:273:LEU:HD12	1.92	0.50
1:A:68:VAL:HG12	1:A:69:GLY:N	2.27	0.50
1:B:502:ILE:HG12	1:B:503:PRO:HD2	1.94	0.50
1:A:70:SER:HB3	1:A:83:PHE:HE1	1.77	0.49
1:B:390:LEU:HD11	1:B:454:THR:OG1	2.12	0.49
1:A:115:LEU:O	1:A:118:VAL:HG12	2.13	0.49
1:A:359:LEU:HB2	1:A:377:GLU:HB3	1.95	0.49
1:B:180:LEU:HD22	1:B:276:PHE:HE1	1.78	0.49
1:B:168:TRP:CG	1:B:169:PRO:HD3	2.47	0.48
1:B:466:LEU:HD22	1:B:477:LEU:HD13	1.95	0.48
1:A:116:ASN:O	1:A:120:GLN:HG2	2.12	0.48
1:B:126:MET:HA	1:B:129:PHE:CB	2.44	0.48
1:A:72:ASP:HB2	1:A:514:ALA:HB2	1.94	0.48
1:A:81:LEU:HD21	1:A:511:GLU:HG3	1.96	0.48
1:B:498:ASP:O	1:B:560:ARG:NH1	2.41	0.48
1:A:70:SER:OG	1:A:514:ALA:HB1	2.13	0.48
1:A:421:ALA:HB2	1:A:425:LEU:HG	1.96	0.48
1:A:509:MET:HE1	1:A:511:GLU:C	2.39	0.48
1:A:96:GLU:N	1:A:96:GLU:CD	2.72	0.47
1:A:277:PHE:HB2	1:A:279:ILE:HD13	1.96	0.47
1:B:126:MET:HA	1:B:129:PHE:HB2	1.96	0.47
1:A:201:PRO:HB3	1:A:260:MET:HG3	1.97	0.47
1:A:238:LEU:O	1:A:302:ALA:N	2.47	0.47
1:A:301:VAL:HG23	1:A:309:VAL:O	2.14	0.47
1:B:176:LEU:HD23	1:B:180:LEU:CD1	2.45	0.47
1:B:220:TYR:O	1:B:283:LYS:HG2	2.15	0.47
1:A:168:TRP:CG	1:A:169:PRO:HD3	2.50	0.46
1:B:465:ILE:CG2	1:B:469:MET:HE3	2.46	0.46
1:A:114:LEU:HA	1:A:117:SER:HB3	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:200:TYR:N	1:A:201:PRO:CD	2.79	0.46
1:A:263:ASN:CG	1:A:266:THR:HG23	2.41	0.46
1:B:209:LEU:O	1:B:213:VAL:HB	2.16	0.45
1:B:399:LYS:HG2	1:B:400:PRO:HD2	1.98	0.45
1:A:138:ASN:C	1:A:139:ILE:HD12	2.41	0.45
1:A:203:SER:HB3	1:A:259:THR:O	2.16	0.45
1:A:79:ARG:NH1	1:A:511:GLU:OE1	2.49	0.45
1:B:391:MET:HE1	1:B:400:PRO:HD3	1.98	0.45
1:B:197:LEU:HD23	1:B:260:MET:HE1	1.97	0.45
1:B:390:LEU:HD23	1:B:394:LEU:HD12	1.99	0.45
1:A:389:PHE:O	1:A:393:ASN:HB2	2.16	0.45
1:A:390:LEU:HD11	1:A:454:THR:OG1	2.16	0.45
1:A:538:ILE:HG22	1:A:538:ILE:O	2.17	0.45
1:B:280:ASP:OD1	1:B:283:LYS:HB3	2.17	0.44
1:A:246:ARG:HD2	1:A:248:ILE:HD11	1.98	0.44
1:A:259:THR:O	1:A:260:MET:HB2	2.17	0.44
1:A:141:ALA:O	1:A:142:ILE:HD13	2.17	0.44
1:B:319:SER:O	1:B:323:VAL:HG23	2.18	0.44
1:B:67:PHE:N	1:B:138:ASN:O	2.47	0.44
1:B:406:LEU:HD21	1:B:447:LYS:HE3	1.99	0.44
1:A:170:ASP:OD2	1:A:172:ARG:NH2	2.50	0.44
1:A:227:PHE:CG	1:A:228:GLY:N	2.86	0.44
1:B:263:ASN:HB3	1:B:266:THR:OG1	2.18	0.43
1:A:144:ILE:O	1:A:314:CYS:HA	2.18	0.43
1:A:497:ALA:HB2	1:A:504:VAL:HG23	2.00	0.43
1:B:258:ARG:NH1	1:B:377:GLU:OE1	2.46	0.43
1:A:167:VAL:HG12	1:A:168:TRP:H	1.82	0.43
1:B:337:TYR:HB2	1:B:484:GLY:O	2.18	0.43
1:B:269:TYR:OH	1:B:287:PRO:O	2.32	0.43
1:A:509:MET:HE1	1:A:512:THR:N	2.33	0.43
1:A:220:TYR:O	1:A:283:LYS:HB3	2.19	0.43
1:B:69:GLY:HA3	1:B:142:ILE:HD13	2.01	0.43
1:A:184:GLN:OE1	1:A:184:GLN:N	2.40	0.43
1:B:150:THR:HG23	1:B:167:VAL:HA	2.00	0.42
1:B:213:VAL:HG12	1:B:216:VAL:H	1.84	0.42
1:B:225:LEU:HD22	1:B:284:ILE:HG13	2.01	0.42
1:B:202:SER:HB2	1:B:259:THR:HG22	2.01	0.42
1:A:502:ILE:CG1	1:A:503:PRO:HD2	2.47	0.42
1:B:438:LEU:HD23	1:B:441:ILE:HD11	2.01	0.42
1:B:198:SER:HB2	1:B:201:PRO:HD3	2.02	0.42
1:A:183:ARG:NH1	1:A:276:PHE:O	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97:PHE:HB2	1:B:113:GLU:HG3	2.01	0.42
1:A:110:ASP:HA	1:A:164:ASN:OD1	2.20	0.42
1:A:355:LYS:HE2	1:A:355:LYS:HB3	1.80	0.42
1:B:399:LYS:CG	1:B:400:PRO:HD2	2.50	0.42
1:B:478:GLU:O	1:B:502:ILE:HD11	2.20	0.42
1:A:184:GLN:HG2	1:A:185:SER:N	2.35	0.41
1:A:355:LYS:HG2	1:A:472:ASP:OD1	2.20	0.41
1:A:426:PHE:O	1:A:427:ALA:C	2.63	0.41
1:A:345:TYR:HB2	1:A:469:MET:SD	2.60	0.41
1:A:466:LEU:HA	1:A:469:MET:HE3	2.00	0.41
1:A:176:LEU:HD11	1:A:180:LEU:HD11	2.01	0.41
1:A:218:GLN:HA	1:A:221:GLU:HB2	2.03	0.41
1:B:136:LYS:HD2	1:B:305:ALA:O	2.20	0.41
1:B:229:THR:OG1	1:B:231:ASP:OD1	2.31	0.41
1:A:69:GLY:CA	1:A:142:ILE:HD12	2.51	0.41
1:B:146:ASN:OD1	1:B:231:ASP:HB3	2.21	0.41
1:B:562:LYS:NZ	2:B:610:HOH:O	2.51	0.41
1:B:170:ASP:OD1	1:B:171:THR:N	2.54	0.40
1:B:145:THR:HA	1:B:315:LEU:O	2.21	0.40
1:B:391:MET:HG2	1:B:403:ILE:HD11	2.03	0.40
1:A:176:LEU:HD13	1:A:176:LEU:C	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	506/526 (96%)	484 (96%)	22 (4%)	0	100	100
1	B	508/526 (97%)	490 (96%)	18 (4%)	0	100	100
All	All	1014/1052 (96%)	974 (96%)	40 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	409/420 (97%)	405 (99%)	4 (1%)	68	82
1	B	410/420 (98%)	410 (100%)	0	100	100
All	All	819/840 (98%)	815 (100%)	4 (0%)	81	90

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	PHE
1	A	160	GLU
1	A	252	ASP
1	A	565	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	119	GLN
1	B	120	GLN
1	A	212	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	509/526 (96%)	1.09	91 (17%) 3 3	30, 92, 145, 190	1 (0%)
1	B	512/526 (97%)	0.72	36 (7%) 22 21	41, 74, 131, 157	0
All	All	1021/1052 (97%)	0.90	127 (12%) 8 7	30, 83, 141, 190	1 (0%)

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	132	LEU	5.4
1	A	165	ALA	4.6
1	A	162	LEU	4.5
1	A	583	GLU	4.4
1	A	216	VAL	4.4
1	A	215	ALA	4.3
1	A	383	ALA	4.2
1	B	583	GLU	4.2
1	A	550	ALA	4.0
1	A	157	VAL	3.9
1	A	100	LEU	3.7
1	A	112	TYR	3.6
1	A	235	ILE	3.5
1	B	531	LEU	3.5
1	A	232	SER	3.4
1	A	91	ALA	3.4
1	B	422	PHE	3.4
1	B	126	MET	3.3
1	B	157	VAL	3.3
1	A	107	HIS	3.3
1	A	95	ILE	3.3
1	A	582	ARG	3.3
1	B	426	PHE	3.3
1	B	75	THR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	153	VAL	3.2
1	A	109	GLN	3.2
1	A	163	HIS	3.1
1	A	67	PHE	3.1
1	B	550	ALA	3.0
1	A	233	TRP	3.0
1	A	82	ILE	3.0
1	B	541	GLY	3.0
1	A	392	ASN	3.0
1	A	126	MET	2.9
1	B	524	ALA	2.9
1	A	137	GLU	2.9
1	A	166	ILE	2.9
1	A	101	TYR	2.8
1	A	227	PHE	2.8
1	A	87	GLY	2.8
1	B	486	LEU	2.8
1	A	538	ILE	2.8
1	B	99	ASN	2.8
1	A	115	LEU	2.8
1	B	397	ALA	2.7
1	B	65	GLY	2.7
1	A	291	PRO	2.7
1	B	432	ASP	2.7
1	B	369	GLY	2.7
1	B	443	GLN	2.6
1	A	443	GLN	2.6
1	A	298	PHE	2.6
1	A	111	PRO	2.6
1	A	302	ALA	2.6
1	A	127	HIS	2.6
1	B	391	MET	2.6
1	A	426	PHE	2.6
1	A	68	VAL	2.6
1	A	122	ILE	2.6
1	A	139	ILE	2.6
1	A	236	TYR	2.6
1	A	368	ARG	2.5
1	B	264	LEU	2.5
1	B	269	TYR	2.5
1	A	114	LEU	2.5
1	A	90	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	534	VAL	2.4
1	A	98	GLU	2.4
1	A	502	ILE	2.4
1	B	565	ARG	2.4
1	B	185	SER	2.4
1	A	539	ALA	2.4
1	A	78	SER	2.4
1	B	282	ASN	2.3
1	B	244	ALA	2.3
1	A	509	MET	2.3
1	A	238	LEU	2.3
1	A	213	VAL	2.3
1	B	523	LEU	2.3
1	A	425	LEU	2.3
1	A	168	TRP	2.3
1	A	340	GLY	2.3
1	B	182	ALA	2.3
1	A	144	ILE	2.3
1	B	207	LEU	2.3
1	B	394	LEU	2.3
1	A	541	GLY	2.3
1	A	175	ALA	2.3
1	A	192	LEU	2.2
1	A	317	ASP	2.2
1	A	242	ALA	2.2
1	A	151	THR	2.2
1	B	528	TRP	2.2
1	A	237	LYS	2.2
1	A	301	VAL	2.2
1	A	246	ARG	2.2
1	A	568	ARG	2.2
1	B	85	GLY	2.2
1	A	108	GLU	2.2
1	A	73	GLN	2.2
1	B	420	THR	2.2
1	A	397	ALA	2.2
1	A	158	THR	2.2
1	A	297	ALA	2.2
1	A	230	VAL	2.2
1	A	161	PRO	2.2
1	A	247	PRO	2.2
1	B	184	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	147	GLN	2.2
1	A	80	PHE	2.1
1	A	103	LYS	2.1
1	A	119	GLN	2.1
1	A	85	GLY	2.1
1	B	431	ILE	2.1
1	A	404	ASN	2.1
1	A	106	TRP	2.1
1	A	104	SER	2.1
1	A	303	THR	2.1
1	A	575	GLU	2.1
1	A	393	ASN	2.1
1	B	517	ALA	2.1
1	A	164	ASN	2.1
1	A	391	MET	2.0
1	A	540	GLY	2.0
1	A	97	PHE	2.0
1	B	98	GLU	2.0
1	A	171	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.