



Full wwPDB EM Validation Report ⓘ

Mar 30, 2026 – 01:51 AM UTC

PDB ID : 7ZRS / pdb_00007zrs
EMDB ID : EMD-14921
Title : Structure of the RQT-bound 80S ribosome from *S. cerevisiae* (C2) - composite map
Authors : Best, K.M.; Ikeuchi, K.; Kater, L.; Best, D.M.; Musial, J.; Matsuo, Y.; Berninghausen, O.; Becker, T.; Inada, T.; Beckmann, R.
Deposited on : 2022-05-05
Resolution : 4.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.


The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : **FAILED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

i

ELECTRON MICROSCOPY

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Q-score	25397	1575 (4.30 - 5.30)

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition

There are 84 unique types of molecules in this entry. The entry contains 218399 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	1771	Total	C	N	O	P	0	0
			37739	16872	6683	12413	1771		

- Molecule 2 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	3	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	4	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 4 is a RNA chain called 25S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	5	3185	Total	C	N	O	P	0	0
			68114	30425	12264	22240	3185		

- Molecule 5 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	6	75	Total	C	N	O	P	0	0
			1589	710	279	525	75		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
6	11	C	U	conflict	GB 176418

- Molecule 6 is a protein called 40S ribosomal protein S0-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AA	206	Total	C	N	O	S	0	0
			1603	1030	284	287	2		

- Molecule 7 is a protein called 40S ribosomal protein S1-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AB	226	Total	C	N	O	S	0	0
			1798	1139	330	325	4		

- Molecule 8 is a protein called RPS2 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AC	216	Total	C	N	O	S	0	0
			1626	1042	287	295	2		

- Molecule 9 is a protein called RPS3 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AD	222	Total	C	N	O	S	0	0
			1729	1098	312	313	6		

- Molecule 10 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AE	258	Total	C	N	O	S	0	0
			2056	1308	387	358	3		

- Molecule 11 is a protein called Rps5p.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AF	206	Total	C	N	O	S	0	0
			1605	1005	299	298	3		

- Molecule 12 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AG	228	Total	C	N	O	S	0	0
			1815	1138	351	323	3		

- Molecule 13 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
13	AH	184	Total	C	N	O		
			1473	946	263	264	0	0

- Molecule 14 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AI	187	Total	C	N	O	S		
			1476	916	295	263	2	0	0

- Molecule 15 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AJ	184	Total	C	N	O	S		
			1479	935	285	258	1	0	0

- Molecule 16 is a protein called 40S ribosomal protein S10-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AK	92	Total	C	N	O	S		
			752	487	122	141	2	0	0

- Molecule 17 is a protein called 40S ribosomal protein S11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AL	144	Total	C	N	O	S		
			1159	742	219	195	3	0	0

- Molecule 18 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AM	121	Total	C	N	O	S		
			875	551	153	169	2	0	0

- Molecule 19 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AN	150	Total	C	N	O	S		
			1192	759	224	207	2	0	0

- Molecule 20 is a protein called 40S ribosomal protein S14-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AO	127	Total	C	N	O	S	0	0
			926	569	185	169	3		

- Molecule 21 is a protein called RPS15 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AP	117	Total	C	N	O	S	0	0
			916	583	171	155	7		

- Molecule 22 is a protein called 40S ribosomal protein S16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AQ	141	Total	C	N	O	S	0	0
			1105	708	203	194			

- Molecule 23 is a protein called 40S ribosomal protein S17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AR	121	Total	C	N	O	S	0	0
			948	596	179	171	2		

- Molecule 24 is a protein called 40S ribosomal protein S18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AS	145	Total	C	N	O	S	0	0
			1192	743	237	210	2		

- Molecule 25 is a protein called 40S ribosomal protein S19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	AT	143	Total	C	N	O	S	0	0
			1112	694	208	208	2		

- Molecule 26 is a protein called RPS20 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	AU	100	Total	C	N	O	S	0	0
			797	506	144	146	1		

- Molecule 27 is a protein called 40S ribosomal protein S21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	AV	87	Total	C	N	O	S	0	0
			673	415	125	131	2		

- Molecule 28 is a protein called RPS22A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	AW	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 29 is a protein called 40S ribosomal protein S23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	AX	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 30 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	AY	134	Total	C	N	O		0	0
			1073	676	208	189			

- Molecule 31 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	AZ	82	Total	C	N	O		0	0
			651	416	123	112			

- Molecule 32 is a protein called RPS26B isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Aa	97	Total	C	N	O	S	0	0
			769	475	160	129	5		

- Molecule 33 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Ab	81	Total	C	N	O	S	0	0
			610	382	110	113	5		

- Molecule 34 is a protein called RPS28A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Ac	63	Total	C	N	O	S	0	0
			491	303	96	91	1		

- Molecule 35 is a protein called RPS29A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Ad	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 36 is a protein called 40S ribosomal protein S30-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Ae	56	Total	C	N	O	S	0	0
			448	283	93	71	1		

- Molecule 37 is a protein called RPS31 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Af	73	Total	C	N	O	S	0	0
			556	352	105	95	4		

- Molecule 38 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Ag	312	Total	C	N	O	S	0	0
			2383	1514	409	452	8		

- Molecule 39 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BA	251	Total	C	N	O	S	0	0
			1899	1182	385	331	1		

- Molecule 40 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BB	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 41 is a protein called RPL4A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BC	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 42 is a protein called RPL5 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BD	294	Total	C	N	O	S	0	0
			2351	1484	410	455	2		

- Molecule 43 is a protein called 60S ribosomal protein L6-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BE	167	Total	C	N	O	S	0	0
			1305	841	234	229	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BE	146	ILE	LEU	conflict	UNP P05739
BE	173	MET	LEU	conflict	UNP P05739

- Molecule 44 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BF	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 45 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BG	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 46 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BH	191	Total	C	N	O	S	0	0
			1508	957	274	273	4		

- Molecule 47 is a protein called RPL10 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BI	218	Total	C	N	O	S	0	0
			1764	1117	334	306	7		

- Molecule 48 is a protein called RPL11B isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BJ	169	Total	C	N	O	S	0	0
			1350	846	253	247	4		

- Molecule 49 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BK	193	Total	C	N	O	S	0	0
			1543	962	315	266			

- Molecule 50 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BL	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 51 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	BM	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 52 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	BN	197	Total	C	N	O	S	197	0
			1555	1003	289	262	1		

- Molecule 53 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	BO	183	Total	C	N	O	S	0	0
			1416	879	284	253			

- Molecule 54 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BP	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 55 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BQ	188	Total	C	N	O	S	0	0
			1515	932	323	260			

- Molecule 56 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	BR	171	Total	C	N	O	S	0	0
			1437	925	266	243	3		

- Molecule 57 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	BS	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		

- Molecule 58 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	BT	100	Total	C	N	O	S	0	0
			796	516	131	149			

- Molecule 59 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	BU	136	Total	C	N	O	S	0	0
			1003	628	189	179	7		

- Molecule 60 is a protein called RPL24A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	BV	126	Total	C	N	O	S	0	0
			836	525	165	145	1		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BV	104	GLN	ASN	conflict	UNP A0A6A5PY83
BV	109	GLN	LEU	conflict	UNP A0A6A5PY83
BV	112	ASP	ASN	conflict	UNP A0A6A5PY83
BV	119	ALA	GLU	conflict	UNP A0A6A5PY83

- Molecule 61 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	BW	121	Total	C	N	O	S	0	0
			964	620	169	173	2		

- Molecule 62 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
62	BX	125	Total	C	N	O	0	0
			984	620	191	173		

- Molecule 63 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
63	BY	135	Total	C	N	O	0	0
			1092	710	202	180		

- Molecule 64 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	BZ	148	Total	C	N	O	S	0	0
			1173	749	231	190	3		

- Molecule 65 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
65	Ba	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 66 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	Bb	96	Total	C	N	O	S	0	0
			737	476	123	137	1		

- Molecule 67 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	Bc	109	Total	C	N	O	S	0	0
			876	556	167	152	1		

- Molecule 68 is a protein called RPL32 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	Bd	127	Total	C	N	O	S	0	0
			1017	644	205	167	1		

- Molecule 69 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	Be	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 70 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Bf	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 71 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Bg	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 72 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Bh	99	Total	C	N	O	S	0	0
			766	478	154	132	2		

- Molecule 73 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Bi	85	Total	C	N	O	S	0	0
			670	408	146	111	5		

- Molecule 74 is a protein called RPL38 isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
74	Bj	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 75 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Bk	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 76 is a protein called 60S ribosomal protein L40-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Bl	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 77 is a protein called RPL41A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Bm	25	Total	C	N	O	S	0	0
			229	139	62	27	1		

- Molecule 78 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Bn	103	Total	C	N	O	S	0	0
			824	517	167	135	5		

- Molecule 79 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	Bo	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 80 is a protein called RQC trigger complex helicase SLH1.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	CA	1742	Total	C	N	O	S	0	0
			14008	8959	2378	2596	75		

- Molecule 81 is a protein called RQC trigger complex subunit CUE3.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	CB	297	Total	C	N	O	S	0	0
			2415	1568	414	427	6		

- Molecule 82 is a protein called RQC trigger complex subunit RQT4.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	CC	114	Total	C	N	O	S	0	0
			886	539	167	172	8		

- Molecule 83 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
83	2	2	Total	Mg	0
			2	2	
83	AE	1	Total	Mg	0
			1	1	
83	AF	1	Total	Mg	0
			1	1	

- Molecule 84 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
84	Ad	1	Total	Zn	0
			1	1	
84	Af	1	Total	Zn	0
			1	1	
84	Bf	1	Total	Zn	0
			1	1	
84	Bi	1	Total	Zn	0
			1	1	
84	Bl	1	Total	Zn	0
			1	1	
84	Bn	1	Total	Zn	0
			1	1	
84	Bo	1	Total	Zn	0
			1	1	
84	CC	2	Total	Zn	0
			2	2	

MolProbity failed to run properly - this section is therefore empty.

3 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	20380	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	43.6	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	5.964	Depositor
Minimum map value	-0.585	Depositor
Average map value	0.017	Depositor
Map value standard deviation	0.130	Depositor
Recommended contour level	0.4	Depositor
Map size (Å)	585.19995, 585.19995, 585.19995	wwPDB
Map dimensions	560, 560, 560	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.045, 1.045, 1.045	Depositor

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 13 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers

There are no such residues in this entry.

4.8 Polymer linkage issues

There are no chain breaks in this entry.


5 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14921. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

5.1 Orthogonal projections [i](#)


5.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

5.2 Central slices [i](#)


5.2.1 Primary map



X Index: 280



Y Index: 280




Z Index: 280


The images above show central slices of the map in three orthogonal directions.

5.3 Largest variance slices [i](#)


5.3.1 Primary map



X Index: 285



Y Index: 305




Z Index: 300


The images above show the largest variance slices of the map in three orthogonal directions.

5.4 Orthogonal standard-deviation projections (False-color) [i](#)


5.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

5.5 Orthogonal surface views [i](#)

5.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


5.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


5.6.1 emd_14921_msk_1.map [i](#)



X




Y




Z


5.6.2 emd_14921_msk_2.map [i](#)



X



Y




Z

6 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

6.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


6.2 Volume estimate [i](#)



The volume at the recommended contour level is 2583 nm³; this corresponds to an approximate mass of 2333 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

6.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.208 Å⁻¹

7 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

7.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.208 Å⁻¹

7.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.80	-	-
Author-provided FSC curve	4.82	7.50	4.99
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

8 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14921 and PDB model 7ZRS. Per-residue inclusion information can be found in section ?? on page ??.

8.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

8.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

8.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).

8.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

8.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9140	 0.4900
2	 0.9700	 0.4750
3	 0.9880	 0.5860
4	 0.9980	 0.5700
5	 0.9810	 0.5620
6	 0.7220	 0.2630
AA	 0.9610	 0.4930
AB	 0.9280	 0.4880
AC	 0.9740	 0.5330
AD	 0.9160	 0.3880
AE	 0.9650	 0.5010
AF	 0.8650	 0.3940
AG	 0.9020	 0.4120
AH	 0.8640	 0.4280
AI	 0.9620	 0.5270
AJ	 0.9500	 0.4820
AK	 0.8790	 0.2790
AL	 0.9570	 0.5480
AM	 0.4800	 0.1940
AN	 0.9720	 0.5300
AO	 0.9800	 0.5330
AP	 0.8440	 0.3310
AQ	 0.9240	 0.4390
AR	 0.8910	 0.3950
AS	 0.8500	 0.3420
AT	 0.8960	 0.3760
AU	 0.8900	 0.3520
AV	 0.9500	 0.4830
AW	 0.9920	 0.5670
AX	 0.9700	 0.5530
AY	 0.9330	 0.4540
AZ	 0.6490	 0.2680
Aa	 0.9760	 0.5140
Ab	 0.9420	 0.5010
Ac	 0.8610	 0.3850



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Ad	 0.9810	 0.4550
Ae	 0.8190	 0.3940
Af	 0.5880	 0.2110
Ag	 0.8160	 0.3330
BA	 0.9910	 0.6070
BB	 0.9770	 0.5790
BC	 0.9750	 0.5720
BD	 0.9390	 0.5010
BE	 0.9580	 0.5350
BF	 0.9710	 0.5820
BG	 0.9400	 0.5200
BH	 0.9570	 0.5480
BI	 0.9480	 0.5490
BJ	 0.9300	 0.4630
BK	 0.9510	 0.5540
BL	 0.9700	 0.5520
BM	 0.9950	 0.6120
BN	 0.9860	 0.5900
BO	 0.9690	 0.5880
BP	 0.9940	 0.5940
BQ	 0.9220	 0.5360
BR	 0.9770	 0.5900
BS	 0.9720	 0.5670
BT	 0.9410	 0.4860
BU	 0.9650	 0.5810
BV	 0.9490	 0.4910
BW	 0.9680	 0.5560
BX	 0.9750	 0.5680
BY	 0.9590	 0.5360
BZ	 0.9720	 0.5890
Ba	 0.9560	 0.5360
Bb	 0.9810	 0.5560
Bc	 0.9320	 0.5490
Bd	 0.9870	 0.6000
Be	 0.9960	 0.6180
Bf	 0.9730	 0.5730
Bg	 0.9700	 0.5530
Bh	 0.9570	 0.5300
Bi	 0.9970	 0.6170
Bj	 0.9300	 0.4860
Bk	 1.0000	 0.5980
Bl	 0.9600	 0.5690

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Bm	 0.9710	 0.5750
Bn	 0.9750	 0.5690
Bo	 0.9750	 0.5900
CA	 0.4790	 0.1540
CB	 0.0140	 0.0800
CC	 0.1670	 0.1150