Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:01 PM UTC

PDB ID	:	2ZUE / pdb_00002zue
Title	:	Crystal structure of Pyrococcus horikoshii arginyl-tRNA synthetase complexed with tRNA(Arg) and an ATP analog (ANP)
Authors	:	Konno, M.; Sumida, T.; Uchikawa, E.; Mori, Y.; Yanagisawa, T.; Sekine, S.; Yokoyama, S.
Deposited on	:	2008-10-16
Resolution	:	2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)
RNA backbone	3983	1000 (2.36-1.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	629	6% 62% 34% ·
2	B	78	14% 60% 15% 15% 6% ·

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 7140 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Arginyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	628	Total	C	N	O	S	0	0	0
			5097	3282	867	933	15			

- Molecule 2 is a RNA chain called tRNA-Arg.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	76	Total	C	N	O	P	0	2	0
			1649	733	302	537	77			

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	287	Total O 287 287	0	0
5	B	75	Total O 75 75	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Arginyl-tRNA synthetase

Chain A:



• Molecule 2: tRNA-Arg

Chain B:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	76.27Å 60.00Å 110.66Å 90.00° 106.94° 90.00°	Depositor
Resolution (Å)	39.69 – 2.00 39.69 – 2.00	Depositor EDS
% Data completeness (in resolution range)	92.7 (39.69-2.00) 92.7 (39.69-2.00)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.37 (at 2.00Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.213 , 0.253 0.213 , 0.251	Depositor DCC
R_{free} test set	6099 reflections (10.12%)	wwPDB-VP
Wilson B-factor (Å^2)	27.7	Xtriage
Anisotropy	0.087	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 39.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.47$, $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	7140	wwPDB-VP
Average B, all atoms (Å^2)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.40	0/5202	0.88	18/7015 (0.3%)
2	B	0.33	0/1840	0.87	10/2862 (0.3%)
All	All	0.38	0/7042	0.88	28/9877 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	362	THR	N-CA-C	-8.41	99.20	110.55
1	A	92	TYR	N-CA-C	7.60	123.95	113.16
2	B	946	G	C2'-C3'-O3'	7.42	120.64	109.50
2	B	918	G	C2'-C3'-O3'	7.03	120.05	109.50
1	A	255	VAL	N-CA-C	-6.80	103.89	110.42
2	B	919	G	N9-C1'-C2'	6.19	121.29	112.00
2	B	909	A	C2'-C3'-O3'	6.00	118.49	109.50
2	B	936	U	N1-C1'-C2'	5.95	120.93	112.00
1	A	484	SER	N-CA-C	-5.81	102.26	109.64
2	B	917(A)	A	C2'-C3'-O3'	-5.65	105.22	113.70
1	A	221	ASN	CA-C-N	5.64	126.02	119.47
1	A	221	ASN	C-N-CA	5.64	126.02	119.47
1	A	423	GLY	N-CA-C	5.62	118.36	110.38
1	A	132	LYS	N-CA-C	5.61	113.06	108.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	314	ASP	N-CA-C	5.56	118.18	111.40
1	A	318	PRO	N-CA-C	-5.54	108.92	114.68
1	A	319	ILE	N-CA-C	5.49	116.21	108.36
1	A	589	ASP	N-CA-C	5.47	119.26	112.59
2	B	920	A	C2'-C3'-O3'	5.44	117.66	109.50
2	B	936	U	C4'-C3'-O3'	-5.41	104.88	113.00
1	A	133	PRO	N-CA-C	-5.37	102.80	111.77
1	A	158	GLU	N-CA-C	-5.34	100.59	109.46
1	A	588	MET	N-CA-C	5.30	116.74	111.07
1	A	340	LEU	N-CA-C	-5.17	105.77	111.71
1	A	453	GLU	N-CA-C	-5.09	107.13	113.19
2	B	936	U	C2'-C3'-O3'	-5.08	106.08	113.70
2	B	946	G	C4'-C3'-O3'	5.05	116.98	109.40
1	A	377	ASN	N-CA-C	-5.05	106.29	112.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	919	G	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5097	0	5183	188	0
2	B	1649	0	840	35	0
3	A	31	0	13	1	0
4	A	1	0	0	0	0
5	A	287	0	0	14	0
5	B	75	0	0	1	0
All	All	7140	0	6036	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:LYS:H	1:A:299:LYS:HD2	1.09	1.09
1:A:120:LYS:H	1:A:377:ASN:HD22	1.06	0.97
2:B:917(A):A:H5'	2:B:918:G:OP2	1.77	0.85
1:A:450:GLU:HG3	5:A:1145:HOH:O	1.77	0.84
1:A:452:ILE:CD1	1:A:467:VAL:HG21	2.08	0.84
1:A:114:GLU:O	1:A:117:LYS:HG3	1.77	0.83
2:B:932:C:H4'	2:B:934:C:H41	1.41	0.83
1:A:552:MET:HA	1:A:552:MET:HE3	1.66	0.77
1:A:32:GLU:H	1:A:32:GLU:CD	1.94	0.76
1:A:321:VAL:HG23	1:A:330:THR:HG21	1.67	0.75
1:A:321:VAL:HG21	2:B:974[B]:C:H1'	1.68	0.75
1:A:86:ILE:HD13	5:A:1009:HOH:O	1.86	0.74
1:A:273:ILE:HD12	1:A:278:LEU:HD13	1.70	0.73
1:A:114:GLU:HB3	1:A:117:LYS:HE3	1.71	0.73
1:A:299:LYS:H	1:A:299:LYS:CD	1.92	0.72
1:A:558:ARG:HG2	5:A:1205:HOH:O	1.87	0.72
1:A:383:ILE:HG13	1:A:412:HIS:NE2	2.06	0.71
1:A:545:ARG:HG3	5:A:1133:HOH:O	1.90	0.71
2:B:946:G:O2'	2:B:947:U:H5'	1.91	0.71
1:A:194:ARG:HG3	1:A:194:ARG:HH11	1.55	0.70
1:A:114:GLU:CB	1:A:117:LYS:HE3	2.21	0.70
1:A:332:THR:O	1:A:336:ILE:HD13	1.91	0.70
1:A:383:ILE:HG13	1:A:412:HIS:HE2	1.55	0.69
1:A:299:LYS:HD2	1:A:299:LYS:N	1.95	0.69
1:A:452:ILE:HD13	1:A:467:VAL:HG21	1.74	0.69
1:A:277:LYS:HB3	1:A:280:GLU:HG2	1.73	0.69
1:A:383:ILE:HD11	1:A:391:GLN:CG	2.23	0.68
1:A:520:LYS:O	1:A:524:GLU:HG3	1.92	0.68
1:A:120:LYS:H	1:A:377:ASN:ND2	1.87	0.68
2:B:907:G:H5"	2:B:908:U:OP2	1.94	0.68
1:A:324:ARG:HD2	1:A:328:THR:HB	1.76	0.67
1:A:34:PRO:HB3	2:B:920(A):C:H41	1.59	0.67
1:A:496:VAL:HG23	1:A:497:LEU:HD13	1.76	0.67
1:A:61:ALA:HA	1:A:86:ILE:HD11	1.75	0.67
1:A:277:LYS:HB3	1:A:280:GLU:CG	2.25	0.67
1:A:290:GLU:HG3	5:A:1063:HOH:O	1.93	0.67
1:A:298:GLY:O	1:A:301:ARG:HG3	1.94	0.67
2:B:922:G:C3'	2:B:923:G:H5"	2.26	0.65
1:A:52:LEU:HD12	1:A:52:LEU:H	1.63	0.64
1:A:190:MET:O	1:A:194:ARG:HG2	1.98	0.64
1:A:422:GLU:HG2	5:A:1062:HOH:O	1.99	0.62
1:A:452:ILE:HD12	1:A:467:VAL:HG21	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:932:C:H5'	2:B:933:U:OP1	1.99	0.62
1:A:65:VAL:HG13	1:A:79:VAL:HG23	1.82	0.62
1:A:552:MET:HE2	1:A:575:PHE:CE1	2.34	0.61
1:A:215:ASN:HB2	5:A:1003:HOH:O	2.00	0.61
1:A:304:PHE:HB3	1:A:323:ARG:HB3	1.82	0.61
1:A:383:ILE:HD11	1:A:391:GLN:HG3	1.82	0.61
2:B:947:U:H2'	2:B:950:G:OP1	2.01	0.60
1:A:383:ILE:HD12	1:A:387:GLN:HB2	1.83	0.60
1:A:58:ILE:O	1:A:62:GLU:HG3	2.02	0.60
1:A:22:PRO:HG2	1:A:23:GLN:HE21	1.67	0.59
1:A:10:LYS:O	1:A:14:GLU:HG3	2.04	0.58
1:A:552:MET:HE2	1:A:575:PHE:HE1	1.68	0.58
1:A:232:MET:O	1:A:236:GLU:HG3	2.02	0.58
1:A:243:ARG:NH1	1:A:247:GLU:OE2	2.35	0.58
1:A:53:LEU:HD12	1:A:60:ILE:HD13	1.86	0.58
1:A:317:ASN:N	1:A:318:PRO:HD3	2.19	0.58
1:A:562:GLN:HA	1:A:565:LYS:HE3	1.84	0.58
1:A:419:GLU:CD	1:A:488:LYS:HD3	2.30	0.56
1:A:122:ILE:HG13	1:A:376:ALA:HB2	1.87	0.56
1:A:446:LYS:O	1:A:450:GLU:HG2	2.05	0.56
1:A:545:ARG:NH2	1:A:585:LYS:HD3	2.21	0.55
2:B:922:G:H3'	2:B:923:G:H5"	1.87	0.55
1:A:504:ALA:HB3	1:A:505:PRO:HD3	1.88	0.55
1:A:121:VAL:HG22	1:A:378:ILE:HB	1.89	0.55
1:A:266:LEU:HD22	1:A:267:LEU:O	2.06	0.55
2:B:958:A:O2'	2:B:960:U:OP2	2.18	0.55
2:B:973[B]:G:H3'	2:B:973[B]:G:N3	2.22	0.55
1:A:205:HIS:HE1	1:A:438:ASP:OD1	1.90	0.55
1:A:215:ASN:O	1:A:219:GLU:HG3	2.06	0.55
1:A:514:CYS:HB3	1:A:611:GLU:HB2	1.89	0.55
2:B:920:A:O2'	2:B:920(A):C:P	2.64	0.55
1:A:459:LEU:O	1:A:464:LYS:HE2	2.07	0.54
1:A:140:ARG:HD2	5:A:1067:HOH:O	2.06	0.54
1:A:139:ALA:O	1:A:143:ILE:HG12	2.07	0.54
1:A:135:HIS:HE1	3:A:700:ANP:O3G	1.91	0.54
1:A:538:ASP:O	1:A:539:PHE:HB2	2.08	0.54
1:A:546:GLU:O	1:A:550:VAL:HG13	2.08	0.54
1:A:519:ARG:O	1:A:523:GLU:HG3	2.07	0.53
1:A:16:ILE:HG21	1:A:64:ILE:HG23	1.90	0.53
1:A:36:PRO:HB2	1:A:544:GLU:OE2	2.08	0.53
1:A:543:SER:O	1:A:547:ARG:HD3	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:471:VAL:HG13	1:A:505:PRO:HG3	1.90	0.52
1:A:478:TYR:HB2	1:A:504:ALA:HB2	1.91	0.52
2:B:947:U:H3'	2:B:948:C:H5'	1.91	0.52
1:A:194:ARG:HG3	1:A:194:ARG:NH1	2.22	0.52
1:A:50:ALA:HB2	1:A:57:PRO:HG3	1.91	0.51
1:A:140:ARG:HG3	1:A:144:LEU:HD22	1.92	0.51
1:A:292:PHE:CE1	1:A:401:LEU:CD1	2.93	0.51
1:A:305:VAL:HG12	1:A:321:VAL:HA	1.93	0.51
1:A:3:MET:HG2	1:A:5:ILE:HG22	1.92	0.51
1:A:52:LEU:HD12	1:A:52:LEU:N	2.24	0.51
1:A:114:GLU:HB2	1:A:117:LYS:HE3	1.93	0.51
1:A:383:ILE:CG1	1:A:412:HIS:NE2	2.73	0.51
1:A:234:LYS:HB2	1:A:240:LEU:HD12	1.93	0.51
1:A:53:LEU:O	1:A:55:ARG:HG3	2.11	0.50
1:A:451:LEU:HD23	2:B:938:A:C2	2.47	0.50
1:A:389:HIS:HB2	1:A:390:PRO:HD3	1.93	0.50
1:A:181:ARG:HG2	1:A:181:ARG:HH11	1.76	0.50
1:A:174:GLN:NE2	1:A:211:TYR:HE1	2.09	0.50
1:A:181:ARG:O	1:A:182:LEU:HD23	2.12	0.50
1:A:574:TRP:O	1:A:578:GLU:HG2	2.12	0.50
1:A:153:ARG:HD3	5:A:1029:HOH:O	2.12	0.49
1:A:561:GLU:O	1:A:565:LYS:HG2	2.13	0.49
2:B:923:G:H8	2:B:923:G:C5'	2.25	0.49
1:A:34:PRO:CB	2:B:920(A):C:H41	2.24	0.48
1:A:45:ILE:HD12	1:A:49:LEU:HG	1.94	0.48
1:A:227:GLU:O	1:A:231:ILE:HG12	2.11	0.48
1:A:543:SER:OG	1:A:590:HIS:HE1	1.96	0.48
1:A:32:GLU:CD	1:A:32:GLU:N	2.67	0.48
1:A:307:ASP:OD1	1:A:309:ARG:HG2	2.14	0.48
1:A:419:GLU:OE1	1:A:488:LYS:HD3	2.14	0.48
1:A:45:ILE:HD13	1:A:45:ILE:O	2.14	0.48
1:A:439:GLU:HA	1:A:442:GLN:HE21	1.79	0.48
1:A:41:PHE:CE1	1:A:88:VAL:HG21	2.49	0.48
1:A:97:ARG:NH2	1:A:537:ALA:O	2.47	0.48
2:B:908:U:H5"	5:B:1031:HOH:O	2.12	0.48
1:A:13:ILE:O	1:A:17:ILE:HG13	2.14	0.47
1:A:324:ARG:HG2	2:B:974[B]:C:O2	2.14	0.47
1:A:513:ARG:HH11	1:A:513:ARG:CG	2.27	0.47
1:A:255:VAL:HG12	1:A:259:LYS:HE3	1.96	0.47
1:A:549:LEU:O	1:A:553:LEU:HG	2.15	0.47
1:A:16:ILE:HD12	1:A:67:LYS:HB3	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:ILE:HD12	1:A:609:ALA:CB	2.45	0.47
1:A:383:ILE:HD11	1:A:391:GLN:HG2	1.97	0.47
2:B:923:G:C5'	2:B:923:G:C8	2.98	0.47
1:A:135:HIS:CD2	1:A:137:GLY:H	2.32	0.46
2:B:947:U:C2'	2:B:948:C:OP1	2.62	0.46
2:B:923:G:C8	2:B:923:G:H5'	2.49	0.46
1:A:12:ARG:HG2	1:A:12:ARG:HH11	1.80	0.46
1:A:482:LYS:HG3	1:A:483:TYR:N	2.30	0.46
1:A:498:ASN:O	1:A:498:ASN:CG	2.58	0.46
1:A:324:ARG:HB2	1:A:328:THR:HB	1.97	0.46
1:A:421:PRO:HD2	5:A:1062:HOH:O	2.14	0.46
2:B:917(A):A:C5'	2:B:918:G:OP2	2.58	0.46
1:A:280:GLU:CD	1:A:280:GLU:H	2.24	0.46
1:A:369:MET:HE3	1:A:372:LYS:HD2	1.98	0.46
1:A:135:HIS:HD2	1:A:137:GLY:N	2.14	0.46
1:A:181:ARG:HG2	1:A:181:ARG:NH1	2.31	0.46
1:A:591:PRO:O	1:A:595:ALA:HB2	2.15	0.45
1:A:52:LEU:H	1:A:52:LEU:CD1	2.29	0.45
1:A:183:LYS:O	1:A:187:GLU:HG2	2.16	0.45
1:A:96:ALA:O	1:A:100:ILE:HG12	2.16	0.45
1:A:294:ILE:HA	1:A:303:ALA:O	2.16	0.45
1:A:7:GLU:O	1:A:11:GLU:HG3	2.17	0.45
1:A:65:VAL:HG21	1:A:81:ALA:HB2	1.98	0.45
1:A:85:TYR:OH	2:B:919:G:H2'	2.17	0.45
1:A:163:ASN:HB2	1:A:264:TYR:CD2	2.52	0.45
1:A:356:ASP:HB2	1:A:359:THR:HB	1.99	0.45
1:A:196:ARG:HB3	1:A:198:LEU:CD2	2.47	0.45
2:B:932:C:H3'	2:B:932:C:O2	2.17	0.44
1:A:175:VAL:HB	1:A:207:LEU:HG	1.99	0.44
1:A:324:ARG:HA	2:B:974[B]:C:O2	2.18	0.44
1:A:531:GLU:CD	1:A:531:GLU:H	2.26	0.44
1:A:21:ALA:C	1:A:23:GLN:H	2.25	0.44
1:A:314:ASP:O	1:A:315:MET:C	2.60	0.44
1:A:323:ARG:HH11	1:A:323:ARG:HG2	1.83	0.44
1:A:114:GLU:HB3	1:A:117:LYS:HG3	2.00	0.44
2:B:913:U:O2'	2:B:914:A:H5'	2.18	0.44
1:A:75:GLY:C	1:A:76:ILE:HD12	2.43	0.44
1:A:135:HIS:HD2	1:A:137:GLY:H	1.66	0.44
1:A:3:MET:HE3	1:A:554:SER:OG	2.17	0.43
1:A:48:LYS:HG3	2:B:919:G:O6	2.18	0.43
1:A:417:HIS:HD2	5:A:1307:HOH:O	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:ILE:CG2	1:A:64:ILE:HG23	2.48	0.43
1:A:312:PHE:CG	1:A:315:MET:HE3	2.53	0.43
1:A:251:ARG:HG2	1:A:355:TRP:CZ2	2.53	0.43
1:A:347:ASP:OD1	1:A:347:ASP:O	2.36	0.43
1:A:589:ASP:OD2	1:A:590:HIS:HD2	2.02	0.43
1:A:513:ARG:HG2	1:A:587:TYR:CE1	2.53	0.43
1:A:383:ILE:HD12	1:A:387:GLN:CB	2.49	0.43
1:A:323:ARG:HG2	1:A:323:ARG:NH1	2.33	0.42
1:A:207:LEU:HD12	1:A:207:LEU:HA	1.84	0.42
1:A:271:SER:O	1:A:274:VAL:HG22	2.20	0.42
1:A:9:VAL:O	1:A:13:ILE:HG13	2.19	0.42
1:A:509:TYR:OH	2:B:936:U:H2'	2.19	0.42
1:A:324:ARG:HH11	1:A:328:THR:HG22	1.85	0.42
1:A:385:ALA:O	1:A:388:LYS:HG3	2.20	0.42
2:B:969:G:O2'	2:B:970:U:H5'	2.20	0.42
1:A:315:MET:O	1:A:315:MET:HG3	2.19	0.42
1:A:568:LYS:HE3	5:A:1249:HOH:O	2.18	0.42
2:B:932:C:H4'	2:B:934:C:N4	2.22	0.41
1:A:274:VAL:HG23	1:A:275:ARG:N	2.35	0.41
1:A:479:ASN:ND2	1:A:496:VAL:HA	2.35	0.41
1:A:28:ILE:CD1	1:A:45:ILE:HG13	2.49	0.41
1:A:190:MET:HE3	1:A:194:ARG:NH2	2.35	0.41
1:A:387:GLN:C	1:A:390:PRO:HD2	2.45	0.41
1:A:213:GLU:O	1:A:217:ARG:HG2	2.21	0.41
1:A:277:LYS:HB3	1:A:280:GLU:HG3	2.02	0.41
2:B:922:G:C2'	2:B:923:G:H5"	2.50	0.41
1:A:353:LYS:HE2	1:A:363:ALA:CB	2.51	0.41
1:A:53:LEU:C	1:A:55:ARG:N	2.79	0.41
1:A:168:LEU:HD11	1:A:271:SER:HA	2.02	0.41
1:A:537:ALA:HA	1:A:601:GLU:HG2	2.03	0.41
1:A:6:ARG:O	1:A:10:LYS:HG3	2.21	0.41
1:A:60:ILE:O	1:A:64:ILE:HG13	2.21	0.41
1:A:72:LEU:HD11	1:A:79:VAL:HG13	2.01	0.41
1:A:216:ARG:HG2	1:A:216:ARG:HH11	1.86	0.41
1:A:260:LEU:O	1:A:477:ARG:HD2	2.20	0.41
2:B:917:C:N4	2:B:917(A):A:N6	2.69	0.41
1:A:100:ILE:HD12	1:A:609:ALA:HB2	2.02	0.41
1:A:28:ILE:HD13	1:A:45:ILE:HG13	2.03	0.40
1:A:114:GLU:HB3	1:A:117:LYS:CE	2.46	0.40
1:A:214:VAL:O	1:A:218:LEU:HG	2.21	0.40
1:A:598:GLY:N	1:A:601:GLU:OE1	2.43	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:947:U:H2'	2:B:948:C:OP1	2.21	0.40
1:A:215:ASN:CB	5:A:1003:HOH:O	2.63	0.40
1:A:317:ASN:C	1:A:319:ILE:H	2.28	0.40
2:B:922:G:H2'	2:B:923:G:H5"	2.03	0.40
1:A:449:ARG:HD3	1:A:449:ARG:O	2.22	0.40
1:A:97:ARG:NH2	5:A:1224:HOH:O	2.54	0.40
1:A:204:ASP:OD1	1:A:204:ASP:N	2.55	0.40
1:A:467:VAL:HG23	1:A:468:ALA:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	626/629 (100%)	603 (96%)	22 (4%)	1 (0%)	43 42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	126	THR

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	542/543 (100%)	518 (96%)	24 (4%)	25 24

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	MET
1	A	45	ILE
1	A	104	LEU
1	A	134	LEU
1	A	140	ARG
1	A	144	LEU
1	A	171	GLN
1	A	207	LEU
1	A	215	ASN
1	A	216	ARG
1	A	266	LEU
1	A	280	GLU
1	A	286	LEU
1	A	290	GLU
1	A	345	LYS
1	A	398	LEU
1	A	401	LEU
1	A	497	LEU
1	A	513	ARG
1	A	542	LEU
1	A	550	VAL
1	A	582	LEU
1	A	601	GLU
1	A	605	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	71	ASN
1	A	135	HIS
1	A	174	GLN
1	A	205	HIS
1	A	377	ASN
1	A	387	GLN
1	A	389	HIS
1	A	417	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	442	GLN
1	A	498	ASN
1	A	584	ASN
1	A	590	HIS

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	74/78 (94%)	15 (20%)	5 (6%)

All (15) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	908	U
2	B	909	A
2	B	917(A)	A
2	B	918	G
2	B	919	G
2	B	920(A)	C
2	B	921	A
2	B	922	G
2	B	923	G
2	B	933	U
2	B	934	C
2	B	946	G
2	B	947	U
2	B	948	C
2	B	974[B]	C

All (5) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	907	G
2	B	909	A
2	B	918	G
2	B	920	A
2	B	946	G

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	ANP	A	700	4	33,33,33	1.33	2 (6%)	45,52,52	1.90	12 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	700	4	-	3/18/38/38	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	700	ANP	PA-O3A	4.00	1.63	1.59
3	A	700	ANP	PB-O3A	2.82	1.62	1.59

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	700	ANP	C5-C4-N3	-5.24	119.51	126.72
3	A	700	ANP	N3-C2-N1	-4.76	121.38	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	700	ANP	N3-C4-N9	4.28	134.44	127.17
3	A	700	ANP	C2-N3-C4	3.85	121.24	111.83
3	A	700	ANP	C5-N7-C8	3.75	109.34	103.45
3	A	700	ANP	C4-C5-N7	-3.07	107.07	110.58
3	A	700	ANP	N9-C8-N7	-2.65	110.17	113.94
3	A	700	ANP	PA-O5'-C5'	-2.42	107.51	121.35
3	A	700	ANP	O1B-PB-N3B	-2.36	108.30	111.77
3	A	700	ANP	O4'-C1'-N9	2.33	112.56	108.09
3	A	700	ANP	O2A-PA-O3A	2.02	112.74	107.27
3	A	700	ANP	C5'-C4'-C3'	-2.00	108.00	115.21

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	700	ANP	PB-N3B-PG-O1G
3	A	700	ANP	PB-O3A-PA-O2A
3	A	700	ANP	PB-O3A-PA-O1A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	700	ANP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand ANP A 700



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	628/629 (99%)	0.32	39 (6%) 26 25	15, 29, 62, 84	0
2	B	76/78 (97%)	0.36	11 (14%) 6 5	24, 39, 81, 94	2 (2%)
All	All	704/707 (99%)	0.33	50 (7%) 22 20	15, 30, 66, 94	2 (0%)

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	974[B]	C	8.7
1	A	2	LEU	4.8
1	A	16	ILE	4.1
1	A	574	TRP	3.8
2	B	973[A]	G	3.4
1	A	23	GLN	3.4
1	A	331	TYR	3.3
1	A	24	TRP	3.3
1	A	317	ASN	3.2
2	B	909	A	3.2
2	B	908	U	3.1
1	A	51	LYS	3.1
1	A	72	LEU	3.0
1	A	498	ASN	3.0
1	A	53	LEU	2.7
1	A	5	ILE	2.7
1	A	17	ILE	2.7
1	A	7	GLU	2.6
1	A	22	PRO	2.6
1	A	47	PHE	2.6
1	A	70	LEU	2.6
1	A	13	ILE	2.6
1	A	458	ALA	2.6
2	B	917	C	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	52	LEU	2.6
2	B	933	U	2.5
2	B	946	G	2.5
1	A	56	PRO	2.4
1	A	59	GLU	2.4
1	A	28	ILE	2.4
2	B	934	C	2.3
1	A	501	GLY	2.2
1	A	12	ARG	2.2
1	A	3	MET	2.2
1	A	356	ASP	2.2
1	A	483	TYR	2.2
2	B	919	G	2.2
1	A	15	GLU	2.2
1	A	318	PRO	2.1
1	A	4	GLU	2.1
1	A	6	ARG	2.1
1	A	358	THR	2.1
2	B	947	U	2.1
1	A	323	ARG	2.1
1	A	383	ILE	2.1
1	A	117	LYS	2.0
1	A	300	TYR	2.0
1	A	565	LYS	2.0
1	A	55	ARG	2.0
2	B	920(A)	C	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	MG	A	800	1/1	0.84	0.22	65,65,65,65	0
3	ANP	A	700	31/31	0.89	0.10	27,32,47,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ANP A 700:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.