



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 09:53 PM UTC

PDB ID : 2ZVW / pdb_00002zvw
Title : Crystal structure of Proliferating cell nuclear antigen 2 and Short peptide from human P21
Authors : Strzalka, W.; Oyama, T.; Tori, K.; Morikawa, K.
Deposited on : 2008-11-21
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	
1	B	275	
1	C	275	
1	D	275	
1	E	275	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	275	
1	G	275	
1	H	275	
2	I	22	
2	J	22	
2	K	22	
2	L	22	
2	M	22	
2	N	22	
2	O	22	
2	P	22	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 16590 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proliferating cell nuclear antigen 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	255	Total	C	N	O	S	0	0	0
			1960	1233	319	391	17			
1	B	255	Total	C	N	O	S	0	0	0
			1960	1233	319	391	17			
1	C	255	Total	C	N	O	S	0	0	0
			1960	1233	319	391	17			
1	D	255	Total	C	N	O	S	0	0	0
			1960	1233	319	391	17			
1	E	255	Total	C	N	O	S	0	0	0
			1960	1233	319	391	17			
1	F	255	Total	C	N	O	S	0	0	0
			1960	1233	319	391	17			
1	G	255	Total	C	N	O	S	0	0	0
			1960	1233	319	391	17			
1	H	255	Total	C	N	O	S	0	0	0
			1960	1233	319	391	17			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP Q9ZW35
A	-18	GLY	-	expression tag	UNP Q9ZW35
A	-17	SER	-	expression tag	UNP Q9ZW35
A	-16	SER	-	expression tag	UNP Q9ZW35
A	-15	HIS	-	expression tag	UNP Q9ZW35
A	-14	HIS	-	expression tag	UNP Q9ZW35
A	-13	HIS	-	expression tag	UNP Q9ZW35
A	-12	HIS	-	expression tag	UNP Q9ZW35
A	-11	HIS	-	expression tag	UNP Q9ZW35
A	-10	HIS	-	expression tag	UNP Q9ZW35
A	-9	SER	-	expression tag	UNP Q9ZW35
A	-8	SER	-	expression tag	UNP Q9ZW35
A	-7	GLY	-	expression tag	UNP Q9ZW35

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	LEU	-	expression tag	UNP Q9ZW35
A	-5	VAL	-	expression tag	UNP Q9ZW35
A	-4	PRO	-	expression tag	UNP Q9ZW35
A	-3	ARG	-	expression tag	UNP Q9ZW35
A	-2	GLY	-	expression tag	UNP Q9ZW35
A	-1	SER	-	expression tag	UNP Q9ZW35
A	0	HIS	-	expression tag	UNP Q9ZW35
B	-19	MET	-	expression tag	UNP Q9ZW35
B	-18	GLY	-	expression tag	UNP Q9ZW35
B	-17	SER	-	expression tag	UNP Q9ZW35
B	-16	SER	-	expression tag	UNP Q9ZW35
B	-15	HIS	-	expression tag	UNP Q9ZW35
B	-14	HIS	-	expression tag	UNP Q9ZW35
B	-13	HIS	-	expression tag	UNP Q9ZW35
B	-12	HIS	-	expression tag	UNP Q9ZW35
B	-11	HIS	-	expression tag	UNP Q9ZW35
B	-10	HIS	-	expression tag	UNP Q9ZW35
B	-9	SER	-	expression tag	UNP Q9ZW35
B	-8	SER	-	expression tag	UNP Q9ZW35
B	-7	GLY	-	expression tag	UNP Q9ZW35
B	-6	LEU	-	expression tag	UNP Q9ZW35
B	-5	VAL	-	expression tag	UNP Q9ZW35
B	-4	PRO	-	expression tag	UNP Q9ZW35
B	-3	ARG	-	expression tag	UNP Q9ZW35
B	-2	GLY	-	expression tag	UNP Q9ZW35
B	-1	SER	-	expression tag	UNP Q9ZW35
B	0	HIS	-	expression tag	UNP Q9ZW35
C	-19	MET	-	expression tag	UNP Q9ZW35
C	-18	GLY	-	expression tag	UNP Q9ZW35
C	-17	SER	-	expression tag	UNP Q9ZW35
C	-16	SER	-	expression tag	UNP Q9ZW35
C	-15	HIS	-	expression tag	UNP Q9ZW35
C	-14	HIS	-	expression tag	UNP Q9ZW35
C	-13	HIS	-	expression tag	UNP Q9ZW35
C	-12	HIS	-	expression tag	UNP Q9ZW35
C	-11	HIS	-	expression tag	UNP Q9ZW35
C	-10	HIS	-	expression tag	UNP Q9ZW35
C	-9	SER	-	expression tag	UNP Q9ZW35
C	-8	SER	-	expression tag	UNP Q9ZW35
C	-7	GLY	-	expression tag	UNP Q9ZW35
C	-6	LEU	-	expression tag	UNP Q9ZW35
C	-5	VAL	-	expression tag	UNP Q9ZW35

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	PRO	-	expression tag	UNP Q9ZW35
C	-3	ARG	-	expression tag	UNP Q9ZW35
C	-2	GLY	-	expression tag	UNP Q9ZW35
C	-1	SER	-	expression tag	UNP Q9ZW35
C	0	HIS	-	expression tag	UNP Q9ZW35
D	-19	MET	-	expression tag	UNP Q9ZW35
D	-18	GLY	-	expression tag	UNP Q9ZW35
D	-17	SER	-	expression tag	UNP Q9ZW35
D	-16	SER	-	expression tag	UNP Q9ZW35
D	-15	HIS	-	expression tag	UNP Q9ZW35
D	-14	HIS	-	expression tag	UNP Q9ZW35
D	-13	HIS	-	expression tag	UNP Q9ZW35
D	-12	HIS	-	expression tag	UNP Q9ZW35
D	-11	HIS	-	expression tag	UNP Q9ZW35
D	-10	HIS	-	expression tag	UNP Q9ZW35
D	-9	SER	-	expression tag	UNP Q9ZW35
D	-8	SER	-	expression tag	UNP Q9ZW35
D	-7	GLY	-	expression tag	UNP Q9ZW35
D	-6	LEU	-	expression tag	UNP Q9ZW35
D	-5	VAL	-	expression tag	UNP Q9ZW35
D	-4	PRO	-	expression tag	UNP Q9ZW35
D	-3	ARG	-	expression tag	UNP Q9ZW35
D	-2	GLY	-	expression tag	UNP Q9ZW35
D	-1	SER	-	expression tag	UNP Q9ZW35
D	0	HIS	-	expression tag	UNP Q9ZW35
E	-19	MET	-	expression tag	UNP Q9ZW35
E	-18	GLY	-	expression tag	UNP Q9ZW35
E	-17	SER	-	expression tag	UNP Q9ZW35
E	-16	SER	-	expression tag	UNP Q9ZW35
E	-15	HIS	-	expression tag	UNP Q9ZW35
E	-14	HIS	-	expression tag	UNP Q9ZW35
E	-13	HIS	-	expression tag	UNP Q9ZW35
E	-12	HIS	-	expression tag	UNP Q9ZW35
E	-11	HIS	-	expression tag	UNP Q9ZW35
E	-10	HIS	-	expression tag	UNP Q9ZW35
E	-9	SER	-	expression tag	UNP Q9ZW35
E	-8	SER	-	expression tag	UNP Q9ZW35
E	-7	GLY	-	expression tag	UNP Q9ZW35
E	-6	LEU	-	expression tag	UNP Q9ZW35
E	-5	VAL	-	expression tag	UNP Q9ZW35
E	-4	PRO	-	expression tag	UNP Q9ZW35
E	-3	ARG	-	expression tag	UNP Q9ZW35

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	GLY	-	expression tag	UNP Q9ZW35
E	-1	SER	-	expression tag	UNP Q9ZW35
E	0	HIS	-	expression tag	UNP Q9ZW35
F	-19	MET	-	expression tag	UNP Q9ZW35
F	-18	GLY	-	expression tag	UNP Q9ZW35
F	-17	SER	-	expression tag	UNP Q9ZW35
F	-16	SER	-	expression tag	UNP Q9ZW35
F	-15	HIS	-	expression tag	UNP Q9ZW35
F	-14	HIS	-	expression tag	UNP Q9ZW35
F	-13	HIS	-	expression tag	UNP Q9ZW35
F	-12	HIS	-	expression tag	UNP Q9ZW35
F	-11	HIS	-	expression tag	UNP Q9ZW35
F	-10	HIS	-	expression tag	UNP Q9ZW35
F	-9	SER	-	expression tag	UNP Q9ZW35
F	-8	SER	-	expression tag	UNP Q9ZW35
F	-7	GLY	-	expression tag	UNP Q9ZW35
F	-6	LEU	-	expression tag	UNP Q9ZW35
F	-5	VAL	-	expression tag	UNP Q9ZW35
F	-4	PRO	-	expression tag	UNP Q9ZW35
F	-3	ARG	-	expression tag	UNP Q9ZW35
F	-2	GLY	-	expression tag	UNP Q9ZW35
F	-1	SER	-	expression tag	UNP Q9ZW35
F	0	HIS	-	expression tag	UNP Q9ZW35
G	-19	MET	-	expression tag	UNP Q9ZW35
G	-18	GLY	-	expression tag	UNP Q9ZW35
G	-17	SER	-	expression tag	UNP Q9ZW35
G	-16	SER	-	expression tag	UNP Q9ZW35
G	-15	HIS	-	expression tag	UNP Q9ZW35
G	-14	HIS	-	expression tag	UNP Q9ZW35
G	-13	HIS	-	expression tag	UNP Q9ZW35
G	-12	HIS	-	expression tag	UNP Q9ZW35
G	-11	HIS	-	expression tag	UNP Q9ZW35
G	-10	HIS	-	expression tag	UNP Q9ZW35
G	-9	SER	-	expression tag	UNP Q9ZW35
G	-8	SER	-	expression tag	UNP Q9ZW35
G	-7	GLY	-	expression tag	UNP Q9ZW35
G	-6	LEU	-	expression tag	UNP Q9ZW35
G	-5	VAL	-	expression tag	UNP Q9ZW35
G	-4	PRO	-	expression tag	UNP Q9ZW35
G	-3	ARG	-	expression tag	UNP Q9ZW35
G	-2	GLY	-	expression tag	UNP Q9ZW35
G	-1	SER	-	expression tag	UNP Q9ZW35

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP Q9ZW35
H	-19	MET	-	expression tag	UNP Q9ZW35
H	-18	GLY	-	expression tag	UNP Q9ZW35
H	-17	SER	-	expression tag	UNP Q9ZW35
H	-16	SER	-	expression tag	UNP Q9ZW35
H	-15	HIS	-	expression tag	UNP Q9ZW35
H	-14	HIS	-	expression tag	UNP Q9ZW35
H	-13	HIS	-	expression tag	UNP Q9ZW35
H	-12	HIS	-	expression tag	UNP Q9ZW35
H	-11	HIS	-	expression tag	UNP Q9ZW35
H	-10	HIS	-	expression tag	UNP Q9ZW35
H	-9	SER	-	expression tag	UNP Q9ZW35
H	-8	SER	-	expression tag	UNP Q9ZW35
H	-7	GLY	-	expression tag	UNP Q9ZW35
H	-6	LEU	-	expression tag	UNP Q9ZW35
H	-5	VAL	-	expression tag	UNP Q9ZW35
H	-4	PRO	-	expression tag	UNP Q9ZW35
H	-3	ARG	-	expression tag	UNP Q9ZW35
H	-2	GLY	-	expression tag	UNP Q9ZW35
H	-1	SER	-	expression tag	UNP Q9ZW35
H	0	HIS	-	expression tag	UNP Q9ZW35

- Molecule 2 is a protein called Cyclin-dependent kinase inhibitor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	11	Total	C	N	O	S	0	0	0
			89	55	14	19	1			
2	J	11	Total	C	N	O	S	0	0	0
			89	55	14	19	1			
2	K	11	Total	C	N	O	S	0	0	0
			89	55	14	19	1			
2	L	11	Total	C	N	O	S	0	0	0
			89	55	14	19	1			
2	M	11	Total	C	N	O	S	0	0	0
			89	55	14	19	1			
2	N	11	Total	C	N	O	S	0	0	0
			89	55	14	19	1			
2	O	11	Total	C	N	O	S	0	0	0
			89	55	14	19	1			
2	P	11	Total	C	N	O	S	0	0	0
			89	55	14	19	1			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	16	Total	O	0	0
			16	16		
4	B	18	Total	O	0	0
			18	18		
4	C	22	Total	O	0	0
			22	22		
4	D	23	Total	O	0	0
			23	23		
4	E	12	Total	O	0	0
			12	12		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	17	Total 17	O 17	0	0
4	G	21	Total 21	O 21	0	0
4	H	25	Total 25	O 25	0	0
4	I	2	Total 2	O 2	0	0
4	K	1	Total 1	O 1	0	0
4	L	1	Total 1	O 1	0	0
4	N	2	Total 2	O 2	0	0
4	O	2	Total 2	O 2	0	0
4	P	1	Total 1	O 1	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Proliferating cell nuclear antigen 2

Chain A: 




• Molecule 1: Proliferating cell nuclear antigen 2

Chain B: 




• Molecule 1: Proliferating cell nuclear antigen 2

Chain C: 




• Molecule 1: Proliferating cell nuclear antigen 2



Chain D: 





- Molecule 1: Proliferating cell nuclear antigen 2





- Molecule 1: Proliferating cell nuclear antigen 2



- Molecule 1: Proliferating cell nuclear antigen 2



- Molecule 1: Proliferating cell nuclear antigen 2



- Molecule 2: Cyclin-dependent kinase inhibitor 1






- Molecule 2: Cyclin-dependent kinase inhibitor 1



- Molecule 2: Cyclin-dependent kinase inhibitor 1




- Molecule 2: Cyclin-dependent kinase inhibitor 1



- Molecule 2: Cyclin-dependent kinase inhibitor 1



- Molecule 2: Cyclin-dependent kinase inhibitor 1



- Molecule 2: Cyclin-dependent kinase inhibitor 1



- Molecule 2: Cyclin-dependent kinase inhibitor 1



GLY	ARG	LYS	ARG	R143	S163	LYS	ARG	ARG	LEU	ILE	PHE	SER
-----	-----	-----	-----	------	------	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	223.69Å 223.69Å 200.88Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	36.69 – 2.50 36.69 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.4 (36.69-2.50) 99.5 (36.69-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.15 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.234 , 0.261 0.229 , 0.254	Depositor DCC
R_{free} test set	6534 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	44.2	Xtriage
Anisotropy	0.206	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 19.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.195 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16590	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.57	4/1988 (0.2%)	0.90	2/2684 (0.1%)
1	B	0.51	0/1988	0.95	13/2684 (0.5%)
1	C	0.51	0/1988	0.91	4/2684 (0.1%)
1	D	0.48	0/1988	0.93	5/2684 (0.2%)
1	E	0.53	2/1988 (0.1%)	0.91	6/2684 (0.2%)
1	F	0.49	0/1988	0.91	5/2684 (0.2%)
1	G	0.47	0/1988	0.94	2/2684 (0.1%)
1	H	0.50	1/1988 (0.1%)	0.92	7/2684 (0.3%)
2	I	0.53	0/91	0.70	0/122
2	J	0.42	0/91	0.81	0/122
2	K	0.51	0/91	0.79	0/122
2	L	0.45	0/91	0.83	0/122
2	M	0.44	0/91	0.71	0/122
2	N	0.49	0/91	0.66	0/122
2	O	0.42	0/91	0.65	0/122
2	P	0.54	0/91	0.85	0/122
All	All	0.51	7/16632 (0.0%)	0.92	44/22448 (0.2%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	242	ALA	N-CA	-6.35	1.38	1.46
1	E	242	ALA	C-N	-6.32	1.25	1.33
1	E	242	ALA	CA-C	-6.11	1.47	1.53
1	A	242	ALA	C-N	-5.86	1.26	1.33
1	H	242	ALA	CA-C	-5.11	1.48	1.53
1	A	242	ALA	CA-C	-5.06	1.46	1.52
1	A	243	GLU	N-CA	-5.05	1.40	1.46

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	LYS	N-CA-C	7.15	119.93	111.71
1	B	233	LEU	N-CA-C	6.85	114.38	108.22
1	E	32	THR	N-CA-C	-6.73	104.89	113.23
1	C	70	MET	N-CA-C	6.44	119.21	109.23
1	F	19	VAL	N-CA-C	6.36	117.11	110.62
1	H	233	LEU	N-CA-C	6.18	113.78	108.22
1	H	246	TYR	N-CA-C	6.12	117.44	108.14
1	F	238	GLU	N-CA-C	6.08	119.37	109.59
1	H	174	ASP	N-CA-C	5.97	117.79	111.28
1	C	20	LYS	N-CA-C	5.92	118.52	111.71
1	H	70	MET	N-CA-C	5.89	119.08	109.06
1	D	238	GLU	N-CA-C	5.89	119.00	109.40
1	B	241	VAL	CA-C-N	-5.79	112.93	122.89
1	B	241	VAL	C-N-CA	-5.79	112.93	122.89
1	G	71	ASN	N-CA-C	-5.69	99.84	108.67
1	E	238	GLU	N-CA-C	5.68	118.67	109.40
1	C	71	ASN	N-CA-C	-5.58	100.01	108.67
1	D	71	ASN	N-CA-C	-5.57	99.44	108.41
1	B	71	ASN	N-CA-C	-5.54	100.08	108.67
1	B	19	VAL	N-CA-C	5.54	117.97	111.05
1	B	34	GLY	N-CA-C	5.52	118.80	110.75
1	B	130	ASP	N-CA-C	-5.46	102.20	110.28
1	G	34	GLY	N-CA-C	5.46	118.56	110.42
1	F	233	LEU	N-CA-C	5.43	113.11	108.22
1	D	86	ASP	N-CA-C	5.40	117.69	110.35
1	E	34	GLY	N-CA-C	5.39	117.86	110.69
1	E	71	ASN	N-CA-C	-5.38	100.33	108.67
1	B	246	TYR	N-CA-C	5.32	116.22	108.14
1	C	86	ASP	N-CA-C	5.28	117.53	110.35
1	E	86	ASP	N-CA-C	5.28	117.94	110.50
1	B	153	SER	N-CA-C	-5.28	106.80	113.18
1	B	238	GLU	N-CA-C	5.27	117.99	109.40
1	D	128	ILE	N-CA-C	5.23	113.20	107.60
1	F	246	TYR	N-CA-C	5.21	116.06	108.14
1	H	217	LYS	N-CA-C	-5.19	106.79	113.01
1	A	70	MET	N-CA-C	5.14	117.82	109.24
1	B	20	LYS	N-CA-C	5.13	117.61	111.71
1	E	20	LYS	N-CA-C	5.10	117.74	111.82
1	B	242	ALA	CB-CA-C	-5.10	110.68	116.54
1	B	86	ASP	N-CA-C	5.08	117.67	110.50
1	H	71	ASN	N-CA-C	-5.07	100.81	108.67
1	D	246	TYR	N-CA-C	5.07	115.89	107.73
1	H	231	SER	N-CA-C	5.06	117.46	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	70	MET	N-CA-C	5.03	117.61	109.06

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1960	0	1968	20	0
1	B	1960	0	1968	27	0
1	C	1960	0	1968	27	0
1	D	1960	0	1968	30	0
1	E	1960	0	1968	32	0
1	F	1960	0	1968	20	0
1	G	1960	0	1968	21	0
1	H	1960	0	1968	20	0
2	I	89	0	71	0	0
2	J	89	0	71	0	0
2	K	89	0	71	2	0
2	L	89	0	71	0	0
2	M	89	0	71	0	0
2	N	89	0	71	1	0
2	O	89	0	71	0	0
2	P	89	0	71	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	0	0
3	F	5	0	0	0	0
3	H	5	0	0	0	0
4	A	16	0	0	0	0
4	B	18	0	0	1	0
4	C	22	0	0	0	0
4	D	23	0	0	0	0
4	E	12	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	F	17	0	0	0	0
4	G	21	0	0	0	0
4	H	25	0	0	0	0
4	I	2	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0
4	N	2	0	0	0	0
4	O	2	0	0	0	0
4	P	1	0	0	0	0
All	All	16590	0	16312	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:117:LYS:HE2	1:E:176:GLY:HA2	1.54	0.88
1:A:2:LEU:HD22	1:A:66:LEU:HD11	1.67	0.77
1:F:56:GLY:HA3	1:F:244:MET:HE3	1.69	0.75
1:B:2:LEU:HD22	1:B:66:LEU:HD11	1.69	0.74
1:G:2:LEU:HD22	1:G:66:LEU:HD11	1.70	0.72
1:E:2:LEU:HD22	1:E:66:LEU:HD11	1.70	0.71
1:B:191:PRO:HA	1:B:194:ALA:HB3	1.71	0.71
1:F:183:ARG:HH11	1:F:183:ARG:HB2	1.60	0.66
1:D:195:ILE:HD11	1:D:197:ILE:HD11	1.78	0.65
1:E:93:ASP:HB2	1:E:96:SER:HB2	1.78	0.65
1:D:5:ARG:HH11	1:D:87:ILE:HG21	1.61	0.64
1:D:52:LEU:HB3	1:D:244:MET:HE2	1.78	0.64
1:C:241:VAL:O	1:C:242:ALA:C	2.40	0.64
1:G:65:ASN:HD22	1:G:65:ASN:N	1.95	0.64
1:A:241:VAL:O	1:A:242:ALA:C	2.37	0.63
1:B:182:LEU:HB3	1:B:195:ILE:HD12	1.81	0.63
1:D:241:VAL:O	1:D:242:ALA:C	2.41	0.62
1:D:103:PHE:HB2	1:D:112:ALA:HB3	1.81	0.62
1:C:186:THR:HG23	1:E:183:ARG:HB3	1.82	0.62
1:G:192:GLU:HG3	1:G:193:ASP:N	2.15	0.61
1:G:151:LEU:HD22	1:G:171:THR:HG22	1.81	0.61
1:D:111:ILE:HD12	1:E:183:ARG:NH2	2.16	0.60
1:G:192:GLU:HG3	1:G:193:ASP:H	1.66	0.60
1:B:241:VAL:O	1:B:242:ALA:C	2.40	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:182:LEU:HD23	1:F:110:LYS:HB2	1.85	0.58
1:E:151:LEU:HD22	1:E:171:THR:HG22	1.86	0.58
1:G:27:ASN:HD22	1:G:123:SER:HB3	1.68	0.57
1:G:139:MET:HE1	1:G:147:ILE:HD12	1.85	0.57
1:E:110:LYS:HB2	1:F:182:LEU:CD2	2.36	0.56
1:D:64:ARG:NH1	1:D:94:ASP:HB3	2.21	0.55
1:F:51:LEU:O	1:F:245:GLY:HA3	2.07	0.55
1:A:81:CYS:SG	1:B:150:ASP:HB3	2.47	0.54
1:H:4:LEU:HD22	1:H:60:TYR:CE1	2.42	0.54
1:E:5:ARG:HB3	1:E:59:HIS:HB3	1.89	0.53
1:D:65:ASN:HD22	1:D:65:ASN:N	2.06	0.53
1:E:1:MET:HB3	1:E:61:ARG:HH12	1.72	0.53
1:D:19:VAL:HG23	1:D:72:LEU:HD13	1.91	0.53
1:G:11:LEU:O	1:G:15:VAL:HG23	2.09	0.53
1:C:103:PHE:HB2	1:C:112:ALA:HB3	1.90	0.53
1:G:5:ARG:CZ	1:G:87:ILE:HG21	2.39	0.53
1:G:195:ILE:O	1:G:195:ILE:HG13	2.09	0.52
1:E:47:LEU:HD23	1:E:48:VAL:N	2.25	0.52
1:C:1:MET:HB3	1:C:61:ARG:HH12	1.73	0.52
1:C:125:HIS:O	2:K:153:SER:HA	2.10	0.52
1:G:158:VAL:HB	1:G:209:LEU:HD21	1.91	0.52
1:F:151:LEU:HD22	1:F:171:THR:HG22	1.92	0.52
1:D:1:MET:HG2	1:D:2:LEU:N	2.25	0.51
1:E:117:LYS:NZ	1:E:117:LYS:HB3	2.25	0.51
1:B:64:ARG:HH12	1:B:94:ASP:HB3	1.75	0.51
1:A:61:ARG:HG2	1:A:61:ARG:HH11	1.75	0.51
1:H:2:LEU:HB3	1:H:92:ALA:HB3	1.93	0.51
1:H:23:VAL:O	1:H:72:LEU:HD12	2.11	0.51
1:H:47:LEU:HD23	1:H:48:VAL:N	2.26	0.51
1:A:37:LEU:C	1:A:37:LEU:HD23	2.36	0.51
1:D:5:ARG:NH1	1:D:87:ILE:HG21	2.26	0.51
1:G:103:PHE:HB2	1:G:112:ALA:HB3	1.93	0.51
1:H:103:PHE:HB2	1:H:112:ALA:HB3	1.92	0.51
1:C:5:ARG:HB3	1:C:59:HIS:HB3	1.93	0.50
1:H:56:GLY:HA3	1:H:244:MET:HE3	1.93	0.50
1:D:75:MET:O	1:D:79:LEU:HG	2.11	0.50
1:E:19:VAL:HG23	1:E:72:LEU:HD13	1.93	0.50
1:E:110:LYS:HB2	1:F:182:LEU:HD23	1.94	0.50
1:G:52:LEU:HB3	1:G:244:MET:HE2	1.94	0.50
1:H:159:VAL:HB	1:H:170:SER:HB2	1.93	0.50
1:B:110:LYS:HB2	1:C:182:LEU:HD23	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:4:LEU:HD22	1:D:60:TYR:CD1	2.47	0.49
1:B:195:ILE:HD11	1:B:197:ILE:HD11	1.93	0.49
1:C:151:LEU:HD22	1:C:171:THR:HG22	1.94	0.49
1:G:154:ILE:O	1:G:173:GLY:HA3	2.13	0.49
1:H:100:THR:OG1	1:H:115:GLU:HG2	2.12	0.49
1:C:43:SER:O	1:C:44:HIS:HB2	2.13	0.48
1:E:154:ILE:O	1:E:173:GLY:HA3	2.12	0.48
1:G:65:ASN:HD22	1:G:65:ASN:H	1.60	0.48
1:B:52:LEU:HB3	1:B:244:MET:HE2	1.96	0.48
1:A:169:PHE:O	1:A:179:ASN:HA	2.14	0.48
1:F:207:PHE:CZ	1:F:235:VAL:HB	2.47	0.48
1:D:7:VAL:HG23	1:D:58:GLU:HB2	1.96	0.48
1:B:182:LEU:HB3	1:B:195:ILE:CD1	2.44	0.48
1:E:241:VAL:O	1:E:242:ALA:C	2.56	0.48
1:C:184:GLN:HA	1:C:195:ILE:HG23	1.95	0.48
1:A:110:LYS:HB2	1:B:182:LEU:CD2	2.44	0.47
1:H:119:MET:HE2	1:H:121:ILE:HG12	1.96	0.47
1:C:139:MET:HE1	1:C:147:ILE:HD12	1.96	0.47
1:D:110:LYS:HB2	1:E:182:LEU:CD2	2.44	0.47
1:E:75:MET:HE3	1:E:101:PHE:CZ	2.49	0.47
1:C:169:PHE:O	1:C:179:ASN:HA	2.14	0.47
1:B:5:ARG:HB3	1:B:59:HIS:HB3	1.96	0.47
1:E:47:LEU:HD23	1:E:47:LEU:C	2.39	0.47
1:E:207:PHE:CZ	1:E:235:VAL:HB	2.50	0.46
1:A:51:LEU:O	1:A:245:GLY:HA3	2.15	0.46
1:F:161:SER:HA	1:F:203:VAL:O	2.16	0.46
1:A:150:ASP:HB3	1:C:81:CYS:SG	2.55	0.46
1:D:5:ARG:HH21	1:D:58:GLU:CD	2.24	0.46
1:B:37:LEU:C	1:B:37:LEU:HD23	2.40	0.46
1:C:2:LEU:O	1:C:91:LYS:HA	2.15	0.46
1:E:37:LEU:C	1:E:37:LEU:HD23	2.40	0.46
1:A:5:ARG:HB3	1:A:59:HIS:HB3	1.97	0.46
1:A:27:ASN:HD22	1:A:123:SER:HB3	1.79	0.46
1:D:1:MET:HG2	1:D:2:LEU:H	1.80	0.46
1:F:4:LEU:HD22	1:F:60:TYR:CE1	2.51	0.46
1:D:75:MET:HE2	1:D:79:LEU:HD11	1.97	0.46
1:F:37:LEU:C	1:F:37:LEU:HD23	2.41	0.46
1:E:151:LEU:HD22	1:E:171:THR:CG2	2.46	0.45
1:C:232:GLU:O	1:C:233:LEU:HD23	2.16	0.45
1:D:158:VAL:HB	1:D:209:LEU:HD21	1.98	0.45
1:C:183:ARG:HB3	1:E:186:THR:HG23	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:VAL:HG12	1:A:204:SER:N	2.32	0.45
1:B:175:ILE:HG23	4:B:1057:HOH:O	2.16	0.45
1:F:138:ARG:HB3	1:F:196:VAL:HB	1.99	0.44
1:H:107:THR:O	1:H:108:GLN:HB2	2.16	0.44
1:A:43:SER:O	1:A:44:HIS:HB2	2.16	0.44
1:D:50:LEU:HD13	1:D:247:ILE:HG12	1.99	0.44
1:C:147:ILE:HG23	1:C:180:ILE:HD12	1.98	0.44
1:F:182:LEU:HB3	1:F:195:ILE:CD1	2.47	0.44
1:G:169:PHE:O	1:G:179:ASN:HA	2.17	0.44
1:B:96:SER:OG	1:B:98:THR:HG23	2.16	0.44
1:B:107:THR:O	1:B:108:GLN:HB2	2.18	0.44
1:F:2:LEU:HD22	1:F:66:LEU:HD11	2.00	0.44
1:C:246:TYR:CD2	1:C:246:TYR:C	2.96	0.44
1:A:139:MET:HE1	1:A:147:ILE:HD12	2.00	0.44
1:B:134:HIS:HB3	1:B:201:GLU:HB2	1.99	0.44
1:D:91:LYS:HB2	1:D:100:THR:HB	1.99	0.44
1:A:91:LYS:HB2	1:A:100:THR:HB	1.98	0.43
1:B:99:VAL:HB	1:B:118:LEU:HD21	1.99	0.43
1:D:182:LEU:CD2	1:F:110:LYS:HB2	2.48	0.43
1:G:93:ASP:HB2	1:G:96:SER:HB2	2.00	0.43
1:B:218:ALA:O	1:B:221:LEU:HB2	2.19	0.43
1:E:9:GLY:HA3	1:E:88:ILE:HG13	2.00	0.43
1:H:151:LEU:HD22	1:H:171:THR:HG22	2.01	0.43
1:C:170:SER:HB3	1:C:179:ASN:CB	2.49	0.43
1:C:235:VAL:HG22	1:C:236:VAL:N	2.33	0.43
1:D:56:GLY:HA3	1:D:244:MET:HB3	2.00	0.43
1:C:2:LEU:HD11	1:C:4:LEU:HD21	2.01	0.43
1:H:207:PHE:CZ	1:H:235:VAL:HB	2.54	0.43
1:B:139:MET:CE	1:B:143:GLU:HG3	2.49	0.42
1:F:119:MET:HE2	1:F:121:ILE:HG12	2.01	0.42
1:G:190:LYS:C	1:G:192:GLU:H	2.27	0.42
1:A:182:LEU:HD23	1:C:110:LYS:HB2	2.01	0.42
1:B:246:TYR:CD2	1:B:246:TYR:C	2.97	0.42
1:C:123:SER:HA	1:G:122:ASP:HB2	2.02	0.42
1:G:107:THR:O	1:G:108:GLN:HB2	2.20	0.42
1:A:55:GLU:H	1:A:55:GLU:CD	2.28	0.42
1:D:151:LEU:HD22	1:D:171:THR:HG22	2.01	0.42
1:E:11:LEU:O	1:E:15:VAL:HG23	2.19	0.42
1:E:93:ASP:HB2	1:E:96:SER:CB	2.49	0.42
1:E:219:THR:N	1:E:220:PRO:HD2	2.34	0.42
1:E:234:PRO:HA	1:E:253:PRO:HD3	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:LEU:HB2	1:A:66:LEU:HD21	2.01	0.42
1:D:161:SER:HA	1:D:203:VAL:O	2.19	0.42
1:F:246:TYR:CD2	1:F:246:TYR:C	2.98	0.42
1:H:52:LEU:CD2	1:H:241:VAL:HG11	2.50	0.42
1:A:11:LEU:O	1:A:15:VAL:HG23	2.20	0.41
1:H:169:PHE:O	1:H:179:ASN:HA	2.20	0.41
1:C:52:LEU:HB3	1:C:244:MET:HE2	2.03	0.41
1:D:246:TYR:CD2	1:D:246:TYR:C	2.98	0.41
1:G:140:PRO:HG2	1:G:193:ASP:HA	2.02	0.41
1:A:219:THR:N	1:A:220:PRO:HD2	2.36	0.41
1:B:82:ALA:HB2	1:B:103:PHE:CD2	2.54	0.41
1:E:52:LEU:HB3	1:E:244:MET:HE2	2.02	0.41
1:B:169:PHE:O	1:B:179:ASN:HA	2.20	0.41
1:D:169:PHE:O	1:D:179:ASN:HA	2.20	0.41
1:E:107:THR:O	1:E:108:GLN:HB2	2.21	0.41
1:H:158:VAL:HA	1:H:170:SER:O	2.20	0.41
1:B:4:LEU:HD22	1:B:60:TYR:CE1	2.55	0.41
1:B:19:VAL:HG12	1:B:48:VAL:HG21	2.03	0.41
1:E:184:GLN:HG2	1:E:195:ILE:O	2.21	0.41
1:F:19:VAL:HG23	1:F:72:LEU:HD13	2.03	0.41
1:H:110:LYS:O	1:H:110:LYS:HG3	2.21	0.41
1:H:143:GLU:O	1:H:147:ILE:HG13	2.21	0.41
1:H:160:ILE:HD11	1:H:212:MET:HE3	2.02	0.41
1:B:158:VAL:HB	1:B:209:LEU:HD21	2.02	0.41
1:F:233:LEU:HD22	2:N:151:TYR:OH	2.20	0.41
1:H:51:LEU:O	1:H:245:GLY:HA3	2.21	0.41
1:B:162:VAL:HG12	1:B:199:MET:HG3	2.02	0.40
1:C:47:LEU:C	1:C:47:LEU:HD23	2.46	0.40
1:E:158:VAL:HB	1:E:209:LEU:HD21	2.03	0.40
1:F:84:ASN:HD22	1:F:84:ASN:HA	1.72	0.40
1:C:14:LYS:HD3	1:C:220:PRO:HB2	2.03	0.40
1:C:45:VAL:HG13	2:K:144:GLN:NE2	2.36	0.40
1:H:52:LEU:HB3	1:H:244:MET:HE2	2.01	0.40
1:D:37:LEU:HD23	1:D:37:LEU:C	2.46	0.40
1:E:139:MET:HE1	1:E:147:ILE:HD12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	253/275 (92%)	245 (97%)	7 (3%)	1 (0%)	30	49
1	B	253/275 (92%)	246 (97%)	7 (3%)	0	100	100
1	C	253/275 (92%)	248 (98%)	5 (2%)	0	100	100
1	D	253/275 (92%)	246 (97%)	7 (3%)	0	100	100
1	E	253/275 (92%)	247 (98%)	6 (2%)	0	100	100
1	F	253/275 (92%)	246 (97%)	7 (3%)	0	100	100
1	G	253/275 (92%)	241 (95%)	12 (5%)	0	100	100
1	H	253/275 (92%)	244 (96%)	9 (4%)	0	100	100
2	I	9/22 (41%)	9 (100%)	0	0	100	100
2	J	9/22 (41%)	9 (100%)	0	0	100	100
2	K	9/22 (41%)	9 (100%)	0	0	100	100
2	L	9/22 (41%)	8 (89%)	1 (11%)	0	100	100
2	M	9/22 (41%)	9 (100%)	0	0	100	100
2	N	9/22 (41%)	8 (89%)	1 (11%)	0	100	100
2	O	9/22 (41%)	9 (100%)	0	0	100	100
2	P	9/22 (41%)	8 (89%)	1 (11%)	0	100	100
All	All	2096/2376 (88%)	2032 (97%)	63 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	63	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/243 (93%)	220 (98%)	5 (2%)	45	73
1	B	225/243 (93%)	217 (96%)	8 (4%)	31	58
1	C	225/243 (93%)	221 (98%)	4 (2%)	51	77
1	D	225/243 (93%)	219 (97%)	6 (3%)	39	67
1	E	225/243 (93%)	222 (99%)	3 (1%)	61	82
1	F	225/243 (93%)	219 (97%)	6 (3%)	39	67
1	G	225/243 (93%)	216 (96%)	9 (4%)	28	54
1	H	225/243 (93%)	220 (98%)	5 (2%)	45	73
2	I	10/21 (48%)	10 (100%)	0	100	100
2	J	10/21 (48%)	10 (100%)	0	100	100
2	K	10/21 (48%)	10 (100%)	0	100	100
2	L	10/21 (48%)	10 (100%)	0	100	100
2	M	10/21 (48%)	10 (100%)	0	100	100
2	N	10/21 (48%)	10 (100%)	0	100	100
2	O	10/21 (48%)	10 (100%)	0	100	100
2	P	10/21 (48%)	10 (100%)	0	100	100
All	All	1880/2112 (89%)	1834 (98%)	46 (2%)	43	70

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LEU
1	A	58	GLU
1	A	110	LYS
1	A	122	ASP
1	A	183	ARG
1	B	50	LEU
1	B	66	LEU
1	B	70	MET
1	B	98	THR
1	B	110	LYS
1	B	193	ASP
1	B	195	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	198	GLU
1	C	85	ASP
1	C	110	LYS
1	C	122	ASP
1	C	183	ARG
1	D	65	ASN
1	D	75	MET
1	D	110	LYS
1	D	120	ASP
1	D	183	ARG
1	D	195	ILE
1	E	21	ASP
1	E	25	ASP
1	E	110	LYS
1	F	50	LEU
1	F	110	LYS
1	F	120	ASP
1	F	157	THR
1	F	183	ARG
1	F	185	ASN
1	G	33	THR
1	G	58	GLU
1	G	65	ASN
1	G	110	LYS
1	G	122	ASP
1	G	189	ASP
1	G	195	ILE
1	G	224	THR
1	G	243	GLU
1	H	17	GLU
1	H	110	LYS
1	H	138	ARG
1	H	183	ARG
1	H	243	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (41) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	65	ASN
1	A	84	ASN
1	B	8	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	65	ASN
1	B	108	GLN
1	B	200	ASN
1	C	8	GLN
1	C	65	ASN
1	C	84	ASN
1	C	179	ASN
1	C	185	ASN
1	D	65	ASN
1	D	84	ASN
1	D	185	ASN
1	E	8	GLN
1	E	27	ASN
1	E	65	ASN
1	E	84	ASN
1	E	125	HIS
1	F	27	ASN
1	F	65	ASN
1	F	84	ASN
1	F	185	ASN
1	G	8	GLN
1	G	27	ASN
1	G	65	ASN
1	G	84	ASN
1	G	108	GLN
1	G	179	ASN
1	H	8	GLN
1	H	44	HIS
1	H	65	ASN
1	H	84	ASN
1	H	125	HIS
1	H	185	ASN
1	H	213	ASN
2	I	144	GLN
2	K	144	GLN
2	N	144	GLN
2	P	144	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	F	951	-	4,4,4	0.43	0	6,6,6	0.15	0
3	SO4	C	921	-	4,4,4	0.41	0	6,6,6	0.12	0
3	SO4	A	901	-	4,4,4	0.43	0	6,6,6	0.10	0
3	SO4	D	931	-	4,4,4	0.40	0	6,6,6	0.12	0
3	SO4	B	911	-	4,4,4	0.40	0	6,6,6	0.12	0
3	SO4	H	961	-	4,4,4	0.39	0	6,6,6	0.11	0
3	SO4	E	941	-	4,4,4	0.43	0	6,6,6	0.11	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	255/275 (92%)	-1.34	0 100 100	24, 40, 63, 76	0
1	B	255/275 (92%)	-1.30	0 100 100	27, 43, 69, 82	0
1	C	255/275 (92%)	-1.31	0 100 100	26, 44, 69, 78	0
1	D	255/275 (92%)	-1.34	0 100 100	25, 43, 69, 81	0
1	E	255/275 (92%)	-1.29	0 100 100	28, 43, 69, 79	0
1	F	255/275 (92%)	-1.35	0 100 100	24, 39, 65, 77	0
1	G	255/275 (92%)	-1.25	0 100 100	26, 44, 73, 84	0
1	H	255/275 (92%)	-1.33	0 100 100	26, 41, 65, 84	0
2	I	11/22 (50%)	-1.13	0 100 100	31, 36, 51, 57	0
2	J	11/22 (50%)	-1.13	0 100 100	39, 45, 63, 65	0
2	K	11/22 (50%)	-1.21	0 100 100	39, 47, 56, 62	0
2	L	11/22 (50%)	-1.14	0 100 100	40, 43, 66, 66	0
2	M	11/22 (50%)	-1.01	0 100 100	41, 47, 72, 73	0
2	N	11/22 (50%)	-1.17	0 100 100	34, 38, 56, 57	0
2	O	11/22 (50%)	-1.21	0 100 100	39, 45, 64, 66	0
2	P	11/22 (50%)	-1.08	0 100 100	40, 45, 63, 67	0
All	All	2128/2376 (89%)	-1.31	0 100 100	24, 42, 69, 84	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	901	5/5	0.98	0.11	85,85,86,86	0
3	SO4	B	911	5/5	0.98	0.06	93,93,93,94	0
3	SO4	E	941	5/5	0.98	0.07	73,73,75,76	0
3	SO4	H	961	5/5	0.98	0.08	87,87,87,88	0
3	SO4	C	921	5/5	0.99	0.11	84,85,85,86	0
3	SO4	F	951	5/5	0.99	0.05	67,67,69,69	0
3	SO4	D	931	5/5	0.99	0.09	80,80,81,81	0

6.5 Other polymers [i](#)

There are no such residues in this entry.