



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 07:47 AM UTC

PDB ID : 7ZVX / pdb_00007zvx
Title : Crystal structure of human Annexin A2 in complex with full phosphorothioate 5-10 2'-methoxyethyl DNA gapmer antisense oligonucleotide solved at 2.4 Å resolution
Authors : Hyjek-Skladanowska, M.; Anderson, B.; Mykhaylyk, V.; Orr, C.; Wagner, A.; Skowronek, K.; Seth, P.; Nowotny, M.
Deposited on : 2022-05-17
Resolution : 2.40 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	93% 7%
1	B	307	89% 11%
2	C	30	13% 7% 80%
2	D	30	7% 90%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5445 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Annexin A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	307	Total	C	N	O	S	0	2	0
			2416	1516	407	482	11			
1	B	307	Total	C	N	O	S	0	1	0
			2425	1529	410	475	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	33	SER	-	expression tag	UNP P07355
A	293	ALA	VAL	variant	UNP P07355
B	33	SER	-	expression tag	UNP P07355
B	293	ALA	VAL	variant	UNP P07355

- Molecule 2 is a DNA chain called 2'-methoxyethyl DNA gapmer antisense oligonucleotide.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	6	Total 210	C 102	N 20	O 64	P 12	S 12	0	6	0
2	D	3	Total 90	C 42	N 8	O 28	P 6	S 6	0	3	0

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	5	Total	Ca	0	0
			5	5		
3	B	6	Total	Ca	0	0
			6	6		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	112	Total 112	O 112	0	0
5	B	126	Total 126	O 126	0	0
5	C	1	Total 1	O 1	0	0
5	D	2	Total 2	O 2	0	0

i

- Molecule 1: Annexin A2



-
- 32
- 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995

- | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|----|-----|-----|----|----|-----|-----|----|-----|----|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|
| K39 | N7X | N7X | K2F | K39 | GS | OKN | PST | GS | GS | PST | PST | AS | PST | GS | T101 | T104 | T105 | T106 | PST | PST | PST | PST | PST | PST | PST |
|-----|-----|-----|-----|-----|----|-----|-----|----|----|-----|-----|----|-----|----|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|

- [illegible]

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	50.23Å 60.36Å 128.43Å 90.00° 97.17° 90.00°	Depositor
Resolution (Å)	35.85 – 2.40 35.85 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.3 (35.85-2.40) 91.2 (35.85-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.25 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.185 , 0.242 0.185 , 0.241	Depositor DCC
R_{free} test set	1461 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.5	Xtriage
Anisotropy	0.242	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 32.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5445	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, PST, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/2447	0.54	0/3295
1	B	0.39	0/2456	0.54	0/3300
All	All	0.38	0/4903	0.54	0/6595

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2416	0	2355	13	0
1	B	2425	0	2406	23	0
2	C	210	0	120	1	0
2	D	90	0	48	2	0
3	A	5	0	0	0	0
3	B	6	0	0	0	0
4	A	28	0	42	1	0
4	B	24	0	36	3	0
5	A	112	0	0	1	0
5	B	126	0	0	4	1
5	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	2	0	0	0	0
All	All	5445	0	5007	37	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 37 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:104:LYS:NZ	5:A:501:HOH:O	2.15	0.71
1:A:133:CYS:O	4:A:408:EDO:H21	2.01	0.60
1:A:65:ASN:HD21	1:A:105:THR:HA	1.66	0.60
1:B:145:ARG:NH1	5:B:503:HOH:O	2.29	0.56
1:A:64:SER:O	1:A:68:ARG:HG3	2.07	0.55

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:508:HOH:O	5:B:538:HOH:O[2_556]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/307 (100%)	298 (97%)	8 (3%)	1 (0%)	36	50
1	B	306/307 (100%)	300 (98%)	5 (2%)	1 (0%)	36	50
All	All	613/614 (100%)	598 (98%)	13 (2%)	2 (0%)	36	50

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	51	VAL
1	B	51	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/269 (93%)	250 (100%)	1 (0%)	84	92
1	B	252/269 (94%)	249 (99%)	3 (1%)	63	81
All	All	503/538 (94%)	499 (99%)	4 (1%)	73	86

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	322	ASP
1	B	141	GLN
1	B	185	VAL
1	B	322	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	138	GLN
1	B	254	ASN
1	B	261	GLN
1	B	258	ASN
1	B	137	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

18 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PST	C	102[A]	2	18,21,22	0.19	0	25,30,33	0.24	0
2	PST	C	104[B]	2	18,21,22	0.21	0	25,30,33	0.28	0
2	PST	C	103[A]	2	18,21,22	0.19	0	25,30,33	0.21	0
2	PST	D	103[A]	2	1,4,22	0.44	0	0,4,33	-	-
2	PST	C	104[A]	2	18,21,22	0.20	0	25,30,33	0.24	0
2	PST	C	101[B]	2	18,21,22	0.17	0	25,30,33	0.20	0
2	PST	D	102[A]	2	18,21,22	0.20	0	25,30,33	0.24	0
2	PST	D	103[B]	2	1,4,22	0.34	0	0,4,33	-	-
2	PST	C	101[A]	2	18,21,22	0.17	0	25,30,33	0.21	0
2	PST	C	105[A]	2	18,21,22	0.20	0	25,30,33	0.27	0
2	PST	D	101[B]	2	18,21,22	0.20	0	25,30,33	0.24	0
2	PST	C	102[B]	2	18,21,22	0.19	0	25,30,33	0.20	0
2	PST	C	103[B]	2	18,21,22	0.19	0	25,30,33	0.22	0
2	PST	C	106[B]	2	1,4,22	0.34	0	0,4,33	-	-
2	PST	C	105[B]	2	18,21,22	0.20	0	25,30,33	0.27	0
2	PST	D	101[A]	2	18,21,22	0.19	0	25,30,33	0.28	0
2	PST	C	106[A]	2	1,4,22	0.35	0	0,4,33	-	-
2	PST	D	102[B]	2	18,21,22	0.19	0	25,30,33	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PST	C	102[A]	2	-	6/7/21/22	0/2/2/2
2	PST	C	104[B]	2	-	0/7/21/22	0/2/2/2
2	PST	C	103[A]	2	-	0/7/21/22	0/2/2/2
2	PST	D	103[A]	2	-	0/0/2/22	-
2	PST	C	104[A]	2	-	2/7/21/22	0/2/2/2
2	PST	C	101[B]	2	-	3/7/21/22	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PST	D	102[A]	2	-	2/7/21/22	0/2/2/2
2	PST	D	103[B]	2	-	0/0/2/22	-
2	PST	C	101[A]	2	-	1/7/21/22	0/2/2/2
2	PST	C	105[A]	2	-	2/7/21/22	0/2/2/2
2	PST	D	101[B]	2	-	2/7/21/22	0/2/2/2
2	PST	C	102[B]	2	-	4/7/21/22	0/2/2/2
2	PST	C	103[B]	2	-	1/7/21/22	0/2/2/2
2	PST	C	106[B]	2	-	0/0/2/22	-
2	PST	C	105[B]	2	-	1/7/21/22	0/2/2/2
2	PST	D	101[A]	2	-	1/7/21/22	0/2/2/2
2	PST	C	106[A]	2	-	0/0/2/22	-
2	PST	D	102[B]	2	-	2/7/21/22	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	102[A]	PST	O4'-C4'-C5'-O5'
2	C	105[A]	PST	O4'-C4'-C5'-O5'
2	C	101[B]	PST	O4'-C4'-C5'-O5'
2	D	101[B]	PST	O4'-C4'-C5'-O5'
2	C	102[B]	PST	C3'-C4'-C5'-O5'

There are no ring outliers.

4 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	104[B]	PST	1	0
2	D	101[B]	PST	1	0
2	C	105[B]	PST	1	0
2	D	102[B]	PST	2	0

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 24 ligands modelled in this entry, 11 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	411	-	3,3,3	0.57	0	2,2,2	0.16	0
4	EDO	B	407	-	3,3,3	0.38	0	2,2,2	0.77	0
4	EDO	A	409	-	3,3,3	0.48	0	2,2,2	0.36	0
4	EDO	B	408	-	3,3,3	0.44	0	2,2,2	0.57	0
4	EDO	B	410	-	3,3,3	0.42	0	2,2,2	0.48	0
4	EDO	A	408	-	3,3,3	0.55	0	2,2,2	0.03	0
4	EDO	A	406	-	3,3,3	0.59	0	2,2,2	0.01	0
4	EDO	B	412	-	3,3,3	0.40	0	2,2,2	0.63	0
4	EDO	B	409	-	3,3,3	0.49	0	2,2,2	0.07	0
4	EDO	A	410	-	3,3,3	0.52	0	2,2,2	0.36	0
4	EDO	A	412	-	3,3,3	0.45	0	2,2,2	0.60	0
4	EDO	B	411	-	3,3,3	0.43	0	2,2,2	0.50	0
4	EDO	A	407	-	3,3,3	0.40	0	2,2,2	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	411	-	-	1/1/1/1	-
4	EDO	B	407	-	-	0/1/1/1	-
4	EDO	A	409	-	-	1/1/1/1	-
4	EDO	B	408	-	-	0/1/1/1	-
4	EDO	B	410	-	-	0/1/1/1	-
4	EDO	A	408	-	-	0/1/1/1	-
4	EDO	A	406	-	-	0/1/1/1	-
4	EDO	B	412	-	-	0/1/1/1	-
4	EDO	B	409	-	-	0/1/1/1	-
4	EDO	A	410	-	-	0/1/1/1	-
4	EDO	A	412	-	-	1/1/1/1	-
4	EDO	B	411	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	407	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	409	EDO	O1-C1-C2-O2
4	A	411	EDO	O1-C1-C2-O2
4	A	407	EDO	O1-C1-C2-O2
4	A	412	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	410	EDO	2	0
4	A	408	EDO	1	0
4	B	411	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	307/307 (100%)	-0.10	0 100 100	18, 40, 58, 80	2 (0%)
1	B	307/307 (100%)	-0.12	1 (0%) 90 88	22, 36, 54, 82	1 (0%)
2	C	0/30	-	-	-	-
2	D	0/30	-	-	-	-
All	All	614/674 (91%)	-0.11	1 (0%) 91 89	18, 38, 56, 82	3 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	132	ILE	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PST	C	101[A]	20/21	0.26	0.20	116,122,125,126	20
2	PST	C	101[B]	20/21	0.26	0.20	108,122,125,126	20
2	PST	C	105[A]	20/21	0.36	0.17	108,114,118,118	20
2	PST	C	105[B]	20/21	0.36	0.17	110,113,118,118	20
2	PST	D	101[A]	20/21	0.45	0.17	115,118,123,129	20
2	PST	D	101[B]	20/21	0.45	0.17	115,119,123,128	20
2	PST	C	103[A]	20/21	0.49	0.16	106,111,116,118	20
2	PST	C	103[B]	20/21	0.49	0.16	94,112,116,116	20
2	PST	C	104[A]	20/21	0.59	0.16	96,111,113,113	20
2	PST	C	104[B]	20/21	0.59	0.16	98,112,113,114	20
2	PST	C	102[A]	20/21	0.61	0.15	113,117,125,127	20

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PST	C	102[B]	20/21	0.61	0.15	112,117,125,127	20
2	PST	D	103[A]	5/21	0.65	0.22	99,100,113,115	5
2	PST	D	103[B]	5/21	0.65	0.22	106,113,115,121	5
2	PST	C	106[A]	5/21	0.72	0.15	108,109,113,119	5
2	PST	C	106[B]	5/21	0.72	0.15	109,110,113,118	5
2	PST	D	102[A]	20/21	0.78	0.16	101,118,120,121	20
2	PST	D	102[B]	20/21	0.78	0.16	111,117,120,120	20

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CA	B	406	1/1	0.73	0.11	96,96,96,96	0
3	CA	A	403	1/1	0.82	0.11	76,76,76,76	0
3	CA	B	404	1/1	0.83	0.13	95,95,95,95	0
3	CA	B	402	1/1	0.83	0.14	91,91,91,91	0
4	EDO	A	406	4/4	0.83	0.16	41,50,53,54	0
3	CA	B	401	1/1	0.87	0.10	75,75,75,75	0
3	CA	A	405	1/1	0.90	0.07	89,89,89,89	0
4	EDO	B	408	4/4	0.90	0.15	37,37,40,53	0
4	EDO	A	408	4/4	0.91	0.11	32,43,46,51	0
4	EDO	A	411	4/4	0.91	0.12	44,44,46,56	0
4	EDO	A	412	4/4	0.91	0.09	36,37,40,46	0
3	CA	A	404	1/1	0.91	0.09	87,87,87,87	0
4	EDO	B	409	4/4	0.91	0.10	37,37,46,49	0
4	EDO	B	407	4/4	0.92	0.11	44,48,49,56	0
4	EDO	B	410	4/4	0.92	0.11	41,42,51,57	0
4	EDO	B	411	4/4	0.92	0.13	39,43,46,46	0
4	EDO	B	412	4/4	0.92	0.11	36,41,45,50	0
4	EDO	A	409	4/4	0.93	0.09	37,38,45,46	0
3	CA	B	403	1/1	0.94	0.11	75,75,75,75	0
4	EDO	A	407	4/4	0.94	0.09	32,34,39,52	0
3	CA	A	401	1/1	0.95	0.08	87,87,87,87	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	410	4/4	0.95	0.08	39,43,45,46	0
3	CA	A	402	1/1	0.98	0.04	49,49,49,49	0
3	CA	B	405	1/1	0.99	0.02	38,38,38,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.