



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:11 PM UTC

PDB ID : 5ZWJ / pdb_00005zwj
Title : Crystal structure of EGFR 675-1022 T790M/C797S/V948R in complex with EAI045
Authors : Zhao, P.; Yun, C.H.
Deposited on : 2018-05-15
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	355	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2115 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Epidermal growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	267	2064	1339	349	361	15	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	674	GLY	-	expression tag	UNP P00533
A	790	MET	THR	engineered mutation	UNP P00533
A	797	SER	CYS	engineered mutation	UNP P00533
A	948	ARG	VAL	engineered mutation	UNP P00533
A	1023	HIS	-	expression tag	UNP P00533
A	1024	HIS	-	expression tag	UNP P00533
A	1025	HIS	-	expression tag	UNP P00533
A	1026	HIS	-	expression tag	UNP P00533
A	1027	HIS	-	expression tag	UNP P00533
A	1028	HIS	-	expression tag	UNP P00533

- Molecule 2 is (2R)-2-(5-fluoro-2-hydroxyphenyl)-2-(1-oxo-1,3-dihydro-2H-isoindol-2-yl)-N-(1,3-thiazol-2-yl)acetamide (CCD ID: 9LL) (formula: C₁₉H₁₄FN₃O₃S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			27	19	1	3	3	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	24	Total	O	0	0
			24	24		

- Molecule 1: Epidermal growth factor receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	79.59Å 79.59Å 215.07Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.69 – 2.90 49.69 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.7 (49.69-2.90) 99.9 (49.69-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 2.86Å)	Xtriage
Refinement program	PHENIX (1.13_2998)	Depositor
R, R_{free}	0.255 , 0.272 0.266 , 0.280	Depositor DCC
R_{free} test set	486 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	95.7	Xtriage
Anisotropy	0.482	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 76.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2115	wwPDB-VP
Average B, all atoms (Å ²)	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 9LL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/2111	1.05	14/2869 (0.5%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	715	ILE	N-CA-C	10.02	120.84	110.72
1	A	748	ARG	N-CA-C	6.38	117.89	111.07
1	A	933	LEU	CA-C-N	5.72	125.66	119.76
1	A	933	LEU	C-N-CA	5.72	125.66	119.76
1	A	740	ILE	N-CA-C	5.62	114.30	107.61
1	A	939	CYS	N-CA-C	5.54	118.67	110.48
1	A	958	ARG	CA-C-N	5.51	125.44	119.76
1	A	958	ARG	C-N-CA	5.51	125.44	119.76
1	A	938	ILE	N-CA-C	5.50	116.23	110.62
1	A	923	ILE	N-CA-C	5.46	116.85	110.62
1	A	795	PHE	N-CA-C	5.22	117.05	111.36
1	A	715	ILE	CB-CA-C	-5.19	105.06	112.22
1	A	750	ALA	N-CA-C	5.14	118.69	111.74
1	A	982	GLN	CB-CA-C	-5.12	110.65	116.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2064	0	2051	141	0
2	A	27	0	0	3	0
3	A	24	0	0	0	0
All	All	2115	0	2051	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:825:MET:CE	1:A:838:LEU:HD22	1.46	1.44
1:A:943:VAL:CG2	1:A:971:MET:HE1	1.62	1.27
1:A:943:VAL:HG22	1:A:971:MET:CE	1.64	1.26
1:A:825:MET:HE2	1:A:838:LEU:HD22	1.19	1.18
1:A:933:LEU:H	1:A:933:LEU:HD12	1.17	1.10
1:A:825:MET:HE3	1:A:838:LEU:HD22	1.29	1.04
1:A:811:SER:OG	1:A:975:PRO:HB2	1.61	0.99
1:A:943:VAL:HG22	1:A:971:MET:HE1	1.00	0.98
1:A:825:MET:HE2	1:A:838:LEU:CD2	1.96	0.95
1:A:825:MET:CE	1:A:838:LEU:CD2	2.43	0.95
1:A:938:ILE:H	1:A:938:ILE:HD12	1.32	0.94
1:A:939:CYS:HA	1:A:979:LEU:HD23	1.48	0.93
1:A:879:LYS:HG2	1:A:923:ILE:HD11	1.51	0.90
1:A:919:PRO:HG2	1:A:922:GLU:CG	2.01	0.90
1:A:879:LYS:HG2	1:A:923:ILE:CD1	2.01	0.90
1:A:884:GLU:CD	1:A:958:ARG:HH12	1.79	0.90
1:A:905:TRP:HD1	1:A:947:MET:HE1	1.37	0.88
1:A:883:LEU:HD13	1:A:927:LEU:HB2	1.54	0.87
1:A:880:TRP:HZ2	1:A:906:GLU:OE2	1.57	0.86
1:A:943:VAL:CG2	1:A:971:MET:CE	2.35	0.85
1:A:919:PRO:HG2	1:A:922:GLU:HG3	1.57	0.84
1:A:798:LEU:HD12	1:A:798:LEU:O	1.78	0.83
1:A:840:ALA:HB2	1:A:906:GLU:OE1	1.81	0.81
1:A:793:MET:HE1	1:A:852:LYS:HD2	1.64	0.80
1:A:974:ASP:CG	1:A:977:ARG:HG2	2.06	0.79
1:A:905:TRP:CD1	1:A:947:MET:HE1	2.19	0.78
1:A:919:PRO:CG	1:A:922:GLU:CD	2.56	0.77
1:A:769:VAL:CG2	1:A:827:TYR:HE2	1.97	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:883:LEU:HD13	1:A:927:LEU:CB	2.14	0.77
1:A:940:THR:CB	1:A:978:TYR:O	2.33	0.77
1:A:933:LEU:HD13	1:A:951:TRP:CH2	2.19	0.77
1:A:943:VAL:HG21	1:A:971:MET:HE1	1.65	0.77
1:A:796:GLY:O	1:A:845:VAL:HG23	1.84	0.76
1:A:880:TRP:CZ2	1:A:906:GLU:OE2	2.38	0.76
1:A:919:PRO:HG2	1:A:922:GLU:CD	2.10	0.75
1:A:898:TRP:CE3	1:A:958:ARG:NH2	2.54	0.75
1:A:898:TRP:HE3	1:A:958:ARG:NH2	1.84	0.74
1:A:938:ILE:HD12	1:A:938:ILE:N	2.03	0.73
1:A:740:ILE:HD12	1:A:740:ILE:N	2.04	0.73
1:A:795:PHE:CE2	1:A:847:THR:HA	2.24	0.72
1:A:795:PHE:HB2	1:A:845:VAL:HB	1.72	0.71
1:A:938:ILE:H	1:A:938:ILE:CD1	2.04	0.70
1:A:769:VAL:HG23	1:A:827:TYR:HE2	1.56	0.70
1:A:793:MET:CE	1:A:852:LYS:HD2	2.22	0.70
1:A:811:SER:HG	1:A:975:PRO:HB2	1.55	0.69
1:A:933:LEU:HD12	1:A:933:LEU:N	2.01	0.69
1:A:840:ALA:CB	1:A:906:GLU:OE1	2.41	0.68
1:A:704:LEU:HD12	1:A:779:GLY:HA2	1.75	0.68
1:A:935:GLN:HB2	1:A:944:TYR:CE2	2.28	0.68
1:A:706:ILE:HD12	1:A:706:ILE:N	2.08	0.67
1:A:935:GLN:HB2	1:A:944:TYR:CD2	2.30	0.66
1:A:933:LEU:HD13	1:A:951:TRP:CZ3	2.29	0.66
1:A:825:MET:HE3	1:A:838:LEU:CD2	2.16	0.66
1:A:933:LEU:H	1:A:933:LEU:CD1	1.99	0.65
1:A:971:MET:HE3	1:A:978:TYR:HB3	1.77	0.65
1:A:932:ARG:NH2	1:A:951:TRP:O	2.33	0.62
1:A:919:PRO:CG	1:A:922:GLU:HG3	2.30	0.62
1:A:855:ASP:HA	2:A:1101:9LL:O01	2.00	0.61
1:A:949:LYS:HG2	1:A:959:PRO:HD3	1.81	0.60
1:A:858:LEU:HD21	2:A:1101:9LL:O01	2.00	0.60
1:A:939:CYS:CA	1:A:979:LEU:HD23	2.29	0.60
1:A:769:VAL:CG2	1:A:827:TYR:CE2	2.84	0.59
1:A:883:LEU:CD1	1:A:927:LEU:HB2	2.32	0.59
1:A:771:ASN:HB3	1:A:774:VAL:HB	1.85	0.58
1:A:919:PRO:HG3	1:A:922:GLU:CD	2.28	0.58
1:A:772:PRO:O	1:A:852:LYS:HE2	2.02	0.58
1:A:799:LEU:HB2	1:A:840:ALA:CB	2.34	0.58
1:A:799:LEU:HB2	1:A:840:ALA:HB1	1.86	0.57
1:A:769:VAL:HG22	1:A:827:TYR:HE2	1.68	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:905:TRP:HB2	1:A:947:MET:HE3	1.87	0.57
1:A:704:LEU:HB2	1:A:767:ALA:CB	2.34	0.57
1:A:942:ASP:N	1:A:942:ASP:OD1	2.37	0.57
1:A:909:THR:HG23	1:A:912:SER:H	1.70	0.57
1:A:732:ILE:H	1:A:732:ILE:HD12	1.71	0.55
1:A:704:LEU:HB2	1:A:767:ALA:HB2	1.88	0.54
1:A:900:TYR:C	1:A:900:TYR:CD1	2.85	0.54
1:A:898:TRP:C	1:A:898:TRP:CD1	2.85	0.54
1:A:746:GLU:OE2	1:A:787:GLN:NE2	2.38	0.53
1:A:778:LEU:HD11	1:A:791:GLN:HB2	1.90	0.53
1:A:712:PHE:C	1:A:713:LYS:HD3	2.34	0.53
1:A:769:VAL:HG22	1:A:827:TYR:CE2	2.43	0.53
1:A:713:LYS:NZ	1:A:732:ILE:HD13	2.24	0.52
1:A:802:VAL:HA	1:A:809:ILE:HD11	1.91	0.52
1:A:747:LEU:HD23	1:A:747:LEU:N	2.23	0.52
1:A:732:ILE:HD12	1:A:732:ILE:N	2.25	0.52
1:A:743:ALA:HB3	1:A:790:MET:HE2	1.91	0.52
1:A:717:VAL:O	1:A:717:VAL:HG22	2.10	0.52
1:A:905:TRP:HD1	1:A:947:MET:CE	2.18	0.51
1:A:949:LYS:CG	1:A:959:PRO:HD3	2.40	0.51
1:A:798:LEU:HD12	1:A:798:LEU:C	2.28	0.51
1:A:943:VAL:CG2	1:A:971:MET:HE3	2.35	0.51
1:A:805:HIS:O	1:A:809:ILE:HG13	2.12	0.50
1:A:887:LEU:N	1:A:887:LEU:CD2	2.75	0.50
1:A:980:VAL:O	1:A:980:VAL:HG12	2.11	0.49
1:A:789:ILE:HD12	1:A:789:ILE:N	2.28	0.48
1:A:898:TRP:CZ3	1:A:951:TRP:O	2.67	0.48
1:A:915:TYR:CE1	1:A:933:LEU:HG	2.49	0.48
1:A:771:ASN:CG	1:A:772:PRO:HD2	2.39	0.48
1:A:773:HIS:CE1	1:A:820:GLN:HG2	2.49	0.48
1:A:884:GLU:H	1:A:884:GLU:HG3	1.38	0.47
1:A:955:ALA:HA	1:A:958:ARG:HD2	1.96	0.47
1:A:943:VAL:HG22	1:A:971:MET:SD	2.53	0.47
1:A:795:PHE:HB2	1:A:845:VAL:O	2.15	0.47
1:A:809:ILE:CG2	1:A:810:GLY:N	2.78	0.47
1:A:706:ILE:N	1:A:706:ILE:CD1	2.77	0.47
1:A:933:LEU:CD1	1:A:951:TRP:CZ3	2.96	0.47
1:A:815:LEU:HD12	1:A:975:PRO:HB3	1.98	0.46
1:A:835:HIS:CD2	1:A:856:PHE:HB3	2.50	0.46
1:A:926:ILE:N	1:A:926:ILE:CD1	2.79	0.46
1:A:974:ASP:OD2	1:A:977:ARG:HD2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:704:LEU:CD1	1:A:779:GLY:HA2	2.41	0.46
1:A:802:VAL:HG12	1:A:809:ILE:HD13	1.97	0.46
1:A:744:ILE:HG12	1:A:789:ILE:HG13	1.98	0.45
1:A:809:ILE:HG22	1:A:810:GLY:N	2.31	0.45
1:A:798:LEU:O	1:A:802:VAL:HG22	2.15	0.45
1:A:881:MET:HG3	1:A:886:ILE:CG1	2.47	0.45
1:A:804:GLU:HG3	1:A:805:HIS:ND1	2.32	0.45
1:A:769:VAL:HG23	1:A:827:TYR:CE2	2.43	0.45
1:A:775:CYS:SG	1:A:854:THR:HB	2.57	0.45
1:A:834:VAL:HG12	1:A:836:ARG:HG3	1.99	0.45
1:A:954:ASP:HB3	1:A:957:SER:HB2	1.98	0.44
1:A:876:VAL:CB	1:A:877:PRO:HD2	2.47	0.44
1:A:939:CYS:HB3	1:A:979:LEU:HD21	2.00	0.44
1:A:918:ILE:HG23	1:A:919:PRO:HD2	1.99	0.43
1:A:945:MET:HE2	1:A:945:MET:HB3	1.88	0.43
1:A:936:PRO:HA	1:A:937:PRO:HD3	1.87	0.43
1:A:814:LEU:CD2	1:A:908:MET:SD	3.07	0.43
1:A:819:VAL:HG22	1:A:968:PHE:HB3	2.00	0.43
1:A:919:PRO:CG	1:A:922:GLU:CG	2.81	0.42
1:A:935:GLN:HA	1:A:944:TYR:CE1	2.53	0.42
1:A:814:LEU:CD2	1:A:908:MET:CE	2.97	0.42
1:A:814:LEU:HD21	1:A:908:MET:SD	2.59	0.42
1:A:933:LEU:HA	1:A:934:PRO:HD3	1.78	0.41
1:A:849:GLN:H	1:A:849:GLN:HG2	1.54	0.41
1:A:876:VAL:CB	1:A:877:PRO:CD	2.99	0.41
1:A:771:ASN:HA	1:A:772:PRO:HD3	1.92	0.41
1:A:971:MET:HA	1:A:978:TYR:CE2	2.56	0.41
2:A:1101:9LL:O17	2:A:1101:9LL:S16	2.78	0.41
1:A:718:LEU:N	1:A:718:LEU:CD1	2.83	0.41
1:A:752:SER:HB3	1:A:755:ALA:CB	2.51	0.41
1:A:769:VAL:O	1:A:769:VAL:HG13	2.22	0.40
1:A:941:ILE:H	1:A:941:ILE:HG12	1.76	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/355 (74%)	259 (98%)	4 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	214/314 (68%)	194 (91%)	20 (9%)	8	27

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	704	LEU
1	A	706	ILE
1	A	717	VAL
1	A	718	LEU
1	A	732	ILE
1	A	738	VAL
1	A	740	ILE
1	A	765	VAL
1	A	798	LEU
1	A	845	VAL
1	A	849	GLN
1	A	851	VAL
1	A	858	LEU
1	A	887	LEU
1	A	892	THR
1	A	926	ILE
1	A	933	LEU
1	A	938	ILE
1	A	942	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	976	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	826	ASN
1	A	976	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	9LL	A	1101	-	30,30,30	3.18	15 (50%)	39,43,43	2.99	12 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	9LL	A	1101	-	-	1/16/28/28	0/4/4/4

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1101	9LL	C12-S16	-9.34	1.61	1.74
2	A	1101	9LL	C19-N18	7.60	1.43	1.36
2	A	1101	9LL	C14-N13	4.50	1.46	1.38
2	A	1101	9LL	C12-N13	4.35	1.38	1.31
2	A	1101	9LL	C10-N11	4.27	1.44	1.36
2	A	1101	9LL	C12-N11	4.00	1.44	1.38
2	A	1101	9LL	C09-C10	-3.35	1.50	1.54
2	A	1101	9LL	C14-C15	3.17	1.41	1.34
2	A	1101	9LL	C09-N18	-3.14	1.43	1.46
2	A	1101	9LL	O17-C10	-3.01	1.17	1.23
2	A	1101	9LL	C20-C19	2.95	1.53	1.48
2	A	1101	9LL	C26-N18	-2.78	1.43	1.47
2	A	1101	9LL	C26-C25	2.76	1.53	1.50
2	A	1101	9LL	C15-S16	-2.53	1.59	1.70
2	A	1101	9LL	O27-C19	-2.10	1.18	1.22

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1101	9LL	C26-N18-C19	-9.85	109.00	113.15
2	A	1101	9LL	C25-C26-N18	9.00	107.10	102.31
2	A	1101	9LL	C15-S16-C12	7.97	99.19	90.07
2	A	1101	9LL	C15-C14-N13	-4.16	110.12	116.12
2	A	1101	9LL	C07-C08-C02	3.59	120.22	116.94
2	A	1101	9LL	C10-N11-C12	-3.46	120.33	124.54
2	A	1101	9LL	C08-C09-C10	-2.85	105.83	112.87
2	A	1101	9LL	C26-N18-C09	2.54	126.21	123.84
2	A	1101	9LL	C04-C05-C07	-2.47	119.98	123.23
2	A	1101	9LL	C10-C09-N18	-2.46	106.67	110.14
2	A	1101	9LL	S16-C12-N13	-2.32	110.22	114.59
2	A	1101	9LL	C26-C25-C20	-2.19	108.35	109.73

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1101	9LL	C08-C09-N18-C26

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1101	9LL	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	267/355 (75%)	0.42	10 (3%) 45 37	65, 89, 122, 137	1 (0%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	884	GLU	2.9
1	A	705	ARG	2.5
1	A	718	LEU	2.4
1	A	892	THR	2.3
1	A	940	THR	2.2
1	A	947	MET	2.2
1	A	941	ILE	2.1
1	A	813	TYR	2.0
1	A	858	LEU	2.0
1	A	761	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	9LL	A	1101	27/27	0.95	0.10	63,74,82,88	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.