



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:07 PM UTC

PDB ID : 2ZX8 / pdb_00002zx8
Title : alpha-L-fucosidase complexed with inhibitor, F10-2C-O
Authors : Wu, H.-J.; Ko, T.-P.; Ho, C.-W.; Lin, C.-H.; Wang, A.H.-J.
Deposited on : 2008-12-19
Resolution : 2.33 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3031 (2.36-2.32)
Clashscore	190562	3127 (2.36-2.32)
Ramachandran outliers	187476	3095 (2.36-2.32)
Sidechain outliers	187428	3095 (2.36-2.32)
RSRZ outliers	180081	3033 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	 75% 20% . .
1	B	455	 74% 20% . .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7739 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Alpha-L-fucosidase, putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	441	Total	C	N	O	S	0	0	0
			3639	2372	599	660	8			
1	B	441	Total	C	N	O	S	0	0	0
			3639	2372	599	660	8			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	450	HIS	-	expression tag	UNP Q9WYE2
A	451	HIS	-	expression tag	UNP Q9WYE2
A	452	HIS	-	expression tag	UNP Q9WYE2
A	453	HIS	-	expression tag	UNP Q9WYE2
A	454	HIS	-	expression tag	UNP Q9WYE2
A	455	HIS	-	expression tag	UNP Q9WYE2
B	450	HIS	-	expression tag	UNP Q9WYE2
B	451	HIS	-	expression tag	UNP Q9WYE2
B	452	HIS	-	expression tag	UNP Q9WYE2
B	453	HIS	-	expression tag	UNP Q9WYE2
B	454	HIS	-	expression tag	UNP Q9WYE2
B	455	HIS	-	expression tag	UNP Q9WYE2

- Molecule 2 is N-[[[(2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methylpiperidin-2-yl]methyl}-1-benzofuran-2-carboxamide (CCD ID: ZX8) (formula: C₁₆H₂₀N₂O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			23	16	2	5		
2	B	1	Total	C	N	O	0	0
			23	16	2	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	206	Total	O	0	0
			206	206		
3	B	209	Total	O	0	0
			209	209		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha-L-fucosidase, putative



- Molecule 1: Alpha-L-fucosidase, putative



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	180.07Å 180.07Å 169.61Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	27.84 – 2.33 27.84 – 2.33	Depositor EDS
% Data completeness (in resolution range)	88.0 (27.84-2.33) 95.5 (27.84-2.33)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.64 (at 2.34Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.165 , 0.212 0.166 , 0.214	Depositor DCC
R_{free} test set	2166 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	37.1	Xtriage
Anisotropy	0.310	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 53.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7739	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZX8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.04	5/3759 (0.1%)	1.18	27/5108 (0.5%)
1	B	1.04	4/3759 (0.1%)	1.17	28/5108 (0.5%)
All	All	1.04	9/7518 (0.1%)	1.18	55/10216 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	225	MET	SD-CE	-10.16	1.54	1.79
1	A	213	VAL	CA-CB	5.91	1.61	1.54
1	A	101	THR	CA-CB	5.85	1.62	1.54
1	A	55	MET	SD-CE	5.62	1.93	1.79
1	B	31	ILE	CA-CB	5.54	1.60	1.54
1	A	125	THR	CA-CB	5.46	1.59	1.53
1	B	430	VAL	CA-CB	5.41	1.59	1.53
1	A	97	ALA	CA-C	5.06	1.59	1.52
1	B	210	MET	SD-CE	5.01	1.92	1.79

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	77	SER	N-CA-C	-10.40	92.34	109.82
1	B	77	SER	N-CA-C	-8.96	93.50	109.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	365	CYS	N-CA-C	8.16	121.88	109.23
1	B	40	VAL	CA-C-N	-7.94	111.55	119.56
1	B	40	VAL	C-N-CA	-7.94	111.55	119.56
1	B	365	CYS	N-CA-C	7.72	120.90	109.24
1	A	148	GLY	CA-C-N	7.60	127.24	119.56
1	A	148	GLY	C-N-CA	7.60	127.24	119.56
1	A	40	VAL	CA-C-N	-7.52	111.22	119.19
1	A	40	VAL	C-N-CA	-7.52	111.22	119.19
1	A	290	PHE	N-CA-C	-7.15	103.17	112.68
1	A	47	THR	N-CA-C	7.12	119.04	111.28
1	A	371	GLY	N-CA-C	6.78	124.72	115.30
1	B	148	GLY	N-CA-C	6.73	126.07	112.34
1	B	302	LEU	N-CA-C	-6.63	100.67	110.48
1	B	179	ARG	N-CA-C	-6.53	105.28	113.18
1	B	269	VAL	N-CA-C	6.43	117.32	108.84
1	B	442	LEU	N-CA-C	-6.37	99.63	109.76
1	A	144	SER	N-CA-C	6.36	120.65	113.01
1	B	259	HIS	N-CA-C	6.25	120.25	110.32
1	B	290	PHE	N-CA-C	-6.14	104.76	112.93
1	B	320	ASN	N-CA-C	-6.00	100.13	109.72
1	A	232	LYS	N-CA-C	5.99	117.81	111.28
1	B	77	SER	CA-C-N	-5.78	112.74	119.32
1	B	77	SER	C-N-CA	-5.78	112.74	119.32
1	B	286	ILE	N-CA-C	-5.78	103.87	111.09
1	B	101	THR	N-CA-C	5.71	120.40	113.38
1	A	269	VAL	N-CA-C	5.70	116.36	108.84
1	A	215	LEU	N-CA-C	5.69	118.42	111.82
1	A	286	ILE	N-CA-C	-5.68	103.99	111.09
1	B	352	GLY	N-CA-C	5.63	120.75	113.27
1	A	442	LEU	N-CA-C	-5.57	100.91	109.76
1	B	38	TYR	N-CA-C	-5.56	105.76	112.54
1	B	439	SER	CA-C-N	-5.56	115.04	121.71
1	B	439	SER	C-N-CA	-5.56	115.04	121.71
1	A	407	THR	N-CA-C	5.52	117.36	107.80
1	B	144	SER	N-CA-C	5.50	119.09	112.38
1	A	440	ILE	N-CA-C	-5.49	108.15	113.53
1	A	318	GLY	CA-C-N	-5.44	116.69	122.30
1	A	318	GLY	C-N-CA	-5.44	116.69	122.30
1	A	28	LYS	N-CA-C	5.40	122.31	110.80
1	A	411	PHE	N-CA-C	5.40	117.59	111.11
1	B	47	THR	N-CA-C	5.32	117.16	111.36
1	B	351	TYR	N-CA-C	5.32	119.87	113.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	320	ASN	N-CA-C	-5.30	101.24	109.72
1	B	411	PHE	N-CA-C	5.29	122.08	110.80
1	A	45	THR	N-CA-C	-5.27	101.62	109.42
1	B	318	GLY	CA-C-N	-5.26	116.16	122.16
1	B	318	GLY	C-N-CA	-5.26	116.16	122.16
1	B	45	THR	N-CA-C	-5.16	101.78	109.42
1	B	28	LYS	N-CA-C	5.14	121.75	110.80
1	A	56	ASP	N-CA-C	-5.11	107.04	113.28
1	A	75	LYS	CA-C-N	-5.08	115.28	122.34
1	A	75	LYS	C-N-CA	-5.08	115.28	122.34
1	A	412	LEU	N-CA-C	5.08	116.50	111.07

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	241	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3639	0	3506	61	0
1	B	3639	0	3506	62	0
2	A	23	0	20	4	0
2	B	23	0	20	2	0
3	A	206	0	0	4	1
3	B	209	0	0	4	2
All	All	7739	0	7052	117	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:ARG:HD2	1:B:16:ARG:HH21	1.13	1.10
1:B:106:ASP:OD2	1:B:109:GLU:HG3	1.75	0.86
1:A:260:TRP:CZ2	1:B:16:ARG:HG2	2.13	0.83
1:B:297:GLY:H	1:B:300:HIS:HD2	1.26	0.82
1:A:381:ASN:HD22	1:A:381:ASN:H	1.32	0.77
1:A:381:ASN:HD22	1:A:381:ASN:N	1.85	0.75
1:B:43:TRP:NE1	1:B:295:ASN:HD21	1.84	0.74
1:A:16:ARG:HD2	1:B:16:ARG:NH2	1.98	0.71
1:B:434:LEU:O	1:B:437:THR:HG22	1.92	0.69
1:A:236:LYS:HE2	3:A:465:HOH:O	1.95	0.66
1:A:108:GLN:HE22	1:A:163:GLU:HB2	1.60	0.65
1:A:405:ALA:HB1	1:A:447:VAL:O	1.96	0.65
1:A:381:ASN:H	1:A:381:ASN:ND2	1.95	0.64
1:B:297:GLY:H	1:B:300:HIS:CD2	2.13	0.64
1:A:108:GLN:NE2	1:A:163:GLU:HB2	2.16	0.61
1:A:263:LYS:HD3	1:A:278:TYR:CE1	2.36	0.61
1:B:16:ARG:HG3	1:B:16:ARG:O	2.02	0.60
1:B:91:PHE:CE1	1:B:95:LYS:HD2	2.36	0.60
1:A:260:TRP:CE2	1:B:16:ARG:HG2	2.36	0.59
1:B:409:ARG:NH1	1:B:414:GLY:O	2.36	0.59
1:A:159:LYS:NZ	3:A:641:HOH:O	2.36	0.58
1:A:270:ASN:HD22	2:A:901:ZX8:CAF	2.16	0.58
1:B:227:TRP:CG	1:B:228:PRO:HD2	2.39	0.57
1:A:25:ASP:HA	1:A:279:LYS:HE2	1.86	0.57
1:A:432:LYS:O	1:A:436:GLU:HG3	2.04	0.57
1:B:405:ALA:HB1	1:B:447:VAL:O	2.05	0.57
1:B:422:VAL:HG21	1:B:427:GLU:OE2	2.05	0.57
1:A:112:ASP:OD1	1:A:116:LYS:HE2	2.06	0.56
1:A:285:GLY:HA2	1:A:324:ASN:HB3	1.86	0.56
1:A:270:ASN:HD22	2:A:901:ZX8:CAG	2.19	0.56
1:A:253:ASP:CG	1:A:263:LYS:HA	2.32	0.55
1:A:73:ARG:HB2	1:A:184:PRO:HB3	1.90	0.54
1:B:407:THR:HB	1:B:416:ARG:NH1	2.22	0.54
1:A:407:THR:O	1:A:407:THR:HG23	2.08	0.54
1:A:217:LEU:HD11	1:A:246:HIS:HB2	1.91	0.53
1:A:405:ALA:HB1	1:A:447:VAL:C	2.33	0.53
1:A:361:TRP:CG	1:A:362:GLU:H	2.27	0.53
1:B:124:PRO:HD2	1:B:169:GLY:O	2.09	0.53
1:B:378:ARG:HG2	1:B:378:ARG:NH1	2.24	0.52
1:A:43:TRP:NE1	1:A:295:ASN:HD21	2.07	0.52
1:A:385:VAL:HB	1:A:444:LEU:HB2	1.92	0.52
1:B:161:VAL:HG13	1:B:166:LEU:HB2	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:146:LYS:O	1:B:150:LYS:HE2	2.11	0.51
1:A:407:THR:HG23	1:A:447:VAL:HB	1.92	0.51
1:B:91:PHE:CD1	1:B:95:LYS:HD2	2.46	0.51
1:B:378:ARG:HG2	1:B:378:ARG:HH11	1.75	0.51
1:A:52:LYS:HG2	1:A:268:HIS:CD2	2.45	0.51
1:B:134:LEU:O	1:B:154:VAL:HG23	2.12	0.50
1:B:361:TRP:CG	1:B:362:GLU:H	2.30	0.49
1:A:171:TYR:CD2	1:A:171:TYR:C	2.91	0.49
1:B:176:LEU:HD11	1:B:225:MET:HE2	1.94	0.49
1:A:361:TRP:CD1	1:A:378:ARG:HH21	2.31	0.49
1:B:263:LYS:HD3	1:B:278:TYR:CE1	2.48	0.49
1:A:16:ARG:HG3	1:B:260:TRP:CZ2	2.48	0.48
1:B:325:VAL:HG21	1:B:341:LEU:HD11	1.95	0.48
1:B:402:ASN:HA	1:B:421:ASN:OD1	2.13	0.48
1:B:236:LYS:HE2	3:B:481:HOH:O	2.13	0.48
1:B:270:ASN:HD22	2:B:902:ZX8:CAG	2.27	0.48
1:B:432:LYS:HE3	1:B:436:GLU:OE1	2.14	0.48
1:A:42:GLY:O	1:A:294:ARG:HD2	2.15	0.47
1:A:363:ARG:NH1	1:A:365:CYS:O	2.45	0.47
1:B:92:GLU:H	1:B:92:GLU:CD	2.23	0.47
1:A:301:MET:CE	1:A:340:ARG:HD2	2.45	0.47
1:B:125:THR:HA	1:B:171:TYR:HB3	1.95	0.47
1:B:397:VAL:CG1	1:B:425:ASN:HD22	2.28	0.46
1:A:196:PRO:O	1:A:197:ASN:HB2	2.15	0.46
1:B:253:ASP:CG	1:B:263:LYS:HA	2.41	0.46
1:A:225:MET:HE2	2:A:901:ZX8:HAK	1.97	0.45
1:A:286:ILE:CG2	1:A:301:MET:HE3	2.46	0.45
1:A:410:HIS:CE1	1:A:412:LEU:HB3	2.51	0.45
1:B:77:SER:O	1:B:78:PRO:C	2.56	0.45
1:A:301:MET:HE2	1:A:340:ARG:HD2	1.99	0.45
1:B:401:LEU:C	1:B:402:ASN:HD22	2.25	0.45
1:A:424:LYS:HG3	1:A:425:ASN:OD1	2.16	0.45
1:B:31:ILE:HG12	1:B:119:ALA:CB	2.47	0.45
1:B:374:ILE:O	1:B:375:ARG:HD3	2.16	0.45
1:B:135:TRP:CE2	1:B:137:THR:HB	2.51	0.45
1:A:134:LEU:O	1:A:154:VAL:HG23	2.16	0.44
1:B:270:ASN:HD22	2:B:902:ZX8:CAF	2.29	0.44
1:A:139:TYR:CE2	1:A:207:LYS:HE2	2.52	0.44
1:B:34:HIS:CG	1:B:290:PHE:HB3	2.52	0.44
1:B:247:PRO:HD2	3:B:631:HOH:O	2.17	0.44
1:A:301:MET:HE2	1:A:340:ARG:CD	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:GLN:HE22	1:A:163:GLU:CB	2.29	0.44
1:A:148:GLY:HA3	1:A:149:PRO:HD3	1.77	0.43
1:A:286:ILE:HG22	1:A:301:MET:HE3	1.99	0.43
1:B:60:PHE:O	1:B:78:PRO:HD2	2.18	0.43
1:A:275:LEU:HD23	1:A:317:LYS:HA	1.99	0.43
1:B:407:THR:HB	1:B:416:ARG:HH11	1.84	0.43
1:A:157:LEU:O	1:A:161:VAL:HG23	2.18	0.43
1:B:31:ILE:HG12	1:B:119:ALA:HB2	2.01	0.43
1:A:325:VAL:HG11	1:A:333:ILE:HD13	2.00	0.43
1:B:171:TYR:CD2	1:B:171:TYR:C	2.97	0.43
1:A:216:TYR:O	1:A:217:LEU:C	2.62	0.43
1:B:227:TRP:CD1	1:B:228:PRO:HD2	2.54	0.42
1:A:266:GLU:O	1:A:267:TYR:C	2.62	0.42
1:A:16:ARG:HG2	1:B:260:TRP:CE2	2.54	0.42
1:B:63:PRO:O	1:B:289:SER:HB2	2.20	0.42
1:B:434:LEU:O	1:B:435:LEU:C	2.60	0.42
1:A:370:ASP:OD2	1:A:370:ASP:C	2.62	0.42
1:A:101:THR:O	1:A:102:ALA:C	2.63	0.42
1:A:290:PHE:HA	1:A:324:ASN:ND2	2.35	0.42
1:B:28:LYS:HA	1:B:320:ASN:OD1	2.19	0.42
1:B:43:TRP:NE1	1:B:295:ASN:ND2	2.60	0.42
1:A:16:ARG:HH11	1:B:16:ARG:HE	1.68	0.41
2:A:901:ZX8:HAG	3:A:588:HOH:O	2.20	0.41
1:B:434:LEU:C	1:B:436:GLU:N	2.78	0.41
1:B:142:PHE:CE2	1:B:179:ARG:HD2	2.56	0.41
1:B:209:VAL:O	1:B:213:VAL:HG23	2.20	0.41
1:B:233:GLU:HB2	3:B:629:HOH:O	2.20	0.41
1:A:108:GLN:NE2	1:A:163:GLU:CB	2.81	0.41
1:A:430:VAL:HG12	1:A:435:LEU:HG	2.03	0.41
1:A:146:LYS:HE3	3:A:546:HOH:O	2.21	0.41
1:B:235:LEU:HD12	1:B:257:VAL:HG11	2.03	0.41
1:A:387:PHE:HB2	1:A:442:LEU:HB3	2.03	0.40
1:B:438:ASP:OD1	3:B:613:HOH:O	2.21	0.40
1:B:238:LEU:HD23	1:B:238:LEU:C	2.46	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:649:HOH:O	3:B:649:HOH:O[4_556]	1.28	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:650:HOH:O	3:B:650:HOH:O[4_556]	1.40	0.80
3:A:638:HOH:O	3:A:638:HOH:O[4_555]	1.57	0.63

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	439/455 (96%)	414 (94%)	24 (6%)	1 (0%)	43	50
1	B	439/455 (96%)	416 (95%)	21 (5%)	2 (0%)	24	26
All	All	878/910 (96%)	830 (94%)	45 (5%)	3 (0%)	36	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	148	GLY
1	B	28	LYS
1	A	28	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	381/395 (96%)	371 (97%)	10 (3%)	40	53
1	B	381/395 (96%)	372 (98%)	9 (2%)	43	55
All	All	762/790 (96%)	743 (98%)	19 (2%)	42	54

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	PHE
1	A	56	ASP
1	A	61	GLN
1	A	76	GLU
1	A	78	PRO
1	A	92	GLU
1	A	171	TYR
1	A	299	GLU
1	A	353	ASP
1	A	381	ASN
1	B	16	ARG
1	B	32	PHE
1	B	52	LYS
1	B	92	GLU
1	B	248	GLU
1	B	299	GLU
1	B	369	GLU
1	B	407	THR
1	B	436	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	GLN
1	A	108	GLN
1	A	208	GLN
1	A	270	ASN
1	A	381	ASN
1	A	402	ASN
1	B	61	GLN
1	B	108	GLN
1	B	270	ASN
1	B	295	ASN
1	B	300	HIS
1	B	381	ASN
1	B	402	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ZX8	B	902	-	25,25,25	1.11	2 (8%)	31,36,36	1.19	4 (12%)
2	ZX8	A	901	-	25,25,25	1.10	2 (8%)	31,36,36	1.22	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZX8	B	902	-	-	2/9/29/29	0/3/3/3
2	ZX8	A	901	-	-	2/9/29/29	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	902	ZX8	CAQ-CAJ	-3.37	1.33	1.44
2	A	901	ZX8	CAQ-CAJ	-3.22	1.34	1.44
2	B	902	ZX8	CAP-CAO	3.22	1.53	1.47
2	A	901	ZX8	CAP-CAO	3.02	1.53	1.47

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	902	ZX8	CAR-CAQ-CAJ	2.76	108.48	105.64
2	B	902	ZX8	OAN-CAR-CAI	2.72	132.21	126.49
2	A	901	ZX8	CAR-CAQ-CAJ	2.64	108.36	105.64
2	A	901	ZX8	OAN-CAR-CAQ	-2.62	106.84	110.12
2	A	901	ZX8	OAN-CAR-CAI	2.59	131.93	126.49
2	B	902	ZX8	OAN-CAR-CAQ	-2.29	107.25	110.12
2	A	901	ZX8	CAS-NAM-CAT	-2.21	110.78	112.96
2	B	902	ZX8	CAI-CAR-CAQ	-2.19	120.52	123.81

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	901	ZX8	NAL-CAO-CAP-OAN
2	A	901	ZX8	OAB-CAO-CAP-OAN
2	B	902	ZX8	NAL-CAO-CAP-OAN
2	B	902	ZX8	OAB-CAO-CAP-OAN

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	902	ZX8	2	0
2	A	901	ZX8	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	441/455 (96%)	-0.45	1 (0%) 91 92	23, 38, 65, 84	0
1	B	441/455 (96%)	-0.42	2 (0%) 87 89	23, 39, 68, 82	0
All	All	882/910 (96%)	-0.44	3 (0%) 90 91	23, 39, 67, 84	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	447	VAL	2.9
1	B	406	GLY	2.7
1	A	447	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZX8	A	901	23/23	0.93	0.09	30,40,57,57	0
2	ZX8	B	902	23/23	0.94	0.08	34,37,51,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ZX8 A 901:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZX8 B 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.