



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:38 AM UTC

PDB ID : 4ZXI / pdb_00004zxi
Title : Crystal Structure of holo-AB3403 a four domain nonribosomal peptide synthetase bound to AMP and Glycine
Authors : Drake, E.J.; Miller, B.R.; Allen, C.L.; Gulick, A.M.
Deposited on : 2015-05-20
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1320	3% 81% 18% .

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 10198 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrocidine synthetase 3.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1314	10091	6472	1707	1871	41	0	2	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP B7H2D0
A	0	HIS	-	expression tag	UNP B7H2D0

- Molecule 2 is 4'-PHOSPHOPANTETHEINE (CCD ID: PNS) (formula: $C_{11}H_{23}N_2O_7PS$).






- # AMP
-
- The image displays the chemical structure of Adenosine Monophosphate (AMP). The structure consists of an adenine base, a ribose sugar, and a phosphate group. The atoms are labeled as follows:
- Adenine Base:** Nitrogen atoms are labeled N1, N3, N6, N7, and N9. Carbon atoms are labeled C2, C4, C5, C6, and C8.
 - Ribose Sugar:** Carbon atoms are labeled C1'(R), C2'(R), C3'(S), C4'(R), and C5'. Oxygen atoms are labeled O4' and O5'.
 - Phosphate Group:** The phosphorus atom is labeled P. Non-bridging oxygen atoms are labeled O1P, O2P, and O3P. The bridging oxygen atom is labeled O5'.
- Chiral centers are indicated by (R) and (S) labels: C1'(R), C2'(R), C3'(S), and C4'(R). Stereochemistry is shown with wedged and dashed bonds for the hydroxyl groups at C2' and C3', and the C5'-O5' bond.
- Nc1ncnc2n(cnc12)[C@@H]3O[C@H](COP(=O)(O)O)[C@@H](O)[C@H]3O

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- 



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	P	0	0
			40	31	8	1		

- Molecule 6 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Ni	0	0
			1	1		

- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Mg	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	16	Total	O	0	0
			16	16		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tyrocidine synthetase 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	116.10Å 116.10Å 342.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.03 – 2.90 45.03 – 2.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (45.03-2.90) 99.9 (45.03-2.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 2.91Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.174 , 0.225 0.179 , 0.226	Depositor DCC
R_{free} test set	1590 reflections (2.83%)	wwPDB-VP
Wilson B-factor (Å ²)	52.0	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 72.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10198	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NI, PNS, MG, AMP, XP4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	0/10315	0.91	23/14066 (0.2%)

There are no bond length outliers.

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	121	GLN	CA-C-N	9.21	126.38	119.66
1	A	121	GLN	C-N-CA	9.21	126.38	119.66
1	A	376	THR	CA-C-N	6.39	126.08	119.82
1	A	376	THR	C-N-CA	6.39	126.08	119.82
1	A	278	THR	CA-C-N	5.97	125.93	119.78
1	A	278	THR	C-N-CA	5.97	125.93	119.78
1	A	639	HIS	CA-C-N	-5.78	113.07	119.19
1	A	639	HIS	C-N-CA	-5.78	113.07	119.19
1	A	66	TYR	CA-C-N	5.70	125.82	119.32
1	A	66	TYR	C-N-CA	5.70	125.82	119.32
1	A	219	ARG	CA-C-N	5.68	125.69	119.89
1	A	219	ARG	C-N-CA	5.68	125.69	119.89
1	A	814	GLY	N-CA-C	5.45	118.70	110.97
1	A	457	ALA	CA-C-N	5.40	126.59	119.84
1	A	457	ALA	C-N-CA	5.40	126.59	119.84
1	A	689	CYS	CA-C-N	5.34	125.26	119.76
1	A	689	CYS	C-N-CA	5.34	125.26	119.76
1	A	785	GLU	CA-C-N	5.13	125.13	119.89
1	A	785	GLU	C-N-CA	5.13	125.13	119.89
1	A	1198	ILE	CA-C-N	5.03	125.31	119.93
1	A	1198	ILE	C-N-CA	5.03	125.31	119.93
1	A	678	ILE	CA-C-N	-5.02	113.86	119.19
1	A	678	ILE	C-N-CA	-5.02	113.86	119.19

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10091	0	9900	153	0
2	A	21	0	21	1	0
3	A	5	0	2	0	0
4	A	23	0	12	1	0
5	A	40	0	60	1	0
6	A	1	0	0	0	0
7	A	1	0	0	0	0
8	A	16	0	0	0	0
All	All	10198	0	9995	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1203:LEU:HB3	1:A:1211:MET:HE3	1.57	0.85
1:A:306:ASP:HB3	1:A:309:GLN:HG2	1.63	0.79
1:A:178[A]:PHE:CE2	1:A:179:VAL:HG13	2.20	0.76
1:A:72:SER:HB3	1:A:85:TRP:HE1	1.50	0.76
1:A:284:LEU:HD11	1:A:329:GLN:HE21	1.53	0.74
1:A:875:ARG:NH2	1:A:877:GLU:OE2	2.21	0.73
1:A:909:VAL:HG21	1:A:961:PRO:HG3	1.70	0.72
1:A:1161:ILE:HG21	1:A:1299:MET:HE3	1.71	0.72
1:A:1181:LEU:HD23	1:A:1211:MET:HE2	1.72	0.71
1:A:713:GLN:NE2	1:A:769:TRP:HE1	1.89	0.69
1:A:376:THR:HG22	1:A:378:ALA:H	1.58	0.68
1:A:252:THR:HB	1:A:255:GLY:H	1.59	0.68
1:A:251:ILE:HD13	1:A:315:THR:HG21	1.74	0.68
1:A:1157:GLY:HA2	1:A:1259:PRO:HG2	1.75	0.67
1:A:649:MET:HE2	1:A:787:LEU:HD11	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1298:ILE:HG23	1:A:1299:MET:HG2	1.76	0.66
1:A:72:SER:HB2	1:A:122:PRO:HD3	1.77	0.65
1:A:166:LEU:HD21	1:A:385:LEU:HD12	1.80	0.64
1:A:1052:ILE:HD11	1:A:1119:GLU:HG3	1.78	0.63
1:A:664:ILE:HD11	1:A:714:ALA:HB2	1.81	0.63
1:A:913:THR:HG22	1:A:942:LEU:O	1.99	0.63
1:A:1042:ILE:HG23	1:A:1048:ILE:HD13	1.81	0.62
1:A:662:LEU:HD11	1:A:689:CYS:HB2	1.82	0.61
1:A:986[B]:GLN:HE21	1:A:1057:ARG:HA	1.66	0.61
1:A:157:LEU:HD12	5:A:1404:XP4:H53	1.83	0.60
1:A:251:ILE:HD13	1:A:315:THR:CG2	2.32	0.60
1:A:68:LEU:HD13	1:A:178[A]:PHE:CE2	2.37	0.60
1:A:671:ILE:HA	1:A:768:VAL:HG13	1.84	0.59
1:A:952:LYS:NZ	4:A:1403:AMP:H5'2	2.18	0.59
1:A:713:GLN:HE22	1:A:769:TRP:HE1	1.48	0.59
1:A:326:LEU:O	1:A:329:GLN:HG2	2.02	0.58
1:A:861:HIS:NE2	1:A:863:GLY:HA2	2.19	0.58
1:A:864:ARG:O	1:A:865:LEU:HD23	2.04	0.57
1:A:1175:ALA:HB1	1:A:1179:MET:HB3	1.85	0.57
1:A:231:VAL:HG22	1:A:416:VAL:HG22	1.87	0.57
1:A:526:ILE:HD11	1:A:579:VAL:HG22	1.87	0.56
1:A:404:GLU:OE2	1:A:418:LYS:NZ	2.37	0.56
1:A:1299:MET:HE2	1:A:1304:VAL:HG23	1.88	0.56
1:A:807:MET:HE2	1:A:850:LYS:HG2	1.88	0.55
1:A:143:ILE:HG21	1:A:148:MET:HG2	1.88	0.55
1:A:435:LEU:HD22	1:A:456:ILE:HG22	1.89	0.55
1:A:678:ILE:HG22	1:A:679:PRO:HD3	1.89	0.55
1:A:1260:ILE:HD12	1:A:1282:VAL:HG21	1.89	0.55
1:A:174:ASN:ND2	1:A:177:GLU:HB2	2.22	0.55
1:A:498:LEU:HD23	1:A:686:VAL:HB	1.89	0.55
1:A:649:MET:HE3	1:A:769:TRP:HD1	1.72	0.55
1:A:249:TYR:HB2	1:A:251:ILE:HG12	1.87	0.55
1:A:192:ASP:HA	1:A:197:LEU:HD23	1.87	0.54
1:A:1299:MET:HE2	1:A:1299:MET:HA	1.88	0.54
1:A:14:ARG:NH1	1:A:81:GLU:OE1	2.38	0.54
1:A:1178:ALA:HA	1:A:1211:MET:HE1	1.89	0.54
1:A:145:HIS:HD2	1:A:395:GLN:HE22	1.54	0.54
1:A:1071:ILE:HD13	1:A:1244:ASN:HB3	1.89	0.54
1:A:94:PHE:HD1	1:A:129:CYS:HB2	1.74	0.53
1:A:982:THR:HG21	1:A:1056:LEU:HA	1.90	0.53
1:A:636:ARG:HD2	1:A:822:TRP:HE3	1.73	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:LEU:HD11	1:A:329:GLN:NE2	2.21	0.52
1:A:73:MET:HE3	1:A:124:LEU:HD12	1.92	0.51
1:A:439:VAL:HG22	1:A:456:ILE:HD12	1.91	0.51
1:A:1109:ILE:HG23	1:A:1143:GLU:HG2	1.92	0.51
1:A:563:PHE:CE1	1:A:949:ALA:HB1	2.45	0.51
1:A:579:VAL:HG12	1:A:595:PRO:HB2	1.92	0.50
1:A:288:LEU:HD13	1:A:295:PHE:CE1	2.47	0.49
1:A:1161:ILE:HG21	1:A:1299:MET:CE	2.40	0.49
1:A:311:LEU:HD13	1:A:443:MET:HG2	1.93	0.49
1:A:801:LEU:HD11	1:A:838:LEU:HD21	1.94	0.49
1:A:807:MET:HE1	1:A:862:HIS:HB2	1.94	0.49
1:A:63:MET:HE1	1:A:88:VAL:O	2.12	0.49
1:A:1261:LEU:HD21	1:A:1310:THR:HG22	1.93	0.49
1:A:343:LYS:HE2	1:A:932:ALA:HB1	1.95	0.48
1:A:251:ILE:HD12	1:A:256:LEU:HB2	1.96	0.48
1:A:987:ILE:HG22	1:A:1008:LEU:HD13	1.96	0.48
1:A:166:LEU:HD21	1:A:385:LEU:CD1	2.43	0.47
1:A:845:TYR:CE2	1:A:847:THR:HA	2.49	0.47
1:A:278:THR:HG22	1:A:356:MET:O	2.14	0.47
1:A:585:GLU:H	1:A:585:GLU:CD	2.22	0.47
1:A:1143:GLU:OE2	1:A:1146:ARG:NH1	2.47	0.47
1:A:213:ILE:HD11	1:A:265:LEU:HD22	1.96	0.47
1:A:583:GLN:HG3	1:A:585:GLU:OE1	2.14	0.47
1:A:665:THR:HG21	1:A:671:ILE:HG12	1.96	0.47
1:A:1080:GLU:OE1	1:A:1083:ARG:NH1	2.46	0.47
1:A:1161:ILE:HD13	1:A:1299:MET:HE1	1.96	0.46
1:A:178[A]:PHE:CG	1:A:179:VAL:N	2.83	0.46
1:A:700:LEU:HD23	1:A:722:LEU:HD13	1.98	0.46
1:A:37:TYR:CZ	1:A:398:GLN:HG2	2.51	0.46
1:A:496:HIS:ND1	1:A:504:THR:HG21	2.30	0.46
1:A:9:PRO:HB3	1:A:87:ARG:O	2.16	0.46
1:A:68:LEU:HD13	1:A:178[A]:PHE:CD2	2.50	0.46
1:A:673:ILE:HD13	1:A:673:ILE:HA	1.80	0.46
1:A:59:LEU:HD22	1:A:92:ILE:HD11	1.97	0.45
1:A:350:PRO:HG2	2:A:1401:PNS:H311	1.99	0.45
1:A:622:VAL:HG22	1:A:636:ARG:HG2	1.99	0.45
1:A:841:ALA:HB1	1:A:844:LEU:HD21	1.98	0.45
1:A:660:GLN:HG2	1:A:687:HIS:NE2	2.32	0.45
1:A:667:TYR:HA	1:A:672:SER:OG	2.16	0.45
1:A:811:TRP:CZ3	1:A:846:ARG:HB2	2.52	0.44
1:A:636:ARG:HD3	1:A:820:ASP:OD1	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:998:ASP:OD2	1:A:1033:SER:HB2	2.16	0.44
1:A:913:THR:HG23	1:A:945:PHE:CE1	2.52	0.44
1:A:796:ASP:OD1	1:A:800:ARG:N	2.46	0.44
1:A:1007:LEU:O	1:A:1007:LEU:HD12	2.18	0.44
1:A:1297:SER:HA	1:A:1300:TYR:CD2	2.52	0.44
1:A:82:GLN:HE21	1:A:178[A]:PHE:HE2	1.64	0.44
1:A:773:ALA:HB2	1:A:784:GLY:CA	2.47	0.44
1:A:149:ASP:HB3	1:A:294:GLN:OE1	2.17	0.44
1:A:749:LYS:O	1:A:753:LYS:HG2	2.18	0.44
1:A:481:LEU:HB2	1:A:643:ILE:HD13	1.99	0.44
1:A:512:GLN:HB3	1:A:604:VAL:HG13	1.99	0.44
1:A:166:LEU:HD11	1:A:385:LEU:HD11	2.00	0.44
1:A:178[A]:PHE:CZ	1:A:179:VAL:HG13	2.53	0.43
1:A:708:SER:O	1:A:708:SER:OG	2.34	0.43
1:A:1063:GLN:HA	1:A:1064:PRO:HD3	1.78	0.43
1:A:303:MET:HE1	1:A:317:GLN:HG2	2.01	0.43
1:A:460:TYR:OH	1:A:804:PRO:HD3	2.19	0.43
1:A:722:LEU:HD12	1:A:722:LEU:HA	1.88	0.42
1:A:907:LYS:HB2	1:A:963:PHE:CZ	2.54	0.42
1:A:880:GLU:HB2	1:A:934:MET:HE1	2.01	0.42
1:A:807:MET:HE2	1:A:807:MET:HB3	1.73	0.42
1:A:307:ALA:HB1	1:A:452:VAL:HB	2.01	0.42
1:A:1065:LEU:HB3	1:A:1091:LEU:HD23	2.01	0.42
1:A:1297:SER:HA	1:A:1300:TYR:CG	2.54	0.42
1:A:916:GLU:O	1:A:917:LEU:HD23	2.19	0.42
1:A:460:TYR:CD1	1:A:465:GLN:HA	2.55	0.42
1:A:31:GLU:OE2	1:A:33:THR:OG1	2.28	0.42
1:A:200:TRP:CH2	1:A:325:SER:HB3	2.55	0.41
1:A:621:TYR:CE2	1:A:642:ILE:HD11	2.55	0.41
1:A:713:GLN:NE2	1:A:769:TRP:NE1	2.63	0.41
1:A:1112:MET:HG2	1:A:1116:TYR:CE2	2.53	0.41
1:A:63:MET:O	1:A:70:ARG:NH1	2.50	0.41
1:A:63:MET:SD	1:A:90:PRO:HG3	2.61	0.41
1:A:145:HIS:HD2	1:A:395:GLN:NE2	2.18	0.41
1:A:254:PHE:HZ	1:A:278:THR:HG21	1.85	0.41
1:A:385:LEU:HD12	1:A:385:LEU:C	2.46	0.41
1:A:689:CYS:HA	1:A:690:PRO:HD3	1.84	0.41
1:A:750:LEU:HD23	1:A:750:LEU:HA	1.90	0.41
1:A:884:VAL:HG21	1:A:930:LEU:HD21	2.03	0.41
1:A:935:VAL:HA	1:A:936:PRO:HD3	1.91	0.41
1:A:647:LEU:HD23	1:A:647:LEU:HA	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:971:ALA:HB1	1:A:1076:PHE:HE1	1.86	0.41
1:A:1281:LEU:HD23	1:A:1281:LEU:HA	1.75	0.41
1:A:971:ALA:HB1	1:A:1076:PHE:CE1	2.55	0.41
1:A:1027:ALA:O	1:A:1031:GLN:HG3	2.21	0.41
1:A:7:LEU:O	1:A:9:PRO:HD3	2.21	0.41
1:A:649:MET:HE3	1:A:769:TRP:CD1	2.54	0.41
1:A:1020:PHE:HB3	1:A:1048:ILE:HD11	2.02	0.41
1:A:385:LEU:HD12	1:A:385:LEU:O	2.22	0.40
1:A:995:ILE:HA	1:A:1035:VAL:HB	2.03	0.40
1:A:53:ASN:O	1:A:57:GLU:HG3	2.22	0.40
1:A:980:LEU:HD23	1:A:980:LEU:HA	1.90	0.40
1:A:1261:LEU:HD22	1:A:1314:MET:HG2	2.04	0.40
1:A:166:LEU:HA	1:A:166:LEU:HD23	1.83	0.40
1:A:204:LEU:HD13	1:A:351:LEU:HD13	2.04	0.40
1:A:941:ARG:O	1:A:942:LEU:HD23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1310/1320 (99%)	1262 (96%)	40 (3%)	8 (1%)	21 51

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	459	ASP
1	A	768	VAL
1	A	706	ALA
1	A	5	ALA
1	A	855	THR
1	A	965	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	361	LEU
1	A	902	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1050/1127 (93%)	1033 (98%)	17 (2%)	55 83

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	72	SER
1	A	186	GLN
1	A	192	ASP
1	A	604	VAL
1	A	673	ILE
1	A	807	MET
1	A	817	LEU
1	A	837	SER
1	A	928	ILE
1	A	937	SER
1	A	1008	LEU
1	A	1017	LYS
1	A	1048	ILE
1	A	1101	GLU
1	A	1109	ILE
1	A	1309	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	186	GLN
1	A	329	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	395	GLN
1	A	488	GLN
1	A	713	GLN
1	A	925	ASN
1	A	1214	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	XP4	A	1404	-	39,39,39	1.14	2 (5%)	42,44,44	1.17	4 (9%)
2	PNS	A	1401	1	15,20,21	0.50	0	18,26,29	1.57	5 (27%)
4	AMP	A	1403	7	25,25,25	1.46	5 (20%)	37,38,38	1.85	8 (21%)
3	GLY	A	1402	7	4,4,4	1.01	0	3,4,4	1.80	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	XP4	A	1404	-	-	10/41/41/41	-
2	PNS	A	1401	1	-	1/24/26/27	-
4	AMP	A	1403	7	-	4/10/26/26	0/3/3/3
3	GLY	A	1402	7	-	0/2/2/2	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1403	AMP	C5-C4	4.68	1.47	1.39
5	A	1404	XP4	O7-C18	4.47	1.46	1.34
5	A	1404	XP4	O5-C4	4.46	1.46	1.33
4	A	1403	AMP	C5-C6	2.78	1.48	1.41
4	A	1403	AMP	C5-N7	-2.37	1.34	1.39
4	A	1403	AMP	C8-N7	2.32	1.36	1.31
4	A	1403	AMP	C4-N9	-2.29	1.32	1.37

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1403	AMP	C5-C4-N3	-5.61	118.99	126.72
4	A	1403	AMP	N3-C4-N9	4.31	134.50	127.17
5	A	1404	XP4	O7-C18-C19	3.91	119.95	111.48
4	A	1403	AMP	C4-C5-N7	-3.60	106.47	110.58
4	A	1403	AMP	C2-N3-C4	3.33	119.97	111.83
4	A	1403	AMP	N3-C2-N1	-2.71	124.47	128.58
5	A	1404	XP4	O5-C4-C5	2.69	120.05	111.83
4	A	1403	AMP	C4-N9-C8	2.68	108.55	105.74
2	A	1401	PNS	C37-C38-C39	-2.67	107.95	112.39
2	A	1401	PNS	C38-C39-N41	2.62	121.12	116.34
2	A	1401	PNS	C30-C29-C28	-2.49	104.11	108.22
4	A	1403	AMP	C5-N7-C8	2.44	107.28	103.45
3	A	1402	GLY	OXT-C-O	-2.43	117.09	123.33
5	A	1404	XP4	O7-C18-O8	-2.15	118.68	123.70
4	A	1403	AMP	O3P-P-O2P	2.08	115.61	107.80
2	A	1401	PNS	C43-C42-N41	-2.06	107.64	112.31
5	A	1404	XP4	O5-C4-O6	-2.03	118.54	123.63
2	A	1401	PNS	O40-C39-N41	-2.01	119.09	123.03

There are no chirality outliers.

All (15) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	1401	PNS	N41-C42-C43-S44
5	A	1404	XP4	C5-C4-O5-C3
5	A	1404	XP4	O6-C4-O5-C3
4	A	1403	AMP	C3'-C4'-C5'-O5'
5	A	1404	XP4	C19-C18-O7-C2
5	A	1404	XP4	C11-C12-C13-C14
5	A	1404	XP4	O8-C18-O7-C2
4	A	1403	AMP	O4'-C4'-C5'-O5'
5	A	1404	XP4	C4-C5-C6-C7
5	A	1404	XP4	C24-C25-C26-C27
5	A	1404	XP4	C1-C2-C3-O5
5	A	1404	XP4	O7-C2-C3-O5
4	A	1403	AMP	C5'-O5'-P-O1P
4	A	1403	AMP	C4'-C5'-O5'-P
5	A	1404	XP4	C9-C10-C11-C12


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1404	XP4	1	0
2	A	1401	PNS	1	0
4	A	1403	AMP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1314/1320 (99%)	-0.31	42 (3%) 50 41	21, 50, 87, 129	2 (0%)

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	78	GLN	5.6
1	A	903	ASP	5.3
1	A	904	ASN	5.1
1	A	189	VAL	4.6
1	A	705	ASN	4.1
1	A	459	ASP	4.1
1	A	1022	THR	3.4
1	A	503	HIS	3.3
1	A	1318	PRO	3.2
1	A	248	ASP	3.2
1	A	868	GLN	3.1
1	A	361	LEU	3.0
1	A	500	SER	2.9
1	A	967	ASN	2.9
1	A	866	ASP	2.9
1	A	966	SER	2.8
1	A	495	ASN	2.7
1	A	250	GLU	2.7
1	A	867	PHE	2.7
1	A	1	MET	2.7
1	A	902	GLY	2.7
1	A	873	GLY	2.6
1	A	968	ASP	2.6
1	A	79	GLY	2.6
1	A	206	HIS	2.6
1	A	915	GLN	2.6
1	A	872	ARG	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	916	GLU	2.4
1	A	1023	GLU	2.4
1	A	965	GLN	2.4
1	A	1021	GLY	2.3
1	A	889	ASP	2.3
1	A	870	LYS	2.3
1	A	964	GLU	2.2
1	A	2	ASN	2.2
1	A	1284	ASP	2.1
1	A	76	ASN	2.1
1	A	287	SER	2.1
1	A	626	SER	2.1
1	A	875	ARG	2.1
1	A	901	THR	2.1
1	A	573	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	AMP	A	1403	23/23	0.87	0.13	34,63,96,119	0
7	MG	A	1406	1/1	0.91	0.16	67,67,67,67	0
5	XP4	A	1404	40/40	0.94	0.12	23,42,119,122	0
3	GLY	A	1402	5/5	0.95	0.09	31,47,58,60	0
2	PNS	A	1401	21/22	0.96	0.10	22,41,72,90	0
6	NI	A	1405	1/1	0.98	0.07	67,67,67,67	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AMP A 1403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around XP4 A 1404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PNS A 1401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.