



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 08:51 AM UTC

PDB ID : 6ZXU / pdb_00006zxu
Title : Catabolic reductive dehalogenase NpRdhA, N-terminally tagged.
Authors : Leys, D.; Halliwell, T.
Deposited on : 2020-07-30
Resolution : 1.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1187 (1.74-1.74)
Clashscore	190562	1207 (1.74-1.74)
Ramachandran outliers	187476	1200 (1.74-1.74)
Sidechain outliers	187428	1200 (1.74-1.74)
RSRZ outliers	180081	1188 (1.74-1.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	725	93%
1	B	725	90% 6%
1	C	725	88% 7% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	B12	A	703	X	-	-	-
3	B12	C	703	X	-	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 17796 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Oxidoreductase, NAD-binding/iron-sulfur cluster-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	701	Total	C	N	O	S	0	2	0
			5320	3325	976	979	40			
1	B	693	Total	C	N	O	S	0	2	0
			5219	3264	947	967	41			
1	C	692	Total	C	N	O	S	0	1	0
			5167	3238	950	940	39			

There are 81 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-26	MET	-	initiating methionine	UNP K2MB66
A	-25	VAL	-	expression tag	UNP K2MB66
A	-24	GLN	-	expression tag	UNP K2MB66
A	-23	THR	-	expression tag	UNP K2MB66
A	-22	SER	-	expression tag	UNP K2MB66
A	-21	PHE	-	expression tag	UNP K2MB66
A	-20	GLU	-	expression tag	UNP K2MB66
A	-19	HIS	-	expression tag	UNP K2MB66
A	-18	HIS	-	expression tag	UNP K2MB66
A	-17	HIS	-	expression tag	UNP K2MB66
A	-16	HIS	-	expression tag	UNP K2MB66
A	-15	HIS	-	expression tag	UNP K2MB66
A	-14	HIS	-	expression tag	UNP K2MB66
A	-13	SER	-	expression tag	UNP K2MB66
A	-12	ALA	-	expression tag	UNP K2MB66
A	-11	GLY	-	expression tag	UNP K2MB66
A	-10	GLU	-	expression tag	UNP K2MB66
A	-9	ASN	-	expression tag	UNP K2MB66
A	-8	LEU	-	expression tag	UNP K2MB66
A	-7	TYR	-	expression tag	UNP K2MB66
A	-6	PHE	-	expression tag	UNP K2MB66
A	-5	GLN	-	expression tag	UNP K2MB66

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP K2MB66
A	-3	ALA	-	expression tag	UNP K2MB66
A	-2	GLN	-	expression tag	UNP K2MB66
A	-1	ILE	-	expression tag	UNP K2MB66
A	0	SER	-	expression tag	UNP K2MB66
B	-26	MET	-	initiating methionine	UNP K2MB66
B	-25	VAL	-	expression tag	UNP K2MB66
B	-24	GLN	-	expression tag	UNP K2MB66
B	-23	THR	-	expression tag	UNP K2MB66
B	-22	SER	-	expression tag	UNP K2MB66
B	-21	PHE	-	expression tag	UNP K2MB66
B	-20	GLU	-	expression tag	UNP K2MB66
B	-19	HIS	-	expression tag	UNP K2MB66
B	-18	HIS	-	expression tag	UNP K2MB66
B	-17	HIS	-	expression tag	UNP K2MB66
B	-16	HIS	-	expression tag	UNP K2MB66
B	-15	HIS	-	expression tag	UNP K2MB66
B	-14	HIS	-	expression tag	UNP K2MB66
B	-13	SER	-	expression tag	UNP K2MB66
B	-12	ALA	-	expression tag	UNP K2MB66
B	-11	GLY	-	expression tag	UNP K2MB66
B	-10	GLU	-	expression tag	UNP K2MB66
B	-9	ASN	-	expression tag	UNP K2MB66
B	-8	LEU	-	expression tag	UNP K2MB66
B	-7	TYR	-	expression tag	UNP K2MB66
B	-6	PHE	-	expression tag	UNP K2MB66
B	-5	GLN	-	expression tag	UNP K2MB66
B	-4	GLY	-	expression tag	UNP K2MB66
B	-3	ALA	-	expression tag	UNP K2MB66
B	-2	GLN	-	expression tag	UNP K2MB66
B	-1	ILE	-	expression tag	UNP K2MB66
B	0	SER	-	expression tag	UNP K2MB66
C	-26	MET	-	initiating methionine	UNP K2MB66
C	-25	VAL	-	expression tag	UNP K2MB66
C	-24	GLN	-	expression tag	UNP K2MB66
C	-23	THR	-	expression tag	UNP K2MB66
C	-22	SER	-	expression tag	UNP K2MB66
C	-21	PHE	-	expression tag	UNP K2MB66
C	-20	GLU	-	expression tag	UNP K2MB66
C	-19	HIS	-	expression tag	UNP K2MB66
C	-18	HIS	-	expression tag	UNP K2MB66
C	-17	HIS	-	expression tag	UNP K2MB66

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-16	HIS	-	expression tag	UNP K2MB66
C	-15	HIS	-	expression tag	UNP K2MB66
C	-14	HIS	-	expression tag	UNP K2MB66
C	-13	SER	-	expression tag	UNP K2MB66
C	-12	ALA	-	expression tag	UNP K2MB66
C	-11	GLY	-	expression tag	UNP K2MB66
C	-10	GLU	-	expression tag	UNP K2MB66
C	-9	ASN	-	expression tag	UNP K2MB66
C	-8	LEU	-	expression tag	UNP K2MB66
C	-7	TYR	-	expression tag	UNP K2MB66
C	-6	PHE	-	expression tag	UNP K2MB66
C	-5	GLN	-	expression tag	UNP K2MB66
C	-4	GLY	-	expression tag	UNP K2MB66
C	-3	ALA	-	expression tag	UNP K2MB66
C	-2	GLN	-	expression tag	UNP K2MB66
C	-1	ILE	-	expression tag	UNP K2MB66
C	0	SER	-	expression tag	UNP K2MB66

- Molecule 2 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 3 is COBALAMIN (CCD ID: B12) (formula: $C_{62}H_{89}CoN_{13}O_{14}P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		
3	B	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		
3	C	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		

- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Na	0	0
			1	1		
4	B	1	Total	Na	0	0
			1	1		
4	C	1	Total	Na	0	0
			1	1		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total 1	Cl 1	0	0
5	B	1	Total 1	Cl 1	0	0
5	C	1	Total 1	Cl 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	671	Total 671	O 671	0	0
6	B	657	Total 657	O 657	0	0
6	C	435	Total 435	O 435	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Oxidoreductase, NAD-binding/iron-sulfur cluster-binding protein




- Molecule 1: Oxidoreductase, NAD-binding/iron-sulfur cluster-binding protein



- Molecule 1: Oxidoreductase, NAD-binding/iron-sulfur cluster-binding protein





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	175.11Å 170.96Å 107.87Å 90.00° 98.37° 90.00°	Depositor
Resolution (Å)	121.69 – 1.73 121.69 – 1.73	Depositor EDS
% Data completeness (in resolution range)	93.0 (121.69-1.73) 61.8 (121.69-1.73)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.45 (at 1.71Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.163 , 0.194 (Not available) , 0.203	Depositor DCC
R_{free} test set	9978 reflections (2.98%)	wwPDB-VP
Wilson B-factor (Å ²)	23.8	Xtriage
Anisotropy	0.022	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17796	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: B12, NA, SF4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.37	10/5432 (0.2%)	1.00	2/7355 (0.0%)
1	B	1.33	7/5330 (0.1%)	0.98	1/7227 (0.0%)
1	C	1.27	9/5277 (0.2%)	0.96	3/7155 (0.0%)
All	All	1.32	26/16039 (0.2%)	0.98	6/21737 (0.0%)

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	-2	GLN	C-N	8.09	1.44	1.33
1	A	567	MET	SD-CE	-7.67	1.60	1.79
1	B	328	VAL	CA-CB	-7.56	1.50	1.54
1	C	239	ILE	CA-CB	6.63	1.62	1.54
1	C	516	ARG	N-CA	-6.48	1.40	1.46
1	A	328	VAL	CA-C	6.20	1.57	1.52
1	C	476	ASP	CB-CG	6.20	1.67	1.52
1	C	512	CYS	C-O	-6.00	1.16	1.24
1	B	397	VAL	CA-CB	-5.86	1.47	1.54
1	C	524	CYS	N-CA	-5.81	1.40	1.46
1	B	2	ARG	CA-C	-5.74	1.45	1.52
1	C	227	ASP	C-O	5.38	1.30	1.24
1	A	590	GLU	CG-CD	5.36	1.65	1.52
1	A	355	ALA	C-O	-5.27	1.18	1.24
1	A	446	SER	CA-C	5.24	1.59	1.52
1	A	44	ASP	C-O	5.22	1.30	1.24
1	C	471	VAL	N-CA	5.19	1.52	1.46
1	A	328	VAL	CA-CB	-5.19	1.50	1.53
1	B	104	ASP	CA-C	5.16	1.59	1.52
1	B	492	PHE	CA-C	5.14	1.58	1.52
1	C	328	VAL	CA-C	5.14	1.57	1.52
1	B	406	GLU	CD-OE2	5.12	1.35	1.25
1	A	469	GLY	C-O	-5.11	1.18	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	-1	ILE	CA-CB	5.05	1.60	1.54
1	C	486	ARG	CA-C	5.04	1.59	1.53
1	A	2	ARG	CA-C	-5.01	1.46	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	642	ASP	N-CA-C	-7.44	104.21	113.28
1	C	228	LEU	N-CA-CB	5.84	120.37	110.49
1	B	46	LEU	N-CA-CB	-5.66	100.46	110.42
1	A	30	GLN	CA-C-N	-5.40	114.40	119.85
1	A	30	GLN	C-N-CA	-5.40	114.40	119.85
1	C	1	MET	CG-SD-CE	5.04	111.99	100.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5320	0	5202	16	0
1	B	5219	0	5054	31	0
1	C	5167	0	5012	32	0
2	A	16	0	0	0	0
2	B	16	0	0	0	0
2	C	16	0	0	0	0
3	A	91	0	87	9	0
3	B	91	0	86	8	0
3	C	91	0	87	7	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
6	A	671	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	657	0	0	12	0
6	C	435	0	0	5	0
All	All	17796	0	15528	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:703:B12:H362	3:A:703:B12:H351	1.58	0.85
3:B:703:B12:H362	3:B:703:B12:H351	1.62	0.79
1:C:550:LYS:O	1:C:554:THR:HB	1.82	0.78
1:C:513:ASN:ND2	6:C:801:HOH:O	2.19	0.75
1:A:243:ARG:NH2	1:A:247:GLU:OE2	2.20	0.74
1:A:94:MET:HG2	1:A:188:LEU:HD22	1.70	0.72
1:A:566:LYS:HE3	1:A:567:MET:HE1	1.70	0.72
1:B:628:ARG:CB	6:B:1438:HOH:O	2.39	0.71
3:C:703:B12:H552	3:C:703:B12:H531	1.71	0.70
1:B:94:MET:HG2	1:B:188:LEU:HD22	1.74	0.70
3:B:703:B12:H552	3:B:703:B12:H531	1.74	0.70
1:B:646:ALA:N	6:B:802:HOH:O	2.24	0.69
1:B:237:LEU:HD12	1:C:598:MET:HG3	1.75	0.68
3:C:703:B12:H362	3:C:703:B12:H351	1.76	0.68
1:B:694:LYS:CB	6:B:1434:HOH:O	2.42	0.67
1:C:94:MET:HG2	1:C:188:LEU:HD22	1.75	0.66
1:C:668:VAL:O	1:C:669:LEU:HD23	1.97	0.65
1:B:49:ASP:OD2	1:B:442:ARG:NH2	2.22	0.63
1:C:292:LYS:HE3	6:C:927:HOH:O	1.99	0.61
1:C:579:ARG:O	1:C:583:GLU:HG3	2.00	0.61
1:B:598:MET:HG3	1:C:237:LEU:HD12	1.81	0.61
1:C:656:ARG:CB	6:C:1196:HOH:O	2.49	0.60
3:A:703:B12:H481	3:A:703:B12:H533	1.84	0.59
1:A:310:PHE:CD1	1:A:311:PRO:HD3	2.37	0.59
1:C:46[B]:LEU:HD21	1:C:50:VAL:HG13	1.86	0.58
1:B:335:GLU:HB2	6:B:1333:HOH:O	2.05	0.57
3:B:703:B12:H601	3:B:703:B12:H262	1.86	0.57
1:B:107:GLY:HA3	6:B:870:HOH:O	2.05	0.56
1:C:46[B]:LEU:CD1	1:C:359:LEU:HD11	2.35	0.55
1:A:566:LYS:HE3	1:A:567:MET:CE	2.38	0.54
3:A:703:B12:H531	3:A:703:B12:H552	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:703:B12:H351	3:A:703:B12:C36	2.35	0.54
1:C:291:PHE:CD2	3:C:703:B12:H532	2.44	0.53
1:C:46[B]:LEU:HD21	1:C:50:VAL:CG1	2.37	0.53
1:C:49:ASP:OD2	1:C:442:ARG:NH2	2.26	0.53
1:B:690:ARG:HD2	6:B:827:HOH:O	2.09	0.52
1:C:244:PRO:HD2	1:C:247:GLU:OE1	2.11	0.51
1:C:227:ASP:O	1:C:228:LEU:HB2	2.10	0.50
1:B:104:ASP:CG	1:B:181:ARG:NH1	2.69	0.50
1:B:151:GLU:OE1	1:B:431:GLU:OE1	2.30	0.50
3:B:703:B12:H351	3:B:703:B12:C36	2.39	0.50
1:C:286:LYS:HD2	1:C:383:GLU:OE1	2.12	0.49
3:A:703:B12:H601	3:A:703:B12:H262	1.95	0.48
1:A:566:LYS:HG2	1:A:567:MET:HE2	1.96	0.48
1:B:649:LYS:NZ	6:B:811:HOH:O	2.41	0.48
1:B:104:ASP:CG	1:B:181:ARG:HH11	2.22	0.48
1:C:299:LEU:HD21	1:C:671:VAL:HG21	1.96	0.47
1:A:151:GLU:OE1	1:A:431:GLU:OE1	2.33	0.47
1:B:2:ARG:HG2	1:B:244:PRO:HD3	1.97	0.47
1:B:584:LEU:HD23	1:C:-1:ILE:HD12	1.96	0.46
3:C:703:B12:H252	3:C:703:B12:H601	1.97	0.46
1:B:372:ARG:NH1	6:B:805:HOH:O	2.29	0.46
1:C:310:PHE:CD2	1:C:311:PRO:HD3	2.51	0.46
1:B:181:ARG:HD3	6:B:868:HOH:O	2.14	0.45
1:C:639:ASP:OD1	1:C:640:ARG:N	2.49	0.45
3:B:703:B12:H482	3:B:703:B12:H471	1.54	0.45
3:C:703:B12:H482	3:C:703:B12:H471	1.56	0.45
1:B:310:PHE:CD2	1:B:311:PRO:HD3	2.51	0.45
3:B:703:B12:H531	3:B:703:B12:C55	2.45	0.45
1:B:30:GLN:HG2	6:B:1116:HOH:O	2.16	0.45
3:A:703:B12:H473	3:A:703:B12:H491	1.98	0.44
1:B:237:LEU:HD12	1:C:598:MET:CG	2.45	0.44
1:B:486:ARG:HD3	1:B:571:ASN:OD1	2.17	0.44
1:C:55:ARG:NH1	6:C:804:HOH:O	2.34	0.44
1:A:406:GLU:OE2	6:A:801:HOH:O	2.21	0.44
1:A:486:ARG:HD3	1:A:571:ASN:OD1	2.18	0.44
1:B:598:MET:CG	1:C:237:LEU:HD12	2.47	0.44
3:A:703:B12:H533	3:A:703:B12:C48	2.48	0.43
1:C:94:MET:HE1	1:C:199:PRO:O	2.18	0.43
1:A:30:GLN:HG2	6:A:1098:HOH:O	2.19	0.43
1:A:307:LYS:NZ	6:A:831:HOH:O	2.49	0.43
1:A:566:LYS:HG2	1:A:567:MET:CE	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:GLY:HA2	1:B:221:PRO:HA	2.01	0.43
1:B:109:CYS:O	6:B:801:HOH:O	2.21	0.43
1:C:180:ALA:HA	1:C:196:LEU:HD11	2.01	0.43
1:B:104:ASP:OD2	1:B:181:ARG:NH1	2.51	0.43
1:B:291:PHE:CD2	3:B:703:B12:H532	2.54	0.43
1:B:1:MET:HE3	1:B:1:MET:HB2	1.94	0.42
1:A:292:LYS:HE3	6:A:824:HOH:O	2.20	0.42
1:C:2:ARG:HG2	1:C:244:PRO:HD3	2.01	0.42
1:C:227:ASP:O	1:C:228:LEU:CB	2.67	0.42
1:C:554:THR:O	1:C:556:MET:HE2	2.19	0.42
1:A:243:ARG:NH1	1:A:248:ASP:OD1	2.49	0.42
3:B:703:B12:H301	3:B:703:B12:H253	1.86	0.41
3:C:703:B12:H4R	3:C:703:B12:H3P2	2.03	0.41
1:C:59:ARG:NH2	6:C:823:HOH:O	2.48	0.41
1:B:59:ARG:NH2	6:B:817:HOH:O	2.42	0.41
1:B:239:ILE:HG21	1:C:598:MET:HE2	2.03	0.41
1:C:151:GLU:OE1	1:C:431:GLU:OE2	2.39	0.41
3:C:703:B12:H531	3:C:703:B12:C55	2.46	0.41
3:A:703:B12:O28	3:A:703:B12:H3	2.21	0.40
1:A:427:MET:HE3	1:A:427:MET:HB3	2.01	0.40
1:A:94:MET:HE3	1:A:94:MET:HB2	1.90	0.40
1:B:321:GLN:HB3	1:B:322:PRO:HD3	2.04	0.40
3:A:703:B12:H601	3:A:703:B12:H252	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	701/725 (97%)	684 (98%)	17 (2%)	0	100	100
1	B	691/725 (95%)	677 (98%)	14 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	C	689/725 (95%)	674 (98%)	13 (2%)	2 (0%)	36 23
All	All	2081/2175 (96%)	2035 (98%)	44 (2%)	2 (0%)	48 34

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	228	LEU
1	C	641	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	528/569 (93%)	525 (99%)	3 (1%)	78 71
1	B	515/569 (90%)	512 (99%)	3 (1%)	78 71
1	C	501/569 (88%)	496 (99%)	5 (1%)	68 54
All	All	1544/1707 (90%)	1533 (99%)	11 (1%)	78 67

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	289	ASP
1	A	639	ASP
1	B	289	ASP
1	B	513[A]	ASN
1	B	513[B]	ASN
1	C	236	MET
1	C	289	ASP
1	C	346	LEU
1	C	513	ASN
1	C	655	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	452	ASN
1	A	603	GLN
1	B	11	ASN
1	B	279	GLN
1	B	325	GLN
1	B	514	GLN
1	C	11	ASN
1	C	82	ASN
1	C	257	HIS
1	C	513	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 6 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SF4	B	701	1	0,12,12	-	-	-		
3	B12	A	703	-	94,101,101	1.41	15 (15%)	149,166,166	2.26	35 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	B12	B	703	-	94,101,101	1.53	11 (11%)	149,166,166	2.07	33 (22%)
2	SF4	A	701	1	0,12,12	-	-	-		
2	SF4	A	702	1	0,12,12	-	-	-		
2	SF4	B	702	1	0,12,12	-	-	-		
2	SF4	C	701	1	0,12,12	-	-	-		
3	B12	C	703	-	94,101,101	1.50	17 (18%)	149,166,166	2.36	38 (25%)
2	SF4	C	702	1	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SF4	B	701	1	-	-	0/6/5/5
3	B12	A	703	-	1/1/36/38	5/56/223/223	0/3/11/11
3	B12	B	703	-	-	7/56/223/223	0/3/11/11
2	SF4	A	701	1	-	-	0/6/5/5
2	SF4	A	702	1	-	-	0/6/5/5
2	SF4	B	702	1	-	-	0/6/5/5
2	SF4	C	701	1	-	-	0/6/5/5
3	B12	C	703	-	1/1/36/38	7/56/223/223	0/3/11/11
2	SF4	C	702	1	-	-	0/6/5/5

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	703	B12	C8B-C9B	7.00	1.51	1.40
3	C	703	B12	C8B-C9B	5.73	1.49	1.40
3	B	703	B12	C14-N23	5.13	1.41	1.35
3	A	703	B12	C8B-C9B	4.78	1.48	1.40
3	B	703	B12	C8B-N1B	-4.47	1.30	1.39
3	A	703	B12	C6B-C5B	3.75	1.50	1.40
3	B	703	B12	C9B-N3B	-3.73	1.32	1.39
3	C	703	B12	C16-C15	-3.56	1.34	1.44
3	B	703	B12	C1-C2	-3.45	1.50	1.58
3	C	703	B12	O6R-C4R	-3.40	1.37	1.45
3	A	703	B12	C19-N24	-3.37	1.45	1.49
3	A	703	B12	C36-C7	-3.34	1.49	1.54
3	A	703	B12	C9-N22	3.24	1.38	1.30
3	C	703	B12	C9B-N3B	-3.11	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	703	B12	C9-N22	3.07	1.38	1.30
3	B	703	B12	C6B-C5B	3.06	1.48	1.40
3	C	703	B12	P-O2	3.01	1.68	1.59
3	C	703	B12	C6B-C5B	2.82	1.47	1.40
3	A	703	B12	C7-C6	2.76	1.61	1.54
3	B	703	B12	O6R-C4R	-2.75	1.38	1.45
3	C	703	B12	C14-C15	2.62	1.49	1.38
3	C	703	B12	C2B-N3B	2.52	1.36	1.31
3	A	703	B12	C14-C15	2.51	1.49	1.38
3	C	703	B12	C53-C15	2.47	1.55	1.50
3	A	703	B12	O58-C57	-2.45	1.18	1.23
3	A	703	B12	C14-N23	2.42	1.38	1.35
3	A	703	B12	C16-C15	-2.41	1.37	1.44
3	B	703	B12	C20-C1	2.37	1.58	1.53
3	C	703	B12	C1-C2	-2.36	1.53	1.58
3	C	703	B12	C14-N23	2.36	1.38	1.35
3	B	703	B12	C11-N23	-2.35	1.32	1.36
3	C	703	B12	C19-N24	-2.32	1.46	1.49
3	C	703	B12	C11-N23	-2.30	1.32	1.36
3	A	703	B12	C8-C9	-2.30	1.46	1.51
3	A	703	B12	C8B-N1B	-2.27	1.34	1.39
3	C	703	B12	C8B-N1B	-2.26	1.35	1.39
3	A	703	B12	C41-C8	-2.21	1.49	1.54
3	B	703	B12	C16-C15	-2.21	1.38	1.44
3	A	703	B12	C12-C13	-2.17	1.49	1.55
3	C	703	B12	C17-C16	2.11	1.59	1.54
3	A	703	B12	C1P-C2P	2.08	1.56	1.51
3	C	703	B12	C17-C18	2.07	1.58	1.54
3	B	703	B12	C5R-C4R	2.01	1.58	1.51

All (106) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	703	B12	C20-C1-C19	-12.83	97.00	109.35
3	A	703	B12	C20-C1-C19	-12.25	97.55	109.35
3	C	703	B12	C1-C19-N24	10.96	118.44	106.25
3	B	703	B12	C20-C1-C19	-9.45	100.25	109.35
3	A	703	B12	C1-C19-N24	9.12	116.39	106.25
3	B	703	B12	C1-C19-N24	8.29	115.47	106.25
3	A	703	B12	C1-C19-C18	6.28	132.08	121.90
3	A	703	B12	C12-C11-C10	-6.22	115.38	123.40
3	C	703	B12	C47-C12-C46	5.98	119.31	109.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	703	B12	C10-C9-N22	-5.86	119.05	125.74
3	B	703	B12	C1-C19-C18	5.83	131.36	121.90
3	C	703	B12	C1-C19-C18	5.57	130.94	121.90
3	C	703	B12	C41-C8-C9	-5.52	101.56	111.19
3	B	703	B12	C12-C11-C10	-5.49	116.32	123.40
3	A	703	B12	C17-C16-C15	5.39	134.79	126.26
3	C	703	B12	C19-N24-C16	5.36	113.15	107.29
3	A	703	B12	C18-C19-N24	5.06	109.94	102.33
3	B	703	B12	C48-C13-C14	4.85	120.55	108.51
3	A	703	B12	C2-C1-C19	4.83	126.12	118.61
3	C	703	B12	C19-C1-N21	4.81	107.09	102.14
3	B	703	B12	C2-C1-C19	4.76	126.02	118.61
3	A	703	B12	C12-C11-N23	4.76	118.38	111.83
3	A	703	B12	C19-C1-N21	4.70	106.98	102.14
3	C	703	B12	C2-C1-C19	4.59	125.75	118.61
3	B	703	B12	C12-C11-N23	4.52	118.05	111.83
3	B	703	B12	C18-C17-C16	4.38	105.97	100.69
3	C	703	B12	C17-C16-C15	4.37	133.16	126.26
3	A	703	B12	C8B-C9B-N3B	-4.30	105.35	110.00
3	C	703	B12	C18-C19-N24	4.29	108.77	102.33
3	A	703	B12	C9B-N3B-C2B	4.26	109.63	104.40
3	C	703	B12	C17-C16-N24	-4.24	104.69	111.17
3	C	703	B12	C12-C11-C10	-4.20	117.98	123.40
3	B	703	B12	C17-C16-C15	4.18	132.88	126.26
3	C	703	B12	C13-C14-C15	-4.16	117.99	124.32
3	C	703	B12	C48-C13-C14	4.15	118.82	108.51
3	B	703	B12	C46-C12-C13	-4.10	96.13	112.74
3	B	703	B12	C8B-C9B-N3B	-4.09	105.57	110.00
3	B	703	B12	C54-C17-C18	-4.08	107.13	112.99
3	B	703	B12	C18-C19-N24	4.06	108.44	102.33
3	C	703	B12	C13-C14-N23	4.03	114.55	109.09
3	B	703	B12	C47-C12-C46	3.86	115.79	109.41
3	B	703	B12	C13-C14-N23	3.71	114.12	109.09
3	A	703	B12	C15-C16-N24	-3.71	117.14	122.42
3	A	703	B12	C8B-N1B-C2B	3.68	109.60	106.26
3	C	703	B12	C8B-C9B-N3B	-3.61	106.10	110.00
3	C	703	B12	C12-C11-N23	3.55	116.72	111.83
3	C	703	B12	C2P-C1P-N59	-3.45	107.85	112.92
3	C	703	B12	C9B-N3B-C2B	3.40	108.57	104.40
3	A	703	B12	C36-C7-C37	3.39	116.51	110.74
3	C	703	B12	C54-C17-C18	-3.25	108.32	112.99
3	A	703	B12	C48-C13-C14	3.20	116.47	108.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	703	B12	C18-C17-C16	3.03	104.34	100.69
3	B	703	B12	C9B-N3B-C2B	3.01	108.09	104.40
3	C	703	B12	C36-C7-C8	-2.93	106.63	112.05
3	C	703	B12	C46-C12-C13	-2.93	100.87	112.74
3	A	703	B12	C4B-C9B-N3B	2.91	135.41	130.51
3	B	703	B12	C10-C9-N22	-2.84	122.50	125.74
3	A	703	B12	N1B-C2B-N3B	-2.81	109.95	113.94
3	B	703	B12	C19-N24-C16	2.80	110.35	107.29
3	C	703	B12	C8B-N1B-C2B	2.79	108.79	106.26
3	B	703	B12	C19-C1-N21	2.76	104.98	102.14
3	B	703	B12	C2P-C1P-N59	-2.67	109.00	112.92
3	B	703	B12	C26-C2-C3	2.66	112.07	107.42
3	C	703	B12	C7B-C8B-C9B	-2.66	119.28	122.47
3	A	703	B12	C55-C17-C16	-2.60	111.50	116.59
3	C	703	B12	C56-C57-N59	2.59	121.06	116.34
3	B	703	B12	C17-C16-N24	-2.57	107.24	111.17
3	A	703	B12	C17-C16-N24	-2.57	107.24	111.17
3	C	703	B12	C7-C6-C5	2.57	132.09	128.07
3	B	703	B12	C25-C2-C1	-2.55	109.94	113.75
3	B	703	B12	C15-C16-N24	-2.52	118.84	122.42
3	B	703	B12	C13-C14-C15	-2.51	120.50	124.32
3	A	703	B12	C46-C12-C13	-2.46	102.77	112.74
3	B	703	B12	C8B-N1B-C2B	2.40	108.44	106.26
3	B	703	B12	C4B-C9B-N3B	2.39	134.54	130.51
3	C	703	B12	C2R-C3R-C4R	2.36	107.37	103.24
3	A	703	B12	O2-P-O3	2.32	109.36	102.87
3	A	703	B12	C12-C13-C14	2.30	106.04	102.26
3	A	703	B12	C7-C8-C9	2.29	103.80	100.89
3	B	703	B12	C36-C7-C8	-2.29	107.81	112.05
3	C	703	B12	N1B-C2B-N3B	-2.28	110.69	113.94
3	C	703	B12	C10-C9-N22	-2.26	123.16	125.74
3	A	703	B12	C3P-C2P-C1P	2.24	115.75	111.42
3	C	703	B12	C18-C17-C16	2.24	103.39	100.69
3	A	703	B12	C13-C14-C15	-2.21	120.95	124.32
3	A	703	B12	C41-C8-C9	-2.19	107.36	111.19
3	A	703	B12	C18-C60-C61	-2.18	108.49	114.04
3	C	703	B12	O58-C57-C56	-2.18	118.08	122.02
3	A	703	B12	C8-C9-C10	2.15	127.91	123.33
3	C	703	B12	C49-C48-C13	2.15	120.75	114.65
3	B	703	B12	C60-C18-C19	2.15	120.17	114.59
3	A	703	B12	C2R-C1R-N1B	2.13	118.60	113.30
3	A	703	B12	C3-C4-C5	2.13	127.38	123.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	703	B12	C25-C2-C1	-2.12	110.58	113.75
3	B	703	B12	O58-C57-C56	-2.12	118.18	122.02
3	B	703	B12	C56-C57-N59	2.12	120.20	116.34
3	B	703	B12	C2R-C1R-N1B	2.11	118.55	113.30
3	A	703	B12	C3R-C2R-C1R	2.11	104.52	99.89
3	A	703	B12	C19-N24-C16	2.10	109.59	107.29
3	C	703	B12	O6R-C4R-C5R	-2.10	104.78	109.22
3	A	703	B12	C2P-C1P-N59	-2.09	109.85	112.92
3	B	703	B12	C35-C5-C6	2.08	125.76	122.41
3	C	703	B12	C20-C1-N21	2.07	113.69	110.26
3	C	703	B12	C4R-O6R-C1R	2.02	113.94	109.47
3	C	703	B12	C55-C17-C16	-2.02	112.65	116.59
3	C	703	B12	C9-N22-C6	2.01	107.70	105.28

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	703	B12	C19
3	C	703	B12	C19

All (19) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	703	B12	C1P-C2P-O3-P
3	A	703	B12	C3P-C2P-O3-P
3	B	703	B12	C38-C37-C7-C6
3	B	703	B12	C1P-C2P-O3-P
3	B	703	B12	C3P-C2P-O3-P
3	C	703	B12	C38-C37-C7-C6
3	C	703	B12	C14-C13-C48-C49
3	C	703	B12	C1P-C2P-O3-P
3	C	703	B12	C3P-C2P-O3-P
3	B	703	B12	C14-C13-C48-C49
3	A	703	B12	C38-C37-C7-C6
3	A	703	B12	N59-C1P-C2P-C3P
3	C	703	B12	N59-C1P-C2P-C3P
3	B	703	B12	N59-C1P-C2P-C3P
3	B	703	B12	C38-C37-C7-C36
3	A	703	B12	C2P-O3-P-O5
3	B	703	B12	C2P-O3-P-O5
3	C	703	B12	C2P-O3-P-O4
3	C	703	B12	C2P-O3-P-O5



There are no ring outliers.

3 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	703	B12	9	0
3	B	703	B12	8	0
3	C	703	B12	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand B12 B 703**Ligand B12 C 703**

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	701/725 (96%)	-0.18	9 (1%) 75 82	13, 23, 41, 82	2 (0%)
1	B	693/725 (95%)	-0.10	20 (2%) 53 62	14, 24, 44, 80	2 (0%)
1	C	692/725 (95%)	0.42	39 (5%) 30 36	18, 32, 53, 98	1 (0%)
All	All	2086/2175 (95%)	0.05	68 (3%) 49 57	13, 26, 49, 98	5 (0%)

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	102	PRO	5.4
1	B	697	ALA	4.7
1	A	-3	ALA	4.7
1	C	103	ASP	4.5
1	C	227	ASP	4.5
1	B	646	ALA	4.2
1	A	106	ALA	4.1
1	C	101	ASP	3.8
1	B	106	ALA	3.7
1	B	638	PRO	3.6
1	C	620	ILE	3.4
1	C	40	ALA	3.4
1	A	697	ALA	3.3
1	B	101	ASP	3.3
1	B	44	ASP	3.3
1	B	105	ARG	3.3
1	C	111	PRO	3.1
1	B	647	ASN	3.1
1	C	695	SER	3.1
1	C	46[A]	LEU	3.1
1	C	70	ASP	3.1
1	C	100	LEU	3.1
1	C	693	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	-2	GLN	2.9
1	C	39	PHE	2.8
1	C	28	VAL	2.8
1	C	641	GLY	2.8
1	A	39	PHE	2.7
1	C	31	PRO	2.7
1	A	108	ASP	2.7
1	C	24	VAL	2.7
1	B	-2	GLN	2.7
1	B	1	MET	2.6
1	B	104	ASP	2.5
1	C	215	ALA	2.5
1	C	192	VAL	2.5
1	B	107	GLY	2.4
1	C	639	ASP	2.4
1	C	642	ASP	2.4
1	C	202	ARG	2.4
1	B	102	PRO	2.4
1	C	338	ALA	2.4
1	B	621	ASP	2.4
1	B	109	CYS	2.3
1	C	669	LEU	2.3
1	B	39	PHE	2.3
1	B	-1	ILE	2.3
1	C	41	ALA	2.3
1	C	346	LEU	2.3
1	A	641	GLY	2.3
1	B	227	ASP	2.2
1	C	694	LYS	2.2
1	A	70	ASP	2.2
1	B	666	ASP	2.2
1	C	27	VAL	2.2
1	B	0	SER	2.2
1	C	630	GLY	2.2
1	C	556	MET	2.1
1	C	691	ALA	2.1
1	A	1	MET	2.1
1	C	25	ASP	2.1
1	C	213	GLY	2.1
1	C	177	VAL	2.1
1	C	671	VAL	2.1
1	C	193	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	-1	ILE	2.1
1	C	44	ASP	2.0
1	C	248	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NA	B	704	1/1	0.90	0.14	44,44,44,44	0
4	NA	A	704	1/1	0.95	0.12	40,40,40,40	0
5	CL	C	705	1/1	0.97	0.13	46,46,46,46	0
3	B12	C	703	91/91	0.98	0.06	18,22,27,32	0
4	NA	C	704	1/1	0.98	0.04	37,37,37,37	0
5	CL	B	705	1/1	0.98	0.11	37,37,37,37	0
3	B12	B	703	91/91	0.98	0.05	13,17,20,23	0
2	SF4	C	702	8/8	0.99	0.03	20,22,23,24	0
5	CL	A	705	1/1	0.99	0.12	33,33,33,33	0
3	B12	A	703	91/91	0.99	0.04	11,14,19,22	0
2	SF4	C	701	8/8	0.99	0.03	17,18,20,20	0
2	SF4	B	702	8/8	1.00	0.03	19,20,21,22	0
2	SF4	A	701	8/8	1.00	0.03	12,13,14,15	0
2	SF4	A	702	8/8	1.00	0.03	14,16,17,18	0
2	SF4	B	701	8/8	1.00	0.03	16,17,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around B12 C 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B12 B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around B12 A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.