



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:22 AM UTC

PDB ID : 7ZXG / pdb_00007zxg
Title : Pfs48/45 bound to Fab fragment of monoclonal antibody 10D8
Authors : Ko, K.T.; Lennartz, F.L.; Higgins, M.K.
Deposited on : 2022-05-20
Resolution : 4.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1004 (4.52-3.88)
Clashscore	190562	1019 (4.50-3.90)
Ramachandran outliers	187476	1020 (4.56-3.84)
Sidechain outliers	187428	1006 (4.56-3.84)
RSRZ outliers	180081	1001 (4.52-3.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	428	% 69% 16% 15%
1	D	428	64% 17% • 18%
2	B	466	39% 7% 53%
2	E	466	38% 8% 54%
3	C	240	73% 17% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	240	 67% 20% 13%
4	G	4	 50% 50%
5	H	2	 100%
5	I	2	 100%
5	K	2	 50% 50%
6	J	3	 33% 67%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12599 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gametocyte surface protein P45/48.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	363	Total	C	N	O	S	0	0	0
			2942	1888	469	568	17			
1	D	352	Total	C	N	O	S	0	0	0
			2861	1842	453	549	17			

- Molecule 2 is a protein called 10D8 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	218	Total	C	N	O	S	0	0	0
			1652	1039	279	324	10			
2	E	215	Total	C	N	O	S	0	0	0
			1626	1021	274	321	10			

- Molecule 3 is a protein called 10D8 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	217	Total	C	N	O	S	0	0	0
			1690	1061	278	344	7			
3	F	209	Total	C	N	O	S	0	0	0
			1627	1026	265	329	7			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	H	2	Total	C	N	O	0	0	0
			28	16	2	10			
5	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
5	K	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	J	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		




• Molecule 2: 10D8 heavy chain

Chain E: 38% 8% 54%




• Molecule 3: 10D8 light chain

Chain C: 73% 17% 10%



• Molecule 3: 10D8 light chain

Chain F: 67% 20% 13%



- Molecule 4: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 50% 50%



- Molecule 6: beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 33% 67%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	81.77Å 125.80Å 216.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	65.36 – 4.20 65.36 – 4.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (65.36-4.20) 99.7 (65.36-4.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.14 (at 4.14Å)	Xtriage
Refinement program	PHENIX 1.19_4092, PHENIX 1.19_4092	Depositor
R, R_{free}	0.259 , 0.276 0.260 , 0.274	Depositor DCC
R_{free} test set	1694 reflections (9.99%)	wwPDB-VP
Wilson B-factor (Å ²)	171.1	Xtriage
Anisotropy	0.151	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 190.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	12599	wwPDB-VP
Average B, all atoms (Å ²)	212.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.13	0/3007	0.34	0/4064
1	D	0.12	0/2924	0.35	0/3950
2	B	0.13	0/1694	0.36	0/2312
2	E	0.14	0/1667	0.35	0/2275
3	C	0.14	0/1731	0.36	0/2350
3	F	0.13	0/1667	0.36	0/2263
All	All	0.13	0/12690	0.35	0/17214

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2942	0	2866	40	0
1	D	2861	0	2789	45	0
2	B	1652	0	1612	23	0
2	E	1626	0	1581	24	0
3	C	1690	0	1623	23	0
3	F	1627	0	1566	33	0
4	G	50	0	43	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	28	0	25	2	0
5	I	28	0	25	3	0
5	K	28	0	25	2	0
6	J	39	0	34	1	0
7	A	28	0	26	0	0
All	All	12599	0	12215	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:196:PHE:HB2	5:I:1:NAG:H82	1.54	0.89
2:B:11:LEU:HD23	2:B:157:PRO:HG3	1.60	0.84
1:D:234:CYS:SG	1:D:235:PHE:N	2.50	0.84
3:C:156:ILE:HD12	3:C:161:ARG:HD3	1.63	0.80
2:E:11:LEU:HD21	2:E:126:THR:HG22	1.64	0.79
1:D:84:LEU:HB3	1:D:140:ARG:HB2	1.65	0.78
2:B:88:SER:HA	2:B:121:VAL:HG11	1.68	0.74
1:A:186:ILE:HG22	1:A:222:LEU:HB2	1.71	0.72
1:D:230:ILE:HD13	1:D:276:LYS:HD2	1.72	0.71
3:F:15:VAL:HG22	3:F:112:ILE:HD11	1.72	0.71
2:E:11:LEU:HD23	2:E:157:PRO:HG3	1.72	0.70
3:F:169:TRP:CD1	3:F:181:MET:HG3	2.27	0.69
1:D:189:THR:HG22	1:D:203:TYR:HB2	1.75	0.69
1:D:97:ILE:HD12	1:D:158:CYS:HB3	1.77	0.67
2:B:208:ALA:HA	2:B:214:THR:HG21	1.77	0.66
1:A:78:ILE:HG22	1:A:146:PRO:HB3	1.76	0.66
1:A:202:THR:OG1	5:H:1:NAG:H61	1.97	0.65
2:B:146:VAL:HG23	2:B:195:SER:HA	1.78	0.65
1:D:78:ILE:HG22	1:D:146:PRO:HG3	1.80	0.64
1:D:195:LEU:HD12	5:I:1:NAG:H3	1.78	0.64
3:C:5:SER:HB2	3:C:24:LYS:HB2	1.80	0.64
1:D:324:HIS:HB2	1:D:420:TYR:HE2	1.63	0.63
2:E:103:HIS:CE1	3:F:56:TRP:HE1	2.18	0.62
3:C:155:LYS:HB2	3:C:199:THR:HB	1.81	0.61
2:E:159:PRO:HD2	2:E:210:PRO:HG2	1.83	0.61
1:A:84:LEU:HB3	1:A:140:ARG:HB2	1.84	0.59
2:E:100:VAL:HB	2:E:111:ASP:OD1	2.02	0.59
3:F:43:GLN:HB2	3:F:53:LEU:HD11	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:124:ILE:HG12	1:D:125:GLU:HG2	1.85	0.58
2:E:151:LEU:HD21	2:E:153:LYS:HE3	1.85	0.58
2:B:47:TRP:HZ2	2:B:50:THR:HG22	1.67	0.58
2:E:161:THR:HB	2:E:208:ALA:HB3	1.85	0.58
1:D:402:ILE:HD13	1:D:425:ILE:HG22	1.85	0.57
1:D:303:ASN:HB2	5:K:1:NAG:H2	1.87	0.57
2:B:67:ARG:HH12	2:B:87:ARG:HD2	1.69	0.56
1:A:93:PRO:HB2	1:A:161:THR:HG21	1.87	0.56
2:B:198:TRP:CD1	2:B:199:PRO:HA	2.42	0.55
1:D:97:ILE:HG23	1:D:100:GLU:HA	1.88	0.55
1:D:272:GLU:HG2	1:D:285:VAL:HG22	1.89	0.54
1:A:161:THR:HG23	1:A:162:GLU:H	1.73	0.54
3:F:88:ASP:HB3	3:F:92:TYR:OH	2.07	0.54
3:F:67:ARG:CZ	3:F:85:LYS:HG3	2.38	0.53
3:F:152:VAL:HG21	3:F:181:MET:HE1	1.91	0.53
1:A:246:SER:HB2	1:A:258:PHE:CE2	2.44	0.53
2:E:105:ARG:HG2	2:E:107:LEU:H	1.74	0.53
1:A:76:TYR:HB3	1:A:180:LEU:HB2	1.90	0.52
1:A:239:LYS:HB2	1:A:270:ASN:HD21	1.75	0.52
2:B:148:LEU:HD22	2:B:220:ILE:HG21	1.93	0.51
3:C:143:ASN:O	3:C:180:SER:OG	2.26	0.51
3:C:119:PRO:HA	3:C:144:ASN:O	2.11	0.51
1:D:98:LEU:HB2	1:D:157:PHE:HB2	1.92	0.51
1:D:205:GLU:OE2	6:J:1:NAG:H81	2.11	0.51
1:A:82:ILE:O	1:A:141:THR:HA	2.11	0.51
1:A:225:LEU:HB3	1:A:256:THR:HB	1.93	0.50
1:D:74:HIS:CE1	1:D:178:ARG:HD3	2.46	0.50
1:D:200:PRO:HD2	1:D:202:THR:HG23	1.93	0.50
3:F:169:TRP:HD1	3:F:181:MET:HG3	1.76	0.50
2:B:107:LEU:HD11	3:C:102:PRO:HG3	1.93	0.50
1:A:190:ASN:HA	1:A:226:ALA:HB3	1.93	0.50
5:H:1:NAG:H4	5:H:2:NAG:N2	2.26	0.50
2:B:133:PRO:HD3	2:B:218:LYS:HD3	1.94	0.50
5:I:1:NAG:O3	5:I:2:NAG:N2	2.37	0.50
1:D:47:TYR:HD2	1:D:73:ILE:HD12	1.77	0.50
1:A:60:LYS:HB2	1:A:171:ARG:NH1	2.28	0.49
3:C:3:VAL:HB	3:C:26:SER:HB2	1.94	0.49
1:D:246:SER:HB2	1:D:258:PHE:CZ	2.48	0.49
2:B:210:PRO:C	2:B:212:SER:H	2.20	0.49
3:F:172:GLN:HG2	3:F:179:TYR:CE1	2.48	0.49
2:E:158:GLU:HG2	2:E:159:PRO:HA	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:105:LYS:HB3	1:D:117:ASP:HA	1.95	0.48
1:A:192:THR:HG21	1:A:228:GLU:H	1.77	0.48
3:F:142:LEU:HD13	3:F:181:MET:HE2	1.96	0.48
1:D:106:VAL:HG12	1:D:155:PHE:O	2.14	0.48
1:A:352:CYS:O	1:A:394:LYS:HD3	2.14	0.47
1:D:208:PHE:O	2:E:105:ARG:NH1	2.47	0.47
3:F:131:LEU:HD21	3:F:136:ALA:HB2	1.96	0.47
2:B:159:PRO:HD2	2:B:210:PRO:HG3	1.95	0.47
1:D:219:ASP:OD1	1:D:219:ASP:N	2.46	0.47
3:F:16:GLY:HA2	3:F:83:SER:HA	1.96	0.47
3:F:126:PRO:HD3	3:F:138:VAL:HG22	1.97	0.47
1:A:287:LYS:HD3	2:B:56:SER:HB3	1.97	0.47
1:D:199:LEU:N	1:D:200:PRO:HD3	2.30	0.47
1:D:350:PRO:HD3	1:D:357:TYR:CD2	2.50	0.47
1:A:198:TYR:HB2	1:A:200:PRO:HG3	1.97	0.46
2:B:22:CYS:HB3	2:B:79:LEU:HB3	1.97	0.46
3:C:114:ARG:HB3	3:C:146:TYR:CE2	2.51	0.46
2:E:177:PRO:HG2	3:F:168:SER:HB3	1.97	0.46
3:C:12:ALA:HA	3:C:111:GLU:HB2	1.97	0.46
1:A:235:PHE:N	1:A:273:CYS:SG	2.89	0.46
3:F:215:PHE:CZ	3:F:217:ARG:HB2	2.51	0.46
1:A:80:ASP:OD1	1:A:81:LYS:N	2.47	0.46
3:C:141:PHE:C	3:C:142:LEU:HD12	2.41	0.46
1:D:416:LYS:HA	1:D:416:LYS:HD3	1.72	0.45
2:E:100:VAL:HG22	2:E:102:ARG:H	1.81	0.45
1:A:214:GLU:HB3	2:B:57:TYR:CD2	2.51	0.45
3:C:43:GLN:HB2	3:C:53:LEU:HD11	1.98	0.45
2:E:93:MET:HE3	2:E:116:GLY:HA3	1.99	0.45
1:A:402:ILE:HD13	1:A:425:ILE:HG22	1.98	0.45
1:D:86:ILE:HG22	1:D:95:PHE:HD2	1.82	0.45
1:D:352:CYS:HA	1:D:353:PHE:HA	1.60	0.45
3:F:11:LEU:HD12	3:F:11:LEU:HA	1.84	0.45
1:D:222:LEU:HD21	1:D:257:ILE:HG23	1.99	0.45
3:F:39:LEU:HB3	3:F:57:ALA:HB2	1.99	0.45
1:D:79:TYR:HE1	1:D:145:SER:HB2	1.82	0.45
1:D:208:PHE:HB2	1:D:212:VAL:O	2.17	0.45
3:F:30:PHE:CE1	3:F:35:GLN:HA	2.51	0.45
1:A:51:PHE:H	1:A:85:ILE:HB	1.82	0.44
2:E:107:LEU:HD11	3:F:102:PRO:HG3	1.99	0.44
3:C:46:PRO:HG3	3:C:89:LEU:HD11	1.99	0.44
1:D:106:VAL:HG23	1:D:118:ILE:HD11	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:358:GLN:HB2	1:D:368:ASN:HB2	1.98	0.44
2:B:133:PRO:O	3:C:127:SER:HB3	2.18	0.44
3:F:3:VAL:HB	3:F:26:SER:HB2	1.99	0.44
1:D:183:PRO:HG2	1:D:184:HIS:CE1	2.53	0.43
3:F:67:ARG:NH1	3:F:81:ILE:HD11	2.32	0.43
1:A:134:ASN:HB2	1:A:137:TYR:O	2.17	0.43
3:F:131:LEU:HB3	3:F:189:LYS:NZ	2.33	0.43
1:A:214:GLU:HB3	2:B:57:TYR:CG	2.54	0.43
1:A:358:GLN:HB2	1:A:368:ASN:HB2	2.00	0.43
1:D:352:CYS:O	1:D:394:LYS:HD3	2.17	0.43
1:A:94:GLU:HG2	1:A:161:THR:HB	2.01	0.43
1:D:128:ILE:H	1:D:128:ILE:HG13	1.67	0.43
3:F:29:LEU:HD12	3:F:77:PHE:HE2	1.83	0.43
1:A:93:PRO:O	1:A:94:GLU:HG2	2.19	0.43
3:F:43:GLN:O	3:F:50:PRO:HA	2.19	0.43
1:A:130:GLU:OE2	1:A:140:ARG:NH2	2.52	0.43
2:E:145:MET:HE3	2:E:194:PRO:HA	2.01	0.43
1:D:86:ILE:HD11	1:D:140:ARG:HE	1.83	0.42
1:D:96:LYS:N	1:D:159:ASP:O	2.48	0.42
2:E:124:ALA:HB3	2:E:156:PHE:CE2	2.54	0.42
1:A:267:LYS:HB3	1:A:267:LYS:HE2	1.92	0.42
3:C:11:LEU:HD12	3:C:11:LEU:HA	1.85	0.42
1:A:307:LYS:HG3	1:A:308:HIS:CD2	2.53	0.42
3:C:187:LEU:HD23	3:C:187:LEU:HA	1.93	0.42
1:D:303:ASN:HB2	5:K:1:NAG:H83	2.00	0.42
1:A:352:CYS:HA	1:A:353:PHE:HA	1.66	0.42
1:A:278:LYS:HE3	1:A:278:LYS:HB2	1.75	0.42
1:A:190:ASN:O	1:A:190:ASN:CG	2.63	0.42
1:A:257:ILE:HD13	1:A:257:ILE:HA	1.88	0.42
1:A:341:GLY:HA2	1:A:353:PHE:CE2	2.55	0.42
2:B:99:GLN:HG2	2:B:110:MET:SD	2.60	0.42
3:F:56:TRP:CE3	3:F:56:TRP:HA	2.55	0.42
3:C:29:LEU:HD12	3:C:77:PHE:HE2	1.85	0.42
1:D:102:CYS:O	1:D:106:VAL:HG22	2.19	0.42
2:E:22:CYS:HB3	2:E:79:LEU:HB3	2.02	0.42
1:A:310:PHE:HE2	1:A:342:LEU:HA	1.85	0.41
2:B:83:MET:HE3	2:B:83:MET:HB2	1.96	0.41
1:D:371:TYR:O	1:D:374:SER:OG	2.28	0.41
3:F:95:GLN:HG2	3:F:96:GLN:N	2.35	0.41
1:A:358:GLN:OE1	1:A:359:PRO:HD2	2.20	0.41
3:C:121:VAL:HG13	3:C:213:LYS:HE3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:11:LEU:HA	2:E:120:THR:O	2.20	0.41
2:E:129:PRO:HA	2:E:155:TYR:HB3	2.02	0.41
3:C:128:SER:HA	3:C:131:LEU:HD12	2.03	0.41
1:A:73:ILE:HB	1:A:177:VAL:HG22	2.02	0.41
1:A:358:GLN:HE21	1:A:370:VAL:HG11	1.85	0.41
2:B:83:MET:HB3	2:B:86:LEU:HD11	2.03	0.41
2:E:147:THR:O	3:F:124:PHE:HZ	2.04	0.41
3:F:16:GLY:C	3:F:83:SER:HA	2.45	0.41
3:C:42:TYR:CZ	3:C:52:LEU:HD13	2.55	0.41
2:E:204:THR:HB	2:E:217:ASP:OD1	2.20	0.41
2:B:169:LEU:HD23	2:B:169:LEU:HA	1.94	0.41
2:E:180:LEU:HD11	2:E:183:ASP:HA	2.02	0.41
1:D:409:THR:HG22	1:D:422:THR:HG23	2.01	0.41
1:A:93:PRO:C	1:A:95:PHE:H	2.29	0.41
2:B:88:SER:O	2:B:91:THR:HG22	2.21	0.41
3:C:90:ALA:HB3	3:C:92:TYR:CE1	2.54	0.41
1:D:254:ASN:OD1	1:D:254:ASN:N	2.53	0.41
2:E:3:MET:HB2	2:E:25:SER:HB2	2.03	0.41
2:B:209:HIS:H	2:B:214:THR:HG21	1.86	0.41
2:E:156:PHE:HA	2:E:157:PRO:HA	1.86	0.40
3:F:144:ASN:HA	3:F:179:TYR:O	2.22	0.40
3:F:167:ASN:HA	3:F:182:SER:O	2.20	0.40
3:C:43:GLN:HG3	3:C:92:TYR:HE1	1.86	0.40
3:C:95:GLN:HG2	3:C:96:GLN:N	2.36	0.40
3:F:148:LYS:HB2	3:F:179:TYR:CE2	2.56	0.40
3:F:143:ASN:O	3:F:180:SER:OG	2.36	0.40
3:C:14:SER:HA	3:C:113:LYS:HB3	2.03	0.40
1:D:52:SER:HB3	1:D:85:ILE:HG21	2.04	0.40
3:F:21:MET:HE3	3:F:21:MET:HB2	2.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/428 (83%)	318 (90%)	37 (10%)	0	100	100
1	D	342/428 (80%)	318 (93%)	24 (7%)	0	100	100
2	B	214/466 (46%)	198 (92%)	16 (8%)	0	100	100
2	E	211/466 (45%)	193 (92%)	18 (8%)	0	100	100
3	C	215/240 (90%)	198 (92%)	17 (8%)	0	100	100
3	F	205/240 (85%)	191 (93%)	14 (7%)	0	100	100
All	All	1542/2268 (68%)	1416 (92%)	126 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	342/402 (85%)	334 (98%)	8 (2%)	44	64
1	D	332/402 (83%)	322 (97%)	10 (3%)	36	57
2	B	189/417 (45%)	186 (98%)	3 (2%)	55	69
2	E	186/417 (45%)	184 (99%)	2 (1%)	65	73
3	C	194/214 (91%)	191 (98%)	3 (2%)	57	70
3	F	187/214 (87%)	184 (98%)	3 (2%)	55	69
All	All	1430/2066 (69%)	1401 (98%)	29 (2%)	48	65

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	ASN
1	A	89	LYS
1	A	156	CYS
1	A	199	LEU
1	A	209	VAL
1	A	215	VAL
1	A	224	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	254	ASN
2	B	86	LEU
2	B	111	ASP
2	B	216	VAL
3	C	61	GLU
3	C	144	ASN
3	C	172	GLN
1	D	106	VAL
1	D	128	ILE
1	D	156	CYS
1	D	177	VAL
1	D	197	THR
1	D	202	THR
1	D	209	VAL
1	D	215	VAL
1	D	234	CYS
1	D	271	THR
2	E	111	ASP
2	E	205	CYS
3	F	61	GLU
3	F	143	ASN
3	F	213	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	176	HIS
2	B	74	ASN
3	C	37	ASN
3	C	163	ASN
3	C	167	ASN
1	D	281	ASN
2	E	74	ASN
2	E	77	ASN
2	E	103	HIS
2	E	181	GLN
3	F	37	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	G	1	1,4	14,14,15	0.43	0	17,19,21	0.44	0
4	NAG	G	2	4	14,14,15	0.21	0	17,19,21	0.69	0
4	BMA	G	3	4	11,11,12	0.59	0	15,15,17	0.85	1 (6%)
4	MAN	G	4	4	11,11,12	0.70	0	15,15,17	1.08	2 (13%)
5	NAG	H	1	5,1	14,14,15	0.90	2 (14%)	17,19,21	1.11	1 (5%)
5	NAG	H	2	5	14,14,15	0.47	0	17,19,21	0.70	1 (5%)
5	NAG	I	1	5,1	14,14,15	0.31	0	17,19,21	1.13	2 (11%)
5	NAG	I	2	5	14,14,15	0.38	0	17,19,21	1.01	1 (5%)
6	NAG	J	1	1,6	14,14,15	0.23	0	17,19,21	0.81	0
6	NAG	J	2	6	14,14,15	0.60	0	17,19,21	0.74	0
6	BMA	J	3	6	11,11,12	0.55	0	15,15,17	1.12	1 (6%)
5	NAG	K	1	5,1	14,14,15	0.43	0	17,19,21	1.33	1 (5%)
5	NAG	K	2	5	14,14,15	0.32	0	17,19,21	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	BMA	G	3	4	-	2/2/19/22	0/1/1/1
4	MAN	G	4	4	-	1/2/19/22	1/1/1/1
5	NAG	H	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	H	2	5	-	1/6/23/26	0/1/1/1
5	NAG	I	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	I	2	5	-	2/6/23/26	0/1/1/1
6	NAG	J	1	1,6	-	3/6/23/26	0/1/1/1
6	NAG	J	2	6	-	0/6/23/26	0/1/1/1
6	BMA	J	3	6	-	2/2/19/22	0/1/1/1
5	NAG	K	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	K	2	5	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	1	NAG	O5-C1	-2.20	1.40	1.43
5	H	1	NAG	C1-C2	2.13	1.55	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	K	1	NAG	C1-O5-C5	4.85	118.69	112.19
6	J	3	BMA	C1-O5-C5	3.31	116.63	112.19
4	G	4	MAN	C1-O5-C5	3.21	116.49	112.19
5	H	1	NAG	C4-C3-C2	2.82	115.15	111.02
4	G	3	BMA	C1-O5-C5	2.46	115.48	112.19
5	I	2	NAG	C1-O5-C5	2.45	115.47	112.19
5	I	1	NAG	O4-C4-C3	2.43	116.09	110.38
5	H	2	NAG	C1-O5-C5	2.38	115.38	112.19
5	I	1	NAG	C1-O5-C5	2.16	115.08	112.19
4	G	4	MAN	O2-C2-C3	-2.15	105.70	110.15

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	H	1	NAG	C1-C2-N2-C7
6	J	1	NAG	C1-C2-N2-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	J	1	NAG	O5-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
5	K	1	NAG	C8-C7-N2-C2
5	K	1	NAG	O7-C7-N2-C2
6	J	1	NAG	C4-C5-C6-O6
5	K	1	NAG	O5-C5-C6-O6
5	K	1	NAG	C4-C5-C6-O6
5	H	1	NAG	O5-C5-C6-O6
6	J	3	BMA	O5-C5-C6-O6
5	H	2	NAG	O5-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
6	J	3	BMA	C4-C5-C6-O6
4	G	4	MAN	O5-C5-C6-O6
4	G	2	NAG	C1-C2-N2-C7
5	K	2	NAG	C4-C5-C6-O6
5	I	2	NAG	C4-C5-C6-O6
5	I	2	NAG	O5-C5-C6-O6
4	G	2	NAG	C3-C2-N2-C7
4	G	3	BMA	C4-C5-C6-O6
5	K	2	NAG	O5-C5-C6-O6
4	G	3	BMA	O5-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	G	4	MAN	C1-C2-C3-C4-C5-O5


6 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	K	1	NAG	2	0
6	J	1	NAG	1	0
5	I	1	NAG	3	0
5	I	2	NAG	1	0
5	H	1	NAG	2	0
5	H	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	A	501	1	14,14,15	0.39	0	17,19,21	0.36	0
7	NAG	A	502	1	14,14,15	0.28	0	17,19,21	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	501	1	-	1/6/23/26	0/1/1/1
7	NAG	A	502	1	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	502	NAG	O5-C5-C6-O6
7	A	501	NAG	O5-C5-C6-O6
7	A	502	NAG	C1-C2-N2-C7
7	A	502	NAG	C4-C5-C6-O6
7	A	502	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	363/428 (84%)	-0.47	3 (0%) 82 68	157, 224, 296, 333	0
1	D	352/428 (82%)	-0.48	0 100 100	151, 204, 306, 345	0
2	B	218/466 (46%)	-0.56	0 100 100	138, 169, 235, 248	0
2	E	215/466 (46%)	-0.41	2 (0%) 81 66	126, 182, 330, 354	0
3	C	217/240 (90%)	-0.51	0 100 100	159, 192, 227, 242	0
3	F	209/240 (87%)	-0.55	0 100 100	134, 229, 317, 339	0
All	All	1574/2268 (69%)	-0.49	5 (0%) 90 80	126, 203, 304, 354	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	154	PHE	2.9
2	E	150	CYS	2.7
1	A	45	ILE	2.5
1	A	177	VAL	2.2
2	E	138	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	NAG	I	2	14/15	0.37	0.17	279,291,296,298	0
5	NAG	K	2	14/15	0.38	0.11	254,300,311,314	0
4	BMA	G	3	11/12	0.41	0.09	259,262,269,271	0
5	NAG	H	2	14/15	0.59	0.08	271,278,287,289	0
6	NAG	J	2	14/15	0.69	0.16	262,265,272,274	0
5	NAG	K	1	14/15	0.71	0.09	249,267,306,314	0
5	NAG	H	1	14/15	0.76	0.07	242,257,271,272	0
4	NAG	G	1	14/15	0.77	0.09	246,255,267,268	0
5	NAG	I	1	14/15	0.77	0.11	227,279,291,292	0
6	BMA	J	3	11/12	0.79	0.13	261,262,263,267	0
4	MAN	G	4	11/12	0.83	0.06	274,278,285,290	0
4	NAG	G	2	14/15	0.90	0.05	253,264,273,275	0
6	NAG	J	1	14/15	0.92	0.11	198,218,266,268	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	NAG	A	501	14/15	0.37	0.12	223,256,278,279	0
7	NAG	A	502	14/15	0.87	0.14	282,286,287,287	0

6.5 Other polymers [i](#)

There are no such residues in this entry.