



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:13 PM UTC

PDB ID : 7ZXK / pdb_00007zxk
Title : Human IL-27 in complex with neutralizing SRF388 FAb fragment
Authors : Bloch, Y.; Skladanowska, K.; Strand, J.; Welin, M.; Logan, D.; Hill, J.; Savvides, S.N.
Deposited on : 2022-05-21
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	215	
1	C	215	
2	B	209	
2	D	209	
3	H	229	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	J	229	 3% 92% 8%
4	I	220	 92% 8%
4	L	220	 92% 7%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12892 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Interleukin-27 subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	160	Total	C	N	O	S	0	0	0
			1308	837	245	222	4			
1	C	166	Total	C	N	O	S	0	0	0
			1359	871	255	229	4			

- Molecule 2 is a protein called Interleukin-27 subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	180	Total	C	N	O	S	0	0	0
			1432	925	246	254	7			
2	D	175	Total	C	N	O	S	0	1	0
			1408	911	241	248	8			

- Molecule 3 is a protein called SRF388 Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	226	Total	C	N	O	S	0	3	0
			1696	1068	289	333	6			
3	J	229	Total	C	N	O	S	0	4	0
			1723	1083	294	338	8			

- Molecule 4 is a protein called SRF388 Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	I	220	Total	C	N	O	S	0	1	0
			1693	1057	286	344	6			
4	L	219	Total	C	N	O	S	0	0	0
			1679	1050	283	341	5			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	12	Total	O	0	0
			12	12		
6	B	54	Total	O	0	0
			54	54		
6	C	25	Total	O	0	0
			25	25		
6	D	62	Total	O	0	0
			62	62		
6	H	107	Total	O	0	0
			107	107		
6	I	89	Total	O	0	0
			89	89		
6	J	108	Total	O	0	0
			108	108		
6	L	109	Total	O	0	0
			109	109		

- Molecule 1: Interleukin-27 subunit alpha





• Molecule 3: SRF388 Heavy Chain

Chain H: 90% 9%



• Molecule 3: SRF388 Heavy Chain

Chain J: 3% 92% 8%



• Molecule 4: SRF388 Light Chain

Chain I: 92% 8%



• Molecule 4: SRF388 Light Chain

Chain L: 92% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.81Å 104.62Å 121.75Å 90.00° 98.65° 90.00°	Depositor
Resolution (Å)	60.18 – 2.20 60.18 – 2.20	Depositor EDS
% Data completeness (in resolution range)	80.0 (60.18-2.20) 99.8 (60.18-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.30 (at 2.20Å)	Xtriage
Refinement program	BUSTER, PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.184 , 0.221 0.194 , 0.221	Depositor DCC
R_{free} test set	5446 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	59.3	Xtriage
Anisotropy	0.448	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12892	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/1335	0.48	1/1804 (0.1%)
1	C	0.31	0/1390	0.36	1/1882 (0.1%)
2	B	0.21	0/1477	0.36	2/2020 (0.1%)
2	D	0.22	0/1454	0.37	1/1986 (0.1%)
3	H	0.09	0/1748	0.28	0/2380
3	J	0.15	0/1775	0.31	0/2415
4	I	0.08	0/1730	0.27	0/2351
4	L	0.10	0/1716	0.27	0/2332
All	All	0.20	0/12625	0.34	5/17170 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	199	GLN	N-CA-C	8.39	120.05	111.07
2	B	165	TYR	N-CA-C	5.78	118.64	109.50
2	B	162	SER	N-CA-C	5.54	117.89	110.35
1	C	76	VAL	N-CA-C	5.44	116.07	108.89
2	D	165	TYR	N-CA-C	5.15	117.96	109.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1308	0	1352	17	0
1	C	1359	0	1400	16	0
2	B	1432	0	1403	11	0
2	D	1408	0	1387	10	0
3	H	1696	0	1656	12	0
3	J	1723	0	1682	13	0
4	I	1693	0	1637	11	0
4	L	1679	0	1628	10	0
5	B	14	0	13	0	0
5	D	14	0	13	1	0
6	A	12	0	0	0	0
6	B	54	0	0	0	0
6	C	25	0	0	1	0
6	D	62	0	0	0	0
6	H	107	0	0	3	0
6	I	89	0	0	2	0
6	J	108	0	0	2	0
6	L	109	0	0	0	0
All	All	12892	0	12171	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:VAL:HG12	1:A:77:ASN:H	1.59	0.65
3:J:132:PRO:HB3	3:J:158:TYR:HB3	1.79	0.64
3:H:132:PRO:HB3	3:H:158:TYR:HB3	1.84	0.60
3:H:83:MET:HE2	3:H:86:LEU:HD21	1.85	0.59
1:A:120:LEU:HD13	1:A:123:LEU:HD12	1.84	0.58
3:J:214:LYS:NZ	6:J:302:HOH:O	2.36	0.57
3:J:83:MET:HE2	3:J:86:LEU:HD21	1.85	0.57
4:L:43:GLN:HB2	4:L:53:LEU:HD11	1.86	0.57
3:J:34:MET:HB3	3:J:79:LEU:HD22	1.86	0.57
1:A:76:VAL:HG12	1:A:77:ASN:N	2.20	0.56
1:A:78:LEU:HD13	1:A:204:TYR:CZ	2.40	0.56
2:B:33:VAL:HG22	2:B:48:TRP:HB3	1.87	0.56
4:I:43:GLN:HB2	4:I:53:LEU:HD11	1.86	0.56
3:H:84:ASN:ND2	6:H:301:HOH:O	2.37	0.55
3:H:214:LYS:NZ	6:H:305:HOH:O	2.40	0.55
4:I:153:GLN:HE21	4:I:160:LEU:HD13	1.71	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:J:97:ALA:HB1	3:J:113:PHE:HB3	1.89	0.55
1:A:92:LEU:HD11	1:A:97:TRP:HB2	1.87	0.55
4:L:196:LYS:HE2	4:L:216:ASN:HB3	1.89	0.55
1:A:81:LEU:HD12	1:A:82:PRO:HD2	1.89	0.55
4:I:138:VAL:HG13	4:I:185:LEU:HB3	1.89	0.52
1:A:92:LEU:CD1	1:A:93:THR:O	2.57	0.52
3:H:52:SER:HB3	3:H:57:TYR:HB2	1.92	0.52
2:B:36:ARG:HD3	2:B:128:LYS:HD3	1.93	0.51
1:A:82:PRO:HB2	1:A:85:GLU:HG2	1.91	0.51
1:A:92:LEU:HD12	1:A:93:THR:O	2.10	0.50
4:I:130:GLN:NE2	6:I:304:HOH:O	2.43	0.50
1:C:72:HIS:C	1:C:74:PRO:HD3	2.36	0.50
1:C:79:TYR:HE1	2:D:122:ILE:HG13	1.76	0.50
3:J:52:SER:HB3	3:J:57:TYR:HB2	1.94	0.50
4:L:193:GLU:OE1	4:L:217:ARG:NH1	2.46	0.49
1:C:73:LEU:N	1:C:74:PRO:HD3	2.28	0.49
1:A:212:LEU:HD12	2:B:99:MET:HG2	1.95	0.49
3:H:87:ARG:NH1	6:H:308:HOH:O	2.45	0.49
1:A:57:LEU:HD21	1:A:143:ASP:HB2	1.95	0.49
3:J:205:GLN:NE2	6:J:301:HOH:O	2.31	0.47
2:D:44:VAL:HG23	2:D:94:VAL:HG11	1.96	0.47
1:C:161:ASN:ND2	4:L:33:SER:O	2.46	0.47
3:H:34:MET:HB3	3:H:79:LEU:HD22	1.96	0.47
1:C:78:LEU:HD13	1:C:204:TYR:OH	2.15	0.47
4:L:89:VAL:HG11	4:L:172:GLN:HB3	1.97	0.47
4:I:155:LYS:NZ	4:I:201:GLU:OE1	2.48	0.46
2:B:41:PRO:HG3	2:B:161:PHE:CE1	2.50	0.46
3:J:12:VAL:HG11	3:J:86:LEU:HD13	1.98	0.46
1:C:77:ASN:HD21	1:C:79:TYR:HB2	1.80	0.46
2:B:140:LEU:HB2	2:B:144:GLN:HB2	1.98	0.46
1:C:79:TYR:CE1	2:D:122:ILE:HG13	2.51	0.46
4:L:54:ILE:HD13	4:L:60:ARG:HA	1.98	0.46
2:B:32:ARG:HB2	2:B:49:THR:HG23	1.99	0.45
1:C:45:ARG:NH1	6:C:304:HOH:O	2.49	0.45
2:B:193:VAL:HG11	2:B:225:MET:HE2	1.99	0.45
1:C:77:ASN:ND2	1:C:79:TYR:HB2	2.31	0.45
4:I:51:LYS:NZ	6:I:307:HOH:O	2.49	0.45
2:D:107:THR:HG21	5:D:301:NAG:H5	1.97	0.45
1:C:31:ARG:HD3	1:C:35:ARG:HB3	2.00	0.44
2:B:170:LYS:NZ	2:B:174:ALA:O	2.46	0.44
3:H:110[B]:HIS:HD2	4:L:98:ALA:O	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:41:PRO:HG3	2:D:161:PHE:CE1	2.53	0.44
3:H:206:THR:HG23	3:H:223:LYS:HE3	1.99	0.44
1:C:85:GLU:H	1:C:85:GLU:CD	2.23	0.44
2:D:65:THR:HG23	2:D:105:ASN:HB3	2.00	0.44
4:I:54:ILE:HD13	4:I:60:ARG:HA	2.00	0.44
2:D:198:ARG:NH1	2:D:224:THR:OG1	2.51	0.43
4:I:98:ALA:O	3:J:110[B]:HIS:HD2	2.02	0.43
1:A:121:GLY:HA2	1:A:141:ARG:NH1	2.34	0.42
3:H:11:LEU:HB2	3:H:160:PRO:HG3	2.01	0.42
4:I:196:LYS:HE3	4:I:216:ASN:HB3	2.01	0.42
2:D:104:LEU:O	2:D:118:PHE:HA	2.19	0.42
1:C:91:SER:OG	2:D:95:GLN:HG3	2.19	0.42
3:J:206:THR:HG23	3:J:223:LYS:HE3	2.00	0.42
1:C:156:LEU:HD21	4:L:34:ASN:ND2	2.35	0.42
1:C:62:ARG:HG2	1:C:211:GLU:CD	2.44	0.42
1:A:91:SER:OG	2:B:95:GLN:OE1	2.35	0.42
3:H:114:ASP:HA	3:H:115:PRO:HA	1.78	0.41
1:A:46:GLU:OE2	3:J:110[B]:HIS:HE1	2.03	0.41
1:C:79:TYR:O	2:D:70:MET:HE2	2.21	0.41
2:B:168:ARG:HD3	2:B:217:TRP:CE2	2.56	0.41
3:J:153[B]:CYS:HB3	3:J:209:CYS:SG	2.61	0.41
2:B:37:ALA:HB3	2:B:127:ILE:HA	2.01	0.41
3:H:181:ALA:HA	3:H:191:LEU:HB3	2.03	0.41
4:I:155:LYS:HB2	4:I:199:ALA:HB3	2.02	0.41
4:L:138:VAL:HG13	4:L:185:LEU:HB3	2.03	0.41
1:A:92:LEU:CD1	1:A:97:TRP:HB2	2.51	0.41
4:I:151:LYS:HZ3	4:I:153:GLN:HG3	1.85	0.41
3:J:83:MET:HB3	3:J:86:LEU:HD21	2.03	0.40
1:A:62:ARG:HG2	1:A:211:GLU:CD	2.47	0.40
1:C:33:PRO:HG3	4:L:32:SER:HB3	2.02	0.40
1:A:92:LEU:HD12	1:A:92:LEU:C	2.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	156/215 (73%)	151 (97%)	5 (3%)	0	100	100
1	C	162/215 (75%)	159 (98%)	3 (2%)	0	100	100
2	B	174/209 (83%)	171 (98%)	3 (2%)	0	100	100
2	D	168/209 (80%)	163 (97%)	5 (3%)	0	100	100
3	H	227/229 (99%)	224 (99%)	3 (1%)	0	100	100
3	J	231/229 (101%)	226 (98%)	5 (2%)	0	100	100
4	I	219/220 (100%)	211 (96%)	8 (4%)	0	100	100
4	L	217/220 (99%)	211 (97%)	6 (3%)	0	100	100
All	All	1554/1746 (89%)	1516 (98%)	38 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	142/187 (76%)	142 (100%)	0	100	100
1	C	148/187 (79%)	148 (100%)	0	100	100
2	B	155/179 (87%)	155 (100%)	0	100	100
2	D	154/179 (86%)	154 (100%)	0	100	100
3	H	189/189 (100%)	189 (100%)	0	100	100
3	J	193/189 (102%)	193 (100%)	0	100	100
4	I	193/192 (100%)	193 (100%)	0	100	100
4	L	191/192 (100%)	191 (100%)	0	100	100
All	All	1365/1494 (91%)	1365 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	GLN
1	A	136	GLN
1	C	64	GLN
4	I	43	GLN
4	I	153	GLN
4	I	216	ASN
3	J	205	GLN
4	L	35	ASN
4	L	216	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	D	301	2	14,14,15	0.34	0	17,19,21	0.61	0
5	NAG	B	301	2	14,14,15	0.31	0	17,19,21	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	D	301	2	-	0/6/23/26	0/1/1/1
5	NAG	B	301	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	301	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	160/215 (74%)	0.33	7 (4%) 39 36	39, 72, 135, 155	0
1	C	166/215 (77%)	0.11	8 (4%) 35 32	34, 61, 119, 154	0
2	B	180/209 (86%)	0.19	9 (5%) 34 31	39, 69, 118, 142	0
2	D	175/209 (83%)	0.16	5 (2%) 53 50	36, 61, 121, 130	1 (0%)
3	H	226/229 (98%)	-0.41	0 100 100	21, 49, 68, 108	3 (1%)
3	J	229/229 (100%)	-0.39	6 (2%) 57 54	22, 46, 73, 175	4 (1%)
4	I	220/220 (100%)	-0.35	0 100 100	31, 53, 81, 149	1 (0%)
4	L	219/220 (99%)	-0.32	1 (0%) 87 85	33, 55, 91, 127	0
All	All	1575/1746 (90%)	-0.12	36 (2%) 61 58	21, 54, 114, 175	9 (0%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	227	ALA	5.0
1	C	195	VAL	4.9
2	D	50	LEU	4.6
2	D	108	ALA	3.8
1	C	65	ALA	3.5
3	J	143	SER	3.5
1	A	138	TRP	3.4
1	C	83	LEU	3.3
2	D	60	VAL	3.3
3	J	142	LYS	3.3
1	C	197	TRP	2.9
3	J	146	GLY	2.9
1	C	33	PRO	2.8
2	B	75	HIS	2.8
1	A	120	LEU	2.7
2	D	116	SER	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	68	LEU	2.7
1	C	160	PHE	2.6
1	C	32	PRO	2.5
2	B	60	VAL	2.5
1	A	198	PRO	2.5
2	B	116	SER	2.5
1	A	77	ASN	2.5
2	B	63	ILE	2.4
2	B	175	ALA	2.3
1	A	204	TYR	2.3
2	B	31	PRO	2.3
2	D	31	PRO	2.3
3	J	144	THR	2.3
4	L	200	CYS	2.3
3	J	145	SER	2.3
1	C	138	TRP	2.2
2	B	226	SER	2.1
2	B	70	MET	2.1
3	J	141	SER	2.0
1	A	78	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	B	301	14/15	0.70	0.12	98,106,117,118	0
5	NAG	D	301	14/15	0.81	0.10	101,108,115,120	0

6.5 Other polymers [i](#)

There are no such residues in this entry.