



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:59 AM UTC

PDB ID : 1ZYD / pdb_00001zyd
Title : Crystal Structure of eIF2alpha Protein Kinase GCN2: Wild-Type Complexed with ATP.
Authors : Padyana, A.K.; Qiu, H.; Roll-Mecak, A.; Hinnebusch, A.G.; Burley, S.K.
Deposited on : 2005-06-09
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	303	 4% 57% 28% 11%
1	B	303	 2% 50% 28% 5% 17%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4446 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase GCN2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	270	Total	C	N	O	S	0	0	0
			2226	1429	386	402	9			
1	B	253	Total	C	N	O	S	0	0	0
			2086	1340	360	377	9			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	592	SER	-	cloning artifact	UNP P15442
A	593	LEU	-	cloning artifact	UNP P15442
B	592	SER	-	cloning artifact	UNP P15442
B	593	LEU	-	cloning artifact	UNP P15442

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	B	2	Total	Mg	0	0
			2	2		

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
3	B	1	Total 31	C 10	N 5	O 13	P 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	37	Total O 37 37	0	0
4	B	31	Total O 31 31	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein kinase GCN2



- Molecule 1: Serine/threonine-protein kinase GCN2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	82.11Å 175.21Å 47.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.59 – 2.75 47.59 – 2.75	Depositor EDS
% Data completeness (in resolution range)	98.7 (47.59-2.75) 98.8 (47.59-2.75)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.77Å)	Xtriage
Refinement program	CNX 2000.1	Depositor
R, R_{free}	0.208 , 0.270 0.205 , 0.261	Depositor DCC
R_{free} test set	762 reflections (4.16%)	wwPDB-VP
Wilson B-factor (Å ²)	53.1	Xtriage
Anisotropy	0.493	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4446	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.39	0/2270	0.91	6/3053 (0.2%)
1	B	0.38	0/2129	0.95	7/2868 (0.2%)
All	All	0.38	0/4399	0.93	13/5921 (0.2%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	770	ASN	N-CA-C	8.73	129.40	110.80
1	B	594	ARG	N-CA-C	8.68	120.36	111.07
1	A	887	THR	N-CA-C	-7.34	103.42	112.38
1	A	594	ARG	N-CA-C	7.27	118.84	111.07
1	B	897	ASP	N-CA-C	6.67	125.00	110.80
1	A	991	LYS	N-CA-C	-6.40	104.39	111.82
1	B	962	ILE	N-CA-C	6.08	117.33	111.91
1	A	659	TYR	N-CA-C	5.83	117.50	111.03
1	A	927	GLU	N-CA-C	-5.81	104.86	111.14
1	B	965	ASP	CA-C-N	5.80	125.66	119.28
1	B	965	ASP	C-N-CA	5.80	125.66	119.28
1	B	659	TYR	N-CA-C	5.25	118.01	111.24
1	A	953	VAL	N-CA-C	5.15	115.37	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2226	0	2249	90	1
1	B	2086	0	2090	107	1
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	31	0	12	1	0
3	B	31	0	12	3	0
4	A	37	0	0	7	1
4	B	31	0	0	6	0
All	All	4446	0	4363	193	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:809:ARG:HH21	1:B:950:LYS:NZ	1.45	1.15
1:B:809:ARG:CG	1:B:809:ARG:HH11	1.82	0.92
1:B:809:ARG:HH21	1:B:950:LYS:HZ1	1.14	0.89
1:B:809:ARG:NH2	1:B:950:LYS:NZ	2.25	0.85
1:A:953:VAL:HG12	4:A:62:HOH:O	1.75	0.85
1:B:809:ARG:NH2	1:B:950:LYS:HZ1	1.73	0.85
1:B:926:MET:HA	1:B:926:MET:HE3	1.57	0.84
1:B:652:HIS:HD2	1:B:654:TYR:H	1.22	0.83
1:B:959:ARG:O	1:B:959:ARG:HD3	1.77	0.83
1:A:652:HIS:HD2	1:A:654:TYR:H	1.29	0.78
1:A:769:ARG:O	1:A:780:LYS:HE3	1.83	0.78
1:B:809:ARG:HH11	1:B:809:ARG:HG2	1.49	0.76
1:B:770:ASN:O	1:B:771:PHE:C	2.30	0.74
1:B:925:GLY:O	1:B:929:VAL:HG23	1.87	0.74
1:B:652:HIS:CD2	1:B:654:TYR:H	2.04	0.73
1:B:613:VAL:HB	3:B:304:ATP:H5'1	1.70	0.73
1:A:953:VAL:N	4:A:62:HOH:O	2.21	0.73
1:B:899:THR:C	1:B:901:HIS:H	1.97	0.73
1:B:809:ARG:HH11	1:B:809:ARG:HG3	1.55	0.72
1:B:964:HIS:NE2	4:B:22:HOH:O	2.23	0.70
1:A:652:HIS:CD2	1:A:654:TYR:H	2.08	0.70
1:A:638:SER:HA	1:A:641:LEU:HG	1.73	0.69
1:B:809:ARG:HH21	1:B:950:LYS:HZ3	1.37	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:641:LEU:HD22	1:B:645:MET:HE2	1.76	0.66
1:A:613:VAL:HB	3:A:303:ATP:H5'1	1.78	0.66
1:A:953:VAL:CG1	4:A:62:HOH:O	2.39	0.65
1:B:768:ARG:HD3	1:B:771:PHE:HE1	1.61	0.65
1:B:768:ARG:C	1:B:770:ASN:H	2.03	0.65
1:B:953:VAL:HG13	1:B:954:GLU:OE1	1.96	0.65
1:A:838:PRO:HD3	1:A:914:ILE:HG12	1.79	0.65
1:A:618:ASN:HD21	1:A:620:LEU:HB2	1.62	0.64
1:B:951:MET:HB3	1:B:954:GLU:HG2	1.78	0.64
1:A:645:MET:HE3	1:B:784:LEU:HD11	1.79	0.64
1:B:617:ARG:HD3	4:B:40:HOH:O	1.97	0.63
1:A:611:GLY:HA3	1:A:629:LYS:O	1.99	0.63
1:B:768:ARG:HD3	1:B:771:PHE:CE1	2.34	0.62
1:A:779:LYS:HD3	1:A:779:LYS:C	2.24	0.62
1:A:925:GLY:O	1:A:929:VAL:HG23	1.98	0.62
1:B:958:ILE:O	1:B:962:ILE:HG12	1.99	0.62
1:B:959:ARG:HD3	1:B:959:ARG:C	2.25	0.61
1:A:769:ARG:NH1	1:A:770:ASN:OD1	2.33	0.61
1:A:904:GLU:H	1:A:904:GLU:CD	2.06	0.61
1:B:946:PHE:HE2	1:B:955:LYS:HB2	1.65	0.61
1:B:631:ARG:NH2	1:B:769:ARG:HG3	2.15	0.60
1:A:593:LEU:HD23	1:A:664:GLU:HG2	1.83	0.60
1:A:953:VAL:HG13	1:A:954:GLU:OE1	2.01	0.60
1:B:815:LEU:O	1:B:819:ILE:HG13	2.02	0.60
1:A:958:ILE:O	1:A:962:ILE:HG12	2.02	0.60
1:A:805:LEU:HA	1:A:808:GLN:HE21	1.67	0.59
1:B:641:LEU:O	1:B:645:MET:HG2	2.01	0.59
1:B:611:GLY:HA3	1:B:629:LYS:O	2.03	0.59
1:B:768:ARG:CD	1:B:771:PHE:HE1	2.16	0.58
1:A:858:LYS:NZ	1:A:891:VAL:HG13	2.18	0.58
1:A:939:SER:HB2	1:A:941:GLU:HG3	1.86	0.57
1:B:817:ARG:O	1:B:821:GLU:HG2	2.04	0.57
1:B:940:ILE:HD12	1:B:959:ARG:NH1	2.19	0.57
1:B:628:LYS:HE3	4:B:13:HOH:O	2.04	0.57
1:A:833:HIS:HD2	1:A:835:ASP:H	1.51	0.57
1:B:653:GLN:HG3	1:B:654:TYR:CD2	2.39	0.57
1:A:903:ASN:HB2	1:A:904:GLU:OE1	2.05	0.57
1:A:950:LYS:NZ	1:A:951:MET:HE3	2.20	0.57
1:A:811:GLU:HG2	1:A:847:ARG:HH12	1.69	0.57
1:B:946:PHE:CE2	1:B:955:LYS:HD2	2.41	0.56
1:A:770:ASN:O	1:A:772:VAL:HG22	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:922:PHE:CD2	1:B:928:ARG:HG3	2.41	0.56
1:B:637:LEU:HD13	1:B:663:LEU:HD21	1.87	0.56
1:B:899:THR:C	1:B:901:HIS:N	2.64	0.56
1:B:899:THR:O	1:B:901:HIS:N	2.33	0.56
1:B:917:GLU:OE1	1:B:928:ARG:NH1	2.38	0.56
1:A:772:VAL:O	4:A:73:HOH:O	2.18	0.55
1:B:926:MET:HA	1:B:926:MET:CE	2.32	0.55
1:B:922:PHE:CG	1:B:928:ARG:HG3	2.42	0.55
1:B:806:ASN:ND2	1:B:921:PRO:HB3	2.21	0.55
1:B:793:ASN:C	1:B:793:ASN:HD22	2.15	0.54
1:B:892:ALA:HA	1:B:909:TYR:CD2	2.42	0.54
1:A:837:LYS:HA	1:A:914:ILE:HD11	1.90	0.54
1:B:947:ASP:OD2	1:B:950:LYS:HD3	2.07	0.54
1:A:815:LEU:O	1:A:819:ILE:HG13	2.08	0.54
1:B:661:ALA:HA	1:B:785:PHE:O	2.08	0.54
1:A:894:GLU:CD	1:A:969:ARG:HH22	2.16	0.53
1:A:894:GLU:O	1:A:898:GLY:HA3	2.08	0.53
1:B:894:GLU:OE2	1:B:969:ARG:NH2	2.42	0.53
1:A:927:GLU:O	1:A:931:ILE:HG13	2.09	0.53
1:B:809:ARG:CG	1:B:809:ARG:NH1	2.52	0.53
1:A:769:ARG:C	1:A:771:PHE:H	2.17	0.52
1:A:809:ARG:NH2	1:A:950:LYS:HE2	2.23	0.52
1:A:845:GLU:C	1:A:847:ARG:H	2.17	0.52
1:B:809:ARG:HG3	1:B:809:ARG:NH1	2.17	0.52
1:A:809:ARG:HH11	1:A:809:ARG:HG3	1.73	0.52
1:B:656:VAL:HG13	1:B:789:GLU:HB3	1.92	0.52
1:A:963:ASP:O	1:A:969:ARG:NH1	2.41	0.51
1:A:811:GLU:CG	1:A:847:ARG:HH12	2.24	0.51
1:B:768:ARG:NE	1:B:771:PHE:HE1	2.08	0.51
1:B:805:LEU:HD22	1:B:812:TYR:HB3	1.91	0.51
1:B:817:ARG:HH12	1:B:981:LEU:HB2	1.75	0.51
1:A:635:GLU:HA	4:A:55:HOH:O	2.11	0.51
1:A:809:ARG:HA	1:A:812:TYR:CE2	2.45	0.51
1:A:904:GLU:CD	1:A:904:GLU:N	2.69	0.51
1:A:994:LEU:C	1:A:996:SER:H	2.19	0.51
1:A:950:LYS:HZ2	1:A:951:MET:HE3	1.75	0.50
1:A:954:GLU:OE1	4:A:62:HOH:O	2.19	0.50
1:B:768:ARG:CZ	1:B:771:PHE:HE1	2.24	0.50
1:A:896:LEU:HD11	1:A:936:ARG:HH22	1.76	0.50
1:B:833:HIS:HD2	1:B:835:ASP:H	1.59	0.50
1:A:894:GLU:OE2	1:A:969:ARG:NH2	2.45	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:809:ARG:HH22	1:A:950:LYS:HE2	1.77	0.49
3:B:304:ATP:O3A	3:B:304:ATP:H3'	2.13	0.49
1:B:768:ARG:CZ	1:B:771:PHE:CE1	2.96	0.48
1:A:770:ASN:O	1:A:771:PHE:C	2.55	0.48
1:A:805:LEU:HD22	1:A:805:LEU:O	2.13	0.48
1:A:951:MET:HB3	1:A:954:GLU:HG2	1.95	0.48
1:B:837:LYS:HA	1:B:914:ILE:HD11	1.96	0.48
1:B:653:GLN:HG3	1:B:654:TYR:CE2	2.49	0.48
1:B:965:ASP:HB3	1:B:968:LYS:HG3	1.95	0.48
1:A:924:THR:O	1:A:927:GLU:HB3	2.14	0.48
1:B:809:ARG:HG2	1:B:812:TYR:CZ	2.48	0.48
1:A:934:LYS:HD2	1:A:941:GLU:HB2	1.96	0.47
1:A:961:LEU:O	1:A:969:ARG:HD2	2.14	0.47
1:B:903:ASN:OD1	1:B:905:LYS:HB2	2.14	0.47
1:B:946:PHE:CD2	1:B:955:LYS:HD2	2.49	0.47
1:A:629:LYS:HE2	1:A:785:PHE:HE2	1.80	0.47
1:A:661:ALA:HA	1:A:785:PHE:O	2.15	0.47
1:B:833:HIS:HE1	1:B:852:GLY:O	1.97	0.47
1:B:981:LEU:CD1	1:B:981:LEU:N	2.77	0.47
1:A:641:LEU:O	1:A:645:MET:HG2	2.15	0.47
1:B:809:ARG:HG2	1:B:812:TYR:OH	2.14	0.46
1:B:643:GLU:O	1:B:647:LEU:HB2	2.15	0.46
1:A:952:LYS:N	4:A:62:HOH:O	2.49	0.46
1:A:799:LEU:HA	1:A:803:GLU:HB2	1.97	0.46
1:A:811:GLU:HG2	1:A:847:ARG:NH1	2.29	0.46
1:B:793:ASN:C	1:B:793:ASN:ND2	2.74	0.46
1:A:618:ASN:ND2	1:A:620:LEU:HB2	2.28	0.45
1:B:896:LEU:HD11	1:B:936:ARG:NH2	2.31	0.45
1:A:805:LEU:HA	1:A:808:GLN:NE2	2.31	0.45
1:B:894:GLU:CD	1:B:969:ARG:HH22	2.24	0.45
1:A:628:LYS:HB2	1:A:788:MET:HE2	1.98	0.45
1:A:956:LYS:HB2	1:A:956:LYS:NZ	2.32	0.45
1:B:957:ILE:HG23	1:B:975:LEU:HD21	1.98	0.45
1:A:946:PHE:HE2	1:A:955:LYS:HB2	1.81	0.45
1:A:844:ASP:OD1	1:A:844:ASP:C	2.60	0.45
1:A:645:MET:CE	1:B:784:LEU:HD11	2.46	0.45
1:B:811:GLU:OE2	1:B:811:GLU:HA	2.17	0.45
1:B:940:ILE:HD12	1:B:959:ARG:CZ	2.46	0.45
1:B:621:ASP:C	1:B:621:ASP:OD1	2.59	0.44
1:B:946:PHE:CE2	1:B:955:LYS:HB2	2.47	0.44
1:B:814:ARG:O	1:B:818:GLN:HG3	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:941:GLU:OE2	4:B:67:HOH:O	2.20	0.44
1:A:769:ARG:O	1:A:771:PHE:N	2.51	0.44
1:A:613:VAL:HG22	1:A:628:LYS:HG3	1.99	0.44
1:A:780:LYS:HG2	1:A:781:LYS:N	2.33	0.44
1:A:897:ASP:OD1	1:A:898:GLY:N	2.51	0.44
1:A:929:VAL:HG12	1:A:929:VAL:O	2.17	0.44
1:A:951:MET:HB3	1:A:954:GLU:CG	2.47	0.43
1:A:886:GLY:C	1:A:888:ALA:N	2.71	0.43
1:B:837:LYS:HE2	1:B:840:ASN:ND2	2.34	0.43
1:A:652:HIS:HD2	1:A:654:TYR:N	2.07	0.43
1:B:950:LYS:NZ	1:B:950:LYS:CB	2.81	0.43
1:A:806:ASN:ND2	1:A:921:PRO:HB3	2.34	0.43
1:A:909:TYR:CD1	1:A:962:ILE:HA	2.54	0.43
1:A:922:PHE:CD1	1:A:928:ARG:HB2	2.54	0.43
1:B:981:LEU:N	1:B:981:LEU:HD12	2.34	0.43
1:B:951:MET:HB3	1:B:954:GLU:CG	2.44	0.43
1:B:950:LYS:NZ	1:B:950:LYS:HB3	2.34	0.43
1:A:811:GLU:OE2	1:A:811:GLU:HA	2.19	0.42
1:B:812:TYR:CE2	1:B:919:ILE:HG22	2.54	0.42
1:B:950:LYS:CB	1:B:950:LYS:HZ2	2.30	0.42
1:B:890:TYR:OH	1:B:917:GLU:OE2	2.35	0.42
1:A:954:GLU:O	1:A:958:ILE:HG13	2.19	0.42
1:B:946:PHE:O	1:B:948:ASP:OD1	2.38	0.42
1:B:922:PHE:CD1	1:B:928:ARG:HG3	2.55	0.42
1:B:633:THR:OG1	1:B:636:LYS:HD3	2.19	0.42
1:B:895:VAL:O	1:B:897:ASP:N	2.52	0.42
1:B:636:LYS:N	1:B:636:LYS:HD2	2.35	0.42
1:B:922:PHE:CE2	1:B:928:ARG:HG3	2.55	0.42
1:A:645:MET:HE1	1:B:661:ALA:HB1	2.02	0.41
1:B:936:ARG:HA	4:B:22:HOH:O	2.20	0.41
1:B:664:GLU:HB2	1:B:785:PHE:HE1	1.86	0.41
1:B:624:TYR:CD1	1:B:624:TYR:N	2.89	0.41
1:B:655:VAL:HG22	1:B:822:ALA:HB1	2.02	0.41
1:A:645:MET:HE3	1:B:784:LEU:CD1	2.50	0.41
1:A:833:HIS:O	1:A:834:ARG:HB2	2.20	0.41
1:A:779:LYS:C	1:A:779:LYS:CD	2.93	0.41
1:A:833:HIS:HE1	1:A:852:GLY:O	2.03	0.41
1:B:806:ASN:OD1	1:B:807:GLN:HG3	2.21	0.41
1:A:896:LEU:CD1	1:A:936:ARG:HH22	2.34	0.40
1:A:811:GLU:CG	1:A:847:ARG:NH1	2.84	0.40
1:A:934:LYS:HE3	1:A:941:GLU:CD	2.46	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:647:LEU:HD12	1:B:647:LEU:HA	1.89	0.40
1:B:613:VAL:CB	3:B:304:ATP:H5'1	2.45	0.40
1:B:856:LEU:HB2	4:B:53:HOH:O	2.21	0.40
1:A:834:ARG:HG2	1:A:906:ILE:HD11	2.03	0.40
1:B:942:PHE:CE1	1:B:955:LYS:HG3	2.57	0.40
1:B:965:ASP:HA	1:B:966:PRO:HD2	1.88	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:949:ASN:OD1	1:B:949:ASN:OD1[2_555]	2.09	0.11
1:A:899:THR:OG1	4:A:1:HOH:O[1_554]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	264/303 (87%)	239 (90%)	18 (7%)	7 (3%)	4	7
1	B	247/303 (82%)	222 (90%)	22 (9%)	3 (1%)	10	20
All	All	511/606 (84%)	461 (90%)	40 (8%)	10 (2%)	6	11

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	770	ASN
1	B	896	LEU
1	A	771	PHE
1	A	947	ASP
1	A	995	LYS
1	A	900	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	940	ILE
1	A	608	GLY
1	A	982	PRO
1	B	900	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/272 (89%)	230 (95%)	12 (5%)	22	42
1	B	226/272 (83%)	215 (95%)	11 (5%)	22	43
All	All	468/544 (86%)	445 (95%)	23 (5%)	22	43

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	593	LEU
1	A	605	LEU
1	A	769	ARG
1	A	794	ARG
1	A	805	LEU
1	A	839	MET
1	A	889	MET
1	A	891	VAL
1	A	904	GLU
1	A	951	MET
1	A	956	LYS
1	A	969	ARG
1	B	593	LEU
1	B	614	VAL
1	B	647	LEU
1	B	805	LEU
1	B	809	ARG
1	B	811	GLU
1	B	849	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	926	MET
1	B	953	VAL
1	B	954	GLU
1	B	969	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	612	GLN
1	A	618	ASN
1	A	652	HIS
1	A	787	GLN
1	A	793	ASN
1	A	801	HIS
1	A	806	ASN
1	A	808	GLN
1	A	833	HIS
1	A	964	HIS
1	A	977	ASN
1	B	652	HIS
1	B	787	GLN
1	B	793	ASN
1	B	833	HIS
1	B	964	HIS
1	B	967	ASN
1	B	977	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ATP	A	303	2	32,33,33	1.14	2 (6%)	48,52,52	1.34	6 (12%)
3	ATP	B	304	2	32,33,33	1.26	2 (6%)	48,52,52	1.32	6 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	303	2	-	1/22/38/38	0/3/3/3
3	ATP	B	304	2	-	1/22/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	304	ATP	PA-O3A	5.05	1.64	1.59
3	A	303	ATP	PA-O3A	3.63	1.63	1.59
3	A	303	ATP	PB-O3B	3.47	1.63	1.59
3	B	304	ATP	PB-O3B	2.95	1.62	1.59

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	304	ATP	O2B-PB-O3B	4.36	119.07	107.27
3	A	303	ATP	O2B-PB-O3B	4.17	118.55	107.27
3	B	304	ATP	O2B-PB-O3A	-3.85	96.87	107.27
3	A	303	ATP	O3B-PB-O1B	3.81	122.16	110.70
3	A	303	ATP	O2B-PB-O3A	-3.72	97.23	107.27
3	B	304	ATP	O3B-PB-O1B	3.52	121.28	110.70
3	A	303	ATP	O3A-PB-O1B	-2.86	102.10	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	304	ATP	O3A-PB-O1B	-2.57	102.98	110.70
3	A	303	ATP	O5'-C5'-C4'	2.35	116.98	108.99
3	B	304	ATP	O3G-PG-O3B	2.28	112.30	104.64
3	A	303	ATP	O3G-PG-O3B	2.16	111.87	104.64
3	B	304	ATP	O5'-C5'-C4'	2.03	115.92	108.99

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	303	ATP	C4'-C5'-O5'-PA
3	B	304	ATP	C4'-C5'-O5'-PA


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	303	ATP	1	0
3	B	304	ATP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	270/303 (89%)	0.04	11 (4%) 41 39	24, 48, 88, 104	0
1	B	253/303 (83%)	-0.01	7 (2%) 55 53	27, 48, 84, 105	0
All	All	523/606 (86%)	0.02	18 (3%) 48 46	24, 48, 87, 105	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	885	ILE	4.9
1	A	886	GLY	4.1
1	B	885	ILE	3.7
1	A	772	VAL	3.7
1	A	858	LYS	3.4
1	A	771	PHE	3.4
1	B	899	THR	3.0
1	B	771	PHE	3.0
1	B	857	ALA	2.8
1	B	886	GLY	2.8
1	B	900	GLY	2.6
1	A	995	LYS	2.6
1	A	900	GLY	2.5
1	A	926	MET	2.3
1	B	607	GLN	2.3
1	A	901	HIS	2.3
1	A	887	THR	2.2
1	A	923	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	B	308	1/1	0.88	0.23	42,42,42,42	0
2	MG	A	305	1/1	0.89	0.11	27,27,27,27	0
2	MG	A	306	1/1	0.90	0.16	26,26,26,26	0
2	MG	B	307	1/1	0.95	0.08	22,22,22,22	0
3	ATP	A	303	31/31	0.95	0.08	29,38,54,63	0
3	ATP	B	304	31/31	0.95	0.08	37,45,59,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ATP A 303:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ATP B 304:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.