



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:12 PM UTC

PDB ID : 2ZYG / pdb_00002zyg
Title : Apo-form of dimeric 6-phosphogluconate dehydrogenase
Authors : Chen, Y.-Y.; Ko, T.-P.; Lo, L.-P.; Lin, C.-H.; Wang, A.H.-J.
Deposited on : 2009-01-21
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	480	 78% 18% . .
1	B	480	 75% 20% . .

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 8239 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-phosphogluconate dehydrogenase, decarboxylating.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	466	Total	C	N	O	S	0	0	0
			3617	2300	606	703	8			
1	B	466	Total	C	N	O	S	0	0	0
			3613	2298	606	701	8			

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q762L5
A	-10	GLY	-	expression tag	UNP Q762L5
A	-9	HIS	-	expression tag	UNP Q762L5
A	-8	HIS	-	expression tag	UNP Q762L5
A	-7	HIS	-	expression tag	UNP Q762L5
A	-6	HIS	-	expression tag	UNP Q762L5
A	-5	HIS	-	expression tag	UNP Q762L5
A	-4	HIS	-	expression tag	UNP Q762L5
A	-3	HIS	-	expression tag	UNP Q762L5
A	-2	HIS	-	expression tag	UNP Q762L5
A	-1	HIS	-	expression tag	UNP Q762L5
A	0	HIS	-	expression tag	UNP Q762L5
A	134	THR	ALA	engineered mutation	UNP Q762L5
B	-11	MET	-	expression tag	UNP Q762L5
B	-10	GLY	-	expression tag	UNP Q762L5
B	-9	HIS	-	expression tag	UNP Q762L5
B	-8	HIS	-	expression tag	UNP Q762L5
B	-7	HIS	-	expression tag	UNP Q762L5
B	-6	HIS	-	expression tag	UNP Q762L5
B	-5	HIS	-	expression tag	UNP Q762L5
B	-4	HIS	-	expression tag	UNP Q762L5
B	-3	HIS	-	expression tag	UNP Q762L5
B	-2	HIS	-	expression tag	UNP Q762L5
B	-1	HIS	-	expression tag	UNP Q762L5
B	0	HIS	-	expression tag	UNP Q762L5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	134	THR	ALA	engineered mutation	UNP Q762L5


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	507	Total O 507 507	0	0
2	B	502	Total O 502 502	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 6-phosphogluconate dehydrogenase, decarboxylating



- Molecule 1: 6-phosphogluconate dehydrogenase, decarboxylating



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	112.75Å 112.75Å 118.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.10 30.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	94.6 (30.00-2.10) 94.5 (30.00-2.10)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 2.10Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.156 , 0.212 0.156 , 0.213	Depositor DCC
R_{free} test set	2437 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	14.7	Xtriage
Anisotropy	0.544	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 67.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.044 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8239	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.93	3/3685 (0.1%)	1.07	12/4985 (0.2%)
1	B	0.89	0/3681	1.06	16/4981 (0.3%)
All	All	0.91	3/7366 (0.0%)	1.06	28/9966 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	14	MET	SD-CE	6.16	1.95	1.79
1	A	194	MET	SD-CE	5.56	1.93	1.79
1	A	162	VAL	CA-CB	5.05	1.60	1.54

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	36	ARG	N-CA-C	8.92	121.08	111.36
1	A	12	ALA	N-CA-C	-7.22	101.23	110.19
1	B	12	ALA	N-CA-C	-7.19	101.27	110.19
1	A	139	SER	N-CA-C	-6.82	98.14	109.46
1	B	263	GLY	N-CA-C	-6.76	97.15	113.18
1	B	262	THR	N-CA-C	6.66	121.00	113.01
1	A	13	VAL	N-CA-C	6.56	117.05	110.23
1	B	13	VAL	N-CA-C	6.14	116.62	110.23
1	A	36	ARG	N-CA-C	6.04	120.71	113.23
1	B	278	SER	N-CA-C	5.98	117.88	111.36
1	A	467	LEU	N-CA-C	-5.83	98.37	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	165	ASP	N-CA-C	-5.82	106.04	113.02
1	B	236	LYS	N-CA-C	-5.71	105.06	111.28
1	A	467	LEU	CA-C-N	-5.54	111.72	121.70
1	A	467	LEU	C-N-CA	-5.54	111.72	121.70
1	B	139	SER	N-CA-C	-5.45	100.42	109.46
1	B	338	SER	N-CA-C	-5.44	105.51	111.82
1	B	124	GLY	N-CA-C	-5.35	100.88	111.31
1	B	399	ASP	N-CA-C	5.34	119.52	112.89
1	A	414	ASN	N-CA-C	5.33	119.75	112.88
1	B	170	VAL	N-CA-C	-5.30	101.27	108.06
1	B	302	VAL	N-CA-C	5.30	116.57	112.12
1	B	434	ALA	N-CA-C	-5.28	105.69	111.82
1	B	88	LYS	N-CA-C	5.25	120.70	113.77
1	A	399	ASP	N-CA-C	5.24	118.83	112.23
1	A	263	GLY	N-CA-C	-5.19	106.21	112.49
1	A	334	ALA	N-CA-C	-5.16	105.66	111.28
1	B	196	LEU	N-CA-C	-5.06	105.65	111.07

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	201	TYR	Sidechain
1	A	353	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3617	0	3580	66	1
1	B	3613	0	3579	71	1
2	A	507	0	0	17	1
2	B	502	0	0	10	1
All	All	8239	0	7159	137	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1009:HOH:O	1:B:224:GLU:HG2	1.25	1.26
1:A:43:ILE:HD11	1:A:53:PRO:HB3	1.33	1.08
1:A:468:GLU:HA	1:A:468:GLU:OE1	1.56	1.05
1:A:368:ALA:HB3	2:A:761:HOH:O	1.58	0.99
1:A:62:GLU:HG2	2:A:644:HOH:O	1.67	0.91
1:B:69:ARG:HG2	1:B:152:VAL:HG12	1.56	0.88
1:B:458:LYS:HB2	1:B:458:LYS:NZ	1.88	0.87
1:B:458:LYS:HB2	1:B:458:LYS:HZ2	1.39	0.85
1:A:43:ILE:CD1	1:A:53:PRO:HB3	2.08	0.84
1:A:221:GLU:HG2	2:A:964:HOH:O	1.77	0.83
1:B:187:ASN:HD22	1:B:262:THR:HG21	1.43	0.83
1:A:370:PHE:HB3	2:A:761:HOH:O	1.79	0.83
1:B:376:ASP:O	1:B:380:GLN:HG2	1.84	0.77
1:A:6:ILE:HG23	1:A:29:VAL:HG13	1.67	0.76
1:B:234:ILE:O	1:B:238:ILE:HG12	1.85	0.76
1:B:395:GLN:OE1	2:B:564:HOH:O	2.03	0.76
1:B:46:ASN:HB3	1:B:49:LYS:HG3	1.69	0.74
1:B:270:SER:HB3	1:B:339:GLN:HE22	1.53	0.73
1:A:262:THR:HG22	2:A:629:HOH:O	1.88	0.73
1:B:458:LYS:NZ	1:B:458:LYS:CB	2.51	0.73
1:A:262:THR:CG2	2:A:629:HOH:O	2.36	0.73
1:A:18:LEU:CD2	1:A:71:LEU:HD21	2.19	0.72
1:A:18:LEU:HD21	1:A:71:LEU:HD21	1.72	0.72
1:A:224:GLU:OE1	2:A:756:HOH:O	2.08	0.70
1:A:65:GLU:HG3	1:A:69:ARG:NH2	2.08	0.69
1:B:186:HIS:CE1	1:B:364:CYS:HB2	2.28	0.69
1:B:108:THR:OG1	1:B:180:HIS:HD2	1.75	0.69
1:A:401:GLN:NE2	1:A:405:ARG:HH21	1.91	0.68
1:A:213:GLU:O	1:A:217:GLN:HG3	1.94	0.67
1:A:108:THR:OG1	1:A:180:HIS:HD2	1.77	0.67
1:A:358:LYS:HE3	2:A:765:HOH:O	1.95	0.65
1:B:187:ASN:HD22	1:B:262:THR:CG2	2.09	0.64
1:B:373:LYS:NZ	2:B:620:HOH:O	2.29	0.64
1:B:261:GLY:O	1:B:264:LYS:HB3	1.98	0.64
1:A:468:GLU:OE1	1:A:468:GLU:CA	2.38	0.63
1:B:457:ASP:OD2	1:B:458:LYS:HG3	1.97	0.63
1:B:137:GLY:O	1:B:161:ALA:HB2	1.99	0.62
1:B:126:GLY:HA3	1:B:183:LYS:HB2	1.81	0.62
1:B:66:THR:HA	1:B:67:PRO:C	2.24	0.62
1:B:187:ASN:ND2	1:B:262:THR:HG21	2.13	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:GLN:HA	1:B:65:GLU:HG2	1.82	0.61
1:B:401:GLN:NE2	1:B:405:ARG:HH21	1.98	0.60
1:B:395:GLN:NE2	1:B:399:ASP:OD2	2.35	0.59
1:B:69:ARG:HG2	1:B:152:VAL:CG1	2.31	0.59
1:A:43:ILE:HD11	1:A:53:PRO:CB	2.22	0.59
1:A:66:THR:HA	1:A:67:PRO:C	2.28	0.59
1:B:270:SER:HB3	1:B:339:GLN:NE2	2.18	0.59
1:A:65:GLU:HG3	1:A:69:ARG:HH22	1.67	0.58
1:B:4:GLN:HG3	1:B:28:THR:HG22	1.85	0.58
1:B:34:ARG:HG3	2:B:774:HOH:O	2.04	0.58
1:B:102:ASN:HB3	2:B:845:HOH:O	2.04	0.57
1:A:213:GLU:HG2	2:A:625:HOH:O	2.05	0.57
1:A:205:LYS:HD3	2:A:795:HOH:O	2.03	0.57
1:B:18:LEU:CD2	1:B:71:LEU:HD21	2.35	0.56
1:A:201:TYR:CE1	1:A:205:LYS:HD2	2.42	0.55
1:B:458:LYS:NZ	1:B:462:PHE:CZ	2.74	0.55
1:B:106:GLN:HE21	1:B:106:GLN:HA	1.73	0.53
1:B:108:THR:OG1	1:B:180:HIS:CD2	2.60	0.53
1:A:243:ASP:HB3	1:A:249:LEU:HD13	1.91	0.53
1:B:309:GLN:HG2	1:B:414:ASN:OD1	2.09	0.53
1:A:167:GLU:HG2	2:A:769:HOH:O	2.08	0.53
1:B:458:LYS:CB	1:B:458:LYS:HZ3	2.19	0.53
1:A:108:THR:OG1	1:A:180:HIS:CD2	2.61	0.53
1:A:260:LYS:O	1:A:260:LYS:HG3	2.09	0.52
1:A:88:LYS:HB2	1:A:89:PRO:HD3	1.92	0.52
1:A:36:ARG:O	1:A:40:GLU:HG3	2.09	0.52
1:A:186:HIS:CE1	1:A:364:CYS:HB2	2.44	0.52
1:B:18:LEU:HD22	1:B:73:MET:HE2	1.91	0.52
1:A:213:GLU:CD	1:A:248:TYR:OH	2.53	0.52
1:B:200:ALA:O	1:B:204:LEU:HG	2.11	0.51
1:B:71:LEU:HD12	1:B:98:ILE:HB	1.93	0.51
1:A:18:LEU:HD23	1:A:71:LEU:HD21	1.93	0.51
1:A:368:ALA:CB	2:A:761:HOH:O	2.35	0.51
1:B:227:LEU:O	1:B:228:SER:C	2.54	0.50
1:A:126:GLY:HA3	1:A:183:LYS:HB2	1.94	0.50
1:A:28:THR:HG23	1:A:50:LYS:HB3	1.94	0.49
1:A:186:HIS:HD2	1:A:187:ASN:OD1	1.95	0.49
1:B:69:ARG:N	1:B:69:ARG:HD3	2.27	0.49
1:B:37:GLU:HB3	2:B:721:HOH:O	2.13	0.48
1:B:243:ASP:C	1:B:245:GLU:H	2.20	0.48
1:A:278:SER:O	1:A:282:GLU:HG2	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:ASN:O	1:A:34:ARG:C	2.57	0.48
1:A:43:ILE:CD1	1:A:53:PRO:CB	2.87	0.48
1:A:85:ASP:OD1	1:A:88:LYS:NZ	2.47	0.47
1:A:137:GLY:O	1:A:161:ALA:HB2	2.14	0.47
1:A:37:GLU:H	1:A:37:GLU:CD	2.23	0.47
1:A:203:LEU:HD21	1:A:411:ALA:HB2	1.97	0.47
1:B:114:GLU:OE2	2:B:535:HOH:O	2.20	0.47
1:B:261:GLY:N	2:B:734:HOH:O	2.49	0.46
1:A:264:LYS:HB2	2:A:636:HOH:O	2.15	0.46
1:A:270:SER:HB3	1:A:339:GLN:HE22	1.81	0.46
1:B:6:ILE:HG23	1:B:29:VAL:HG13	1.97	0.46
1:B:243:ASP:C	1:B:245:GLU:N	2.73	0.46
1:A:277:LEU:HD22	1:A:339:GLN:HE22	1.80	0.46
1:B:102:ASN:CB	2:B:845:HOH:O	2.61	0.45
1:B:162:VAL:HG12	1:B:163:ALA:O	2.17	0.45
1:A:131:GLU:HG3	2:A:926:HOH:O	2.17	0.45
1:A:371:LEU:N	2:A:761:HOH:O	2.46	0.45
1:A:233:ASP:O	1:A:236:LYS:HG3	2.17	0.45
1:A:394:LYS:HD3	1:A:394:LYS:C	2.42	0.45
1:B:23:GLU:HG2	1:B:50:LYS:HB2	1.98	0.45
1:B:277:LEU:HD12	1:B:335:GLN:HB3	1.99	0.45
1:B:10:GLY:O	1:B:15:GLY:HA3	2.17	0.44
1:B:249:LEU:O	1:B:253:ILE:HG13	2.17	0.44
1:B:22:ILE:CG2	1:B:29:VAL:HG21	2.47	0.44
1:B:98:ILE:HD11	1:B:152:VAL:HG11	1.99	0.44
1:A:371:LEU:CD2	2:A:761:HOH:O	2.66	0.43
1:B:205:LYS:O	1:B:209:ALA:HA	2.18	0.43
1:B:401:GLN:HE21	1:B:405:ARG:HH21	1.63	0.43
1:B:196:LEU:HB3	1:B:325:LEU:CD1	2.48	0.43
1:B:28:THR:HA	1:B:50:LYS:HB3	1.99	0.43
1:B:191:TYR:OH	1:B:259:ASN:HB2	2.19	0.43
1:B:44:ALA:O	1:B:47:PRO:HD3	2.18	0.43
1:A:167:GLU:HA	1:A:168:PRO:HD2	1.89	0.43
1:B:278:SER:O	1:B:282:GLU:HG2	2.19	0.43
1:A:39:THR:O	1:A:43:ILE:HD12	2.19	0.43
1:B:236:LYS:HG2	1:B:237:ASP:N	2.33	0.43
1:B:380:GLN:NE2	2:B:623:HOH:O	2.50	0.42
1:B:277:LEU:HD22	1:B:339:GLN:HE22	1.83	0.42
1:B:186:HIS:HD2	1:B:187:ASN:OD1	2.02	0.42
1:B:383:GLY:O	1:B:384:ILE:C	2.63	0.42
1:A:467:LEU:HA	1:A:467:LEU:HD23	1.65	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:18:LEU:HD21	1:B:71:LEU:HD21	2.02	0.42
1:B:279:LEU:HD13	1:B:332:SER:HB2	2.01	0.42
1:B:436:LEU:HB3	1:B:437:PRO:HD2	2.02	0.42
1:A:58:GLN:O	1:A:62:GLU:HG3	2.20	0.41
1:A:447:TYR:CD2	1:A:447:TYR:C	2.97	0.41
1:A:5:GLN:HA	1:A:65:GLU:HG2	2.01	0.41
1:B:314:LYS:O	1:B:318:ILE:HG13	2.21	0.41
1:B:316:GLU:OE1	2:B:789:HOH:O	2.22	0.41
1:A:65:GLU:CG	1:A:69:ARG:HH22	2.33	0.41
1:A:297:VAL:HG12	1:A:301:LYS:HE2	2.02	0.40
1:A:92:ASP:O	1:A:93:LYS:C	2.63	0.40
1:A:186:HIS:CD2	1:A:186:HIS:C	2.99	0.40
1:A:401:GLN:HE21	1:A:405:ARG:HH21	1.64	0.40
1:A:191:TYR:OH	1:A:259:ASN:HB2	2.21	0.40
1:A:21:ASN:O	1:A:24:SER:OG	2.32	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:953:HOH:O	2:B:901:HOH:O[2_655]	2.16	0.04
1:A:147:GLU:OE1	1:B:85:ASP:OD2[6_655]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	464/480 (97%)	445 (96%)	16 (3%)	3 (1%)	21	18
1	B	464/480 (97%)	449 (97%)	13 (3%)	2 (0%)	30	28
All	All	928/960 (97%)	894 (96%)	29 (3%)	5 (0%)	24	22

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	176	ASP
1	A	467	LEU
1	B	176	ASP
1	A	129	GLY
1	B	137	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	374/387 (97%)	368 (98%)	6 (2%)	55	64
1	B	374/387 (97%)	366 (98%)	8 (2%)	47	54
All	All	748/774 (97%)	734 (98%)	14 (2%)	50	58

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	VAL
1	A	138	PRO
1	A	236	LYS
1	A	447	TYR
1	A	458	LYS
1	A	468	GLU
1	B	4	GLN
1	B	106	GLN
1	B	236	LYS
1	B	244	GLU
1	B	279	LEU
1	B	422	SER
1	B	458	LYS
1	B	461	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	106	GLN
1	A	180	HIS
1	A	186	HIS
1	A	223	ASN
1	A	309	GLN
1	A	339	GLN
1	A	380	GLN
1	A	401	GLN
1	B	106	GLN
1	B	112	ASN
1	B	158	GLN
1	B	180	HIS
1	B	186	HIS
1	B	187	ASN
1	B	217	GLN
1	B	268	GLN
1	B	339	GLN
1	B	380	GLN
1	B	395	GLN
1	B	401	GLN
1	B	402	GLN
1	B	413	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	466/480 (97%)	-0.63	1 (0%) 91 92	6, 15, 38, 51	0
1	B	466/480 (97%)	-0.59	4 (0%) 81 83	7, 16, 36, 55	0
All	All	932/960 (97%)	-0.61	5 (0%) 87 88	6, 16, 38, 55	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	261	GLY	4.1
1	A	29	VAL	3.3
1	B	262	THR	3.2
1	B	263	GLY	2.7
1	B	29	VAL	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.