



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 05:40 PM UTC

PDB ID : 4ZY2 / pdb_00004zy2
Title : X-ray crystal structure of PfA-M17 in complex with hydroxamic acid-based inhibitor 10o
Authors : Drinkwater, N.; McGowan, S.
Deposited on : 2015-05-21
Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	522	
1	B	522	
1	C	522	
1	D	522	
1	E	522	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	522	
1	G	522	
1	H	522	
1	I	522	
1	J	522	
1	K	522	
1	L	522	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	A	1004	-	-	X	-
5	1PE	F	1007	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 52900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable M17 family aminopeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	519	Total	C	N	O	S	0	0	0
			3984	2558	641	766	19			
1	B	517	Total	C	N	O	S	0	0	0
			3921	2518	635	749	19			
1	C	518	Total	C	N	O	S	0	0	0
			3968	2551	641	756	20			
1	D	513	Total	C	N	O	S	0	0	0
			3926	2527	632	747	20			
1	E	513	Total	C	N	O	S	0	0	0
			3916	2522	630	745	19			
1	F	512	Total	C	N	O	S	0	0	0
			3870	2487	625	739	19			
1	G	518	Total	C	N	O	S	0	0	0
			3983	2558	641	764	20			
1	H	518	Total	C	N	O	S	0	0	0
			3930	2524	636	750	20			
1	I	518	Total	C	N	O	S	0	0	0
			3965	2548	639	758	20			
1	J	514	Total	C	N	O	S	0	0	0
			3936	2534	635	747	20			
1	K	512	Total	C	N	O	S	0	0	0
			3912	2517	629	747	19			
1	L	513	Total	C	N	O	S	0	0	0
			3878	2491	625	743	19			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
A	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
A	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
B	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
B	515	GLN	ASN	engineered mutation	UNP A0A0L7M119

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
C	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
C	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
C	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
D	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
D	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
D	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
E	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
E	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
E	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
F	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
F	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
F	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
G	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
G	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
G	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
H	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
H	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
H	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
I	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
I	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
I	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
J	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
J	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
J	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
K	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
K	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
K	546	GLN	ASN	engineered mutation	UNP A0A0L7M119
L	152	GLN	ASN	engineered mutation	UNP A0A0L7M119
L	515	GLN	ASN	engineered mutation	UNP A0A0L7M119
L	546	GLN	ASN	engineered mutation	UNP A0A0L7M119

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Zn 2 2	0	0
2	B	2	Total Zn 2 2	0	0
2	C	2	Total Zn 2 2	0	0
2	D	2	Total Zn 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	E	2	Total 2	Zn 2	0	0
2	F	2	Total 2	Zn 2	0	0
2	G	2	Total 2	Zn 2	0	0
2	H	2	Total 2	Zn 2	0	0
2	I	2	Total 2	Zn 2	0	0
2	J	2	Total 2	Zn 2	0	0
2	K	2	Total 2	Zn 2	0	0
2	L	2	Total 2	Zn 2	0	0

- Molecule 3 is CARBONATE ION (CCD ID: CO3) (formula: CO₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 4	C 1	O 3	0	0
3	B	1	Total 4	C 1	O 3	0	0
3	C	1	Total 4	C 1	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total C O 4 1 3	0	0
3	E	1	Total C O 4 1 3	0	0
3	F	1	Total C O 4 1 3	0	0
3	G	1	Total C O 4 1 3	0	0
3	H	1	Total C O 4 1 3	0	0
3	I	1	Total C O 4 1 3	0	0
3	J	1	Total C O 4 1 3	0	0
3	K	1	Total C O 4 1 3	0	0
3	L	1	Total C O 4 1 3	0	0

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	J	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		
4	K	1	Total	O	S	0	0
			5	4	1		
4	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			16	10	6		
5	B	1	Total	C	O	0	0
			9	6	3		
5	C	1	Total	C	O	0	0
			12	8	4		
5	C	1	Total	C	O	0	0
			10	6	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			8	5	3		
5	D	1	Total	C	O	0	0
			8	5	3		
5	D	1	Total	C	O	0	0
			10	6	4		
5	D	1	Total	C	O	0	0
			10	6	4		
5	E	1	Total	C	O	0	0
			10	6	4		
5	E	1	Total	C	O	0	0
			10	6	4		
5	E	1	Total	C	O	0	0
			7	5	2		
5	F	1	Total	C	O	0	0
			10	6	4		
5	F	1	Total	C	O	0	0
			10	6	4		
5	F	1	Total	C	O	0	0
			10	6	4		
5	F	1	Total	C	O	0	0
			7	4	3		
5	F	1	Total	C	O	0	0
			7	4	3		
5	G	1	Total	C	O	0	0
			6	4	2		
5	G	1	Total	C	O	0	0
			6	4	2		
5	G	1	Total	C	O	0	0
			7	4	3		
5	G	1	Total	C	O	0	0
			10	6	4		
5	G	1	Total	C	O	0	0
			10	7	3		
5	H	1	Total	C	O	0	0
			11	8	3		
5	H	1	Total	C	O	0	0
			14	9	5		
5	I	1	Total	C	O	0	0
			10	6	4		
5	I	1	Total	C	O	0	0
			9	6	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	I	1	Total C O 5 3 2	0	0
5	J	1	Total C O 11 7 4	0	0
5	J	1	Total C O 10 6 4	0	0
5	J	1	Total C O 9 6 3	0	0
5	J	1	Total C O 7 4 3	0	0
5	K	1	Total C O 10 6 4	0	0
5	K	1	Total C O 6 4 2	0	0
5	K	1	Total C O 10 6 4	0	0
5	L	1	Total C O 10 6 4	0	0
5	L	1	Total C O 10 6 4	0	0
5	L	1	Total C O 7 4 3	0	0
5	L	1	Total C O 9 6 3	0	0

- Molecule 6 is N-[(1R)-2-(hydroxyamino)-2-oxo-1-(3',4',5'-trifluorobiphenyl-4-yl)ethyl]-2,2-dimethylpropanamide (CCD ID: 4TL) (formula: C₁₉H₁₉F₃N₂O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	B	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	C	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	D	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	E	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	F	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	G	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	H	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	I	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	J	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	K	1	Total	C	F	N	O	0	0
			27	19	3	2	3		
6	L	1	Total	C	F	N	O	0	0
			27	19	3	2	3		

- Molecule 7 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O S 4 2 1 1	0	0
7	H	1	Total C O S 4 2 1 1	0	0
7	L	1	Total C O S 4 2 1 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	441	Total O 441 441	0	0
8	B	330	Total O 330 330	0	0
8	C	433	Total O 433 433	0	0
8	D	412	Total O 412 412	0	0
8	E	457	Total O 457 457	0	0
8	F	360	Total O 360 360	0	0
8	G	430	Total O 430 430	0	0
8	H	351	Total O 351 351	0	0
8	I	396	Total O 396 396	0	0
8	J	398	Total O 398 398	0	0
8	K	414	Total O 414 414	0	0
8	L	383	Total O 383 383	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable M17 family aminopeptidase



- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase





- Molecule 1: Probable M17 family aminopeptidase








- Molecule 1: Probable M17 family aminopeptidase





- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase




- Molecule 1: Probable M17 family aminopeptidase



- Molecule 1: Probable M17 family aminopeptidase



- Molecule 1: Probable M17 family aminopeptidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	174.06Å 177.25Å 230.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.54 – 2.10 48.54 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.6 (48.54-2.10) 86.8 (48.54-2.10)	Depositor EDS
R_{merge}	0.31	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.31 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.194 , 0.239 0.195 , 0.239	Depositor DCC
R_{free} test set	20661 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	18.0	Xtriage
Anisotropy	0.676	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 62.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	52900	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.83 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2488e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 4TL, CO3, ZN, DMS, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/4062	0.69	1/5510 (0.0%)
1	B	0.28	0/3998	0.69	0/5432
1	C	0.30	0/4046	0.73	5/5488 (0.1%)
1	D	0.28	0/4003	0.69	0/5429
1	E	0.39	1/3993 (0.0%)	0.71	1/5416 (0.0%)
1	F	0.29	0/3946	0.69	1/5363 (0.0%)
1	G	0.28	0/4060	0.69	1/5503 (0.0%)
1	H	0.29	0/4008	0.70	0/5445
1	I	0.28	0/4043	0.68	0/5486
1	J	0.28	0/4013	0.68	0/5440
1	K	0.27	0/3989	0.69	0/5414
1	L	0.28	0/3955	0.69	0/5377
All	All	0.29	1/48116 (0.0%)	0.69	9/65303 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	205	ARG	NE-CZ	15.38	1.50	1.33

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	548	SER	CB-CA-C	-9.38	105.75	116.63
1	C	548	SER	N-CA-C	9.06	123.39	108.08
1	E	205	ARG	CD-NE-CZ	-8.62	112.33	124.40
1	C	547	ILE	N-CA-C	6.05	117.82	108.44
1	G	551	VAL	N-CA-C	5.90	117.35	110.62

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	547	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3984	0	3909	23	0
1	B	3921	0	3806	16	0
1	C	3968	0	3904	32	0
1	D	3926	0	3860	21	0
1	E	3916	0	3837	21	0
1	F	3870	0	3748	33	0
1	G	3983	0	3923	29	0
1	H	3930	0	3824	26	0
1	I	3965	0	3897	30	0
1	J	3936	0	3874	24	0
1	K	3912	0	3825	18	0
1	L	3878	0	3748	41	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
2	I	2	0	0	0	0
2	J	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	K	2	0	0	0	0
2	L	2	0	0	0	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
3	C	4	0	0	0	0
3	D	4	0	0	0	0
3	E	4	0	0	0	0
3	F	4	0	0	0	0
3	G	4	0	0	1	0
3	H	4	0	0	0	0
3	I	4	0	0	0	0
3	J	4	0	0	0	0
3	K	4	0	0	0	0
3	L	4	0	0	0	0
4	A	10	0	0	2	0
4	C	25	0	0	1	0
4	D	5	0	0	0	0
4	E	15	0	0	1	0
4	F	10	0	0	0	0
4	G	15	0	0	1	0
4	H	10	0	0	1	0
4	I	25	0	0	1	0
4	J	15	0	0	0	0
4	K	5	0	0	0	0
4	L	5	0	0	0	0
5	A	17	0	20	1	0
5	B	25	0	30	2	0
5	C	22	0	26	3	0
5	D	36	0	41	1	0
5	E	27	0	30	1	0
5	F	44	0	56	12	0
5	G	39	0	43	5	0
5	H	25	0	29	4	0
5	I	24	0	26	3	0
5	J	37	0	44	4	0
5	K	26	0	28	3	0
5	L	36	0	44	12	0
6	A	27	0	0	0	0
6	B	27	0	0	0	0
6	C	27	0	0	0	0
6	D	27	0	0	0	0
6	E	27	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	F	27	0	0	0	0
6	G	27	0	0	1	0
6	H	27	0	0	0	0
6	I	27	0	0	0	0
6	J	27	0	0	0	0
6	K	27	0	0	0	0
6	L	27	0	0	0	0
7	A	4	0	6	0	0
7	H	4	0	6	0	0
7	L	4	0	6	0	0
8	A	441	0	0	4	0
8	B	330	0	0	0	0
8	C	433	0	0	3	0
8	D	412	0	0	3	0
8	E	457	0	0	3	0
8	F	360	0	0	2	0
8	G	430	0	0	4	0
8	H	351	0	0	1	0
8	I	396	0	0	5	0
8	J	398	0	0	4	0
8	K	414	0	0	2	0
8	L	383	0	0	3	0
All	All	52900	0	46590	296	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 296 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:551:VAL:HG11	1:L:557:VAL:HG21	1.52	0.92
1:L:320:LYS:HZ1	5:L:1010:1PE:H231	1.41	0.84
1:H:164:LYS:NZ	1:L:184:SER:OG	2.13	0.82
1:I:436:LYS:NZ	8:I:1101:HOH:O	2.10	0.81
1:L:451:LYS:HG2	5:L:1006:1PE:H131	1.68	0.75

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	517/522 (99%)	504 (98%)	13 (2%)	0	100	100
1	B	513/522 (98%)	500 (98%)	13 (2%)	0	100	100
1	C	516/522 (99%)	501 (97%)	14 (3%)	1 (0%)	43	44
1	D	509/522 (98%)	495 (97%)	14 (3%)	0	100	100
1	E	509/522 (98%)	492 (97%)	15 (3%)	2 (0%)	30	28
1	F	506/522 (97%)	493 (97%)	12 (2%)	1 (0%)	43	44
1	G	514/522 (98%)	496 (96%)	17 (3%)	1 (0%)	43	44
1	H	516/522 (99%)	499 (97%)	17 (3%)	0	100	100
1	I	516/522 (99%)	507 (98%)	9 (2%)	0	100	100
1	J	510/522 (98%)	499 (98%)	11 (2%)	0	100	100
1	K	508/522 (97%)	494 (97%)	14 (3%)	0	100	100
1	L	509/522 (98%)	493 (97%)	16 (3%)	0	100	100
All	All	6143/6264 (98%)	5973 (97%)	165 (3%)	5 (0%)	48	50

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	550	SER
1	C	549	SER
1	E	420	ASN
1	G	550	SER
1	E	551	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	425/450 (94%)	423 (100%)	2 (0%)	81	88
1	B	412/450 (92%)	409 (99%)	3 (1%)	76	83
1	C	423/450 (94%)	418 (99%)	5 (1%)	63	72
1	D	417/450 (93%)	416 (100%)	1 (0%)	87	93
1	E	414/450 (92%)	411 (99%)	3 (1%)	76	83
1	F	406/450 (90%)	403 (99%)	3 (1%)	76	83
1	G	427/450 (95%)	425 (100%)	2 (0%)	81	88
1	H	414/450 (92%)	413 (100%)	1 (0%)	87	93
1	I	424/450 (94%)	418 (99%)	6 (1%)	59	67
1	J	417/450 (93%)	415 (100%)	2 (0%)	81	88
1	K	414/450 (92%)	410 (99%)	4 (1%)	68	76
1	L	406/450 (90%)	401 (99%)	5 (1%)	63	72
All	All	4999/5400 (93%)	4962 (99%)	37 (1%)	76	83

5 of 37 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	K	195	VAL
1	L	439	TYR
1	K	507	GLU
1	L	88	VAL
1	E	547	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
1	K	149	ASN
1	K	420	ASN
1	L	521	ASN
1	D	567	GLN
1	D	183	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 118 ligands modelled in this entry, 24 are monoatomic - leaving 94 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	1PE	C	1009	-	11,11,15	0.70	0	10,10,14	0.23	0
5	1PE	J	1007	-	10,10,15	0.65	0	9,9,14	0.22	0
5	1PE	E	1008	-	9,9,15	0.68	0	8,8,14	0.22	0
5	1PE	F	1010	-	6,6,15	0.56	0	5,5,14	0.33	0
5	1PE	K	1005	-	9,9,15	0.69	0	8,8,14	0.26	0
5	1PE	H	1008	-	10,10,15	0.72	0	9,9,14	0.25	0
5	1PE	L	1006	-	9,9,15	0.69	0	8,8,14	0.23	0
5	1PE	I	1011	-	4,4,15	0.61	0	3,3,14	0.24	0
7	DMS	H	1007	-	3,3,3	0.64	0	3,3,3	0.50	0
3	CO3	G	1002	-	3,3,3	0.83	0	2,3,3	0.18	0
4	SO4	F	1005	-	4,4,4	0.24	0	6,6,6	0.04	0
5	1PE	G	1012	-	9,9,15	0.69	0	8,8,14	0.19	0
5	1PE	H	1009	-	13,13,15	0.66	0	12,12,14	0.18	0
5	1PE	I	1010	-	8,8,15	0.73	0	7,7,14	0.24	0
4	SO4	E	1006	-	4,4,4	0.24	0	6,6,6	0.08	0
7	DMS	A	1009	-	3,3,3	0.61	0	3,3,3	0.56	0
5	1PE	F	1006	-	9,9,15	0.63	0	8,8,14	0.25	0
5	1PE	C	1010	-	9,9,15	0.70	0	8,8,14	0.31	0
5	1PE	G	1008	-	5,5,15	0.64	0	4,4,14	0.28	0
5	1PE	D	1006	-	7,7,15	0.64	0	6,6,14	0.21	0
5	1PE	K	1006	-	5,5,15	0.62	0	4,4,14	0.20	0
4	SO4	I	1004	-	4,4,4	0.23	0	6,6,6	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	I	1008	-	4,4,4	0.21	0	6,6,6	0.10	0
3	CO3	K	1002	-	3,3,3	0.86	0	2,3,3	0.16	0
6	4TL	E	1009	2	27,28,28	2.65	5 (18%)	39,41,41	0.97	0
5	1PE	A	1006	-	6,6,15	0.64	0	5,5,14	0.23	0
5	1PE	E	1007	-	9,9,15	0.70	0	8,8,14	0.20	0
3	CO3	A	1002	-	3,3,3	0.88	0	2,3,3	0.21	0
4	SO4	D	1004	-	4,4,4	0.23	0	6,6,6	0.09	0
4	SO4	L	1004	-	4,4,4	0.25	0	6,6,6	0.10	0
4	SO4	K	1004	-	4,4,4	0.24	0	6,6,6	0.06	0
5	1PE	B	1006	-	8,8,15	0.65	0	7,7,14	0.18	0
6	4TL	C	1011	2	27,28,28	2.69	5 (18%)	39,41,41	0.91	0
4	SO4	J	1004	-	4,4,4	0.26	0	6,6,6	0.04	0
3	CO3	B	1002	-	3,3,3	0.80	0	2,3,3	0.13	0
5	1PE	D	1008	-	9,9,15	0.70	0	8,8,14	0.22	0
6	4TL	L	1008	2	27,28,28	2.67	5 (18%)	39,41,41	0.93	0
5	1PE	D	1007	-	9,9,15	0.64	0	8,8,14	0.24	0
5	1PE	L	1007	-	6,6,15	0.65	0	5,5,14	0.31	0
5	1PE	K	1007	-	9,9,15	0.69	0	8,8,14	0.23	0
5	1PE	F	1011	-	6,6,15	0.63	0	5,5,14	0.26	0
4	SO4	C	1005	-	4,4,4	0.23	0	6,6,6	0.08	0
5	1PE	G	1009	-	6,6,15	0.65	0	5,5,14	0.24	0
4	SO4	J	1005	-	4,4,4	0.24	0	6,6,6	0.08	0
5	1PE	G	1007	-	5,5,15	0.62	0	4,4,14	0.36	0
5	1PE	D	1005	-	7,7,15	0.67	0	6,6,14	0.19	0
4	SO4	E	1005	-	4,4,4	0.23	0	6,6,6	0.07	0
5	1PE	F	1007	-	9,9,15	0.64	0	8,8,14	0.26	0
5	1PE	L	1010	-	8,8,15	0.66	0	7,7,14	0.22	0
7	DMS	L	1009	-	3,3,3	0.68	0	3,3,3	0.49	0
3	CO3	C	1002	-	3,3,3	0.83	0	2,3,3	0.14	0
3	CO3	L	1002	-	3,3,3	0.84	0	2,3,3	0.21	0
4	SO4	I	1006	-	4,4,4	0.24	0	6,6,6	0.09	0
5	1PE	F	1008	-	9,9,15	0.64	0	8,8,14	0.24	0
3	CO3	J	1002	-	3,3,3	0.89	0	2,3,3	0.24	0
3	CO3	E	1002	-	3,3,3	0.81	0	2,3,3	0.12	0
5	1PE	B	1005	-	15,15,15	0.64	0	14,14,14	0.22	0
4	SO4	E	1004	-	4,4,4	0.24	0	6,6,6	0.07	0
5	1PE	L	1005	-	9,9,15	0.63	0	8,8,14	0.21	0
4	SO4	G	1004	-	4,4,4	0.24	0	6,6,6	0.07	0
6	4TL	K	1008	2	27,28,28	2.67	5 (18%)	39,41,41	0.99	0
4	SO4	A	1005	-	4,4,4	0.24	0	6,6,6	0.08	0
6	4TL	D	1009	2	27,28,28	2.71	5 (18%)	39,41,41	0.85	0
4	SO4	G	1005	-	4,4,4	0.23	0	6,6,6	0.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	G	1006	-	4,4,4	0.24	0	6,6,6	0.09	0
6	4TL	B	1004	2	27,28,28	2.67	5 (18%)	39,41,41	0.97	1 (2%)
4	SO4	I	1005	-	4,4,4	0.24	0	6,6,6	0.08	0
5	1PE	J	1010	-	6,6,15	0.69	0	5,5,14	0.30	0
5	1PE	E	1010	-	6,6,15	0.63	0	5,5,14	0.24	0
4	SO4	A	1004	-	4,4,4	0.24	0	6,6,6	0.09	0
6	4TL	A	1008	2	27,28,28	2.67	5 (18%)	39,41,41	0.96	0
6	4TL	F	1009	2	27,28,28	2.66	5 (18%)	39,41,41	0.96	0
5	1PE	J	1009	-	8,8,15	0.73	0	7,7,14	0.21	0
6	4TL	G	1010	2	27,28,28	2.68	5 (18%)	39,41,41	0.98	0
3	CO3	I	1002	-	3,3,3	0.82	0	2,3,3	0.16	0
4	SO4	F	1004	-	4,4,4	0.24	0	6,6,6	0.11	0
4	SO4	H	1004	-	4,4,4	0.23	0	6,6,6	0.05	0
4	SO4	I	1007	-	4,4,4	0.26	0	6,6,6	0.05	0
5	1PE	A	1007	-	9,9,15	0.68	0	8,8,14	0.25	0
3	CO3	F	1002	-	3,3,3	0.84	0	2,3,3	0.13	0
6	4TL	J	1011	2	27,28,28	2.70	5 (18%)	39,41,41	0.96	1 (2%)
4	SO4	J	1006	-	4,4,4	0.23	0	6,6,6	0.10	0
4	SO4	C	1008	-	4,4,4	0.26	0	6,6,6	0.10	0
6	4TL	H	1006	2	27,28,28	2.66	5 (18%)	39,41,41	0.97	0
4	SO4	C	1007	-	4,4,4	0.25	0	6,6,6	0.06	0
4	SO4	C	1004	-	4,4,4	0.22	0	6,6,6	0.09	0
3	CO3	H	1002	-	3,3,3	0.78	0	2,3,3	0.01	0
5	1PE	G	1011	-	9,9,15	0.61	0	8,8,14	0.25	0
4	SO4	C	1006	-	4,4,4	0.23	0	6,6,6	0.08	0
6	4TL	I	1012	2	27,28,28	2.65	5 (18%)	39,41,41	0.91	0
5	1PE	I	1009	-	9,9,15	0.68	0	8,8,14	0.20	0
3	CO3	D	1002	-	3,3,3	0.85	0	2,3,3	0.19	0
4	SO4	H	1005	-	4,4,4	0.23	0	6,6,6	0.07	0
5	1PE	J	1008	-	9,9,15	0.64	0	8,8,14	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	4TL	E	1009	2	-	3/24/24/24	0/2/2/2
5	1PE	C	1009	-	-	4/9/9/13	-
6	4TL	G	1010	2	-	1/24/24/24	0/2/2/2
5	1PE	J	1007	-	-	1/8/8/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	1PE	E	1008	-	-	0/7/7/13	-
5	1PE	F	1010	-	-	3/4/4/13	-
5	1PE	K	1005	-	-	2/7/7/13	-
5	1PE	H	1008	-	-	1/8/8/13	-
5	1PE	L	1006	-	-	5/7/7/13	-
5	1PE	I	1011	-	-	1/2/2/13	-
5	1PE	A	1007	-	-	5/7/7/13	-
5	1PE	F	1008	-	-	2/7/7/13	-
5	1PE	A	1006	-	-	2/4/4/13	-
5	1PE	E	1007	-	-	0/7/7/13	-
5	1PE	J	1008	-	-	4/7/7/13	-
6	4TL	J	1011	2	-	4/24/24/24	0/2/2/2
5	1PE	G	1012	-	-	7/7/7/13	-
5	1PE	H	1009	-	-	4/11/11/13	-
5	1PE	B	1005	-	-	7/13/13/13	-
5	1PE	B	1006	-	-	3/6/6/13	-
5	1PE	I	1010	-	-	0/6/6/13	-
6	4TL	H	1006	2	-	2/24/24/24	0/2/2/2
5	1PE	L	1005	-	-	1/7/7/13	-
6	4TL	K	1008	2	-	2/24/24/24	0/2/2/2
5	1PE	F	1006	-	-	3/7/7/13	-
6	4TL	C	1011	2	-	2/24/24/24	0/2/2/2
6	4TL	D	1009	2	-	1/24/24/24	0/2/2/2
5	1PE	G	1011	-	-	5/7/7/13	-
5	1PE	D	1008	-	-	3/7/7/13	-
5	1PE	C	1010	-	-	4/7/7/13	-
6	4TL	B	1004	2	-	4/24/24/24	0/2/2/2
6	4TL	I	1012	2	-	1/24/24/24	0/2/2/2
6	4TL	L	1008	2	-	3/24/24/24	0/2/2/2
5	1PE	G	1008	-	-	0/3/3/13	-
5	1PE	D	1007	-	-	3/7/7/13	-
5	1PE	D	1006	-	-	2/5/5/13	-
5	1PE	J	1010	-	-	2/4/4/13	-
5	1PE	K	1007	-	-	5/7/7/13	-
5	1PE	K	1006	-	-	1/3/3/13	-
5	1PE	L	1007	-	-	3/4/4/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	1PE	F	1011	-	-	4/4/4/13	-
5	1PE	E	1010	-	-	1/4/4/13	-
5	1PE	I	1009	-	-	3/7/7/13	-
5	1PE	G	1009	-	-	2/4/4/13	-
6	4TL	A	1008	2	-	2/24/24/24	0/2/2/2
6	4TL	F	1009	2	-	3/24/24/24	0/2/2/2
5	1PE	G	1007	-	-	0/3/3/13	-
5	1PE	D	1005	-	-	5/5/5/13	-
5	1PE	J	1009	-	-	4/6/6/13	-
5	1PE	F	1007	-	-	6/7/7/13	-
5	1PE	L	1010	-	-	4/6/6/13	-

The worst 5 of 60 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	1009	4TL	CAN-CAT	8.14	1.51	1.37
6	J	1011	4TL	CAN-CAT	8.14	1.51	1.37
6	C	1011	4TL	CAN-CAT	8.09	1.51	1.37
6	L	1008	4TL	CAN-CAT	8.04	1.51	1.37
6	I	1012	4TL	CAN-CAT	8.03	1.51	1.37

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	1004	4TL	CBA-CAS-N	2.11	120.36	117.49
6	J	1011	4TL	CAM-CAY-CA	-2.05	117.49	120.78

There are no chirality outliers.

5 of 140 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	B	1005	1PE	OH6-C15-C25-OH5
5	D	1007	1PE	OH6-C15-C25-OH5
5	C	1010	1PE	C15-C25-OH5-C14
5	J	1009	1PE	OH5-C14-C24-OH4
5	H	1009	1PE	OH4-C13-C23-OH3



There are no ring outliers.



30 monomers are involved in 59 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	K	1005	1PE	1	0
5	H	1008	1PE	1	0
5	L	1006	1PE	4	0
5	I	1011	1PE	2	0
3	G	1002	CO3	1	0
5	G	1012	1PE	1	0
5	H	1009	1PE	3	0
5	F	1006	1PE	1	0
5	C	1010	1PE	3	0
5	D	1008	1PE	1	0
5	L	1007	1PE	2	0
5	K	1007	1PE	2	0
5	G	1009	1PE	2	0
5	F	1007	1PE	7	0
5	L	1010	1PE	6	0
5	F	1008	1PE	4	0
5	B	1005	1PE	2	0
4	E	1004	SO4	1	0
4	G	1004	SO4	1	0
4	I	1005	SO4	1	0
5	E	1010	1PE	1	0
4	A	1004	SO4	2	0
5	J	1009	1PE	1	0
6	G	1010	4TL	1	0
4	H	1004	SO4	1	0
5	A	1007	1PE	1	0
4	C	1008	SO4	1	0
5	G	1011	1PE	2	0
5	I	1009	1PE	1	0
5	J	1008	1PE	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	519/522 (99%)	-0.24	9 (1%) 69 71	10, 21, 43, 74	0
1	B	517/522 (99%)	0.06	18 (3%) 47 49	11, 24, 57, 82	1 (0%)
1	C	518/522 (99%)	-0.08	17 (3%) 49 51	11, 22, 49, 87	0
1	D	513/522 (98%)	-0.25	9 (1%) 67 70	9, 20, 42, 76	0
1	E	513/522 (98%)	-0.27	12 (2%) 61 64	12, 20, 38, 82	0
1	F	512/522 (98%)	0.07	14 (2%) 56 59	12, 25, 50, 77	0
1	G	518/522 (99%)	-0.23	10 (1%) 66 69	10, 20, 41, 73	0
1	H	518/522 (99%)	0.12	25 (4%) 35 38	12, 25, 60, 84	1 (0%)
1	I	518/522 (99%)	-0.08	12 (2%) 61 64	10, 23, 49, 98	0
1	J	514/522 (98%)	-0.20	15 (2%) 53 56	12, 21, 43, 85	0
1	K	512/522 (98%)	-0.23	9 (1%) 67 70	12, 21, 39, 79	0
1	L	513/522 (98%)	-0.02	15 (2%) 53 56	13, 23, 49, 104	0
All	All	6185/6264 (98%)	-0.11	165 (2%) 56 59	9, 22, 49, 104	2 (0%)

The worst 5 of 165 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	548	SER	6.6
1	C	603	ASP	6.3
1	F	551	VAL	5.6
1	L	551	VAL	5.6
1	C	550	SER	5.5

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	I	1008	5/5	0.71	0.25	94,95,98,98	0
5	1PE	L	1010	9/16	0.75	0.19	46,50,58,58	0
5	1PE	H	1009	14/16	0.77	0.17	43,55,69,69	0
5	1PE	E	1010	7/16	0.77	0.17	39,41,43,44	0
5	1PE	D	1008	10/16	0.78	0.17	45,48,60,60	0
4	SO4	H	1005	5/5	0.78	0.15	78,79,80,83	0
5	1PE	J	1009	9/16	0.79	0.19	52,62,63,64	0
5	1PE	B	1005	16/16	0.79	0.20	55,58,64,67	0
5	1PE	D	1006	8/16	0.80	0.18	53,57,62,63	0
4	SO4	C	1005	5/5	0.80	0.18	108,109,110,111	0
5	1PE	K	1007	10/16	0.80	0.17	38,60,64,65	0
4	SO4	I	1004	5/5	0.80	0.15	72,73,76,78	0
5	1PE	D	1007	10/16	0.81	0.17	54,56,65,66	0
4	SO4	G	1006	5/5	0.81	0.20	64,68,70,72	0
5	1PE	K	1006	6/16	0.81	0.15	38,40,42,43	0
4	SO4	A	1005	5/5	0.81	0.17	75,78,80,82	0
5	1PE	G	1012	10/16	0.81	0.16	50,52,59,61	0
5	1PE	G	1008	6/16	0.82	0.15	31,34,37,42	0
5	1PE	J	1008	10/16	0.82	0.15	45,49,59,60	0
4	SO4	C	1006	5/5	0.83	0.17	102,102,104,106	0
4	SO4	C	1008	5/5	0.83	0.12	58,60,63,66	0
4	SO4	E	1004	5/5	0.83	0.19	123,124,124,124	0
5	1PE	L	1007	7/16	0.83	0.15	46,47,47,50	0
5	1PE	F	1008	10/16	0.83	0.15	41,54,61,63	0
7	DMS	H	1007	4/4	0.83	0.20	19,57,68,69	0
7	DMS	L	1009	4/4	0.83	0.17	30,36,50,55	0
5	1PE	F	1007	10/16	0.84	0.14	52,55,58,61	0
4	SO4	G	1005	5/5	0.84	0.13	54,59,63,69	0
4	SO4	F	1005	5/5	0.84	0.14	74,75,77,81	0
5	1PE	E	1007	10/16	0.84	0.12	39,43,46,48	0
4	SO4	I	1005	5/5	0.84	0.13	89,91,92,92	0
5	1PE	I	1009	10/16	0.84	0.11	38,41,45,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	1PE	F	1006	10/16	0.84	0.12	38,41,46,51	0
4	SO4	D	1004	5/5	0.85	0.16	78,78,80,81	0
5	1PE	F	1011	7/16	0.85	0.12	39,41,45,46	0
4	SO4	J	1006	5/5	0.85	0.16	56,57,60,66	0
5	1PE	I	1011	5/16	0.85	0.13	28,31,33,33	0
5	1PE	L	1006	10/16	0.86	0.15	42,55,62,63	0
4	SO4	J	1005	5/5	0.86	0.16	88,90,91,93	0
5	1PE	J	1010	7/16	0.86	0.13	36,41,45,45	0
5	1PE	H	1008	11/16	0.86	0.16	30,37,50,50	0
5	1PE	F	1010	7/16	0.86	0.11	43,44,45,48	0
5	1PE	C	1010	10/16	0.87	0.12	42,46,53,53	0
5	1PE	A	1006	7/16	0.87	0.13	47,49,51,52	0
5	1PE	B	1006	9/16	0.87	0.15	41,44,55,56	0
4	SO4	K	1004	5/5	0.88	0.12	63,66,70,70	0
5	1PE	G	1007	6/16	0.88	0.13	34,37,40,48	0
4	SO4	E	1006	5/5	0.88	0.11	57,61,63,64	0
4	SO4	C	1007	5/5	0.89	0.15	64,70,74,75	0
4	SO4	L	1004	5/5	0.89	0.10	58,62,62,64	0
5	1PE	I	1010	9/16	0.89	0.10	23,29,41,45	0
5	1PE	G	1009	7/16	0.89	0.11	41,44,48,52	0
5	1PE	G	1011	10/16	0.89	0.12	29,33,46,51	0
4	SO4	I	1006	5/5	0.89	0.10	55,59,63,65	0
4	SO4	I	1007	5/5	0.89	0.14	67,68,69,74	0
4	SO4	G	1004	5/5	0.90	0.11	64,65,66,67	0
4	SO4	E	1005	5/5	0.90	0.09	61,64,67,67	0
5	1PE	C	1009	12/16	0.90	0.11	32,37,46,48	0
5	1PE	A	1007	10/16	0.90	0.10	30,34,39,43	0
5	1PE	D	1005	8/16	0.90	0.11	31,35,44,44	0
4	SO4	A	1004	5/5	0.91	0.09	58,59,60,62	0
7	DMS	A	1009	4/4	0.92	0.13	16,29,47,49	0
5	1PE	K	1005	10/16	0.93	0.09	21,32,53,55	0
5	1PE	J	1007	11/16	0.93	0.09	27,34,48,51	0
6	4TL	I	1012	27/27	0.93	0.08	17,20,26,31	0
6	4TL	H	1006	27/27	0.94	0.07	11,18,28,34	0
5	1PE	L	1005	10/16	0.94	0.09	23,36,46,51	0
5	1PE	E	1008	10/16	0.94	0.08	23,27,44,45	0
6	4TL	F	1009	27/27	0.94	0.07	12,19,28,30	0
6	4TL	G	1010	27/27	0.94	0.08	11,19,27,28	0
6	4TL	E	1009	27/27	0.95	0.07	10,20,26,31	0
6	4TL	L	1008	27/27	0.95	0.07	11,19,26,27	0
6	4TL	B	1004	27/27	0.95	0.07	13,18,27,31	0
6	4TL	C	1011	27/27	0.95	0.07	12,17,26,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	4TL	D	1009	27/27	0.95	0.07	12,20,29,30	0
3	CO3	A	1002	4/4	0.96	0.06	14,15,16,17	0
6	4TL	A	1008	27/27	0.96	0.06	9,18,25,29	0
6	4TL	J	1011	27/27	0.96	0.07	9,21,27,29	0
6	4TL	K	1008	27/27	0.96	0.06	13,19,27,29	0
3	CO3	E	1002	4/4	0.97	0.05	16,19,22,24	0
3	CO3	G	1002	4/4	0.97	0.06	18,18,20,23	0
3	CO3	B	1002	4/4	0.97	0.04	12,14,16,18	0
3	CO3	D	1002	4/4	0.97	0.05	11,14,14,17	0
3	CO3	J	1002	4/4	0.98	0.04	12,15,16,18	0
3	CO3	L	1002	4/4	0.98	0.05	12,14,15,17	0
3	CO3	F	1002	4/4	0.98	0.04	18,19,19,20	0
3	CO3	H	1002	4/4	0.98	0.05	14,15,16,16	0
3	CO3	I	1002	4/4	0.98	0.04	15,16,20,22	0
3	CO3	K	1002	4/4	0.99	0.06	15,17,17,19	0
4	SO4	J	1004	5/5	0.99	0.03	10,15,19,20	0
2	ZN	B	1003	1/1	0.99	0.02	15,15,15,15	0
2	ZN	D	1001	1/1	0.99	0.01	17,17,17,17	0
4	SO4	H	1004	5/5	0.99	0.04	16,16,20,21	0
3	CO3	C	1002	4/4	0.99	0.04	13,15,19,19	0
4	SO4	C	1004	5/5	0.99	0.04	14,16,20,20	0
2	ZN	F	1003	1/1	0.99	0.03	19,19,19,19	0
4	SO4	F	1004	5/5	0.99	0.03	16,16,18,19	0
2	ZN	I	1003	1/1	0.99	0.02	18,18,18,18	0
2	ZN	J	1001	1/1	1.00	0.01	17,17,17,17	0
2	ZN	J	1003	1/1	1.00	0.01	17,17,17,17	0
2	ZN	K	1001	1/1	1.00	0.01	19,19,19,19	0
2	ZN	K	1003	1/1	1.00	0.01	16,16,16,16	0
2	ZN	L	1001	1/1	1.00	0.01	17,17,17,17	0
2	ZN	L	1003	1/1	1.00	0.01	17,17,17,17	0
2	ZN	C	1001	1/1	1.00	0.01	16,16,16,16	0
2	ZN	C	1003	1/1	1.00	0.01	14,14,14,14	0
2	ZN	A	1003	1/1	1.00	0.03	15,15,15,15	0
2	ZN	D	1003	1/1	1.00	0.01	16,16,16,16	0
2	ZN	E	1001	1/1	1.00	0.01	17,17,17,17	0
2	ZN	E	1003	1/1	1.00	0.02	18,18,18,18	0
2	ZN	F	1001	1/1	1.00	0.02	20,20,20,20	0
2	ZN	B	1001	1/1	1.00	0.01	17,17,17,17	0
2	ZN	G	1001	1/1	1.00	0.02	15,15,15,15	0
2	ZN	G	1003	1/1	1.00	0.02	16,16,16,16	0
2	ZN	H	1001	1/1	1.00	0.01	18,18,18,18	0
2	ZN	H	1003	1/1	1.00	0.01	17,17,17,17	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZN	I	1001	1/1	1.00	0.02	16,16,16,16	0
2	ZN	A	1001	1/1	1.00	0.02	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 4TL I 1012:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4TL H 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 4TL F 1009:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4TL G 1010:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 4TL E 1009:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4TL L 1008:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4TL B 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4TL C 1011:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4TL D 1009:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4TL A 1008:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4TL J 1011:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 4TL K 1008:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.