



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:37 PM UTC

PDB ID : 2HWH / pdb_00002hwh
Title : HCV NS5B allosteric inhibitor complex
Authors : Yao, N.
Deposited on : 2006-08-01
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	576	
1	B	576	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8957 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-directed RNA polymerase (NS5B) (p68).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	559	Total	C	N	O	S	0	0	0
			4352	2747	770	805	30			
1	B	561	Total	C	N	O	S	0	0	0
			4369	2756	775	808	30			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	ALA	-	cloning artifact	UNP P26663
A	-4	SER	-	cloning artifact	UNP P26663
A	-3	HIS	-	expression tag	UNP P26663
A	-2	HIS	-	expression tag	UNP P26663
A	-1	HIS	-	expression tag	UNP P26663
A	0	HIS	-	expression tag	UNP P26663
A	1	HIS	-	expression tag	UNP P26663
A	2	HIS	-	expression tag	UNP P26663
A	329	VAL	THR	SEE REMARK 999	UNP P26663
A	338	ALA	VAL	SEE REMARK 999	UNP P26663
A	544	GLN	ARG	SEE REMARK 999	UNP P26663
B	-5	ALA	-	cloning artifact	UNP P26663
B	-4	SER	-	cloning artifact	UNP P26663
B	-3	HIS	-	expression tag	UNP P26663
B	-2	HIS	-	expression tag	UNP P26663
B	-1	HIS	-	expression tag	UNP P26663
B	0	HIS	-	expression tag	UNP P26663
B	1	HIS	-	expression tag	UNP P26663
B	2	HIS	-	expression tag	UNP P26663
B	329	VAL	THR	SEE REMARK 999	UNP P26663
B	338	ALA	VAL	SEE REMARK 999	UNP P26663
B	544	GLN	ARG	SEE REMARK 999	UNP P26663

- Molecule 2 is 4-METHYL-N-{(5E)-5-[(5-METHYL-2-FURYL)METHYLENE]-4-OXO-4,5-DIHYDRO-1,3-THIAZOL-2-YL}BENZENESULFONAMIDE (CCD ID: RNA) (formula:

C₁₆H₁₄N₂O₄S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			24	16	2	4	2		
2	B	1	Total	C	N	O	S	0	0
			24	16	2	4	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	90	Total	O	0	0
			90	90		
3	B	98	Total	O	0	0
			98	98		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: RNA-directed RNA polymerase (NS5B) (p68)



- Molecule 1: RNA-directed RNA polymerase (NS5B) (p68)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.37Å 105.71Å 126.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.30)	Depositor
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.233 , 0.277	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	8957	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: RNA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/4448	0.89	6/6037 (0.1%)
1	B	0.46	0/4465	0.89	5/6059 (0.1%)
All	All	0.46	0/8913	0.89	11/12096 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	196	SER	N-CA-C	-7.08	101.99	110.13
1	B	348	ALA	CA-C-N	6.51	124.35	119.66
1	B	348	ALA	C-N-CA	6.51	124.35	119.66
1	B	196	SER	N-CA-C	-6.46	101.71	110.36
1	A	424	ILE	N-CA-C	5.96	117.08	111.48
1	A	387	ASP	CA-C-N	5.46	125.55	119.87
1	A	387	ASP	C-N-CA	5.46	125.55	119.87
1	B	213	ASN	CA-C-N	5.32	125.62	119.93
1	B	213	ASN	C-N-CA	5.32	125.62	119.93
1	A	192	GLY	N-CA-C	5.06	119.25	112.77
1	A	27	SER	N-CA-C	5.02	116.44	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4352	0	4368	87	0
1	B	4369	0	4386	78	0
2	A	24	0	14	1	0
2	B	24	0	14	0	0
3	A	90	0	0	4	0
3	B	98	0	0	4	0
All	All	8957	0	8782	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:535:LYS:HD3	1:A:537:THR:HG23	1.54	0.89
1:A:535:LYS:HD2	1:A:536:LEU:H	1.41	0.86
1:B:82:LEU:HD13	1:B:249:ALA:HB2	1.60	0.82
1:A:527:ASN:HD21	1:A:534:LEU:H	1.27	0.79
1:B:314:LEU:HB3	1:B:321:VAL:HG13	1.69	0.75
1:B:222:ARG:HH11	1:B:222:ARG:HB3	1.52	0.73
1:A:303:CYS:HB3	1:A:311:CYS:SG	2.32	0.70
1:B:527:ASN:HD21	1:B:534:LEU:H	1.39	0.69
1:A:535:LYS:HD2	1:A:536:LEU:N	2.10	0.67
1:A:79:LYS:HG2	1:A:244:ASP:HB3	1.78	0.66
1:A:119:ILE:HD13	1:A:169:VAL:HG11	1.78	0.64
1:A:182:LEU:HD23	1:A:182:LEU:C	2.22	0.64
1:B:141:LYS:HZ2	1:B:158:ARG:NH2	1.96	0.64
1:A:215:MET:HB2	1:A:326:SER:HB2	1.81	0.63
1:A:22:PRO:HG2	1:A:401:ARG:HG3	1.82	0.62
1:B:303:CYS:HB3	1:B:311:CYS:SG	2.40	0.62
1:B:59:VAL:HG23	1:B:345:ARG:HB3	1.82	0.62
1:A:106:LYS:HE3	1:A:106:LYS:HA	1.81	0.61
1:B:455:GLU:HB3	3:B:987:HOH:O	2.01	0.60
1:B:52:VAL:HG12	1:B:223:CYS:SG	2.41	0.59
1:B:268:ASN:HD21	1:B:272:GLN:HB2	1.67	0.59
1:B:141:LYS:NZ	1:B:158:ARG:NH2	2.50	0.58
1:B:523:LYS:HE2	1:B:534:LEU:HD12	1.86	0.58
1:A:48:ARG:NH2	1:A:156:PRO:HG2	2.18	0.58
1:B:527:ASN:ND2	1:B:534:LEU:HB2	2.19	0.57
1:B:172:LYS:HE3	1:B:560:ILE:HD13	1.85	0.57
1:A:82:LEU:HG	1:A:249:ALA:HB2	1.86	0.57
1:B:141:LYS:HZ1	1:B:158:ARG:CZ	2.17	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:THR:HB	1:A:391:PRO:HD3	1.87	0.57
1:A:86:GLU:HB2	3:A:1010:HOH:O	2.05	0.56
1:A:527:ASN:ND2	1:A:534:LEU:HD13	2.20	0.56
1:B:390:THR:HB	1:B:391:PRO:HD3	1.87	0.56
1:A:52:VAL:HG12	1:A:223:CYS:SG	2.46	0.56
1:A:172:LYS:HE3	1:A:560:ILE:HD13	1.88	0.56
1:A:264:GLY:HA3	3:A:965:HOH:O	2.05	0.56
1:A:523:LYS:O	1:A:527:ASN:HB2	2.06	0.55
1:B:85:VAL:HG22	1:B:173:MET:SD	2.46	0.55
1:A:12:THR:HG21	1:A:270:LYS:HD2	1.87	0.55
1:A:187:MET:HE2	1:A:293:LEU:HD23	1.88	0.55
1:A:219:TYR:OH	1:A:350:PRO:HD3	2.06	0.55
1:B:535:LYS:O	1:B:536:LEU:HB2	2.05	0.55
1:B:470:SER:O	1:B:474:LEU:HG	2.06	0.55
1:A:233:ILE:HD13	1:A:261:TYR:O	2.07	0.55
1:A:501:ARG:HD3	1:A:505:ARG:HH21	1.71	0.55
1:A:299:ALA:HB3	1:A:313:MET:HE1	1.88	0.54
1:B:314:LEU:HB3	1:B:321:VAL:CG1	2.35	0.54
1:B:527:ASN:HD21	1:B:534:LEU:N	2.04	0.54
1:A:138:ILE:HD11	1:A:159:LEU:HD13	1.90	0.54
1:A:227:THR:HB	1:A:347:SER:O	2.09	0.53
1:A:106:LYS:HA	1:A:106:LYS:CE	2.39	0.52
1:A:333:ALA:O	1:A:337:ARG:HG3	2.09	0.52
1:A:40:THR:HB	1:A:157:ALA:HB2	1.92	0.52
1:A:311:CYS:HA	1:A:324:CYS:HB3	1.92	0.52
1:B:45:ALA:O	1:B:49:GLN:HG3	2.10	0.52
1:B:74:LYS:HE3	3:B:994:HOH:O	2.09	0.51
1:B:268:ASN:ND2	1:B:272:GLN:HB2	2.24	0.51
1:A:541:ALA:O	1:A:544:GLN:HB2	2.11	0.51
1:B:489:LEU:HD22	1:B:494:VAL:HB	1.92	0.51
1:B:394:ARG:O	1:B:398:GLU:HG3	2.10	0.51
1:A:550:TRP:HE1	1:A:564:LEU:HD13	1.75	0.51
1:A:129:ASP:HB3	1:A:259:ARG:NH1	2.26	0.51
1:A:207:THR:O	1:A:210:SER:HB2	2.11	0.51
1:B:405:VAL:HG11	1:B:446:GLN:HG3	1.93	0.50
1:B:381:VAL:HG11	1:B:474:LEU:CD2	2.41	0.50
1:A:458:ASP:HA	1:A:461:GLN:HE21	1.76	0.50
1:B:145:PHE:CE2	1:B:155:LYS:HD2	2.47	0.50
1:B:170:CYS:HA	1:B:173:MET:HE2	1.92	0.50
1:B:59:VAL:CG2	1:B:345:ARG:HB3	2.41	0.50
1:B:118:HIS:O	1:B:122:VAL:HG23	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:LYS:HZ1	1:A:158:ARG:NH2	2.10	0.49
1:A:511:LEU:HB3	1:A:518:ALA:O	2.12	0.49
1:A:38:TYR:OH	1:A:155:LYS:HG2	2.12	0.49
1:B:527:ASN:ND2	1:B:534:LEU:H	2.09	0.49
1:B:119:ILE:HD13	1:B:169:VAL:HG11	1.93	0.49
1:A:321:VAL:HG22	1:A:365:SER:HB3	1.94	0.49
1:A:118:HIS:O	1:A:122:VAL:HG23	2.13	0.49
1:A:303:CYS:CB	1:A:311:CYS:SG	3.01	0.48
1:B:93:PRO:HG3	1:B:561:TYR:HB2	1.95	0.48
1:A:85:VAL:HG22	1:A:173:MET:SD	2.54	0.48
1:A:545:LEU:H	1:A:545:LEU:HD12	1.78	0.48
1:A:388:PRO:HD3	3:A:1006:HOH:O	2.13	0.48
1:B:319:ASP:CG	1:B:366:CYS:H	2.20	0.48
1:A:319:ASP:CG	1:A:366:CYS:H	2.22	0.48
1:B:123:TRP:CE3	1:B:173:MET:HE3	2.48	0.48
1:A:321:VAL:HG22	1:A:365:SER:CB	2.43	0.48
1:B:388:PRO:HD3	3:B:1007:HOH:O	2.14	0.48
1:B:118:HIS:O	1:B:121:SER:HB3	2.14	0.47
1:A:461:GLN:HB3	1:A:542:ALA:HA	1.95	0.47
1:B:215:MET:HE2	1:B:332:ASP:HB3	1.97	0.47
1:B:440:GLU:HA	3:B:987:HOH:O	2.14	0.47
1:A:139:MET:HB2	1:A:160:ILE:HG23	1.97	0.47
1:A:237:GLU:HG3	1:A:257:THR:OG1	2.15	0.47
1:A:48:ARG:HG2	1:A:159:LEU:HG	1.97	0.47
1:B:124:LYS:O	1:B:128:GLU:HG3	2.14	0.47
1:B:505:ARG:HH12	1:B:531:LYS:HG3	1.79	0.47
1:A:321:VAL:HG23	3:A:964:HOH:O	2.13	0.47
1:B:139:MET:HB2	1:B:160:ILE:CG2	2.45	0.47
1:A:534:LEU:HD12	1:A:534:LEU:N	2.31	0.46
1:B:299:ALA:HB3	1:B:313:MET:HE1	1.97	0.46
1:B:141:LYS:NZ	1:B:158:ARG:CZ	2.78	0.46
1:A:273:ASN:ND2	1:A:275:GLY:H	2.14	0.46
1:B:381:VAL:HG11	1:B:474:LEU:HD22	1.97	0.46
1:B:219:TYR:OH	1:B:350:PRO:HD3	2.16	0.46
1:B:170:CYS:HA	1:B:173:MET:CE	2.45	0.45
1:B:249:ALA:O	1:B:253:ILE:HG13	2.15	0.45
1:B:134:ILE:HG13	1:B:259:ARG:HB3	1.99	0.45
1:B:311:CYS:HA	1:B:324:CYS:HB3	1.99	0.45
1:B:215:MET:HB2	1:B:326:SER:HB2	1.98	0.45
1:A:141:LYS:NZ	1:A:158:ARG:NH2	2.64	0.45
1:A:18:GLU:OE2	1:A:401:ARG:NH2	2.49	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:TRP:HH2	1:A:174:ALA:HB2	1.81	0.44
1:A:5:THR:O	1:A:275:GLY:HA3	2.17	0.44
1:A:521:CYS:O	1:A:525:LEU:HB2	2.18	0.44
1:B:196:SER:OG	1:B:199:GLN:HG3	2.17	0.44
1:B:12:THR:HG21	1:B:270:LYS:HD2	2.00	0.44
1:B:428:HIS:O	1:B:431:SER:HB3	2.18	0.44
1:A:123:TRP:CH2	1:A:174:ALA:HB2	2.53	0.44
1:A:501:ARG:HD3	1:A:505:ARG:NH2	2.32	0.44
1:A:139:MET:HB2	1:A:160:ILE:CG2	2.48	0.44
1:B:227:THR:HB	1:B:347:SER:O	2.17	0.44
1:A:540:PRO:C	1:A:542:ALA:H	2.27	0.43
1:B:138:ILE:HD11	1:B:159:LEU:HD13	2.01	0.43
1:B:511:LEU:HB3	1:B:518:ALA:O	2.18	0.43
1:B:22:PRO:HG2	1:B:401:ARG:HG3	1.99	0.43
1:B:329:VAL:HA	1:B:358:TYR:OH	2.18	0.43
1:B:535:LYS:HG3	1:B:536:LEU:H	1.84	0.43
1:A:93:PRO:HA	1:A:94:PRO:HD3	1.95	0.43
1:A:306:ALA:O	1:A:307:LYS:HB2	2.19	0.43
1:A:536:LEU:HA	1:A:536:LEU:HD12	1.79	0.43
1:A:299:ALA:CB	1:A:313:MET:HE1	2.48	0.42
1:A:346:TYR:O	1:A:347:SER:HB3	2.19	0.42
1:A:523:LYS:HG3	1:A:534:LEU:HD22	2.01	0.42
1:B:14:CYS:O	1:B:15:ALA:HB2	2.18	0.42
1:A:336:LEU:HD12	1:A:356:PRO:HD3	2.02	0.42
1:A:485:VAL:O	1:A:489:LEU:HG	2.20	0.42
1:B:123:TRP:CH2	1:B:174:ALA:HB2	2.54	0.42
1:A:208:TRP:CE2	1:A:214:PRO:HB2	2.55	0.42
1:A:353:PRO:HA	1:A:354:PRO:HD2	1.96	0.42
1:A:24:ASN:ND2	1:A:400:ALA:HA	2.34	0.42
1:B:388:PRO:HG2	1:B:488:CYS:SG	2.60	0.42
1:A:93:PRO:HG3	1:A:561:TYR:HB2	2.01	0.41
1:A:439:LEU:HB3	1:A:457:LEU:HD21	2.02	0.41
1:B:59:VAL:HG23	1:B:59:VAL:O	2.20	0.41
1:B:521:CYS:O	1:B:525:LEU:HB2	2.20	0.41
1:A:196:SER:OG	1:A:199:GLN:HG3	2.20	0.41
1:A:508:ARG:O	1:A:512:LEU:HG	2.20	0.41
1:A:416:ALA:N	1:A:417:PRO:CD	2.83	0.41
1:B:79:LYS:HE2	1:B:244:ASP:OD1	2.19	0.41
1:B:99:SER:HB2	1:B:165:LEU:HB3	2.02	0.41
1:B:210:SER:OG	1:B:211:LYS:HD2	2.21	0.41
1:A:85:VAL:HG21	1:A:120:HIS:CE1	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:416:ALA:N	1:B:417:PRO:CD	2.83	0.41
1:A:182:LEU:C	1:A:182:LEU:CD2	2.93	0.41
1:A:482:ILE:HG12	2:A:960:RNA:H16	2.03	0.41
1:B:370:VAL:HG12	1:B:371:SER:N	2.35	0.41
1:B:396:ALA:O	1:B:399:THR:HB	2.20	0.41
1:A:308:LEU:CD1	1:A:335:SER:HB3	2.51	0.40
1:A:496:PRO:HG2	1:A:499:VAL:HG23	2.02	0.40
1:B:485:VAL:O	1:B:489:LEU:HG	2.21	0.40
1:A:182:LEU:HD23	1:A:182:LEU:O	2.20	0.40
1:A:540:PRO:O	1:A:542:ALA:N	2.55	0.40
1:B:46:GLY:HA2	1:B:49:GLN:HE21	1.87	0.40
1:B:182:LEU:N	1:B:183:PRO:CD	2.84	0.40
1:B:20:LYS:HD2	1:B:20:LYS:H	1.86	0.40
1:B:540:PRO:C	1:B:542:ALA:H	2.30	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	555/576 (96%)	535 (96%)	17 (3%)	3 (0%)	24	31
1	B	557/576 (97%)	535 (96%)	20 (4%)	2 (0%)	30	38
All	All	1112/1152 (96%)	1070 (96%)	37 (3%)	5 (0%)	30	38

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	540	PRO
1	A	540	PRO
1	A	541	ALA
1	A	548	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	541	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	476/489 (97%)	462 (97%)	14 (3%)	37	55
1	B	478/489 (98%)	468 (98%)	10 (2%)	47	66
All	All	954/978 (98%)	930 (98%)	24 (2%)	42	60

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LEU
1	A	79	LYS
1	A	83	LEU
1	A	106	LYS
1	A	110	ASN
1	A	112	SER
1	A	313	MET
1	A	336	LEU
1	A	366	CYS
1	A	381	VAL
1	A	440	GLU
1	A	514	GLN
1	A	535	LYS
1	A	536	LEU
1	B	20	LYS
1	B	47	LEU
1	B	83	LEU
1	B	106	LYS
1	B	222	ARG
1	B	308	LEU
1	B	321	VAL
1	B	364	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	366	CYS
1	B	381	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1	HIS
1	A	273	ASN
1	A	309	GLN
1	A	374	HIS
1	A	461	GLN
1	A	514	GLN
1	A	527	ASN
1	A	544	GLN
1	B	49	GLN
1	B	110	ASN
1	B	148	GLN
1	B	330	GLN
1	B	483	ASN
1	B	527	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	RNA	A	960	-	26,26,26	5.02	12 (46%)	38,38,38	2.85	11 (28%)
2	RNA	B	960	-	26,26,26	5.27	14 (53%)	38,38,38	2.82	13 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RNA	A	960	-	-	7/15/27/27	0/3/3/3
2	RNA	B	960	-	-	7/15/27/27	0/3/3/3

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	960	RNA	O14-S1	14.57	1.60	1.43
2	B	960	RNA	O1-S1	14.18	1.60	1.43
2	A	960	RNA	O1-S1	13.69	1.59	1.43
2	A	960	RNA	O14-S1	13.66	1.59	1.43
2	B	960	RNA	C16-C5	9.38	1.55	1.35
2	A	960	RNA	C16-C5	9.15	1.55	1.35
2	B	960	RNA	O2-C15	8.46	1.39	1.23
2	A	960	RNA	O2-C15	8.22	1.38	1.23
2	A	960	RNA	C15-C5	-6.71	1.38	1.50
2	B	960	RNA	C15-C5	-6.54	1.38	1.50
2	B	960	RNA	C16-C2	4.30	1.52	1.43
2	A	960	RNA	C16-C2	4.09	1.52	1.43
2	B	960	RNA	S1-N	3.99	1.73	1.64
2	B	960	RNA	C6-N	3.76	1.43	1.33
2	B	960	RNA	C6-N1	3.35	1.36	1.31
2	A	960	RNA	C6-N1	3.21	1.36	1.31
2	A	960	RNA	C6-N	3.14	1.41	1.33
2	A	960	RNA	S1-N	3.11	1.71	1.64
2	B	960	RNA	C9-C8	2.83	1.43	1.38
2	B	960	RNA	C1-C2	2.64	1.41	1.35
2	B	960	RNA	C8-C7	2.61	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	960	RNA	C9-C8	2.51	1.42	1.38
2	A	960	RNA	C12-C11	2.42	1.42	1.38
2	A	960	RNA	C12-C7	2.23	1.42	1.38
2	B	960	RNA	C12-C11	2.15	1.42	1.38
2	B	960	RNA	C12-C7	2.06	1.42	1.38

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	960	RNA	O1-S1-O14	-8.65	109.02	119.52
2	B	960	RNA	O1-S1-O14	-8.30	109.44	119.52
2	A	960	RNA	C2-C16-C5	-8.22	114.07	128.15
2	B	960	RNA	C2-C16-C5	-7.58	115.17	128.15
2	B	960	RNA	O-C3-C4	7.11	125.11	116.03
2	A	960	RNA	O-C3-C4	7.02	125.00	116.03
2	A	960	RNA	S-C6-N	-4.94	121.53	129.14
2	B	960	RNA	C16-C5-C15	4.81	127.89	122.41
2	B	960	RNA	S-C6-N	-4.80	121.75	129.14
2	A	960	RNA	C15-C5-S	3.89	111.44	109.15
2	A	960	RNA	C16-C5-C15	3.87	126.82	122.41
2	B	960	RNA	C15-C5-S	3.77	111.37	109.15
2	B	960	RNA	C4-C3-C	-3.10	126.99	134.18
2	A	960	RNA	C4-C3-C	-3.09	127.01	134.18
2	A	960	RNA	C7-S1-N	2.85	110.61	106.06
2	B	960	RNA	C7-S1-N	2.78	110.50	106.06
2	A	960	RNA	O1-S1-C7	2.47	111.10	107.98
2	B	960	RNA	C16-C5-S	-2.36	120.74	127.28
2	B	960	RNA	O1-S1-C7	2.35	110.94	107.98
2	A	960	RNA	O14-S1-C7	2.28	110.86	107.98
2	B	960	RNA	C5-C15-N1	2.26	114.81	113.43
2	A	960	RNA	C5-C15-N1	2.25	114.80	113.43
2	B	960	RNA	O14-S1-C7	2.20	110.75	107.98
2	B	960	RNA	N-C6-N1	2.04	123.16	120.40

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	960	RNA	C5-C16-C2-C1
2	A	960	RNA	C5-C16-C2-O
2	A	960	RNA	C2-C16-C5-S
2	A	960	RNA	C2-C16-C5-C15

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	B	960	RNA	C5-C16-C2-C1
2	B	960	RNA	C5-C16-C2-O
2	B	960	RNA	C2-C16-C5-S
2	B	960	RNA	C2-C16-C5-C15
2	A	960	RNA	C6-N-S1-O14
2	B	960	RNA	C6-N-S1-O14
2	B	960	RNA	C6-N-S1-C7
2	A	960	RNA	C6-N-S1-C7
2	A	960	RNA	N1-C6-N-S1
2	B	960	RNA	N1-C6-N-S1

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	960	RNA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.