



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:21 AM UTC

PDB ID : 6I02 / pdb_00006i02
Title : Structure of human D-glucuronyl C5 epimerase in complex with product
Authors : Debarnot, C.; Monneau, Y.R.; Roig-Zamboni, V.; Le Narvor, C.; Goulet, A.;
Fadel, F.; Vives, R.R.; Bonnaffe, D.; Lortat-Jacob, H.; Bourne, Y.
Deposited on : 2018-10-24
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	527	
1	B	527	
2	C	8	
3	D	6	
4	E	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	F	7	 86%14%
6	G	5	 100%
7	H	4	 25%75%
8	I	2	 100%

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 9254 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-glucuronyl C5-epimerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	511	Total	C	N	O	S	0	2	0
			4143	2672	698	759	14			
1	B	516	Total	C	N	O	S	0	3	0
			4180	2693	703	770	14			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	91	ASP	-	expression tag	UNP O94923
A	92	TYR	-	expression tag	UNP O94923
A	93	LYS	-	expression tag	UNP O94923
A	94	ASP	-	expression tag	UNP O94923
A	95	ASP	-	expression tag	UNP O94923
A	96	ASP	-	expression tag	UNP O94923
A	97	ASP	-	expression tag	UNP O94923
A	578	PHE	TYR	engineered mutation	UNP O94923
B	91	ASP	-	expression tag	UNP O94923
B	92	TYR	-	expression tag	UNP O94923
B	93	LYS	-	expression tag	UNP O94923
B	94	ASP	-	expression tag	UNP O94923
B	95	ASP	-	expression tag	UNP O94923
B	96	ASP	-	expression tag	UNP O94923
B	97	ASP	-	expression tag	UNP O94923
B	578	PHE	TYR	engineered mutation	UNP O94923

- Molecule 2 is an oligosaccharide called alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	8	Total	C	N	O	S	0	0	0
			109	48	4	53	4			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	6	Total	C	N	O	0	0	0
			75	42	3	30			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 5 is an oligosaccharide called alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	F	7	Total	C	N	O	S	0	0	0
			94	42	3	46	3			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	G	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	H	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	I	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 9 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	Ca	0	0
			1	1		
9	B	1	Total	Ca	0	0
			1	1		

- Molecule 10 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 11 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	C	O	0	0
			6	3	3		
11	A	1	Total	C	O	0	0
			6	3	3		
11	A	1	Total	C	O	0	0
			6	3	3		
11	A	1	Total	C	O	0	0
			6	3	3		
11	A	1	Total	C	O	0	0
			6	3	3		
11	A	1	Total	C	O	0	0
			6	3	3		
11	B	1	Total	C	O	0	0
			6	3	3		
11	B	1	Total	C	O	0	0
			6	3	3		
11	B	1	Total	C	O	0	0
			6	3	3		
11	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 12 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 13 is HEXAETHYLENE GLYCOL (CCD ID: P6G) (formula: $C_{12}H_{26}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	A	1	Total	C	O	0	0
			19	12	7		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	198	Total 198	O 198	0	0
14	B	164	Total 164	O 164	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: D-glucuronyl C5-epimerase



• Molecule 1: D-glucuronyl C5-epimerase



• Molecule 2: alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  17% 83%

MAG1
MAG2
BMA3
MAN4
MAG5
MAN6

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%


MAG1
MAG2
BMA3

- Molecule 5: alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-alpha-L-idopyranuronic acid

Chain F:  86% 14%

IDR1
GNS2
IDR3
GNS4
IDR5
GNS6
IDR7

- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%


MAG1
MAG2
BMA3
MAN4
MAN5

- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  25% 75%

MAG1
MAG2
BMA3
MAN4

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	99.81Å 99.81Å 260.49Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.06 – 2.45 49.06 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.06-2.45) 99.9 (49.06-2.45)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.75 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.173 , 0.218 0.179 , 0.225	Depositor DCC
R_{free} test set	2671 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	47.1	Xtriage
Anisotropy	0.383	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.048 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9254	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, MES, CA, NAG, GNS, IDR, GOL, P6G, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.00	4/4260 (0.1%)	1.08	4/5764 (0.1%)
1	B	1.01	9/4301 (0.2%)	1.05	2/5822 (0.0%)
All	All	1.00	13/8561 (0.2%)	1.06	6/11586 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7
1	B	0	9
All	All	0	16

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	556	SER	N-CA	7.78	1.53	1.46
1	B	564	HIS	CE1-NE2	6.53	1.39	1.32
1	B	582	HIS	CE1-NE2	5.91	1.38	1.32
1	B	434	PHE	C-O	-5.83	1.16	1.23
1	A	556	SER	N-CA	5.80	1.51	1.46
1	A	235	VAL	C-O	-5.58	1.18	1.24
1	B	609	LEU	C-O	-5.53	1.17	1.24
1	A	564	HIS	CE1-NE2	5.50	1.38	1.32
1	A	577	ASP	C-O	-5.47	1.17	1.24
1	B	467	LEU	N-CA	-5.38	1.39	1.46
1	B	485	GLY	C-O	-5.32	1.19	1.24
1	B	157	SER	C-O	-5.13	1.17	1.23
1	B	143	VAL	N-CA	-5.06	1.40	1.46

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	289	THR	CA-CB-OG1	-6.74	99.50	109.60
1	A	303	ASN	CB-CA-C	-5.75	99.46	109.64
1	A	198	PRO	CB-CA-C	-5.72	103.91	111.23
1	B	131	THR	CA-CB-OG1	-5.23	101.75	109.60
1	A	289	THR	CA-CB-CG2	5.20	119.33	110.50
1	B	410	ASP	CA-CB-CG	5.16	117.76	112.60

There are no chirality outliers.

All (16) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	248	ASN	Peptide
1	A	266	ARG	Sidechain
1	A	472	ARG	Sidechain
1	A	535	ARG	Sidechain
1	A	540	ARG	Sidechain
1	A	613[A]	ARG	Sidechain
1	A	613[B]	ARG	Sidechain
1	B	104	TYR	Peptide
1	B	121	ARG	Sidechain
1	B	148	GLY	Peptide
1	B	187	ARG	Sidechain
1	B	266	ARG	Peptide
1	B	414	ARG	Sidechain
1	B	540	ARG	Sidechain
1	B	613[A]	ARG	Sidechain
1	B	613[B]	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4143	0	4081	30	0
1	B	4180	0	4108	28	0
2	C	109	0	55	2	0
3	D	75	0	64	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	39	0	34	0	0
5	F	94	0	48	2	0
6	G	61	0	52	0	0
7	H	50	0	43	0	0
8	I	28	0	25	0	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
10	A	14	0	13	0	0
11	A	42	0	56	1	0
11	B	24	0	32	1	0
12	A	12	0	13	2	0
13	A	19	0	26	0	0
14	A	198	0	0	2	0
14	B	164	0	0	1	0
All	All	9254	0	8650	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:ASN:HD22	1:A:248:ASN:N	1.62	0.93
1:A:252:VAL:HG22	1:A:258:MET:HE2	1.52	0.90
1:A:250:TRP:HB3	1:A:258:MET:HE1	1.55	0.85
1:B:250:TRP:HB3	1:B:258:MET:HE1	1.60	0.84
1:A:395:THR:HG22	14:A:1503:HOH:O	1.89	0.73
1:A:206:GLN:HE21	1:A:206:GLN:H	1.41	0.69
1:A:499:GLU:OE2	2:C:4:IDR:H5	1.94	0.67
1:A:159:SER:HB3	1:A:580:THR:HG21	1.75	0.67
1:B:245:ASN:O	1:B:246:LYS:O	2.12	0.66
1:B:158:TYR:O	1:B:159:SER:CB	2.42	0.66
1:A:252:VAL:HG22	1:A:258:MET:CE	2.28	0.64
1:A:250:TRP:CB	1:A:258:MET:HE1	2.26	0.64
12:A:1427:MES:H51	1:B:493:LYS:NZ	2.14	0.62
1:B:302:THR:HG22	1:B:388:LYS:H	1.65	0.61
1:B:565:PHE:CD2	1:B:566:MET:HE2	2.37	0.60
1:A:248:ASN:N	1:A:248:ASN:ND2	2.36	0.59
1:A:302:THR:HG22	1:A:388:LYS:H	1.66	0.59
1:B:588:LEU:HD23	1:B:588:LEU:C	2.28	0.58
1:B:499:GLU:OE2	5:F:3:IDR:H5	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:588:LEU:C	1:A:588:LEU:HD23	2.30	0.55
1:B:490:PHE:CE2	1:B:491:MET:HG3	2.41	0.55
1:A:206:GLN:H	1:A:206:GLN:NE2	2.03	0.54
1:B:565:PHE:HD2	1:B:566:MET:HE2	1.73	0.54
1:B:250:TRP:CB	1:B:258:MET:HE1	2.35	0.53
1:A:418:GLU:H	1:A:418:GLU:CD	2.16	0.53
11:A:1422:GOL:H12	1:B:491:MET:HE3	1.91	0.53
1:A:302:THR:CG2	1:A:388:LYS:H	2.23	0.52
1:B:242:ARG:HH21	1:B:242:ARG:HG2	1.75	0.51
1:A:564:HIS:HB3	1:A:571:PRO:HA	1.95	0.49
1:B:158:TYR:O	1:B:159:SER:HB2	2.12	0.48
1:A:302:THR:HG23	1:A:303:ASN:O	2.13	0.48
1:A:104:TYR:CE2	1:A:120:ARG:HD3	2.50	0.47
1:B:302:THR:CG2	1:B:388:LYS:H	2.27	0.46
1:A:300:PHE:HB3	1:A:302:THR:O	2.16	0.46
1:A:302:THR:HG22	1:A:388:LYS:HB2	1.98	0.46
1:B:302:THR:HG23	1:B:303:ASN:O	2.15	0.46
1:B:333:LYS:HG3	1:B:334:GLU:OE2	2.16	0.45
1:A:164:GLN:HE22	1:A:588:LEU:HA	1.82	0.45
1:A:382:ARG:CZ	1:A:384:ILE:HD11	2.47	0.45
12:A:1427:MES:H51	1:B:493:LYS:HZ1	1.82	0.45
1:A:252:VAL:CG2	1:A:258:MET:CE	2.95	0.44
1:B:576:TRP:CE2	11:B:722:GOL:H31	2.52	0.44
1:B:549:LEU:HD11	1:B:586:LEU:HD11	2.01	0.43
1:B:487:LYS:HE3	14:B:911:HOH:O	2.18	0.43
1:A:187:ARG:NH2	2:C:5:GNS:O3	2.52	0.42
1:B:252:VAL:HG13	1:B:252:VAL:O	2.19	0.42
1:A:127:PHE:HB3	1:B:127:PHE:HB3	2.01	0.42
1:A:266:ARG:CG	1:A:266:ARG:HH11	2.33	0.42
1:A:344:ARG:HB3	14:A:1521:HOH:O	2.20	0.41
1:A:552:TYR:O	1:A:558:THR:HA	2.20	0.41
1:B:197:VAL:HB	1:B:198:PRO:HD2	2.03	0.41
1:B:210:TYR:HA	1:B:211:PRO:HD2	1.90	0.41
1:B:564:HIS:HB3	1:B:571:PRO:HA	2.01	0.41
1:A:159:SER:HB3	1:A:580:THR:CG2	2.48	0.40
1:A:475:ALA:HB3	1:A:476:PRO:HD3	2.03	0.40
1:B:184:VAL:HG21	5:F:7:IDR:H4	2.04	0.40
1:B:548:MET:O	1:B:549:LEU:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	509/527 (97%)	494 (97%)	15 (3%)	0	100	100
1	B	517/527 (98%)	497 (96%)	18 (4%)	2 (0%)	30	37
All	All	1026/1054 (97%)	991 (97%)	33 (3%)	2 (0%)	43	54

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	246	LYS
1	B	248	ASN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	446/459 (97%)	423 (95%)	23 (5%)	21	30
1	B	450/459 (98%)	438 (97%)	12 (3%)	39	54
All	All	896/918 (98%)	861 (96%)	35 (4%)	28	42

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	103	LYS
1	A	114	GLU
1	A	159	SER
1	A	183	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	206	GLN
1	A	229	LYS
1	A	248	ASN
1	A	266	ARG
1	A	268	THR
1	A	270	VAL
1	A	271	LYS
1	A	274	ILE
1	A	278	THR
1	A	289	THR
1	A	328	GLN
1	A	333	LYS
1	A	395	THR
1	A	436	SER
1	A	460	LEU
1	A	462	LYS
1	A	530	LEU
1	A	587	GLN
1	A	609	LEU
1	B	121	ARG
1	B	131	THR
1	B	159	SER
1	B	183	GLU
1	B	268	THR
1	B	270	VAL
1	B	278	THR
1	B	290	LYS
1	B	381	VAL
1	B	395	THR
1	B	491	MET
1	B	587	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	206	GLN
1	A	272	GLN
1	A	316	ASN
1	A	510	ASN
1	A	587	GLN
1	B	202	GLN
1	B	285	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	510	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

35 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GNS	C	1	2	16,16,16	5.06	1 (6%)	19,24,24	1.67	3 (15%)
2	IDR	C	2	2	12,12,13	0.74	0	14,17,19	1.18	1 (7%)
2	GNS	C	3	2	15,15,16	1.67	4 (26%)	17,22,24	1.37	1 (5%)
2	IDR	C	4	2	12,12,13	0.89	0	14,17,19	1.80	4 (28%)
2	GNS	C	5	2	15,15,16	4.72	1 (6%)	17,22,24	2.17	2 (11%)
2	IDR	C	6	2	12,12,13	0.64	0	14,17,19	1.09	1 (7%)
2	GNS	C	7	2	15,15,16	4.76	2 (13%)	17,22,24	2.19	5 (29%)
2	IDR	C	8	2	12,12,13	0.90	0	14,17,19	1.00	1 (7%)
3	NAG	D	1	1,3	14,14,15	0.61	0	17,19,21	1.21	2 (11%)
3	NAG	D	2	3	14,14,15	0.70	0	17,19,21	1.02	1 (5%)
3	BMA	D	3	3	11,11,12	0.87	0	15,15,17	0.96	0
3	MAN	D	4	3	11,11,12	1.15	1 (9%)	15,15,17	1.58	3 (20%)
3	NAG	D	5	3	14,14,15	0.81	0	17,19,21	1.57	1 (5%)
3	MAN	D	6	3	11,11,12	0.92	0	15,15,17	2.20	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	E	1	4,1	14,14,15	1.05	0	17,19,21	1.86	4 (23%)
4	NAG	E	2	4	14,14,15	0.64	0	17,19,21	1.41	3 (17%)
4	BMA	E	3	4	11,11,12	0.69	0	15,15,17	1.51	4 (26%)
5	IDR	F	1	5	13,13,13	1.17	0	18,19,19	1.51	2 (11%)
5	GNS	F	2	5	15,15,16	5.14	3 (20%)	17,22,24	1.70	3 (17%)
5	IDR	F	3	5	12,12,13	1.09	0	14,17,19	2.05	3 (21%)
5	GNS	F	4	5	15,15,16	4.98	2 (13%)	17,22,24	1.52	1 (5%)
5	IDR	F	5	5	12,12,13	0.95	0	14,17,19	1.38	3 (21%)
5	GNS	F	6	5	15,15,16	5.20	1 (6%)	17,22,24	1.66	3 (17%)
5	IDR	F	7	5	12,12,13	0.64	0	14,17,19	0.93	0
6	NAG	G	1	6,1	14,14,15	0.48	0	17,19,21	1.40	4 (23%)
6	NAG	G	2	6	14,14,15	0.56	0	17,19,21	1.67	2 (11%)
6	BMA	G	3	6	11,11,12	0.60	0	15,15,17	1.72	4 (26%)
6	MAN	G	4	6	11,11,12	0.74	0	15,15,17	1.76	1 (6%)
6	MAN	G	5	6	11,11,12	0.70	0	15,15,17	1.65	3 (20%)
7	NAG	H	1	7,1	14,14,15	0.34	0	17,19,21	1.75	3 (17%)
7	NAG	H	2	7	14,14,15	0.51	0	17,19,21	1.00	0
7	BMA	H	3	7	11,11,12	0.67	0	15,15,17	1.66	3 (20%)
7	MAN	H	4	7	11,11,12	0.88	0	15,15,17	1.77	3 (20%)
8	NAG	I	1	8,1	14,14,15	0.44	0	17,19,21	1.26	1 (5%)
8	NAG	I	2	8	14,14,15	0.51	0	17,19,21	1.06	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GNS	C	1	2	-	1/7/27/27	0/1/1/1
2	IDR	C	2	2	-	0/4/21/24	0/1/1/1
2	GNS	C	3	2	-	3/7/24/27	0/1/1/1
2	IDR	C	4	2	-	1/4/21/24	0/1/1/1
2	GNS	C	5	2	-	3/7/24/27	0/1/1/1
2	IDR	C	6	2	-	1/4/21/24	0/1/1/1
2	GNS	C	7	2	-	1/7/24/27	0/1/1/1
2	IDR	C	8	2	-	0/4/21/24	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BMA	D	3	3	-	2/2/19/22	0/1/1/1
3	MAN	D	4	3	-	0/2/19/22	0/1/1/1
3	NAG	D	5	3	-	4/6/23/26	0/1/1/1
3	MAN	D	6	3	-	0/2/19/22	0/1/1/1
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	2/6/23/26	0/1/1/1
4	BMA	E	3	4	-	1/2/19/22	0/1/1/1
5	IDR	F	1	5	-	0/4/24/24	0/1/1/1
5	GNS	F	2	5	-	1/7/24/27	0/1/1/1
5	IDR	F	3	5	-	2/4/21/24	0/1/1/1
5	GNS	F	4	5	-	3/7/24/27	0/1/1/1
5	IDR	F	5	5	-	0/4/21/24	0/1/1/1
5	GNS	F	6	5	-	3/7/24/27	0/1/1/1
5	IDR	F	7	5	-	0/4/21/24	0/1/1/1
6	NAG	G	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	G	2	6	-	0/6/23/26	0/1/1/1
6	BMA	G	3	6	-	2/2/19/22	0/1/1/1
6	MAN	G	4	6	-	2/2/19/22	1/1/1/1
6	MAN	G	5	6	-	2/2/19/22	0/1/1/1
7	NAG	H	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	H	2	7	-	2/6/23/26	0/1/1/1
7	BMA	H	3	7	-	2/2/19/22	0/1/1/1
7	MAN	H	4	7	-	0/2/19/22	0/1/1/1
8	NAG	I	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	I	2	8	-	0/6/23/26	0/1/1/1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	6	GNS	O2S-S1	19.99	1.64	1.42
2	C	1	GNS	O3S-S1	19.93	1.64	1.42
5	F	2	GNS	O3S-S1	19.46	1.64	1.42
5	F	4	GNS	O3S-S1	18.81	1.63	1.42
2	C	7	GNS	O3S-S1	18.14	1.62	1.42
2	C	5	GNS	O2S-S1	18.08	1.62	1.42
2	C	3	GNS	O2S-S1	3.74	1.46	1.42
2	C	3	GNS	O1S-S1	3.41	1.63	1.47
5	F	4	GNS	O2S-S1	3.41	1.46	1.42
5	F	2	GNS	O2S-S1	2.82	1.45	1.42
2	C	3	GNS	S1-N2	2.78	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	7	GNS	O2S-S1	2.58	1.45	1.42
3	D	4	MAN	O2-C2	2.42	1.48	1.43
5	F	2	GNS	S1-N2	2.20	1.62	1.59
2	C	3	GNS	C1-C2	2.03	1.55	1.52

All (78) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	5	GNS	O2S-S1-O3S	-7.77	103.08	120.36
6	G	4	MAN	C1-O5-C5	6.21	120.50	112.19
2	C	7	GNS	O2S-S1-O3S	-5.90	107.24	120.36
3	D	6	MAN	C1-O5-C5	5.87	120.06	112.19
6	G	2	NAG	C4-C3-C2	5.47	119.03	111.02
7	H	1	NAG	C1-O5-C5	5.40	119.43	112.19
5	F	2	GNS	O2S-S1-O3S	-5.22	108.75	120.36
7	H	4	MAN	C1-O5-C5	5.16	119.11	112.19
2	C	1	GNS	O2S-S1-O3S	-5.13	108.94	120.36
3	D	6	MAN	C1-C2-C3	5.00	116.93	109.64
5	F	4	GNS	O2S-S1-O3S	-4.91	109.43	120.36
5	F	3	IDR	C1-C2-C3	4.87	116.73	109.64
3	D	5	NAG	O5-C1-C2	-4.79	103.88	111.29
5	F	6	GNS	O2S-S1-O3S	-4.70	109.91	120.36
5	F	1	IDR	C1-O5-C5	4.32	118.58	112.22
4	E	1	NAG	C1-O5-C5	4.30	117.95	112.19
2	C	4	IDR	C3-C4-C5	-4.26	101.97	109.30
6	G	5	MAN	C1-C2-C3	4.21	115.77	109.64
2	C	3	GNS	O2S-S1-O3S	-4.14	111.16	120.36
3	D	4	MAN	O2-C2-C1	4.05	118.50	109.22
7	H	3	BMA	C1-C2-C3	3.76	115.11	109.64
8	I	1	NAG	C1-O5-C5	3.74	117.19	112.19
6	G	3	BMA	C2-C3-C4	-3.61	104.51	110.86
5	F	3	IDR	C3-C4-C5	-3.40	103.45	109.30
4	E	2	NAG	C1-C2-N2	3.28	115.61	110.43
5	F	5	IDR	C3-C4-C5	3.22	114.84	109.30
2	C	7	GNS	O5-C1-C2	-3.20	106.34	111.29
4	E	2	NAG	O5-C1-C2	-3.18	106.37	111.29
2	C	1	GNS	O5-C5-C4	3.13	115.35	109.70
7	H	3	BMA	C1-O5-C5	3.12	116.37	112.19
2	C	7	GNS	C3-C2-N2	3.06	114.35	110.32
2	C	7	GNS	O2S-S1-N2	3.02	113.93	108.88
2	C	7	GNS	C1-O5-C5	2.97	116.17	112.19
2	C	4	IDR	O4-C4-C5	2.97	116.53	109.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1	NAG	O5-C1-C2	-2.95	106.72	111.29
5	F	3	IDR	O5-C1-C2	2.90	117.71	110.79
5	F	6	GNS	C3-C2-N2	2.89	114.12	110.32
3	D	4	MAN	C2-C3-C4	2.89	115.94	110.86
6	G	3	BMA	C3-C4-C5	2.86	115.41	110.23
2	C	4	IDR	C1-C2-C3	2.86	113.80	109.64
4	E	2	NAG	C1-O5-C5	2.83	115.98	112.19
3	D	2	NAG	C4-C3-C2	2.72	115.00	111.02
2	C	6	IDR	C3-C4-C5	2.68	113.91	109.30
6	G	5	MAN	C2-C3-C4	2.68	115.57	110.86
3	D	4	MAN	C1-O5-C5	2.68	115.77	112.19
6	G	3	BMA	O5-C5-C4	2.65	117.26	110.83
7	H	1	NAG	C3-C4-C5	2.62	114.98	110.23
7	H	3	BMA	C2-C3-C4	-2.62	106.26	110.86
4	E	1	NAG	C6-C5-C4	-2.62	106.59	113.02
8	I	2	NAG	C1-O5-C5	2.57	115.63	112.19
6	G	2	NAG	C3-C4-C5	2.54	114.83	110.23
5	F	2	GNS	O5-C1-C2	-2.49	107.44	111.29
7	H	4	MAN	O5-C5-C6	2.44	112.40	107.66
6	G	1	NAG	O5-C5-C6	2.42	112.37	107.66
4	E	3	BMA	O5-C1-C2	-2.40	105.07	110.79
6	G	1	NAG	C6-C5-C4	-2.39	107.16	113.02
4	E	3	BMA	C6-C5-C4	-2.38	107.19	113.02
5	F	6	GNS	O5-C1-C2	-2.36	107.63	111.29
6	G	5	MAN	C1-O5-C5	2.35	115.34	112.19
5	F	5	IDR	O6B-C6-C5	2.33	122.03	113.64
4	E	1	NAG	C3-C4-C5	-2.31	106.04	110.23
6	G	3	BMA	C1-O5-C5	2.31	115.28	112.19
3	D	1	NAG	C1-C2-N2	-2.29	106.83	110.43
5	F	1	IDR	O2-C2-C1	2.28	114.50	109.25
4	E	3	BMA	O4-C4-C5	-2.27	103.73	109.32
2	C	2	IDR	O2-C2-C3	-2.24	105.51	110.15
2	C	4	IDR	O5-C1-C2	2.24	116.12	110.79
7	H	4	MAN	C1-C2-C3	2.18	112.81	109.64
2	C	5	GNS	O2S-S1-N2	2.16	112.50	108.88
2	C	8	IDR	O3-C3-C2	2.15	114.44	110.05
7	H	1	NAG	C6-C5-C4	-2.15	107.75	113.02
6	G	1	NAG	C3-C4-C5	2.13	114.09	110.23
3	D	1	NAG	C1-O5-C5	-2.12	109.34	112.19
6	G	1	NAG	O5-C1-C2	-2.11	108.03	111.29
5	F	5	IDR	O6B-C6-O6A	-2.09	119.34	124.08
4	E	3	BMA	O3-C3-C2	-2.09	105.80	110.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	2	GNS	C6-C5-C4	2.07	118.09	113.02
2	C	1	GNS	C1-O5-C5	2.05	117.61	113.65

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	5	GNS	C2-N2-S1-O1S
2	C	5	GNS	C2-N2-S1-O2S
5	F	3	IDR	C4-C5-C6-O6A
5	F	3	IDR	C4-C5-C6-O6B
5	F	4	GNS	C2-N2-S1-O1S
5	F	4	GNS	C2-N2-S1-O3S
6	G	1	NAG	O5-C5-C6-O6
7	H	3	BMA	O5-C5-C6-O6
4	E	2	NAG	O5-C5-C6-O6
6	G	3	BMA	O5-C5-C6-O6
6	G	4	MAN	C4-C5-C6-O6
3	D	3	BMA	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
6	G	4	MAN	O5-C5-C6-O6
4	E	2	NAG	C4-C5-C6-O6
5	F	6	GNS	C4-C5-C6-O6
6	G	1	NAG	C4-C5-C6-O6
7	H	3	BMA	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
6	G	5	MAN	O5-C5-C6-O6
3	D	3	BMA	C4-C5-C6-O6
5	F	6	GNS	O5-C5-C6-O6
7	H	2	NAG	C4-C5-C6-O6
6	G	5	MAN	C4-C5-C6-O6
4	E	3	BMA	O5-C5-C6-O6
7	H	2	NAG	O5-C5-C6-O6
6	G	3	BMA	C4-C5-C6-O6
3	D	5	NAG	C4-C5-C6-O6
5	F	4	GNS	C2-N2-S1-O2S
2	C	3	GNS	C4-C5-C6-O6
3	D	5	NAG	C1-C2-N2-C7
3	D	5	NAG	O5-C5-C6-O6
2	C	6	IDR	O5-C5-C6-O6A
2	C	4	IDR	C4-C5-C6-O6B
2	C	5	GNS	C2-N2-S1-O3S

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	F	2	GNS	C2-N2-S1-O2S
3	D	5	NAG	C3-C2-N2-C7
2	C	3	GNS	O5-C5-C6-O6
2	C	3	GNS	C2-N2-S1-O2S
2	C	1	GNS	C2-N2-S1-O3S
2	C	7	GNS	C2-N2-S1-O3S
5	F	6	GNS	C2-N2-S1-O2S


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	G	4	MAN	C1-C2-C3-C4-C5-O5



4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	F	3	IDR	1	0
2	C	4	IDR	1	0
5	F	7	IDR	1	0
2	C	5	GNS	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









Oligosaccharide Chain G



Oligosaccharide Chain H





5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 2 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
11	GOL	A	1424	-	5,5,5	0.14	0	5,5,5	0.61	0
11	GOL	A	1426	-	5,5,5	0.61	0	5,5,5	0.88	0
11	GOL	B	721	-	5,5,5	0.36	0	5,5,5	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	GOL	B	722	-	5,5,5	0.81	0	5,5,5	1.07	0
11	GOL	A	1420	-	5,5,5	0.70	0	5,5,5	1.06	0
11	GOL	B	723	-	5,5,5	0.38	0	5,5,5	0.74	0
10	NAG	A	1419	1	14,14,15	0.92	1 (7%)	17,19,21	1.69	4 (23%)
13	P6G	A	1428	-	18,18,18	0.65	0	17,17,17	0.34	0
11	GOL	A	1421	-	5,5,5	0.77	0	5,5,5	1.49	1 (20%)
12	MES	A	1427	-	12,12,12	2.34	3 (25%)	15,16,16	1.14	1 (6%)
11	GOL	A	1422	-	5,5,5	0.35	0	5,5,5	0.68	0
11	GOL	B	720	-	5,5,5	0.97	0	5,5,5	1.53	1 (20%)
11	GOL	A	1423	-	5,5,5	0.28	0	5,5,5	0.65	0
11	GOL	A	1425	-	5,5,5	0.33	0	5,5,5	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	GOL	A	1424	-	-	0/4/4/4	-
11	GOL	A	1426	-	-	2/4/4/4	-
11	GOL	B	721	-	-	0/4/4/4	-
11	GOL	B	722	-	-	3/4/4/4	-
11	GOL	A	1420	-	-	2/4/4/4	-
11	GOL	B	723	-	-	2/4/4/4	-
10	NAG	A	1419	1	-	0/6/23/26	0/1/1/1
13	P6G	A	1428	-	-	7/16/16/16	-
11	GOL	A	1421	-	-	0/4/4/4	-
12	MES	A	1427	-	-	3/6/14/14	0/1/1/1
11	GOL	A	1422	-	-	2/4/4/4	-
11	GOL	B	720	-	-	2/4/4/4	-
11	GOL	A	1423	-	-	0/4/4/4	-
11	GOL	A	1425	-	-	2/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	A	1427	MES	C8-S	-7.32	1.67	1.77
10	A	1419	NAG	C1-C2	2.84	1.56	1.52
12	A	1427	MES	O1S-S	2.32	1.51	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	A	1427	MES	O2S-S	2.11	1.51	1.45

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	A	1419	NAG	C1-O5-C5	3.98	117.53	112.19
10	A	1419	NAG	C1-C2-N2	2.74	114.75	110.43
12	A	1427	MES	O2S-S-C8	2.66	110.75	106.73
11	B	720	GOL	O2-C2-C1	2.53	119.66	109.18
11	A	1421	GOL	O2-C2-C3	2.32	118.79	109.18
10	A	1419	NAG	O5-C5-C6	2.31	112.17	107.66
10	A	1419	NAG	C6-C5-C4	-2.13	107.79	113.02

There are no chirality outliers.

All (25) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
11	A	1420	GOL	O1-C1-C2-C3
11	A	1422	GOL	O1-C1-C2-C3
11	B	720	GOL	C1-C2-C3-O3
11	B	720	GOL	O2-C2-C3-O3
11	B	722	GOL	C1-C2-C3-O3
11	B	723	GOL	O1-C1-C2-O2
11	B	723	GOL	O1-C1-C2-C3
12	A	1427	MES	C7-C8-S-O2S
12	A	1427	MES	C7-C8-S-O3S
13	A	1428	P6G	O13-C14-C15-O16
13	A	1428	P6G	O10-C11-C12-O13
13	A	1428	P6G	O1-C2-C3-O4
11	A	1425	GOL	O1-C1-C2-C3
11	A	1426	GOL	C1-C2-C3-O3
11	A	1420	GOL	O1-C1-C2-O2
11	A	1422	GOL	O1-C1-C2-O2
11	B	722	GOL	O2-C2-C3-O3
11	A	1426	GOL	O2-C2-C3-O3
11	B	722	GOL	O1-C1-C2-O2
12	A	1427	MES	C7-C8-S-O1S
13	A	1428	P6G	C18-C17-O16-C15
13	A	1428	P6G	O16-C17-C18-O19
13	A	1428	P6G	O4-C5-C6-O7
11	A	1425	GOL	O1-C1-C2-O2
13	A	1428	P6G	O7-C8-C9-O10

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	722	GOL	1	0
12	A	1427	MES	2	0
11	A	1422	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	511/527 (96%)	-0.35	2 (0%) 88 89	24, 45, 79, 128	2 (0%)
1	B	516/527 (97%)	-0.14	8 (1%) 70 73	24, 50, 102, 155	3 (0%)
All	All	1027/1054 (97%)	-0.24	10 (0%) 79 80	24, 47, 93, 155	5 (0%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	102	LEU	4.9
1	B	102	LEU	4.5
1	B	247	PRO	3.3
1	A	248	ASN	3.1
1	B	316	ASN	2.3
1	B	403	ALA	2.3
1	B	257	PHE	2.1
1	B	252	VAL	2.1
1	B	374	LYS	2.0
1	B	149	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	MAN	H	4	11/12	0.33	0.16	110,123,131,132	0
6	MAN	G	4	11/12	0.36	0.14	120,138,152,153	0
3	NAG	D	5	14/15	0.36	0.21	119,130,137,139	0
4	BMA	E	3	11/12	0.41	0.16	102,111,114,114	0
6	BMA	G	3	11/12	0.46	0.15	130,141,150,153	0
3	MAN	D	6	11/12	0.57	0.15	113,125,132,132	0
8	NAG	I	2	14/15	0.60	0.15	113,131,139,151	0
3	BMA	D	3	11/12	0.72	0.15	85,109,121,123	0
6	MAN	G	5	11/12	0.74	0.18	96,112,125,134	0
5	IDR	F	7	12/13	0.75	0.11	78,99,108,111	0
2	GNS	C	1	16/16	0.77	0.10	76,96,109,114	0
7	BMA	H	3	11/12	0.79	0.10	104,108,112,119	0
5	IDR	F	1	13/13	0.80	0.12	70,83,90,97	0
2	IDR	C	8	12/13	0.83	0.10	66,88,96,96	0
8	NAG	I	1	14/15	0.85	0.10	74,88,99,111	0
6	NAG	G	2	14/15	0.85	0.12	87,102,110,120	0
3	NAG	D	2	14/15	0.86	0.11	67,77,87,94	0
4	NAG	E	2	14/15	0.91	0.10	72,79,89,102	0
7	NAG	H	2	14/15	0.91	0.10	72,87,96,101	0
5	GNS	F	6	15/16	0.91	0.09	72,82,88,96	0
3	MAN	D	4	11/12	0.92	0.11	79,84,93,103	0
2	GNS	C	7	15/16	0.92	0.09	64,73,82,85	0
6	NAG	G	1	14/15	0.92	0.08	45,56,75,81	0
5	IDR	F	5	12/13	0.92	0.09	64,69,76,80	0
2	IDR	C	2	12/13	0.93	0.07	55,62,72,74	0
2	IDR	C	6	12/13	0.93	0.08	51,58,61,61	0
5	IDR	F	3	12/13	0.93	0.12	61,71,75,75	0
3	NAG	D	1	14/15	0.93	0.08	47,52,60,72	0
7	NAG	H	1	14/15	0.94	0.09	65,72,78,88	0
4	NAG	E	1	14/15	0.94	0.08	46,54,62,68	0
5	GNS	F	2	15/16	0.96	0.09	54,68,72,72	0
5	GNS	F	4	15/16	0.97	0.06	50,56,61,63	0
2	IDR	C	4	12/13	0.97	0.08	46,50,53,54	0
2	GNS	C	3	15/16	0.97	0.07	45,51,57,58	0
2	GNS	C	5	15/16	0.98	0.06	42,46,48,51	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain D:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain F:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
10	NAG	A	1419	14/15	0.63	0.15	85,93,101,104	0
11	GOL	A	1425	6/6	0.69	0.17	91,100,101,103	0
13	P6G	A	1428	19/19	0.82	0.25	77,107,119,119	0
11	GOL	A	1426	6/6	0.84	0.19	56,66,78,81	0
12	MES	A	1427	12/12	0.85	0.18	68,90,107,109	0
11	GOL	A	1424	6/6	0.85	0.16	70,75,78,90	0
11	GOL	A	1420	6/6	0.86	0.16	41,52,58,67	0
11	GOL	A	1422	6/6	0.87	0.15	59,67,74,84	0
11	GOL	B	720	6/6	0.87	0.16	51,53,59,63	0
11	GOL	A	1421	6/6	0.89	0.14	53,58,61,61	0
11	GOL	B	722	6/6	0.90	0.17	54,63,64,65	0
11	GOL	B	721	6/6	0.93	0.11	52,53,56,70	0
11	GOL	A	1423	6/6	0.94	0.15	54,63,71,83	0
11	GOL	B	723	6/6	0.94	0.10	56,59,62,63	0
9	CA	A	1409	1/1	0.98	0.04	74,74,74,74	0
9	CA	B	708	1/1	0.99	0.03	78,78,78,78	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.