



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 02:48 PM UTC

PDB ID : 6M7G / pdb_00006m7g
Title : Crystal structure of ArsN, N-acetyltransferase with substrate phosphinothricin from *Pseudomonas putida* KT2440
Authors : Venkadesh, S.; Dheeman, D.S.; Yoshinaga, M.; Kandavelu, P.; Rosen, B.P.
Deposited on : 2018-08-20
Resolution : 2.66 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	207	69% 14% • 15%
1	B	207	68% 15% • 15%
1	C	207	69% 14% • 15%
1	D	207	66% 18% • 15%
1	E	207	65% 20% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	207	
1	G	207	
1	H	207	
1	I	207	
1	J	207	
1	K	207	
1	L	207	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 16138 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphinothricin N-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			
1	B	175	Total	C	N	O	S	0	0	0
			1315	849	234	231	1			
1	C	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			
1	D	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			
1	E	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			
1	F	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			
1	G	176	Total	C	N	O	S	0	0	0
			1324	854	235	234	1			
1	H	174	Total	C	N	O	S	0	0	0
			1310	846	233	230	1			
1	I	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			
1	J	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			
1	K	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			
1	L	176	Total	C	N	O	S	0	0	0
			1320	852	235	232	1			

There are 288 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	184	LEU	-	expression tag	UNP Q88LK7
A	185	GLY	-	expression tag	UNP Q88LK7
A	186	PRO	-	expression tag	UNP Q88LK7
A	187	GLU	-	expression tag	UNP Q88LK7
A	188	GLN	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	189	LYS	-	expression tag	UNP Q88LK7
A	190	LEU	-	expression tag	UNP Q88LK7
A	191	ILE	-	expression tag	UNP Q88LK7
A	192	SER	-	expression tag	UNP Q88LK7
A	193	GLU	-	expression tag	UNP Q88LK7
A	194	GLU	-	expression tag	UNP Q88LK7
A	195	ASP	-	expression tag	UNP Q88LK7
A	196	LEU	-	expression tag	UNP Q88LK7
A	197	ASN	-	expression tag	UNP Q88LK7
A	198	SER	-	expression tag	UNP Q88LK7
A	199	ALA	-	expression tag	UNP Q88LK7
A	200	VAL	-	expression tag	UNP Q88LK7
A	201	ASP	-	expression tag	UNP Q88LK7
A	202	HIS	-	expression tag	UNP Q88LK7
A	203	HIS	-	expression tag	UNP Q88LK7
A	204	HIS	-	expression tag	UNP Q88LK7
A	205	HIS	-	expression tag	UNP Q88LK7
A	206	HIS	-	expression tag	UNP Q88LK7
A	207	HIS	-	expression tag	UNP Q88LK7
B	184	LEU	-	expression tag	UNP Q88LK7
B	185	GLY	-	expression tag	UNP Q88LK7
B	186	PRO	-	expression tag	UNP Q88LK7
B	187	GLU	-	expression tag	UNP Q88LK7
B	188	GLN	-	expression tag	UNP Q88LK7
B	189	LYS	-	expression tag	UNP Q88LK7
B	190	LEU	-	expression tag	UNP Q88LK7
B	191	ILE	-	expression tag	UNP Q88LK7
B	192	SER	-	expression tag	UNP Q88LK7
B	193	GLU	-	expression tag	UNP Q88LK7
B	194	GLU	-	expression tag	UNP Q88LK7
B	195	ASP	-	expression tag	UNP Q88LK7
B	196	LEU	-	expression tag	UNP Q88LK7
B	197	ASN	-	expression tag	UNP Q88LK7
B	198	SER	-	expression tag	UNP Q88LK7
B	199	ALA	-	expression tag	UNP Q88LK7
B	200	VAL	-	expression tag	UNP Q88LK7
B	201	ASP	-	expression tag	UNP Q88LK7
B	202	HIS	-	expression tag	UNP Q88LK7
B	203	HIS	-	expression tag	UNP Q88LK7
B	204	HIS	-	expression tag	UNP Q88LK7
B	205	HIS	-	expression tag	UNP Q88LK7
B	206	HIS	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	207	HIS	-	expression tag	UNP Q88LK7
C	184	LEU	-	expression tag	UNP Q88LK7
C	185	GLY	-	expression tag	UNP Q88LK7
C	186	PRO	-	expression tag	UNP Q88LK7
C	187	GLU	-	expression tag	UNP Q88LK7
C	188	GLN	-	expression tag	UNP Q88LK7
C	189	LYS	-	expression tag	UNP Q88LK7
C	190	LEU	-	expression tag	UNP Q88LK7
C	191	ILE	-	expression tag	UNP Q88LK7
C	192	SER	-	expression tag	UNP Q88LK7
C	193	GLU	-	expression tag	UNP Q88LK7
C	194	GLU	-	expression tag	UNP Q88LK7
C	195	ASP	-	expression tag	UNP Q88LK7
C	196	LEU	-	expression tag	UNP Q88LK7
C	197	ASN	-	expression tag	UNP Q88LK7
C	198	SER	-	expression tag	UNP Q88LK7
C	199	ALA	-	expression tag	UNP Q88LK7
C	200	VAL	-	expression tag	UNP Q88LK7
C	201	ASP	-	expression tag	UNP Q88LK7
C	202	HIS	-	expression tag	UNP Q88LK7
C	203	HIS	-	expression tag	UNP Q88LK7
C	204	HIS	-	expression tag	UNP Q88LK7
C	205	HIS	-	expression tag	UNP Q88LK7
C	206	HIS	-	expression tag	UNP Q88LK7
C	207	HIS	-	expression tag	UNP Q88LK7
D	184	LEU	-	expression tag	UNP Q88LK7
D	185	GLY	-	expression tag	UNP Q88LK7
D	186	PRO	-	expression tag	UNP Q88LK7
D	187	GLU	-	expression tag	UNP Q88LK7
D	188	GLN	-	expression tag	UNP Q88LK7
D	189	LYS	-	expression tag	UNP Q88LK7
D	190	LEU	-	expression tag	UNP Q88LK7
D	191	ILE	-	expression tag	UNP Q88LK7
D	192	SER	-	expression tag	UNP Q88LK7
D	193	GLU	-	expression tag	UNP Q88LK7
D	194	GLU	-	expression tag	UNP Q88LK7
D	195	ASP	-	expression tag	UNP Q88LK7
D	196	LEU	-	expression tag	UNP Q88LK7
D	197	ASN	-	expression tag	UNP Q88LK7
D	198	SER	-	expression tag	UNP Q88LK7
D	199	ALA	-	expression tag	UNP Q88LK7
D	200	VAL	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	201	ASP	-	expression tag	UNP Q88LK7
D	202	HIS	-	expression tag	UNP Q88LK7
D	203	HIS	-	expression tag	UNP Q88LK7
D	204	HIS	-	expression tag	UNP Q88LK7
D	205	HIS	-	expression tag	UNP Q88LK7
D	206	HIS	-	expression tag	UNP Q88LK7
D	207	HIS	-	expression tag	UNP Q88LK7
E	184	LEU	-	expression tag	UNP Q88LK7
E	185	GLY	-	expression tag	UNP Q88LK7
E	186	PRO	-	expression tag	UNP Q88LK7
E	187	GLU	-	expression tag	UNP Q88LK7
E	188	GLN	-	expression tag	UNP Q88LK7
E	189	LYS	-	expression tag	UNP Q88LK7
E	190	LEU	-	expression tag	UNP Q88LK7
E	191	ILE	-	expression tag	UNP Q88LK7
E	192	SER	-	expression tag	UNP Q88LK7
E	193	GLU	-	expression tag	UNP Q88LK7
E	194	GLU	-	expression tag	UNP Q88LK7
E	195	ASP	-	expression tag	UNP Q88LK7
E	196	LEU	-	expression tag	UNP Q88LK7
E	197	ASN	-	expression tag	UNP Q88LK7
E	198	SER	-	expression tag	UNP Q88LK7
E	199	ALA	-	expression tag	UNP Q88LK7
E	200	VAL	-	expression tag	UNP Q88LK7
E	201	ASP	-	expression tag	UNP Q88LK7
E	202	HIS	-	expression tag	UNP Q88LK7
E	203	HIS	-	expression tag	UNP Q88LK7
E	204	HIS	-	expression tag	UNP Q88LK7
E	205	HIS	-	expression tag	UNP Q88LK7
E	206	HIS	-	expression tag	UNP Q88LK7
E	207	HIS	-	expression tag	UNP Q88LK7
F	184	LEU	-	expression tag	UNP Q88LK7
F	185	GLY	-	expression tag	UNP Q88LK7
F	186	PRO	-	expression tag	UNP Q88LK7
F	187	GLU	-	expression tag	UNP Q88LK7
F	188	GLN	-	expression tag	UNP Q88LK7
F	189	LYS	-	expression tag	UNP Q88LK7
F	190	LEU	-	expression tag	UNP Q88LK7
F	191	ILE	-	expression tag	UNP Q88LK7
F	192	SER	-	expression tag	UNP Q88LK7
F	193	GLU	-	expression tag	UNP Q88LK7
F	194	GLU	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	195	ASP	-	expression tag	UNP Q88LK7
F	196	LEU	-	expression tag	UNP Q88LK7
F	197	ASN	-	expression tag	UNP Q88LK7
F	198	SER	-	expression tag	UNP Q88LK7
F	199	ALA	-	expression tag	UNP Q88LK7
F	200	VAL	-	expression tag	UNP Q88LK7
F	201	ASP	-	expression tag	UNP Q88LK7
F	202	HIS	-	expression tag	UNP Q88LK7
F	203	HIS	-	expression tag	UNP Q88LK7
F	204	HIS	-	expression tag	UNP Q88LK7
F	205	HIS	-	expression tag	UNP Q88LK7
F	206	HIS	-	expression tag	UNP Q88LK7
F	207	HIS	-	expression tag	UNP Q88LK7
G	184	LEU	-	expression tag	UNP Q88LK7
G	185	GLY	-	expression tag	UNP Q88LK7
G	186	PRO	-	expression tag	UNP Q88LK7
G	187	GLU	-	expression tag	UNP Q88LK7
G	188	GLN	-	expression tag	UNP Q88LK7
G	189	LYS	-	expression tag	UNP Q88LK7
G	190	LEU	-	expression tag	UNP Q88LK7
G	191	ILE	-	expression tag	UNP Q88LK7
G	192	SER	-	expression tag	UNP Q88LK7
G	193	GLU	-	expression tag	UNP Q88LK7
G	194	GLU	-	expression tag	UNP Q88LK7
G	195	ASP	-	expression tag	UNP Q88LK7
G	196	LEU	-	expression tag	UNP Q88LK7
G	197	ASN	-	expression tag	UNP Q88LK7
G	198	SER	-	expression tag	UNP Q88LK7
G	199	ALA	-	expression tag	UNP Q88LK7
G	200	VAL	-	expression tag	UNP Q88LK7
G	201	ASP	-	expression tag	UNP Q88LK7
G	202	HIS	-	expression tag	UNP Q88LK7
G	203	HIS	-	expression tag	UNP Q88LK7
G	204	HIS	-	expression tag	UNP Q88LK7
G	205	HIS	-	expression tag	UNP Q88LK7
G	206	HIS	-	expression tag	UNP Q88LK7
G	207	HIS	-	expression tag	UNP Q88LK7
H	184	LEU	-	expression tag	UNP Q88LK7
H	185	GLY	-	expression tag	UNP Q88LK7
H	186	PRO	-	expression tag	UNP Q88LK7
H	187	GLU	-	expression tag	UNP Q88LK7
H	188	GLN	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	189	LYS	-	expression tag	UNP Q88LK7
H	190	LEU	-	expression tag	UNP Q88LK7
H	191	ILE	-	expression tag	UNP Q88LK7
H	192	SER	-	expression tag	UNP Q88LK7
H	193	GLU	-	expression tag	UNP Q88LK7
H	194	GLU	-	expression tag	UNP Q88LK7
H	195	ASP	-	expression tag	UNP Q88LK7
H	196	LEU	-	expression tag	UNP Q88LK7
H	197	ASN	-	expression tag	UNP Q88LK7
H	198	SER	-	expression tag	UNP Q88LK7
H	199	ALA	-	expression tag	UNP Q88LK7
H	200	VAL	-	expression tag	UNP Q88LK7
H	201	ASP	-	expression tag	UNP Q88LK7
H	202	HIS	-	expression tag	UNP Q88LK7
H	203	HIS	-	expression tag	UNP Q88LK7
H	204	HIS	-	expression tag	UNP Q88LK7
H	205	HIS	-	expression tag	UNP Q88LK7
H	206	HIS	-	expression tag	UNP Q88LK7
H	207	HIS	-	expression tag	UNP Q88LK7
I	184	LEU	-	expression tag	UNP Q88LK7
I	185	GLY	-	expression tag	UNP Q88LK7
I	186	PRO	-	expression tag	UNP Q88LK7
I	187	GLU	-	expression tag	UNP Q88LK7
I	188	GLN	-	expression tag	UNP Q88LK7
I	189	LYS	-	expression tag	UNP Q88LK7
I	190	LEU	-	expression tag	UNP Q88LK7
I	191	ILE	-	expression tag	UNP Q88LK7
I	192	SER	-	expression tag	UNP Q88LK7
I	193	GLU	-	expression tag	UNP Q88LK7
I	194	GLU	-	expression tag	UNP Q88LK7
I	195	ASP	-	expression tag	UNP Q88LK7
I	196	LEU	-	expression tag	UNP Q88LK7
I	197	ASN	-	expression tag	UNP Q88LK7
I	198	SER	-	expression tag	UNP Q88LK7
I	199	ALA	-	expression tag	UNP Q88LK7
I	200	VAL	-	expression tag	UNP Q88LK7
I	201	ASP	-	expression tag	UNP Q88LK7
I	202	HIS	-	expression tag	UNP Q88LK7
I	203	HIS	-	expression tag	UNP Q88LK7
I	204	HIS	-	expression tag	UNP Q88LK7
I	205	HIS	-	expression tag	UNP Q88LK7
I	206	HIS	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
I	207	HIS	-	expression tag	UNP Q88LK7
J	184	LEU	-	expression tag	UNP Q88LK7
J	185	GLY	-	expression tag	UNP Q88LK7
J	186	PRO	-	expression tag	UNP Q88LK7
J	187	GLU	-	expression tag	UNP Q88LK7
J	188	GLN	-	expression tag	UNP Q88LK7
J	189	LYS	-	expression tag	UNP Q88LK7
J	190	LEU	-	expression tag	UNP Q88LK7
J	191	ILE	-	expression tag	UNP Q88LK7
J	192	SER	-	expression tag	UNP Q88LK7
J	193	GLU	-	expression tag	UNP Q88LK7
J	194	GLU	-	expression tag	UNP Q88LK7
J	195	ASP	-	expression tag	UNP Q88LK7
J	196	LEU	-	expression tag	UNP Q88LK7
J	197	ASN	-	expression tag	UNP Q88LK7
J	198	SER	-	expression tag	UNP Q88LK7
J	199	ALA	-	expression tag	UNP Q88LK7
J	200	VAL	-	expression tag	UNP Q88LK7
J	201	ASP	-	expression tag	UNP Q88LK7
J	202	HIS	-	expression tag	UNP Q88LK7
J	203	HIS	-	expression tag	UNP Q88LK7
J	204	HIS	-	expression tag	UNP Q88LK7
J	205	HIS	-	expression tag	UNP Q88LK7
J	206	HIS	-	expression tag	UNP Q88LK7
J	207	HIS	-	expression tag	UNP Q88LK7
K	184	LEU	-	expression tag	UNP Q88LK7
K	185	GLY	-	expression tag	UNP Q88LK7
K	186	PRO	-	expression tag	UNP Q88LK7
K	187	GLU	-	expression tag	UNP Q88LK7
K	188	GLN	-	expression tag	UNP Q88LK7
K	189	LYS	-	expression tag	UNP Q88LK7
K	190	LEU	-	expression tag	UNP Q88LK7
K	191	ILE	-	expression tag	UNP Q88LK7
K	192	SER	-	expression tag	UNP Q88LK7
K	193	GLU	-	expression tag	UNP Q88LK7
K	194	GLU	-	expression tag	UNP Q88LK7
K	195	ASP	-	expression tag	UNP Q88LK7
K	196	LEU	-	expression tag	UNP Q88LK7
K	197	ASN	-	expression tag	UNP Q88LK7
K	198	SER	-	expression tag	UNP Q88LK7
K	199	ALA	-	expression tag	UNP Q88LK7
K	200	VAL	-	expression tag	UNP Q88LK7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	201	ASP	-	expression tag	UNP Q88LK7
K	202	HIS	-	expression tag	UNP Q88LK7
K	203	HIS	-	expression tag	UNP Q88LK7
K	204	HIS	-	expression tag	UNP Q88LK7
K	205	HIS	-	expression tag	UNP Q88LK7
K	206	HIS	-	expression tag	UNP Q88LK7
K	207	HIS	-	expression tag	UNP Q88LK7
L	184	LEU	-	expression tag	UNP Q88LK7
L	185	GLY	-	expression tag	UNP Q88LK7
L	186	PRO	-	expression tag	UNP Q88LK7
L	187	GLU	-	expression tag	UNP Q88LK7
L	188	GLN	-	expression tag	UNP Q88LK7
L	189	LYS	-	expression tag	UNP Q88LK7
L	190	LEU	-	expression tag	UNP Q88LK7
L	191	ILE	-	expression tag	UNP Q88LK7
L	192	SER	-	expression tag	UNP Q88LK7
L	193	GLU	-	expression tag	UNP Q88LK7
L	194	GLU	-	expression tag	UNP Q88LK7
L	195	ASP	-	expression tag	UNP Q88LK7
L	196	LEU	-	expression tag	UNP Q88LK7
L	197	ASN	-	expression tag	UNP Q88LK7
L	198	SER	-	expression tag	UNP Q88LK7
L	199	ALA	-	expression tag	UNP Q88LK7
L	200	VAL	-	expression tag	UNP Q88LK7
L	201	ASP	-	expression tag	UNP Q88LK7
L	202	HIS	-	expression tag	UNP Q88LK7
L	203	HIS	-	expression tag	UNP Q88LK7
L	204	HIS	-	expression tag	UNP Q88LK7
L	205	HIS	-	expression tag	UNP Q88LK7
L	206	HIS	-	expression tag	UNP Q88LK7
L	207	HIS	-	expression tag	UNP Q88LK7

- Molecule 2 is PHOSPHINOTHRICIN (CCD ID: PPQ) (formula: C₅H₁₂NO₄P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			11	5	1	4	1		
2	C	1	Total	C	N	O	P	0	0
			11	5	1	4	1		
2	C	1	Total	C	N	O	P	0	0
			11	5	1	4	1		
2	D	1	Total	C	N	O	P	0	0
			11	5	1	4	1		
2	E	1	Total	C	N	O	P	0	0
			11	5	1	4	1		
2	F	1	Total	C	N	O	P	0	0
			11	5	1	4	1		
2	H	1	Total	C	N	O	P	0	0
			11	5	1	4	1		
2	L	1	Total	C	N	O	P	0	0
			11	5	1	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	21	Total	O	0	0
			21	21		
3	B	16	Total	O	0	0
			16	16		
3	C	17	Total	O	0	0
			17	17		
3	D	8	Total	O	0	0
			8	8		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	22	Total 22	O 22	0	0
3	F	21	Total 21	O 21	0	0
3	G	20	Total 20	O 20	0	0
3	H	10	Total 10	O 10	0	0
3	I	17	Total 17	O 17	0	0
3	J	24	Total 24	O 24	0	0
3	K	26	Total 26	O 26	0	0
3	L	19	Total 19	O 19	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Phosphinothricin N-acetyltransferase

Chain A: 




• Molecule 1: Phosphinothricin N-acetyltransferase

Chain B: 




• Molecule 1: Phosphinothricin N-acetyltransferase

Chain C: 




• Molecule 1: Phosphinothricin N-acetyltransferase

Chain D: 




- Molecule 1: Phosphinothricin N-acetyltransferase

Chain E:  65% 20% 15%




- Molecule 1: Phosphinothricin N-acetyltransferase

Chain F:  63% 20% 15%




- Molecule 1: Phosphinothricin N-acetyltransferase

Chain G:  70% 14% 15%




- Molecule 1: Phosphinothricin N-acetyltransferase

Chain H:  66% 17% 16%




- Molecule 1: Phosphinothricin N-acetyltransferase


Chain I:  67% 17% 15%




- Molecule 1: Phosphinothricin N-acetyltransferase



- Molecule 1: Phosphinothricin N-acetyltransferase



- Molecule 1: Phosphinothricin N-acetyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.84Å 142.69Å 178.31Å 90.00° 89.99° 90.00°	Depositor
Resolution (Å)	39.91 – 2.66 39.91 – 2.66	Depositor EDS
% Data completeness (in resolution range)	91.3 (39.91-2.66) 91.5 (39.91-2.66)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.64 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.224 , 0.273 0.225 , 0.272	Depositor DCC
R_{free} test set	3560 reflections (4.59%)	wwPDB-VP
Wilson B-factor (Å ²)	43.6	Xtriage
Anisotropy	0.055	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 48.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.447 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16138	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 54.94 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.3968e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PPQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/1354	0.74	0/1851
1	B	0.32	0/1349	0.75	0/1844
1	C	0.34	0/1354	0.77	0/1851
1	D	0.33	0/1354	0.76	0/1851
1	E	0.35	0/1354	0.78	2/1851 (0.1%)
1	F	0.35	0/1354	0.75	0/1851
1	G	0.36	0/1358	0.74	0/1856
1	H	0.34	0/1344	0.75	0/1837
1	I	0.34	0/1354	0.74	0/1851
1	J	0.35	0/1354	0.75	2/1851 (0.1%)
1	K	0.35	0/1354	0.74	0/1851
1	L	0.36	0/1354	0.77	2/1851 (0.1%)
All	All	0.34	0/16237	0.75	6/22196 (0.0%)

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	171	HIS	CA-C-N	6.36	127.79	119.84
1	E	171	HIS	C-N-CA	6.36	127.79	119.84
1	J	171	HIS	CA-C-N	5.52	126.74	119.84
1	J	171	HIS	C-N-CA	5.52	126.74	119.84
1	L	171	HIS	CA-C-N	5.49	125.50	119.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1320	0	1250	18	0
1	B	1315	0	1248	15	0
1	C	1320	0	1250	22	0
1	D	1320	0	1250	23	0
1	E	1320	0	1250	22	0
1	F	1320	0	1250	26	0
1	G	1324	0	1254	15	0
1	H	1310	0	1246	19	0
1	I	1320	0	1250	19	0
1	J	1320	0	1250	19	0
1	K	1320	0	1250	20	0
1	L	1320	0	1250	16	0
2	A	11	0	10	1	0
2	C	22	0	20	5	0
2	D	11	0	10	2	0
2	E	11	0	10	1	0
2	F	11	0	10	0	0
2	H	11	0	10	0	0
2	L	11	0	10	0	0
3	A	21	0	0	0	0
3	B	16	0	0	2	0
3	C	17	0	0	0	0
3	D	8	0	0	1	0
3	E	22	0	0	0	0
3	F	21	0	0	0	0
3	G	20	0	0	0	0
3	H	10	0	0	0	0
3	I	17	0	0	0	0
3	J	24	0	0	0	0
3	K	26	0	0	1	0
3	L	19	0	0	0	0
All	All	16138	0	15078	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 213 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:97:SER:HB2	1:D:100:ALA:H	1.35	0.91
1:B:97:SER:HB2	1:B:100:ALA:H	1.47	0.77
1:J:55:PRO:HA	1:J:176:LEU:HD22	1.68	0.75
1:L:55:PRO:HA	1:L:176:LEU:HD22	1.69	0.75
1:F:55:PRO:HA	1:F:176:LEU:HD22	1.68	0.75

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	174/207 (84%)	162 (93%)	7 (4%)	5 (3%)	3	5
1	B	173/207 (84%)	160 (92%)	8 (5%)	5 (3%)	3	5
1	C	174/207 (84%)	162 (93%)	9 (5%)	3 (2%)	7	12
1	D	174/207 (84%)	160 (92%)	9 (5%)	5 (3%)	3	5
1	E	174/207 (84%)	164 (94%)	7 (4%)	3 (2%)	7	12
1	F	174/207 (84%)	162 (93%)	8 (5%)	4 (2%)	5	8
1	G	174/207 (84%)	164 (94%)	7 (4%)	3 (2%)	7	12
1	H	172/207 (83%)	165 (96%)	5 (3%)	2 (1%)	10	17
1	I	174/207 (84%)	164 (94%)	6 (3%)	4 (2%)	5	8
1	J	174/207 (84%)	164 (94%)	7 (4%)	3 (2%)	7	12
1	K	174/207 (84%)	164 (94%)	6 (3%)	4 (2%)	5	8
1	L	174/207 (84%)	164 (94%)	8 (5%)	2 (1%)	11	19
All	All	2085/2484 (84%)	1955 (94%)	87 (4%)	43 (2%)	5	9

5 of 43 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	92	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	177	GLY
1	A	177	GLY
1	B	95	ARG
1	B	177	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	121/170 (71%)	114 (94%)	7 (6%)	18	31
1	B	121/170 (71%)	113 (93%)	8 (7%)	15	26
1	C	121/170 (71%)	113 (93%)	8 (7%)	15	26
1	D	121/170 (71%)	115 (95%)	6 (5%)	22	37
1	E	121/170 (71%)	114 (94%)	7 (6%)	18	31
1	F	121/170 (71%)	113 (93%)	8 (7%)	15	26
1	G	122/170 (72%)	114 (93%)	8 (7%)	15	26
1	H	121/170 (71%)	113 (93%)	8 (7%)	15	26
1	I	121/170 (71%)	112 (93%)	9 (7%)	13	21
1	J	121/170 (71%)	111 (92%)	10 (8%)	10	18
1	K	121/170 (71%)	113 (93%)	8 (7%)	15	26
1	L	121/170 (71%)	114 (94%)	7 (6%)	18	31
All	All	1453/2040 (71%)	1359 (94%)	94 (6%)	15	27

5 of 94 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	111	LEU
1	J	90	VAL
1	H	167	ASP
1	I	111	LEU
1	J	111	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	140	GLN
1	H	147	GLN
1	K	156	HIS
1	H	141	HIS
1	I	28	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PPQ	A	801	-	7,10,10	1.53	1 (14%)	5,14,14	1.41	1 (20%)
2	PPQ	F	801	-	7,10,10	1.45	1 (14%)	5,14,14	1.97	1 (20%)
2	PPQ	L	801	-	7,10,10	2.30	2 (28%)	5,14,14	1.60	1 (20%)
2	PPQ	C	801	-	7,10,10	2.28	2 (28%)	5,14,14	1.43	1 (20%)
2	PPQ	C	802	-	7,10,10	2.28	2 (28%)	5,14,14	1.75	2 (40%)
2	PPQ	H	801	-	7,10,10	2.26	2 (28%)	5,14,14	1.30	1 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PPQ	D	801	-	7,10,10	2.17	2 (28%)	5,14,14	2.02	3 (60%)
2	PPQ	E	801	-	7,10,10	1.60	1 (14%)	5,14,14	1.38	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PPQ	A	801	-	-	2/10/10/10	-
2	PPQ	F	801	-	-	2/10/10/10	-
2	PPQ	L	801	-	-	6/10/10/10	-
2	PPQ	C	801	-	-	3/10/10/10	-
2	PPQ	C	802	-	-	2/10/10/10	-
2	PPQ	H	801	-	-	6/10/10/10	-
2	PPQ	D	801	-	-	8/10/10/10	-
2	PPQ	E	801	-	-	0/10/10/10	-

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	801	PPQ	PDP-OEA	4.62	1.58	1.49
2	C	801	PPQ	PDP-OEA	4.47	1.58	1.49
2	C	802	PPQ	PDP-OEA	4.45	1.58	1.49
2	H	801	PPQ	PDP-OEA	4.44	1.58	1.49
2	D	801	PPQ	PDP-OEA	4.36	1.58	1.49

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	801	PPQ	PDP-CGP-CBP	-3.94	107.33	114.53
2	D	801	PPQ	PDP-CGP-CBP	-3.43	108.26	114.53
2	C	802	PPQ	PDP-CGP-CBP	-3.16	108.74	114.53
2	L	801	PPQ	PDP-CGP-CBP	-2.95	109.13	114.53
2	C	801	PPQ	PDP-CGP-CBP	-2.54	109.88	114.53

There are no chirality outliers.

5 of 29 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	802	PPQ	NP-CAP-CBP-CGP
2	D	801	PPQ	CBP-CGP-PDP-CEP
2	D	801	PPQ	CBP-CGP-PDP-OEA
2	D	801	PPQ	CBP-CGP-PDP-OEB
2	H	801	PPQ	NP-CAP-CP-OP

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	PPQ	1	0
2	C	802	PPQ	5	0
2	D	801	PPQ	2	0
2	E	801	PPQ	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	176/207 (85%)	-1.38	0 100 100	26, 39, 65, 80	0
1	B	175/207 (84%)	-1.37	0 100 100	29, 40, 67, 88	0
1	C	176/207 (85%)	-1.37	0 100 100	27, 40, 67, 77	0
1	D	176/207 (85%)	-1.37	0 100 100	27, 40, 67, 85	0
1	E	176/207 (85%)	-1.40	0 100 100	24, 36, 59, 82	0
1	F	176/207 (85%)	-1.40	0 100 100	23, 37, 61, 82	0
1	G	176/207 (85%)	-1.41	0 100 100	21, 35, 53, 71	0
1	H	174/207 (84%)	-1.28	1 (0%) 85 83	27, 38, 64, 74	0
1	I	176/207 (85%)	-1.35	0 100 100	25, 37, 61, 76	0
1	J	176/207 (85%)	-1.40	0 100 100	25, 36, 56, 72	0
1	K	176/207 (85%)	-1.34	1 (0%) 85 83	24, 37, 59, 82	0
1	L	176/207 (85%)	-1.39	0 100 100	22, 36, 60, 78	0
All	All	2109/2484 (84%)	-1.37	2 (0%) 92 91	21, 38, 64, 88	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	169	GLY	2.5
1	K	169	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PPQ	C	802	11/11	0.98	0.05	44,53,61,63	0
2	PPQ	C	801	11/11	0.99	0.04	36,52,60,60	0
2	PPQ	A	801	11/11	0.99	0.04	34,51,64,65	0
2	PPQ	D	801	11/11	0.99	0.05	40,48,61,67	0
2	PPQ	E	801	11/11	0.99	0.03	34,52,60,62	0
2	PPQ	F	801	11/11	0.99	0.05	46,57,68,84	0
2	PPQ	H	801	11/11	0.99	0.05	32,51,60,61	0
2	PPQ	L	801	11/11	0.99	0.06	44,58,65,88	0

6.5 Other polymers [i](#)

There are no such residues in this entry.