



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 07:38 AM UTC

PDB ID : 6QKZ / pdb_00006qkz
EMDB ID : EMD-4575
Title : Full length GluA1/2-gamma8 complex
Authors : Herguedas, B.; Garcia-Nafria, J.; Greger, I.G.
Deposited on : 2019-01-30
Resolution : 6.30 Å (reported)
Based on initial models : 6QKC, 3SAJ, 3H5V

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 6.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	550 (5.80 - 6.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	897	14% 82% 15%
1	C	897	14% 82% 15%
2	B	839	17% 91% 8%
2	D	839	18% 91% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	423	8% 38% 62%
3	J	423	8% 38% 62%
4	E	3	67% 100%
4	K	3	67% 100%
5	F	2	100%
5	G	2	100%
5	H	2	100%
5	L	2	100%
5	M	2	100%
5	N	2	100%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 13949 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GluA1.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	759	Total	C	N	O	0	0
			3052	1526	763	763		
1	C	759	Total	C	N	O	0	0
			3052	1526	763	763		

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	ALA	-	expression tag	UNP P19490
A	-6	ASP	-	expression tag	UNP P19490
A	-5	TYR	-	expression tag	UNP P19490
A	-4	LYS	-	expression tag	UNP P19490
A	-3	ASP	-	expression tag	UNP P19490
A	-2	ASP	-	expression tag	UNP P19490
A	-1	ASP	-	expression tag	UNP P19490
A	0	ASP	-	expression tag	UNP P19490
A	1	LYS	-	expression tag	UNP P19490
C	-7	ALA	-	expression tag	UNP P19490
C	-6	ASP	-	expression tag	UNP P19490
C	-5	TYR	-	expression tag	UNP P19490
C	-4	LYS	-	expression tag	UNP P19490
C	-3	ASP	-	expression tag	UNP P19490
C	-2	ASP	-	expression tag	UNP P19490
C	-1	ASP	-	expression tag	UNP P19490
C	0	ASP	-	expression tag	UNP P19490
C	1	LYS	-	expression tag	UNP P19490

- Molecule 2 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	B	772	Total	C	N	O	0	0
			3091	1546	773	772		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	772	Total	C	N	O	0	0
			3092	1546	773	773		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	586	ARG	GLN	conflict	UNP P19491
D	586	ARG	GLN	conflict	UNP P19491


- Molecule 3 is a protein called Voltage-dependent calcium channel gamma-8 subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	I	162	Total	C	N	O	0	0
			648	324	162	162		
3	J	162	Total	C	N	O	0	0
			648	324	162	162		

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	0	GLY	-	expression tag	UNP Q8VHW5
I	116	SER	ALA	conflict	UNP Q8VHW5
I	417	LEU	-	expression tag	UNP Q8VHW5
I	418	GLU	-	expression tag	UNP Q8VHW5
I	419	VAL	-	expression tag	UNP Q8VHW5
I	420	LEU	-	expression tag	UNP Q8VHW5
I	421	PHE	-	expression tag	UNP Q8VHW5
I	422	GLN	-	expression tag	UNP Q8VHW5
J	0	GLY	-	expression tag	UNP Q8VHW5
J	116	SER	ALA	conflict	UNP Q8VHW5
J	417	LEU	-	expression tag	UNP Q8VHW5
J	418	GLU	-	expression tag	UNP Q8VHW5
J	419	VAL	-	expression tag	UNP Q8VHW5
J	420	LEU	-	expression tag	UNP Q8VHW5
J	421	PHE	-	expression tag	UNP Q8VHW5
J	422	GLN	-	expression tag	UNP Q8VHW5

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	E	3	Total	C	N	O	0	0
			39	22	2	15		
4	K	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	F	2	Total	C	N	O	0	0
			28	16	2	10		
5	G	2	Total	C	N	O	0	0
			28	16	2	10		
5	H	2	Total	C	N	O	0	0
			28	16	2	10		
5	L	2	Total	C	N	O	0	0
			28	16	2	10		
5	M	2	Total	C	N	O	0	0
			28	16	2	10		
5	N	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is 6-nitro-2,3-bis(oxidanylidene)-1,4-dihydrobenzo[f]quinoxaline-7-sulfonamide (CCD ID: E2Q) (formula: C₁₂H₈N₄O₆S).




Mol	Chain	Residues	Atoms					AltConf
6	A	1	Total	C	N	O	S	0
			23	12	4	6	1	
6	B	1	Total	C	N	O	S	0
			23	12	4	6	1	
6	C	1	Total	C	N	O	S	0
			23	12	4	6	1	
6	D	1	Total	C	N	O	S	0
			23	12	4	6	1	

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	C	1	Total	C	N	O	0
			14	8	1	5	




• Molecule 2: Glutamate receptor 2




• Molecule 2: Glutamate receptor 2






• Molecule 3: Voltage-dependent calcium channel gamma-8 subunit



• Molecule 3: Voltage-dependent calcium channel gamma-8 subunit



ALA
ALA
ALA
SER
ASN
THR
ASN
THR
LEU
ASN
ARG
LYS
LEU
GLU
VAL
LEU
PHE
GLN

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2
BM43

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2
BM43

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	183881	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	32	Depositor
Minimum defocus (nm)	-200	Depositor
Maximum defocus (nm)	-900	Depositor
Magnification	105000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.088	Depositor
Minimum map value	-0.057	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.017	Depositor
Map size (Å)	308.0, 308.0, 308.0	wwPDB
Map dimensions	220, 220, 220	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.4, 1.4, 1.4	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, E2Q

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	2/3047 (0.1%)	1.25	10/3804 (0.3%)
1	C	0.71	2/3047 (0.1%)	1.25	10/3804 (0.3%)
2	B	0.62	0/3087	1.15	3/3852 (0.1%)
2	D	0.62	0/3088	1.15	3/3854 (0.1%)
3	I	0.63	0/644	1.40	0/798
3	J	0.62	0/644	1.40	0/798
All	All	0.66	4/13557 (0.0%)	1.22	26/16910 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	140	LEU	CA-C	-7.18	1.43	1.52
1	A	140	LEU	CA-C	-7.11	1.43	1.52
1	A	41	ILE	CA-C	-5.88	1.45	1.52
1	C	41	ILE	CA-C	-5.88	1.45	1.52

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	100	SER	N-CA-C	-8.27	96.66	108.07
1	A	100	SER	N-CA-C	-8.25	96.69	108.07
1	C	178	LYS	N-CA-C	7.96	119.96	111.28
1	A	178	LYS	N-CA-C	7.94	119.93	111.28
1	C	367	ASP	N-CA-C	7.07	118.77	111.14
1	A	367	ASP	N-CA-C	6.99	118.69	111.14
1	A	41	ILE	N-CA-C	6.49	119.03	108.97
1	C	41	ILE	N-CA-C	6.49	119.02	108.97
2	D	44	LEU	N-CA-C	5.67	117.69	109.07
2	B	44	LEU	N-CA-C	5.59	117.57	109.07
1	C	98	ASP	N-CA-C	5.54	117.12	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	98	ASP	N-CA-C	5.51	117.10	111.14
1	A	300	GLY	N-CA-C	-5.26	106.62	115.62
1	C	300	GLY	N-CA-C	-5.26	106.62	115.62
1	A	80	THR	N-CA-C	-5.21	105.60	111.28
1	A	31	LEU	N-CA-C	5.20	117.57	110.24
1	C	80	THR	N-CA-C	-5.19	105.62	111.28
1	C	131	TYR	N-CA-C	5.19	116.87	109.14
1	A	131	TYR	N-CA-C	5.18	116.86	109.14
1	C	31	LEU	N-CA-C	5.17	117.53	110.24
1	C	69	GLY	N-CA-C	5.07	117.94	110.80
1	A	69	GLY	N-CA-C	5.05	117.92	110.80
2	D	101	HIS	CA-C-N	5.01	125.22	120.31
2	D	101	HIS	C-N-CA	5.01	125.22	120.31
2	B	101	HIS	CA-C-N	5.00	125.21	120.31
2	B	101	HIS	C-N-CA	5.00	125.21	120.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3052	0	856	5	0
1	C	3052	0	856	5	0
2	B	3091	0	877	5	0
2	D	3092	0	878	5	0
3	I	648	0	191	0	0
3	J	648	0	191	0	0
4	E	39	0	34	0	0
4	K	39	0	34	0	0
5	F	28	0	25	0	0
5	G	28	0	25	0	0
5	H	28	0	25	0	0
5	L	28	0	25	0	0
5	M	28	0	25	0	0
5	N	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	23	0	0	1	0
6	B	23	0	0	1	0
6	C	23	0	0	1	0
6	D	23	0	0	1	0
7	A	14	0	13	0	0
7	C	14	0	13	0	0
All	All	13949	0	4093	24	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (24) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:130:LEU:O	2:B:188:LEU:O	2.20	0.60
1:A:11:GLY:HA2	1:A:68:PHE:O	2.02	0.60
2:D:130:LEU:O	2:D:188:LEU:O	2.20	0.60
1:C:11:GLY:HA2	1:C:68:PHE:O	2.02	0.60
1:A:353:MET:CA	1:A:357:GLY:O	2.59	0.51
1:A:352:GLU:O	1:A:357:GLY:O	2.30	0.50
1:C:353:MET:CA	1:C:357:GLY:O	2.59	0.49
1:C:352:GLU:O	1:C:357:GLY:O	2.30	0.49
2:D:177:ASP:C	2:D:179:GLU:N	2.71	0.47
1:A:354:LYS:O	1:A:357:GLY:N	2.49	0.46
2:B:177:ASP:C	2:B:179:GLU:N	2.71	0.46
1:C:354:LYS:O	1:C:357:GLY:N	2.49	0.45
2:D:308:ASP:C	2:D:310:LEU:H	2.25	0.45
6:B:901:E2Q:O13	6:B:901:E2Q:O17	2.35	0.45
6:A:901:E2Q:O13	6:A:901:E2Q:O17	2.35	0.44
2:B:308:ASP:C	2:B:310:LEU:H	2.25	0.44
6:C:901:E2Q:O13	6:C:901:E2Q:O17	2.35	0.44
6:D:901:E2Q:O13	6:D:901:E2Q:O17	2.35	0.44
1:C:354:LYS:O	1:C:355:HIS:C	2.59	0.44
1:A:354:LYS:O	1:A:355:HIS:C	2.59	0.43
2:D:308:ASP:C	2:D:310:LEU:N	2.77	0.43
2:B:177:ASP:C	2:B:179:GLU:H	2.27	0.42
2:B:308:ASP:C	2:B:310:LEU:N	2.76	0.41
2:D:177:ASP:C	2:D:179:GLU:H	2.27	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	749/897 (84%)	691 (92%)	56 (8%)	2 (0%)	36	72
1	C	749/897 (84%)	695 (93%)	53 (7%)	1 (0%)	48	83
2	B	764/839 (91%)	719 (94%)	45 (6%)	0	100	100
2	D	764/839 (91%)	720 (94%)	44 (6%)	0	100	100
3	I	154/423 (36%)	142 (92%)	11 (7%)	1 (1%)	21	59
3	J	154/423 (36%)	141 (92%)	12 (8%)	1 (1%)	21	59
All	All	3334/4318 (77%)	3108 (93%)	221 (7%)	5 (0%)	49	83

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	399	ASP
3	I	155	ASN
3	J	155	ASN
1	A	712	LYS
1	C	712	LYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	4/765 (0%)	4 (100%)	0	100	100
1	C	4/765 (0%)	4 (100%)	0	100	100
2	D	1/718 (0%)	1 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	9/2248 (0%)	9 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	E	1	1,4	14,14,15	0.68	0	17,19,21	2.01	4 (23%)
4	NAG	E	2	4	14,14,15	0.69	0	17,19,21	1.67	8 (47%)
4	BMA	E	3	4	11,11,12	0.59	0	15,15,17	1.53	2 (13%)
5	NAG	F	1	1,5	14,14,15	1.46	1 (7%)	17,19,21	1.28	1 (5%)
5	NAG	F	2	5	14,14,15	0.80	0	17,19,21	2.03	4 (23%)
5	NAG	G	1	1,5	14,14,15	1.43	1 (7%)	17,19,21	1.23	2 (11%)
5	NAG	G	2	5	14,14,15	0.64	0	17,19,21	1.06	1 (5%)
5	NAG	H	1	2,5	14,14,15	0.48	0	17,19,21	1.77	3 (17%)
5	NAG	H	2	5	14,14,15	0.42	0	17,19,21	1.30	1 (5%)
4	NAG	K	1	1,4	14,14,15	0.68	0	17,19,21	2.00	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	K	2	4	14,14,15	0.69	0	17,19,21	1.66	8 (47%)
4	BMA	K	3	4	11,11,12	0.58	0	15,15,17	1.53	2 (13%)
5	NAG	L	1	1,5	14,14,15	1.46	1 (7%)	17,19,21	1.29	1 (5%)
5	NAG	L	2	5	14,14,15	0.80	0	17,19,21	2.03	5 (29%)
5	NAG	M	1	1,5	14,14,15	1.42	1 (7%)	17,19,21	1.23	2 (11%)
5	NAG	M	2	5	14,14,15	0.62	0	17,19,21	1.06	1 (5%)
5	NAG	N	1	2,5	14,14,15	0.50	0	17,19,21	1.78	3 (17%)
5	NAG	N	2	5	14,14,15	0.43	0	17,19,21	1.30	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	E	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	BMA	E	3	4	-	0/2/19/22	0/1/1/1
5	NAG	F	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1
5	NAG	G	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	G	2	5	-	0/6/23/26	0/1/1/1
5	NAG	H	1	2,5	-	0/6/23/26	0/1/1/1
5	NAG	H	2	5	-	4/6/23/26	0/1/1/1
4	NAG	K	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
4	BMA	K	3	4	-	0/2/19/22	0/1/1/1
5	NAG	L	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	L	2	5	-	0/6/23/26	0/1/1/1
5	NAG	M	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	M	2	5	-	0/6/23/26	0/1/1/1
5	NAG	N	1	2,5	-	0/6/23/26	0/1/1/1
5	NAG	N	2	5	-	4/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	1	NAG	O5-C1	-5.23	1.34	1.43
5	L	1	NAG	O5-C1	-5.23	1.34	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	1	NAG	O5-C1	-5.07	1.35	1.43
5	M	1	NAG	O5-C1	-5.07	1.35	1.43

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	N	1	NAG	C1-O5-C5	5.10	119.02	112.19
5	H	1	NAG	C1-O5-C5	5.07	118.98	112.19
5	F	2	NAG	C2-N2-C7	4.66	129.14	122.90
5	L	2	NAG	C2-N2-C7	4.59	129.05	122.90
4	E	1	NAG	O4-C4-C5	-4.43	98.41	109.32
4	K	1	NAG	O4-C4-C5	-4.43	98.41	109.32
5	L	2	NAG	C4-C3-C2	4.34	117.39	111.02
5	F	2	NAG	C4-C3-C2	4.30	117.32	111.02
5	H	2	NAG	C1-O5-C5	4.29	117.94	112.19
5	N	2	NAG	C1-O5-C5	4.29	117.94	112.19
4	E	1	NAG	O5-C1-C2	-4.14	104.89	111.29
4	K	1	NAG	O5-C1-C2	-4.11	104.94	111.29
4	E	1	NAG	C6-C5-C4	-3.54	104.32	113.02
4	K	1	NAG	C6-C5-C4	-3.54	104.33	113.02
5	L	1	NAG	O5-C1-C2	-3.39	106.05	111.29
4	E	1	NAG	C1-O5-C5	3.38	116.72	112.19
5	F	1	NAG	O5-C1-C2	-3.37	106.08	111.29
4	K	1	NAG	C1-O5-C5	3.37	116.70	112.19
5	H	1	NAG	C4-C3-C2	-3.27	106.22	111.02
5	N	1	NAG	C4-C3-C2	-3.25	106.25	111.02
4	K	2	NAG	O5-C5-C4	-3.22	102.99	110.83
4	E	2	NAG	O5-C5-C4	-3.21	103.01	110.83
4	K	3	BMA	O5-C5-C4	-3.21	103.03	110.83
4	E	3	BMA	O5-C5-C4	-3.19	103.06	110.83
5	L	2	NAG	O7-C7-N2	3.16	127.56	121.98
5	F	2	NAG	O7-C7-N2	3.12	127.49	121.98
5	N	1	NAG	C2-N2-C7	-2.84	119.09	122.90
5	H	1	NAG	C2-N2-C7	-2.84	119.09	122.90
4	E	3	BMA	O2-C2-C1	-2.55	103.39	109.22
4	K	3	BMA	O2-C2-C1	-2.55	103.39	109.22
5	M	1	NAG	C1-O5-C5	-2.30	109.10	112.19
5	G	1	NAG	C1-O5-C5	-2.27	109.14	112.19
5	G	2	NAG	C2-N2-C7	2.22	125.87	122.90
5	G	1	NAG	O5-C1-C2	-2.21	107.87	111.29
5	M	1	NAG	O5-C1-C2	-2.21	107.87	111.29
5	M	2	NAG	C2-N2-C7	2.19	125.84	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	2	NAG	C8-C7-N2	-2.19	112.49	116.12
4	E	2	NAG	O4-C4-C5	-2.14	104.04	109.32
4	K	2	NAG	O4-C4-C5	-2.14	104.04	109.32
4	E	2	NAG	O4-C4-C3	-2.14	105.32	110.38
4	K	2	NAG	O4-C4-C3	-2.14	105.32	110.38
5	F	2	NAG	C8-C7-N2	-2.14	112.58	116.12
4	E	2	NAG	O7-C7-C8	-2.11	118.30	122.05
4	K	2	NAG	O3-C3-C2	2.11	113.78	109.40
4	E	2	NAG	O3-C3-C2	2.09	113.75	109.40
4	E	2	NAG	C8-C7-N2	2.09	119.58	116.12
4	K	2	NAG	C2-N2-C7	-2.08	120.12	122.90
4	K	2	NAG	C8-C7-N2	2.07	119.56	116.12
4	K	2	NAG	O7-C7-C8	-2.07	118.37	122.05
4	E	2	NAG	C2-N2-C7	-2.07	120.13	122.90
4	E	2	NAG	O3-C3-C4	-2.06	105.52	110.38
4	K	2	NAG	O3-C3-C4	-2.04	105.56	110.38
5	L	2	NAG	C1-O5-C5	-2.02	109.48	112.19

There are no chirality outliers.


All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	F	1	NAG	C4-C5-C6-O6
5	L	1	NAG	C4-C5-C6-O6
5	H	2	NAG	C4-C5-C6-O6
5	N	2	NAG	C4-C5-C6-O6
5	G	1	NAG	O5-C5-C6-O6
5	H	2	NAG	O5-C5-C6-O6
5	M	1	NAG	O5-C5-C6-O6
5	N	2	NAG	O5-C5-C6-O6
5	F	1	NAG	O5-C5-C6-O6
5	L	1	NAG	O5-C5-C6-O6
5	G	1	NAG	C4-C5-C6-O6
5	M	1	NAG	C4-C5-C6-O6
5	H	2	NAG	C8-C7-N2-C2
5	N	2	NAG	C8-C7-N2-C2
5	H	2	NAG	O7-C7-N2-C2
5	N	2	NAG	O7-C7-N2-C2
4	E	1	NAG	C1-C2-N2-C7
4	K	1	NAG	C1-C2-N2-C7


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




















5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	E2Q	A	901	-	25,25,25	3.45	8 (32%)	32,39,39	2.32	12 (37%)
6	E2Q	D	901	-	25,25,25	3.44	8 (32%)	32,39,39	2.27	10 (31%)
6	E2Q	C	901	-	25,25,25	3.43	8 (32%)	32,39,39	2.32	12 (37%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	A	902	1	14,14,15	1.32	1 (7%)	17,19,21	3.55	11 (64%)
7	NAG	C	902	1	14,14,15	1.33	1 (7%)	17,19,21	3.54	11 (64%)
6	E2Q	B	901	-	25,25,25	3.44	8 (32%)	32,39,39	2.27	10 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	E2Q	A	901	-	-	2/8/10/10	0/3/3/3
6	E2Q	D	901	-	-	2/8/10/10	0/3/3/3
6	E2Q	C	901	-	-	2/8/10/10	0/3/3/3
7	NAG	A	902	1	-	2/6/23/26	0/1/1/1
7	NAG	C	902	1	-	2/6/23/26	0/1/1/1
6	E2Q	B	901	-	-	2/8/10/10	0/3/3/3

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	901	E2Q	C09-S11	-11.63	1.61	1.77
6	C	901	E2Q	C09-S11	-11.60	1.61	1.77
6	B	901	E2Q	C09-S11	-11.58	1.61	1.77
6	D	901	E2Q	C09-S11	-11.56	1.61	1.77
6	D	901	E2Q	O16-N15	9.85	1.39	1.22
6	A	901	E2Q	O16-N15	9.82	1.39	1.22
6	C	901	E2Q	O16-N15	9.79	1.39	1.22
6	B	901	E2Q	O16-N15	9.79	1.39	1.22
7	C	902	NAG	O5-C5	4.73	1.52	1.43
7	A	902	NAG	O5-C5	4.71	1.52	1.43
6	C	901	E2Q	S11-N14	-4.04	1.52	1.60
6	D	901	E2Q	S11-N14	-4.04	1.52	1.60
6	A	901	E2Q	S11-N14	-4.03	1.52	1.60
6	B	901	E2Q	S11-N14	-4.01	1.52	1.60
6	A	901	E2Q	C07-N15	-2.90	1.40	1.45
6	C	901	E2Q	C07-N15	-2.88	1.40	1.45
6	B	901	E2Q	C07-N15	-2.88	1.40	1.45
6	D	901	E2Q	C07-N15	-2.87	1.40	1.45
6	C	901	E2Q	O12-S11	2.74	1.48	1.43
6	B	901	E2Q	O12-S11	2.74	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	901	E2Q	O12-S11	2.73	1.48	1.43
6	A	901	E2Q	O13-S11	2.71	1.48	1.43
6	A	901	E2Q	O12-S11	2.69	1.48	1.43
6	B	901	E2Q	O13-S11	2.68	1.48	1.43
6	C	901	E2Q	O13-S11	2.64	1.48	1.43
6	D	901	E2Q	O13-S11	2.61	1.48	1.43
6	A	901	E2Q	C10-C09	2.37	1.40	1.37
6	D	901	E2Q	C10-C09	2.35	1.40	1.37
6	C	901	E2Q	C10-C09	2.33	1.40	1.37
6	B	901	E2Q	C10-C09	2.31	1.40	1.37
6	A	901	E2Q	C05-N18	-2.30	1.36	1.39
6	C	901	E2Q	C05-N18	-2.28	1.36	1.39
6	B	901	E2Q	C05-N18	-2.28	1.36	1.39
6	D	901	E2Q	C05-N18	-2.27	1.36	1.39

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	901	E2Q	O13-S11-O12	-7.93	106.60	118.80
6	A	901	E2Q	O13-S11-O12	-7.91	106.62	118.80
7	C	902	NAG	C2-N2-C7	7.82	133.38	122.90
7	A	902	NAG	C2-N2-C7	7.79	133.34	122.90
6	B	901	E2Q	O13-S11-O12	-7.74	106.89	118.80
6	D	901	E2Q	O13-S11-O12	-7.73	106.91	118.80
7	A	902	NAG	O5-C1-C2	-6.38	101.43	111.29
7	C	902	NAG	O5-C1-C2	-6.32	101.50	111.29
7	C	902	NAG	O5-C5-C6	-5.08	97.79	107.66
7	A	902	NAG	O5-C5-C6	-5.07	97.80	107.66
7	A	902	NAG	C1-C2-N2	-4.90	102.71	110.43
7	C	902	NAG	C1-C2-N2	-4.85	102.80	110.43
7	A	902	NAG	O5-C5-C4	-4.56	99.73	110.83
7	C	902	NAG	O5-C5-C4	-4.55	99.75	110.83
6	B	901	E2Q	C02-C03-C04	-4.12	117.29	124.70
6	D	901	E2Q	C02-C03-C04	-4.12	117.29	124.70
6	C	901	E2Q	C02-C03-C04	-4.09	117.34	124.70
6	A	901	E2Q	C02-C03-C04	-4.06	117.39	124.70
6	A	901	E2Q	C08-C09-S11	3.30	125.84	121.74
6	C	901	E2Q	C08-C09-S11	3.29	125.83	121.74
6	D	901	E2Q	C05-N18-C19	-3.21	120.32	124.82
6	A	901	E2Q	C05-N18-C19	-3.20	120.34	124.82
7	A	902	NAG	O4-C4-C5	-3.20	101.44	109.32
6	C	901	E2Q	C05-N18-C19	-3.20	120.34	124.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	902	NAG	O4-C4-C5	-3.19	101.47	109.32
6	B	901	E2Q	C08-C09-S11	3.19	125.70	121.74
6	B	901	E2Q	C05-N18-C19	-3.18	120.36	124.82
6	D	901	E2Q	C08-C09-S11	3.15	125.66	121.74
6	A	901	E2Q	C04-C05-N18	3.03	121.49	118.59
6	C	901	E2Q	C04-C05-N18	3.00	121.46	118.59
6	D	901	E2Q	C04-C05-N18	2.91	121.38	118.59
6	C	901	E2Q	O13-S11-C09	2.87	111.42	107.26
6	A	901	E2Q	O13-S11-C09	2.86	111.41	107.26
6	B	901	E2Q	C04-C05-N18	2.84	121.31	118.59
6	D	901	E2Q	C21-C19-N18	2.72	118.72	116.82
6	B	901	E2Q	C21-C19-N18	2.71	118.71	116.82
6	C	901	E2Q	C21-C19-N18	2.70	118.71	116.82
6	A	901	E2Q	O13-S11-N14	2.70	111.24	107.35
6	A	901	E2Q	C21-C19-N18	2.69	118.70	116.82
6	C	901	E2Q	O13-S11-N14	2.68	111.22	107.35
6	B	901	E2Q	O13-S11-N14	2.60	111.10	107.35
6	D	901	E2Q	O13-S11-N14	2.59	111.09	107.35
6	B	901	E2Q	O12-S11-C09	2.57	110.98	107.26
6	D	901	E2Q	O12-S11-C09	2.56	110.98	107.26
7	C	902	NAG	O7-C7-N2	2.48	126.36	121.98
7	A	902	NAG	O7-C7-N2	2.47	126.35	121.98
6	D	901	E2Q	O13-S11-C09	2.45	110.81	107.26
6	D	901	E2Q	C19-C21-N23	2.45	118.53	116.82
6	B	901	E2Q	C19-C21-N23	2.43	118.52	116.82
6	A	901	E2Q	C19-C21-N23	2.41	118.50	116.82
6	B	901	E2Q	O13-S11-C09	2.40	110.75	107.26
7	A	902	NAG	O4-C4-C3	-2.39	104.74	110.38
7	C	902	NAG	O4-C4-C3	-2.38	104.77	110.38
6	C	901	E2Q	O12-S11-C09	2.37	110.70	107.26
6	A	901	E2Q	O12-S11-C09	2.37	110.69	107.26
6	C	901	E2Q	C19-C21-N23	2.36	118.47	116.82
7	A	902	NAG	C4-C3-C2	-2.22	107.77	111.02
7	A	902	NAG	C1-O5-C5	2.21	115.15	112.19
7	C	902	NAG	C4-C3-C2	-2.19	107.80	111.02
7	C	902	NAG	C1-O5-C5	2.17	115.10	112.19
6	A	901	E2Q	C09-C08-C03	2.08	117.92	116.78
6	C	901	E2Q	C10-C09-S11	-2.06	114.72	117.53
6	A	901	E2Q	C10-C09-S11	-2.06	114.72	117.53
6	C	901	E2Q	C09-C08-C03	2.05	117.91	116.78
7	A	902	NAG	C6-C5-C4	-2.03	108.03	113.02
7	C	902	NAG	C6-C5-C4	-2.03	108.04	113.02

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	A	901	E2Q	C06-C07-N15-O16
6	A	901	E2Q	C08-C07-N15-O16
6	B	901	E2Q	C06-C07-N15-O16
6	B	901	E2Q	C08-C07-N15-O16
6	C	901	E2Q	C06-C07-N15-O16
6	C	901	E2Q	C08-C07-N15-O16
6	D	901	E2Q	C06-C07-N15-O16
6	D	901	E2Q	C08-C07-N15-O16
7	A	902	NAG	C3-C2-N2-C7
7	C	902	NAG	C3-C2-N2-C7
7	A	902	NAG	O5-C5-C6-O6
7	C	902	NAG	O5-C5-C6-O6

There are no ring outliers.


4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	901	E2Q	1	0
6	D	901	E2Q	1	0
6	C	901	E2Q	1	0
6	B	901	E2Q	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand E2Q D 901







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4575. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 110



Y Index: 110




Z Index: 110


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 105



Y Index: 110




Z Index: 92


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.017. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 301 nm³; this corresponds to an approximate mass of 272 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.159 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.159 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	6.30	-	-
Author-provided FSC curve	6.82	8.47	7.06
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4575 and PDB model 6QKZ. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.017 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.017) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7620	 0.2230
A	 0.7900	 0.2260
B	 0.7610	 0.2300
C	 0.7900	 0.2260
D	 0.7630	 0.2310
E	 0.3590	 0.0330
F	 0.0000	 0.0040
G	 0.0000	 0.2140
H	 0.0710	 0.0050
I	 0.7450	 0.2050
J	 0.7450	 0.2050
K	 0.3590	 0.0250
L	 0.0000	 0.0280
M	 0.0000	 0.2210
N	 0.0710	 0.0120

