



Full wwPDB EM Validation Report ⓘ

Mar 14, 2026 – 08:05 AM UTC

PDB ID : 8UTT / pdb_00008utt
EMDB ID : EMD-42549
Title : KIF1A[1-393] P305L mutant AMP-PNP bound two-heads-bound state in complex with a microtubule
Authors : Benoit, M.P.M.H.; Rao, L.; Asenjo, A.B.; Gennerich, A.; Sosa, H.
Deposited on : 2023-10-31
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	K	438	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">15%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">75% 11% • 13%</div> </div>
1	N	438	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">30%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">72% 14% • 12%</div> </div>
2	A	451	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">•</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">88% 10% •</div> </div>
2	E	451	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">•</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">88% 12% •</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	S	451	 8% 86% 14%
3	B	445	 86% 10% ..
3	I	445	 84% 12% ..

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 23744 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kinesin-like protein KIF1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	K	382	3014	1866	535	597	16	0	0
1	N	385	3031	1876	538	600	17	0	0

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	305	LEU	PRO	engineered mutation	UNP Q12756
K	394	GLY	-	linker	UNP Q12756
K	395	ALA	-	linker	UNP Q12756
K	396	GLY	-	linker	UNP Q12756
K	397	VAL	-	linker	UNP Q12756
K	398	LYS	-	linker	UNP Q12756
K	399	GLN	-	linker	UNP Q12756
K	400	LEU	-	linker	UNP Q12756
K	401	GLU	-	linker	UNP Q12756
K	402	ASP	-	linker	UNP Q12756
K	403	LYS	-	linker	UNP Q12756
K	404	VAL	-	linker	UNP Q12756
K	405	GLU	-	linker	UNP Q12756
K	406	GLU	-	linker	UNP Q12756
K	407	LEU	-	linker	UNP Q12756
K	408	ALA	-	linker	UNP Q12756
K	409	SER	-	linker	UNP Q12756
K	410	LYS	-	linker	UNP Q12756
K	411	ASN	-	linker	UNP Q12756
K	412	TYR	-	linker	UNP Q12756
K	413	HIS	-	linker	UNP Q12756
K	414	LEU	-	linker	UNP Q12756
K	415	GLU	-	linker	UNP Q12756
K	416	ASN	-	linker	UNP Q12756
K	417	GLU	-	linker	UNP Q12756
K	418	VAL	-	linker	UNP Q12756

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	419	ALA	-	linker	UNP Q12756
K	420	ARG	-	linker	UNP Q12756
K	421	LEU	-	linker	UNP Q12756
K	422	LYS	-	linker	UNP Q12756
K	423	LYS	-	linker	UNP Q12756
K	424	LEU	-	linker	UNP Q12756
K	425	VAL	-	linker	UNP Q12756
K	426	GLU	-	expression tag	UNP Q12756
K	427	PHE	-	expression tag	UNP Q12756
K	428	THR	-	expression tag	UNP Q12756
K	429	SER	-	expression tag	UNP Q12756
K	430	ALA	-	expression tag	UNP Q12756
K	431	TRP	-	expression tag	UNP Q12756
K	432	SER	-	expression tag	UNP Q12756
K	433	HIS	-	expression tag	UNP Q12756
K	434	PRO	-	expression tag	UNP Q12756
K	435	GLN	-	expression tag	UNP Q12756
K	436	PHE	-	expression tag	UNP Q12756
K	437	GLU	-	expression tag	UNP Q12756
K	438	LYS	-	expression tag	UNP Q12756
N	305	LEU	PRO	engineered mutation	UNP Q12756
N	394	GLY	-	linker	UNP Q12756
N	395	ALA	-	linker	UNP Q12756
N	396	GLY	-	linker	UNP Q12756
N	397	VAL	-	linker	UNP Q12756
N	398	LYS	-	linker	UNP Q12756
N	399	GLN	-	linker	UNP Q12756
N	400	LEU	-	linker	UNP Q12756
N	401	GLU	-	linker	UNP Q12756
N	402	ASP	-	linker	UNP Q12756
N	403	LYS	-	linker	UNP Q12756
N	404	VAL	-	linker	UNP Q12756
N	405	GLU	-	linker	UNP Q12756
N	406	GLU	-	linker	UNP Q12756
N	407	LEU	-	linker	UNP Q12756
N	408	ALA	-	linker	UNP Q12756
N	409	SER	-	linker	UNP Q12756
N	410	LYS	-	linker	UNP Q12756
N	411	ASN	-	linker	UNP Q12756
N	412	TYR	-	linker	UNP Q12756
N	413	HIS	-	linker	UNP Q12756
N	414	LEU	-	linker	UNP Q12756

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	415	GLU	-	linker	UNP Q12756
N	416	ASN	-	linker	UNP Q12756
N	417	GLU	-	linker	UNP Q12756
N	418	VAL	-	linker	UNP Q12756
N	419	ALA	-	linker	UNP Q12756
N	420	ARG	-	linker	UNP Q12756
N	421	LEU	-	linker	UNP Q12756
N	422	LYS	-	linker	UNP Q12756
N	423	LYS	-	linker	UNP Q12756
N	424	LEU	-	linker	UNP Q12756
N	425	VAL	-	linker	UNP Q12756
N	426	GLU	-	expression tag	UNP Q12756
N	427	PHE	-	expression tag	UNP Q12756
N	428	THR	-	expression tag	UNP Q12756
N	429	SER	-	expression tag	UNP Q12756
N	430	ALA	-	expression tag	UNP Q12756
N	431	TRP	-	expression tag	UNP Q12756
N	432	SER	-	expression tag	UNP Q12756
N	433	HIS	-	expression tag	UNP Q12756
N	434	PRO	-	expression tag	UNP Q12756
N	435	GLN	-	expression tag	UNP Q12756
N	436	PHE	-	expression tag	UNP Q12756
N	437	GLU	-	expression tag	UNP Q12756
N	438	LYS	-	expression tag	UNP Q12756

- Molecule 2 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A	440	Total 3437	C 2175	N 584	O 656	S 22	0	0
2	E	451	Total 3524	C 2225	N 595	O 682	S 22	0	0
2	S	451	Total 3524	C 2225	N 595	O 682	S 22	0	0


- Molecule 3 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	B	432	Total 3427	C 2147	N 585	O 668	S 27	4	0
3	I	433	Total 3445	C 2157	N 589	O 672	S 27	5	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
4	K	1	Total	Mg	0
			1	1	
4	A	1	Total	Mg	0
			1	1	
4	E	1	Total	Mg	0
			1	1	
4	S	1	Total	Mg	0
			1	1	

- Molecule 5 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
5	K	1	Total	C	N	O	P	0
			31	10	6	12	3	
5	N	1	Total	C	N	O	P	0
			31	10	6	12	3	

- Molecule 6 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms				AltConf	
6	A	1	Total	C	N	O	P	0
			32	10	5	14	3	
6	E	1	Total	C	N	O	P	0
			32	10	5	14	3	
6	S	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 7 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).




Mol	Chain	Residues	Atoms				AltConf	
7	B	1	Total	C	N	O	P	0
			28	10	5	11	2	

Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
7	I	1	28	10	5	11	2	0

- Molecule 8 is TAXOL (CCD ID: TA1) (formula: $C_{47}H_{51}NO_{14}$).





Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
8	B	1	62	47	1	14	0
8	I	1	62	47	1	14	0



• Molecule 2: Tubulin alpha-1B chain





• Molecule 2: Tubulin alpha-1B chain




• Molecule 2: Tubulin alpha-1B chain




• Molecule 3: Tubulin beta-2B chain



• Molecule 3: Tubulin beta-2B chain





4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=168.09°, rise=5.64 Å, axial sym=C1	Depositor
Number of segments used	110600	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{Å}^2$)	49.36	Depositor
Minimum defocus (nm)	810	Depositor
Maximum defocus (nm)	2210	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.071	Depositor
Minimum map value	0.000	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.00789	Depositor
Map size (Å)	351.104, 351.104, 351.104	wwPDB
Map dimensions	416, 416, 416	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.844, 0.844, 0.844	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, ANP, TA1, MG, GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	K	0.49	1/3059 (0.0%)	0.64	1/4126 (0.0%)
1	N	0.37	0/3076	0.60	1/4148 (0.0%)
2	A	0.31	0/3515	0.49	0/4772
2	E	0.31	0/3603	0.49	0/4889
2	S	0.30	0/3603	0.54	0/4889
3	B	0.35	0/3501	0.52	0/4741
3	I	0.39	0/3519	0.57	0/4765
All	All	0.36	1/23876 (0.0%)	0.55	2/32330 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	K	299	LYS	C-N	17.87	1.57	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	299	LYS	O-C-N	6.23	130.32	122.91
1	N	333	PRO	CA-N-CD	-5.25	104.66	112.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	K	3014	0	3002	43	0
1	N	3031	0	3022	73	0
2	A	3437	0	3349	32	0
2	E	3524	0	3409	35	0
2	S	3524	0	3409	41	0
3	B	3427	0	3293	45	0
3	I	3445	0	3310	50	0
4	A	1	0	0	0	0
4	E	1	0	0	0	0
4	K	1	0	0	0	0
4	S	1	0	0	0	0
5	K	31	0	13	2	0
5	N	31	0	13	6	0
6	A	32	0	12	0	0
6	E	32	0	12	0	0
6	S	32	0	12	2	0
7	B	28	0	12	0	0
7	I	28	0	12	0	0
8	B	62	0	51	20	0
8	I	62	0	51	17	0
All	All	23744	0	22982	321	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (321) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:13:ARG:HG2	1:K:14:PRO:HD2	1.33	1.04
1:N:300:LYS:NZ	1:N:302:ASP:H	1.57	1.03
1:K:205:VAL:HG13	1:K:214:SER:O	1.61	1.00
1:N:300:LYS:HZ3	1:N:302:ASP:H	1.09	0.93
1:N:300:LYS:HZ1	1:N:302:ASP:HA	1.40	0.85
2:E:105:ARG:HA	2:E:109:THR:HG23	1.58	0.84
1:N:300:LYS:NZ	1:N:302:ASP:N	2.25	0.84
3:I:225:LEU:HA	3:I:228:LEU:HD12	1.62	0.82
3:B:225:LEU:HA	3:B:228:LEU:HD12	1.61	0.81
1:N:105:TYR:HB2	5:N:501:ANP:H2'	1.63	0.80
1:K:13:ARG:HG2	1:K:14:PRO:CD	2.12	0.79
1:N:300:LYS:HZ1	1:N:302:ASP:CA	1.97	0.77
3:B:29:GLY:O	3:B:30:ILE:HD13	1.86	0.75
1:K:29:GLN:OE1	1:K:36:THR:OG1	2.04	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:307:ARG:HD2	3:I:417:ASP:OD2	1.85	0.75
2:A:90:GLU:O	2:A:121:ARG:NH1	2.20	0.74
1:N:30:MET:SD	1:N:55:SER:OG	2.45	0.74
1:N:300:LYS:NZ	1:N:302:ASP:HA	2.03	0.74
2:E:48:SER:OG	2:E:61:HIS:NE2	2.20	0.73
2:S:415:GLU:OE1	2:S:415:GLU:N	2.20	0.73
1:K:331:LEU:HD21	1:K:345:LEU:HD21	1.69	0.73
3:I:274:THR:HG22	8:I:502:TA1:H191	1.70	0.72
2:A:292:THR:HG21	2:A:331:ALA:HB1	1.71	0.72
3:B:228:LEU:HG	8:B:502:TA1:HC71	1.70	0.72
3:I:228:LEU:HG	8:I:502:TA1:HC71	1.71	0.72
2:S:75:ILE:HD12	2:S:93:ILE:HD12	1.71	0.71
1:N:58:SER:HB2	5:N:501:ANP:HN62	1.55	0.71
1:K:95:ALA:HB1	1:K:103:LYS:HG2	1.73	0.70
1:N:300:LYS:NZ	1:N:302:ASP:CA	2.55	0.70
8:B:502:TA1:H321	8:B:502:TA1:H421	1.75	0.69
1:N:300:LYS:HZ1	1:N:302:ASP:N	1.88	0.69
2:E:221:ARG:NH1	3:I:325:GLU:OE2	2.27	0.68
2:E:98:ASP:OD1	2:E:99:ALA:N	2.27	0.67
1:K:383:LEU:HD22	1:N:382:LEU:HD13	1.76	0.67
3:I:274:THR:HG21	3:I:279:GLN:HG2	1.75	0.67
1:N:107:MET:HE3	1:N:119:ILE:HD11	1.76	0.67
3:B:257:MET:HE3	3:B:312:THR:HG23	1.77	0.67
2:S:50:ASN:OD1	2:S:64:ARG:NH1	2.29	0.66
2:S:427:ALA:O	2:S:430:LYS:N	2.29	0.66
1:N:297:LYS:O	1:N:299:LYS:NZ	2.28	0.65
1:K:101:ALA:HB1	1:K:330:ALA:HB3	1.78	0.64
2:A:139:HIS:NE2	2:A:168:GLU:OE2	2.30	0.64
2:S:90:GLU:O	2:S:121:ARG:NH2	2.30	0.64
2:S:449:GLU:HA	2:S:451:TYR:CZ	2.31	0.64
3:I:273:LEU:HA	8:I:502:TA1:H162	1.80	0.64
3:B:274:THR:HG22	8:B:502:TA1:H191	1.80	0.63
2:A:317:LEU:HD21	2:A:377:MET:HE3	1.80	0.63
3:B:3:GLU:OE2	3:B:3:GLU:N	2.32	0.63
2:A:172:TYR:HH	2:A:388:TRP:HD1	1.47	0.62
1:K:9:ALA:HB1	1:K:56:TYR:HE2	1.64	0.62
1:K:13:ARG:HD3	1:K:100:GLY:O	1.99	0.62
3:I:274:THR:HG23	3:I:276:ARG:H	1.64	0.62
1:N:306:TYR:C	1:N:308:ASP:H	2.07	0.62
3:B:272:PRO:HG2	8:B:502:TA1:H161	1.81	0.61
1:K:330:ALA:O	1:K:331:LEU:HD12	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:275:SER:HA	3:B:276:ARG:NH1	2.16	0.60
2:E:3:GLU:O	2:E:132:LEU:HD12	2.02	0.60
3:B:273:LEU:HB2	3:B:292:GLN:NE2	2.17	0.59
2:S:145:THR:OG1	6:S:501:GTP:O3B	2.20	0.59
2:A:172:TYR:HH	2:A:388:TRP:CD1	2.20	0.59
3:I:121:ARG:NH1	3:I:158:GLU:OE2	2.36	0.59
3:B:273:LEU:HB2	3:B:292:GLN:HE22	1.68	0.59
3:B:276:ARG:C	3:B:278:SER:H	2.11	0.59
3:I:391:ARG:NH1	2:S:437:VAL:O	2.32	0.59
1:K:331:LEU:HD21	1:K:345:LEU:CD2	2.33	0.59
3:B:275:SER:HA	3:B:276:ARG:CZ	2.32	0.59
1:N:302:ASP:O	1:N:303:PHE:C	2.45	0.59
2:S:3:GLU:OE2	2:S:130:THR:N	2.35	0.58
2:S:414:GLU:HG2	2:S:417:GLU:HG3	1.85	0.58
2:A:273:ALA:HB3	2:A:274:PRO:HD3	1.85	0.58
3:I:348:ASN:OD1	3:I:348:ASN:N	2.34	0.58
2:S:413:MET:HE3	2:S:418:PHE:CE2	2.39	0.58
1:N:353:GLN:N	1:N:353:GLN:OE1	2.37	0.58
2:E:105:ARG:HA	2:E:109:THR:CG2	2.32	0.58
1:N:306:TYR:O	1:N:308:ASP:N	2.37	0.58
2:E:142:GLY:O	2:E:186:ASN:ND2	2.37	0.58
2:S:140:SER:OG	6:S:501:GTP:O1A	2.22	0.57
1:N:255:ALA:C	1:N:257:SER:H	2.11	0.57
3:I:215:LEU:HD22	3:I:276:ARG:HH22	1.69	0.57
1:N:127:PHE:HE2	1:N:192:ILE:HD11	1.68	0.57
8:B:502:TA1:H463	8:B:502:TA1:H261	1.86	0.57
3:B:29:GLY:C	3:B:30:ILE:HD13	2.29	0.57
1:K:12:VAL:HG12	1:K:57:TRP:HA	1.87	0.57
8:I:502:TA1:H472	8:I:502:TA1:C20	2.35	0.57
2:S:139:HIS:ND1	2:S:146:GLY:O	2.38	0.57
1:N:169:ARG:NH2	3:I:406:MET:HE3	2.20	0.57
1:N:300:LYS:HZ3	1:N:302:ASP:N	1.90	0.56
3:B:19:LYS:HD3	3:B:22:GLU:HG2	1.87	0.56
2:E:5:ILE:HD12	2:E:132:LEU:HD11	1.87	0.56
2:E:189:LEU:HD21	2:E:413:MET:HE1	1.87	0.56
2:S:21:TRP:CZ2	2:S:65:ALA:HB2	2.40	0.56
2:S:273:ALA:HB3	2:S:274:PRO:HD3	1.87	0.56
2:S:273:ALA:HB2	2:S:295:CYS:SG	2.45	0.56
1:K:10:VAL:HG13	1:K:331:LEU:HD13	1.87	0.56
1:N:127:PHE:CE2	1:N:192:ILE:HD11	2.40	0.56
2:E:76:ASP:OD2	3:I:46:ARG:NH2	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:B:502:TA1:C24	8:B:502:TA1:H101	2.36	0.56
3:B:274:THR:HG21	3:B:279:GLN:HB3	1.88	0.56
8:B:502:TA1:H101	8:B:502:TA1:C25	2.36	0.56
1:K:13:ARG:CG	1:K:14:PRO:HD2	2.23	0.55
3:I:254:ALA:O	3:I:258:VAL:HG12	2.07	0.55
3:B:274:THR:HG23	3:B:276:ARG:H	1.72	0.55
3:B:219:THR:O	3:B:219:THR:OG1	2.21	0.55
2:A:262:TYR:HB2	2:A:265:ILE:HG12	1.89	0.55
1:K:136:ASP:OD1	1:K:137:ASN:N	2.39	0.55
3:B:257:MET:CE	3:B:312:THR:HG23	2.37	0.54
1:K:340:GLU:OE1	1:K:340:GLU:N	2.39	0.54
2:A:296:PHE:CZ	2:A:377:MET:HE1	2.43	0.54
2:E:421:ALA:O	2:E:422:ARG:C	2.51	0.54
8:B:502:TA1:C20	8:B:502:TA1:H472	2.38	0.54
3:B:249:ASP:OD1	3:B:250:LEU:N	2.40	0.53
2:E:3:GLU:OE2	2:E:3:GLU:N	2.41	0.53
2:A:269:LEU:HD22	2:A:303:VAL:HG11	1.89	0.53
2:S:154:MET:HE3	2:S:154:MET:HA	1.90	0.53
1:K:376:VAL:HG23	1:N:379:LEU:CD1	2.38	0.53
2:E:92:LEU:HD13	2:E:118:VAL:HG22	1.91	0.53
8:I:502:TA1:H192	8:I:502:TA1:H142	1.91	0.53
2:E:421:ALA:O	2:E:424:ASP:N	2.43	0.52
1:N:13:ARG:HD3	1:N:100:GLY:O	2.09	0.52
3:B:228:LEU:HG	8:B:502:TA1:C07	2.38	0.52
3:B:273:LEU:HA	8:B:502:TA1:H162	1.91	0.52
2:E:71:GLU:O	2:E:93:ILE:HD11	2.10	0.52
3:I:276:ARG:C	3:I:278:SER:H	2.17	0.52
1:N:320:GLY:O	1:N:323:SER:OG	2.26	0.52
2:E:439:SER:OG	2:E:443:GLU:OE1	2.21	0.52
3:B:57:ASN:O	3:B:57:ASN:ND2	2.41	0.52
3:B:348:ASN:OD1	3:B:348:ASN:N	2.42	0.51
1:N:70:GLN:OE1	1:N:70:GLN:N	2.43	0.51
3:I:188:SER:O	3:I:189:VAL:C	2.53	0.51
3:I:224:ASP:HB3	8:I:502:TA1:H061	1.92	0.51
8:B:502:TA1:H192	8:B:502:TA1:H142	1.92	0.51
3:I:276:ARG:HE	8:I:502:TA1:H193	1.75	0.51
1:N:254:ARG:NH1	1:N:256:ASP:HB3	2.26	0.51
2:A:384:ILE:O	2:A:385:ALA:C	2.52	0.51
3:I:404:ASP:OD2	3:I:407:GLU:HG3	2.11	0.51
1:K:13:ARG:HG3	5:K:502:ANP:C8	2.41	0.51
3:I:411:ALA:O	3:I:414:ASN:N	2.44	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:S:440:VAL:HG12	2:S:441:GLU:OE1	2.11	0.50
1:N:58:SER:CB	5:N:501:ANP:HN62	2.25	0.50
3:B:1:MET:N	3:B:1:MET:HE2	2.26	0.50
3:B:131:GLN:NE2	3:B:249:ASP:OD1	2.44	0.50
2:E:102:ASN:OD1	2:E:104:ALA:HB3	2.11	0.50
3:B:208:TYR:CE1	3:B:225:LEU:HD11	2.47	0.50
2:E:112:LYS:O	2:E:113:GLU:HB2	2.11	0.49
3:I:137:HIS:HE2	3:I:168:SER:HG	1.57	0.49
3:I:188:SER:C	3:I:190:HIS:N	2.70	0.49
3:B:209:ASP:OD2	3:B:213:ARG:NH2	2.46	0.49
1:N:303:PHE:O	1:N:303:PHE:CG	2.65	0.49
2:E:226:ASN:ND2	2:E:367:ASP:OD2	2.45	0.49
3:I:19:LYS:O	3:I:23:VAL:HG23	2.12	0.49
1:N:303:PHE:CE1	3:I:421:GLU:HA	2.48	0.48
3:I:218:THR:HG22	3:I:219:THR:HG23	1.96	0.48
2:S:449:GLU:HA	2:S:451:TYR:CE2	2.48	0.48
1:N:96:TYR:HA	1:N:103:LYS:HE3	1.94	0.48
2:E:106:GLY:O	2:E:148:GLY:C	2.56	0.48
1:N:105:TYR:HB2	5:N:501:ANP:C2'	2.40	0.48
1:N:338:TYR:O	1:N:341:THR:OG1	2.29	0.48
1:N:135:ASN:HD21	1:N:137:ASN:HB2	1.78	0.48
1:N:39:ASN:OD1	1:N:41:LYS:N	2.46	0.48
1:N:303:PHE:CZ	3:I:421:GLU:HA	2.48	0.48
3:B:429[A]:THR:O	3:B:431[A]:ASP:N	2.47	0.48
2:A:69:ASP:OD1	2:A:70:LEU:N	2.45	0.48
3:B:299:MET:HE1	3:B:367:PHE:CE1	2.47	0.48
2:E:273:ALA:HB3	2:E:274:PRO:HD3	1.96	0.48
8:I:502:TA1:C12	8:I:502:TA1:H432	2.44	0.48
1:K:144:VAL:HG12	1:K:223:ILE:CD1	2.44	0.48
1:K:379:LEU:HD21	1:N:380:ARG:NE	2.29	0.48
1:N:298:LYS:HE3	1:N:298:LYS:HB3	1.47	0.47
2:A:261:PRO:HB2	2:A:265:ILE:HD11	1.95	0.47
1:K:45:GLU:O	1:K:46:THR:HG23	2.14	0.47
1:N:102:GLY:HA2	5:N:501:ANP:O5'	2.14	0.47
2:A:172:TYR:OH	2:A:388:TRP:HD1	1.97	0.47
3:B:23:VAL:HG22	8:B:502:TA1:C36	2.45	0.47
3:B:273:LEU:HG	8:B:502:TA1:O06	2.15	0.47
1:K:178:VAL:HG11	1:K:181:LEU:HD22	1.96	0.47
3:B:428:ALA:O	3:B:429[A]:THR:OG1	2.25	0.47
8:I:502:TA1:H091	8:I:502:TA1:H141	1.97	0.47
2:A:265:ILE:O	2:A:265:ILE:HG13	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:288:VAL:O	2:A:292:THR:HG22	2.15	0.47
3:B:313:VAL:CG1	3:B:349:VAL:HG22	2.44	0.47
2:S:115:ILE:HD11	2:S:119:LEU:HD21	1.96	0.47
2:E:238:ILE:CD1	2:E:378:LEU:HD11	2.45	0.47
2:S:317:LEU:HD21	2:S:377:MET:HE3	1.96	0.47
2:E:189:LEU:CD2	2:E:413:MET:HE1	2.45	0.47
3:I:272:PRO:C	3:I:273:LEU:HG	2.40	0.47
3:B:19:LYS:O	3:B:23:VAL:HG23	2.15	0.46
2:E:3:GLU:OE1	2:E:130:THR:N	2.47	0.46
2:E:48:SER:HG	2:E:61:HIS:CD2	2.28	0.46
2:E:188:ILE:O	2:E:191:THR:HG22	2.15	0.46
8:B:502:TA1:H091	8:B:502:TA1:H141	1.98	0.46
8:B:502:TA1:H461	8:B:502:TA1:H233	1.96	0.46
2:A:245:ASP:OD1	2:A:246:GLY:N	2.49	0.46
2:A:266:HIS:CD2	2:A:267:PHE:CE1	3.04	0.46
3:I:228:LEU:HG	8:I:502:TA1:C07	2.45	0.46
2:A:384:ILE:HG23	2:A:385:ALA:N	2.31	0.46
8:I:502:TA1:C24	8:I:502:TA1:H101	2.46	0.46
1:N:169:ARG:NH1	1:N:179:GLU:OE2	2.48	0.46
1:N:305:LEU:N	1:N:305:LEU:HD12	2.31	0.46
1:N:379:LEU:HA	1:N:382:LEU:HB2	1.98	0.46
3:I:276:ARG:C	3:I:278:SER:N	2.74	0.46
2:S:265:ILE:HG22	2:S:265:ILE:O	2.16	0.46
3:B:23:VAL:HA	8:B:502:TA1:C33	2.45	0.45
3:I:81:PHE:O	3:I:84:ILE:HG22	2.16	0.45
2:E:414:GLU:C	2:E:416:GLY:N	2.74	0.45
1:N:98:GLN:O	1:N:99:THR:C	2.58	0.45
2:A:262:TYR:HD2	2:A:265:ILE:HD11	1.81	0.45
1:K:30:MET:HE1	1:K:56:TYR:C	2.42	0.45
3:B:276:ARG:O	3:B:278:SER:N	2.49	0.45
2:E:367:ASP:N	2:E:367:ASP:OD1	2.48	0.45
1:N:381:ASP:HA	1:N:384:TYR:CD2	2.52	0.45
8:B:502:TA1:C24	8:B:502:TA1:C10	2.95	0.45
3:I:179:VAL:HG12	2:S:258:ASN:OD1	2.16	0.45
2:S:245:ASP:OD1	2:S:246:GLY:N	2.49	0.45
1:K:103:LYS:HE2	1:K:103:LYS:HB2	1.51	0.45
8:I:502:TA1:H463	8:I:502:TA1:H261	1.99	0.45
1:N:298:LYS:O	3:I:433[A]:GLN:HG3	2.17	0.45
2:A:262:TYR:HD2	2:A:265:ILE:CD1	2.30	0.45
2:E:251:ASP:OD1	2:E:252:LEU:N	2.47	0.45
2:E:446:GLU:OE2	2:E:447:GLU:N	2.50	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:352:LYS:O	1:N:352:LYS:HG2	2.17	0.44
3:B:94:GLN:O	3:B:95:SER:OG	2.32	0.44
8:I:502:TA1:C27	8:I:502:TA1:H441	2.47	0.44
3:I:39:ASP:OD1	3:I:40:SER:N	2.51	0.44
1:K:376:VAL:HG23	1:N:379:LEU:HD11	1.98	0.44
2:S:96:LYS:NZ	2:S:113:GLU:OE1	2.50	0.44
3:I:188:SER:O	3:I:191:GLN:N	2.40	0.44
2:S:317:LEU:CD1	2:S:332:ILE:HD11	2.47	0.44
1:N:210:MET:HE1	1:N:340:GLU:CG	2.47	0.44
3:I:188:SER:O	3:I:190:HIS:N	2.51	0.44
1:K:99:THR:HG21	1:K:253:GLU:OE1	2.16	0.44
1:N:89:TYR:O	1:N:242:SER:OG	2.34	0.44
1:N:103:LYS:O	1:N:104:SER:C	2.60	0.44
2:S:148:GLY:O	2:S:151:SER:OG	2.25	0.44
2:S:186:ASN:O	2:S:190:THR:HG22	2.18	0.44
3:I:156:ARG:NH2	3:I:197:ASP:OD1	2.51	0.44
3:I:411:ALA:O	3:I:412:GLU:C	2.60	0.44
3:I:411:ALA:C	3:I:413:SER:N	2.74	0.43
1:K:101:ALA:HB1	1:K:330:ALA:CB	2.44	0.43
1:K:379:LEU:HD21	1:N:380:ARG:HE	1.82	0.43
3:B:24:ILE:HD12	3:B:241:ARG:NH1	2.33	0.43
2:S:191:THR:HA	2:S:194:THR:HG22	2.01	0.43
2:S:427:ALA:O	2:S:430:LYS:HB2	2.18	0.43
1:N:300:LYS:HE2	1:N:300:LYS:HB2	1.55	0.43
1:N:298:LYS:HE2	2:S:451:TYR:HD2	1.83	0.43
3:B:27:GLU:HA	3:B:359:ARG:CZ	2.48	0.43
3:I:3:GLU:N	3:I:3:GLU:OE1	2.51	0.43
2:S:448:GLY:H	2:S:450:GLU:CD	2.27	0.43
3:B:276:ARG:C	3:B:278:SER:N	2.73	0.43
1:K:296:LYS:O	1:K:297:LYS:HB2	2.17	0.43
1:N:281:VAL:HG23	1:N:304:ILE:CG2	2.49	0.43
3:I:215:LEU:HB2	3:I:217:LEU:HG	2.00	0.43
1:K:186:VAL:HG21	1:K:192:ILE:HB	2.01	0.43
2:A:146:GLY:O	2:A:150:THR:OG1	2.30	0.43
2:A:223:THR:OG1	2:A:224:TYR:N	2.51	0.43
3:I:358:PRO:HB2	3:I:361:LEU:HD12	2.00	0.43
1:K:102:GLY:HA2	5:K:502:ANP:PA	2.59	0.43
1:K:330:ALA:C	1:K:331:LEU:HD12	2.43	0.43
3:I:23:VAL:HA	8:I:502:TA1:C33	2.49	0.43
1:N:101:ALA:HB1	1:N:330:ALA:C	2.43	0.42
1:N:378:ARG:O	1:N:382:LEU:N	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:S:21:TRP:HZ2	2:S:65:ALA:HB2	1.83	0.42
1:N:110:LYS:HA	1:N:110:LYS:HD3	1.51	0.42
1:N:306:TYR:C	1:N:308:ASP:N	2.72	0.42
1:N:380:ARG:HB3	1:N:384:TYR:CZ	2.54	0.42
2:E:9:VAL:HG12	2:E:68:VAL:HB	2.00	0.42
1:N:27:ILE:HD12	1:N:37:ILE:HD11	2.01	0.42
1:N:166:LEU:N	1:N:166:LEU:HD22	2.34	0.42
1:N:255:ALA:C	1:N:257:SER:N	2.72	0.42
3:I:23:VAL:HG22	8:I:502:TA1:C35	2.48	0.42
3:I:273:LEU:HD11	3:I:298:ASN:ND2	2.34	0.42
3:B:361:LEU:HG	8:B:502:TA1:H442	2.01	0.42
2:A:1:MET:N	2:A:1:MET:HE2	2.34	0.42
3:B:39:ASP:OD1	3:B:39:ASP:N	2.52	0.42
1:K:87:GLU:O	1:K:240:LYS:NZ	2.53	0.42
2:S:154:MET:HE1	2:S:166:LYS:HD2	2.01	0.42
1:K:305:LEU:HD12	1:K:305:LEU:N	2.34	0.42
3:B:179:VAL:HG13	3:B:180:VAL:HG13	2.02	0.42
2:S:393:HIS:O	2:S:397:LEU:HD23	2.20	0.41
3:B:361:LEU:HD23	3:B:361:LEU:HA	1.88	0.41
1:K:43:PRO:O	1:K:45:GLU:HG2	2.20	0.41
2:A:381:THR:OG1	2:A:382:THR:N	2.53	0.41
1:N:379:LEU:O	1:N:383:LEU:HG	2.20	0.41
1:N:100:GLY:O	1:N:101:ALA:C	2.64	0.41
1:N:254:ARG:O	1:N:257:SER:N	2.54	0.41
2:A:292:THR:HG21	2:A:331:ALA:CB	2.45	0.41
2:A:317:LEU:CD2	2:A:377:MET:HE3	2.48	0.41
2:S:98:ASP:OD1	2:S:98:ASP:N	2.53	0.41
1:K:178:VAL:CG1	1:K:181:LEU:HD22	2.50	0.41
2:A:191:THR:HG21	2:A:425:MET:SD	2.60	0.41
2:S:416:GLY:O	2:S:420:GLU:N	2.37	0.41
2:E:413:MET:HE2	2:E:418:PHE:CD2	2.56	0.41
1:K:304:ILE:HB	1:K:306:TYR:CZ	2.56	0.41
1:N:106:THR:HG21	1:N:328:VAL:HG21	2.03	0.41
2:A:433:GLU:O	2:A:433:GLU:HG2	2.19	0.41
3:I:161:ASP:HB3	3:I:162:ARG:NH1	2.35	0.41
3:I:186:THR:C	3:I:188:SER:N	2.77	0.41
1:N:58:SER:HB2	5:N:501:ANP:N6	2.30	0.41
1:N:107:MET:CE	1:N:119:ILE:HD11	2.46	0.41
1:N:379:LEU:O	1:N:383:LEU:N	2.52	0.41
2:A:204:VAL:CG1	2:A:209:ILE:HD11	2.51	0.41
2:E:104:ALA:C	2:E:106:GLY:H	2.28	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:S:118:VAL:HG11	2:S:153:LEU:HD11	2.02	0.41
1:K:6:VAL:O	1:K:352:LYS:NZ	2.50	0.41
1:K:101:ALA:CB	1:K:330:ALA:HB3	2.49	0.41
2:A:385:ALA:O	2:A:386:GLU:C	2.64	0.41
2:A:79:ARG:HH22	2:A:93:ILE:HD12	1.87	0.40
2:E:245:ASP:OD1	2:E:246:GLY:N	2.54	0.40
1:K:95:ALA:HB1	1:K:103:LYS:CG	2.46	0.40
3:B:23:VAL:HG13	8:B:502:TA1:C32	2.51	0.40
3:I:276:ARG:HH21	8:I:502:TA1:H142	1.87	0.40
3:I:137:HIS:NE2	3:I:168:SER:OG	2.49	0.40
2:S:188:ILE:HG22	2:S:421:ALA:HB1	2.03	0.40
2:S:349:THR:OG1	2:S:350:GLY:N	2.55	0.40
1:K:96:TYR:C	1:K:103:LYS:CD	2.95	0.40
1:N:301:THR:O	1:N:302:ASP:C	2.64	0.40
2:S:427:ALA:O	2:S:428:LEU:C	2.64	0.40
1:K:226:THR:HG23	1:K:241:VAL:HG22	2.03	0.40
1:N:151:CYS:SG	1:N:266:LYS:NZ	2.88	0.40
8:B:502:TA1:C12	8:B:502:TA1:H432	2.52	0.40
2:E:223:THR:OG1	2:E:224:TYR:N	2.54	0.40
3:I:26:ASP:HB3	8:I:502:TA1:H331	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	K	380/438 (87%)	355 (93%)	23 (6%)	2 (0%)	24 57
1	N	383/438 (87%)	353 (92%)	27 (7%)	3 (1%)	16 47
2	A	438/451 (97%)	423 (97%)	15 (3%)	0	100 100
2	E	449/451 (100%)	427 (95%)	20 (4%)	2 (0%)	30 61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	S	449/451 (100%)	429 (96%)	20 (4%)	0	100	100
3	B	433/445 (97%)	408 (94%)	24 (6%)	1 (0%)	43	73
3	I	435/445 (98%)	404 (93%)	28 (6%)	3 (1%)	18	49
All	All	2967/3119 (95%)	2799 (94%)	157 (5%)	11 (0%)	31	61

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	K	297	LYS
1	K	61	SER
1	N	307	ARG
1	N	360	ILE
3	B	277	GLY
2	E	114	ILE
3	I	277	GLY
1	N	303	PHE
2	E	445	GLU
3	I	189	VAL
3	I	359	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	K	337/383 (88%)	329 (98%)	8 (2%)	43	69
1	N	338/383 (88%)	332 (98%)	6 (2%)	51	73
2	A	371/379 (98%)	370 (100%)	1 (0%)	86	87
2	E	379/379 (100%)	377 (100%)	2 (0%)	81	85
2	S	379/379 (100%)	375 (99%)	4 (1%)	65	78
3	B	376/383 (98%)	371 (99%)	5 (1%)	61	77
3	I	378/383 (99%)	365 (97%)	13 (3%)	32	63
All	All	2558/2669 (96%)	2519 (98%)	39 (2%)	55	75

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	K	46	THR
1	K	103	LYS
1	K	144	VAL
1	K	211	ASN
1	K	215	SER
1	K	253	GLU
1	K	281	VAL
1	K	300	LYS
1	N	13	ARG
1	N	103	LYS
1	N	110	LYS
1	N	298	LYS
1	N	300	LYS
1	N	303	PHE
2	A	379	SER
3	B	22	GLU
3	B	26	ASP
3	B	224	ASP
3	B	273	LEU
3	B	276	ARG
2	E	109	THR
2	E	295	CYS
3	I	22	GLU
3	I	26	ASP
3	I	27	GLU
3	I	88	ASP
3	I	162	ARG
3	I	196	THR
3	I	224	ASP
3	I	273	LEU
3	I	276	ARG
3	I	279	GLN
3	I	322	SER
3	I	433[A]	GLN
3	I	433[B]	GLN
2	S	424	ASP
2	S	447	GLU
2	S	450	GLU
2	S	451	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	K	59	HIS
1	K	70	GLN
1	K	116	GLN
1	K	211	ASN
1	K	270	ASN
1	N	42	GLN
1	N	135	ASN
1	N	193	GLN
1	N	222	ASN
1	N	366	ASN
2	A	11	GLN
2	A	107	HIS
2	A	266	HIS
3	B	245	GLN
3	B	292	GLN
3	B	329	GLN
2	E	107	HIS
2	E	133	GLN
3	I	57	ASN
3	I	105	HIS
3	I	279	GLN
3	I	298	ASN
2	S	8	HIS
2	S	406	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ANP	K	502	4	33,33,33	1.12	5 (15%)	45,52,52	0.91	2 (4%)
6	GTP	E	501	4	33,34,34	0.89	1 (3%)	50,54,54	1.60	9 (18%)
6	GTP	A	501	4	33,34,34	0.90	1 (3%)	50,54,54	1.62	8 (16%)
7	GDP	B	501	-	29,30,30	1.16	3 (10%)	45,47,47	1.74	6 (13%)
7	GDP	I	501	-	29,30,30	1.17	3 (10%)	45,47,47	1.75	7 (15%)
6	GTP	S	501	4	33,34,34	0.90	1 (3%)	50,54,54	1.60	8 (16%)
5	ANP	N	501	-	33,33,33	1.11	5 (15%)	45,52,52	0.88	2 (4%)
8	TA1	I	502	-	68,68,68	0.31	0	105,105,105	0.67	3 (2%)
8	TA1	B	502	-	68,68,68	0.30	0	105,105,105	0.60	2 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ANP	K	502	4	-	1/18/38/38	0/3/3/3
6	GTP	E	501	4	-	3/22/38/38	0/3/3/3
6	GTP	A	501	4	-	3/22/38/38	0/3/3/3
7	GDP	B	501	-	-	2/16/32/32	0/3/3/3
7	GDP	I	501	-	-	2/16/32/32	0/3/3/3
6	GTP	S	501	4	-	4/22/38/38	0/3/3/3
5	ANP	N	501	-	-	11/18/38/38	0/3/3/3
8	TA1	I	502	-	-	4/41/127/127	0/7/7/7
8	TA1	B	502	-	-	14/41/127/127	0/7/7/7

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	N	501	ANP	PG-O1G	3.30	1.51	1.46
5	K	502	ANP	PG-O1G	3.24	1.51	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	N	501	ANP	PB-O1B	3.09	1.50	1.46
5	K	502	ANP	PB-O1B	3.07	1.50	1.46
7	I	501	GDP	C6-N1	-2.99	1.33	1.38
7	B	501	GDP	C6-N1	-2.92	1.33	1.38
7	I	501	GDP	C5-C4	2.79	1.46	1.38
7	B	501	GDP	C5-C4	2.75	1.46	1.38
7	B	501	GDP	C5-N7	-2.42	1.34	1.39
7	I	501	GDP	C5-N7	-2.34	1.34	1.39
5	N	501	ANP	PB-O2B	-2.28	1.50	1.56
5	K	502	ANP	PB-O2B	-2.28	1.50	1.56
5	K	502	ANP	PG-O3G	-2.27	1.50	1.56
6	E	501	GTP	C5-N7	-2.23	1.34	1.39
5	N	501	ANP	PG-O2G	-2.22	1.50	1.56
6	S	501	GTP	C2-N3	2.18	1.38	1.33
6	A	501	GTP	C5-N7	-2.18	1.34	1.39
5	K	502	ANP	PG-O2G	-2.15	1.51	1.56
5	N	501	ANP	PG-O3G	-2.11	1.51	1.56

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	501	GDP	C5-C4-N3	-6.18	118.55	128.39
7	I	501	GDP	C5-C4-N3	-5.87	119.04	128.39
6	S	501	GTP	C5-C4-N3	-5.36	119.86	128.39
6	A	501	GTP	C5-C4-N3	-5.28	119.98	128.39
6	E	501	GTP	C5-C4-N3	-5.23	120.06	128.39
7	B	501	GDP	C2-N3-C4	4.93	120.79	112.30
7	I	501	GDP	C2-N3-C4	4.91	120.75	112.30
6	S	501	GTP	C2-N3-C4	4.67	120.35	112.30
6	A	501	GTP	C2-N3-C4	4.61	120.24	112.30
7	B	501	GDP	N9-C4-N3	4.59	135.13	125.95
6	E	501	GTP	C2-N3-C4	4.59	120.20	112.30
7	I	501	GDP	N9-C4-N3	4.50	134.95	125.95
5	K	502	ANP	O2B-PB-O1B	4.15	118.76	109.87
5	N	501	ANP	O2B-PB-O1B	4.03	118.50	109.87
6	S	501	GTP	N9-C4-N3	3.55	133.05	125.95
6	E	501	GTP	N9-C4-N3	3.38	132.71	125.95
6	A	501	GTP	N9-C4-N3	3.35	132.65	125.95
6	A	501	GTP	C2-N1-C6	-3.31	119.11	125.11
7	I	501	GDP	C6-C5-N7	3.24	136.19	130.29
6	E	501	GTP	C2-N1-C6	-3.21	119.29	125.11
6	S	501	GTP	C2-N1-C6	-3.11	119.47	125.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	501	GDP	C6-C5-N7	3.08	135.89	130.29
6	E	501	GTP	N9-C8-N7	-2.74	108.33	113.40
6	A	501	GTP	N9-C8-N7	-2.70	108.39	113.40
6	S	501	GTP	N9-C8-N7	-2.64	108.50	113.40
6	A	501	GTP	C5-C6-N1	2.62	119.93	113.25
6	S	501	GTP	C5-C6-N1	2.61	119.91	113.25
8	I	502	TA1	C01-C02-C10	-2.61	114.28	118.19
6	A	501	GTP	C8-N7-C5	2.60	108.89	104.26
6	E	501	GTP	O6-C6-C5	-2.59	119.69	126.53
6	E	501	GTP	C5-C6-N1	2.56	119.78	113.25
6	S	501	GTP	C8-N7-C5	2.56	108.82	104.26
6	A	501	GTP	O6-C6-C5	-2.55	119.79	126.53
6	E	501	GTP	C8-N7-C5	2.55	108.81	104.26
7	B	501	GDP	C4-C5-N7	-2.51	106.69	110.67
6	S	501	GTP	O6-C6-C5	-2.51	119.92	126.53
8	I	502	TA1	C17-C18-C20	2.46	108.11	102.58
8	B	502	TA1	C17-C18-C20	2.46	108.10	102.58
5	K	502	ANP	O3G-PG-O1G	-2.39	107.45	113.45
7	I	501	GDP	C4-C5-N7	-2.35	106.95	110.67
7	I	501	GDP	C3'-C2'-C1'	2.30	105.81	101.46
8	B	502	TA1	C19-C18-C20	-2.29	100.63	106.56
5	N	501	ANP	O2G-PG-O1G	-2.29	107.72	113.45
8	I	502	TA1	C19-C18-C20	-2.14	101.03	106.56
7	B	501	GDP	O6-C6-C5	-2.13	120.92	126.53
7	I	501	GDP	O6-C6-C5	-2.07	121.08	126.53
6	E	501	GTP	C3'-C2'-C1'	2.02	105.29	101.46

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	K	502	ANP	PG-N3B-PB-O3A
5	N	501	ANP	PB-N3B-PG-O1G
5	N	501	ANP	PG-N3B-PB-O1B
5	N	501	ANP	PG-N3B-PB-O3A
5	N	501	ANP	C5'-O5'-PA-O1A
5	N	501	ANP	C5'-O5'-PA-O2A
5	N	501	ANP	C5'-O5'-PA-O3A
6	A	501	GTP	C5'-O5'-PA-O3A
6	S	501	GTP	C5'-O5'-PA-O3A
6	S	501	GTP	C5'-O5'-PA-O2A
7	B	501	GDP	C5'-O5'-PA-O3A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	I	501	GDP	C5'-O5'-PA-O3A
8	B	502	TA1	C27-C28-C29-N01
8	B	502	TA1	C27-C28-C29-C37
8	B	502	TA1	O13-C28-C29-C37
8	I	502	TA1	C23-C22-O09-C21
8	B	502	TA1	C23-C22-O09-C21
8	I	502	TA1	O10-C22-O09-C21
8	B	502	TA1	O10-C22-O09-C21
8	B	502	TA1	C31-C30-N01-C29
5	N	501	ANP	C3'-C4'-C5'-O5'
8	B	502	TA1	O14-C30-N01-C29
5	N	501	ANP	O4'-C4'-C5'-O5'
8	B	502	TA1	O13-C28-C29-N01
8	B	502	TA1	O14-C30-C31-C36
6	A	501	GTP	C4'-C5'-O5'-PA
8	B	502	TA1	N01-C30-C31-C36
8	I	502	TA1	O05-C12-O04-C11
6	A	501	GTP	C5'-O5'-PA-O1A
6	S	501	GTP	C5'-O5'-PA-O1A
7	B	501	GDP	C5'-O5'-PA-O1A
7	I	501	GDP	C5'-O5'-PA-O1A
6	S	501	GTP	C4'-C5'-O5'-PA
8	B	502	TA1	O14-C30-C31-C32
5	N	501	ANP	C4'-C5'-O5'-PA
8	I	502	TA1	C13-C12-O04-C11
6	E	501	GTP	PA-O3A-PB-O2B
8	B	502	TA1	N01-C30-C31-C32
8	B	502	TA1	C37-C29-N01-C30
6	E	501	GTP	C4'-C5'-O5'-PA
5	N	501	ANP	PB-O3A-PA-O1A
5	N	501	ANP	PA-O3A-PB-O1B
8	B	502	TA1	C28-C29-N01-C30
6	E	501	GTP	PA-O3A-PB-O1B

There are no ring outliers.

5 monomers are involved in 47 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	K	502	ANP	2	0
6	S	501	GTP	2	0
5	N	501	ANP	6	0
8	I	502	TA1	17	0



Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	502	TA1	20	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42549. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 208




Y Index: 208




Z Index: 208


6.2.2 Raw map



X Index: 208



Y Index: 208



Z Index: 208


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 213




Y Index: 219




Z Index: 175


6.3.2 Raw map



X Index: 215



Y Index: 208




Z Index: 175


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.00789. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:


- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

6.6.1 emd_42549_msk_1.map [i](#)




6.6.2 emd_42549_msk_2.map [i](#)




6.6.3 emd_42549_msk_3.map [i](#)


X




Y




Z

6.6.4 emd_42549_msk_4.map [i](#)

X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 648 nm³; this corresponds to an approximate mass of 586 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.323 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.13	3.52	3.17
Unmasked-calculated*	3.91	4.62	3.97

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.91 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42549 and PDB model 8UTT. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.00789 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00789).

















9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.00789) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7460	 0.4640
A	 0.8420	 0.5180
B	 0.8380	 0.5180
E	 0.8260	 0.5150
I	 0.8320	 0.5170
K	 0.6260	 0.3760
N	 0.4950	 0.3390
S	 0.7170	 0.4380

